

closure_evidence_20260923

BOB-218 closure evidence — 2026-09-23

Three defects, all fixed via TDD

Defect 1 (main — false rollback claim with real downstream harm): tools/README.md claimed “the backup is restored” on write failure; shutil.copy2 only ever copied FORWARD (backup creation), never restored it; the plugin write opened in truncating mode, so a mid-write failure left a corrupt, non-importable plugin the operator believed was restored. Fixed by implementing genuine atomicity — new `_atomic_write()` writes to a private temp file in the target’s own directory, then `os.replace()`s it onto the target (a same-filesystem atomic rename on POSIX); the target is NEVER opened in truncating mode in the write path, so any failure leaves it byte-identical to its pre-attempt state. README corrected to describe this accurately.

Defect 2 (doc-only): README claimed JSON output goes to stdout; the code already correctly wrote to a file (`open(args.output, "w")`) — only the doc claim was wrong (the code needed no fix here). README corrected in both places it made this claim.

Defect 3 (signal handling): `_extract_version`’s bare `except:` silently swallowed `KeyboardInterrupt` during the 14-URL upstream sweep. Narrowed to `except (OSError, UnicodeDecodeError):`, letting `KeyboardInterrupt/SystemExit` propagate normally (they inherit from `BaseException`, not `Exception`, so this narrowing alone is sufficient).

Independently re-verified this session (coordinator)

```
$ .venv/bin/python -m pytest tests/unit/  
test_bob218_plugin_update_rollback.py -v --import-mode=importlib  
... 7 passed in 0.45s
```

```
$ .venv/bin/python -m pytest tests/unit/  
test_bob217_plugin_update_pinned_hash_verification.py -v --import-  
mode=importlib  
... 7 passed in 0.50s  
(confirms the earlier BOB-217 supply-chain fix, landed earlier  
this  
session in the same file, is unaffected)
```

```
$ .venv/bin/ruff check tools/plugin_update_automation.py  
All checks passed!
```

```
$ grep -n "_atomic_write\|os.replace" tools/  
plugin_update_automation.py  
234: ... _atomic_write never opens ...  
238: self._atomic_write(local_path, upstream_content)  
250: def _atomic_write(self, target_path: str, content: str) ->  
None:  
275: os.replace(tmp_path, target_path)
```

Implementation confirmed present exactly as reported.

Honest boundary (not silenced)

`_atomic_write`'s temp-file naming (pid + microsecond timestamp) is not `tempfile.mkstemp`-grade collision-proof — a deliberate, documented proportionality choice for a single-host, single-invocation developer tool with no pre-existing concurrent-writer requirement. `os.replace` itself (a single atomic POSIX syscall) is not separately failure-injected in the RED test, only the temp-file write step is — judged an acceptable, lower-priority gap given the specific acceptance criterion (“write to temp file and rename atomically rather than truncating in place,” which is satisfied).

git diff –stat

```
tools/README.md | 20 ++++++-----  
tools/plugin_update_automation.py | 63 ++++++
```

+++++++--

2 files changed, 75 insertions(+), 8 deletions(-)

Plus new tests/unit/test_bob218_plugin_update_rollback.py (7 tests).