

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	36
Feature	Implemented (→ Fixed.md)	17
Task	Completed (→ Fixed.md)	16
Task	Fixed (→ Fixed.md)	4
Task	Implemented (→ Fixed.md)	17
TOTAL		90

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Fixed (→ Fixed.md)	Bug	—	BOB-001 — start.sh BSD-sed inc
2	—	Fixed (→ Fixed.md)	Bug	—	BOB-002 — start.sh podman unsha
3	—	Fixed (→ Fixed.md)	Bug	—	BOB-003 — macOS tunnel port d
4	—	Completed (→ Fixed.md)	Task	—	BOB-004 — Private-tracker creden
5	—	Fixed (→ Fixed.md)	Task	—	BOB-005 — Public-tracker plugin
6	—	Implemented (→ Fixed.md)	Feature	—	BOB-006 — NNMCclub username
7	—	Completed (→ Fixed.md)	Task	—	BOB-007 — RuTor documented a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
8	—	Completed (→ Fixed.md)	Task	—	BOB-009 — Containers submodule with Go wrapper
9	—	Completed (→ Fixed.md)	Task	—	BOB-010 — Workable-items SQL integrated + pre-build gate wired (\$11.4.95) BOB-011 — DOCX export support generate_markdown_exports. 11 Completed (→ Fixed.md) Task — Export-sync gate expanded to all (\$11.4.65) 12 — Fixed (→ Bug — BOB-013 — torrentkitty_parse_size reported 0 MB/GB/TB size 13 — Fixed Bug — BOB-014 — GogenerateID under burst (UnixNano-only) 14 (→ Fixed.md) Task — BOB-015 public-tracker failures are external deterministic 15 — Fixed Task — BOB-016 — Jackett plugin (Pool(0)) when zero indexers are 16 — Fixed (→ Fixed.md) Bug — BOB-017 — NNMClub plugin self-heal crashed ICON 17 — Completed (→ Fixed.md) Task — BOB-018 — Jackett server in latest 18 — Completed (→ Task — BOB-019 — Jackett added reference submodule (latest release) Completed (→ Fixed.md) Task — CodeGraph initialized + wired (\$11.4.95) 19 — Fixed (→ Fixed.md) Task — BOB-020 — env_loader flaky test: across test ordering 21 — Fixed (→ Fixed.md) Bug — BOB-022 — A warning in search deep-coverage tests — Implemented (→ Fixed.md) Feature — BOB-023 — gamestorrents plugin deep-coverage tests + B-substring bug documented Fixed (→ Fixed.md) Bug — BOB-024 — gamestorrents_parse_sizeB-substring 24 — Implemented (→ Fixed.md) Task — BOB-025 — eztv.py deep-coverage tests) — 54 tests covering MyHtml units, date patterns, defaults, s 25 — Implemented (→ Fixed.md) Task — BOB-026 — piratebay.py deep-coverage tests + import-order bug documented Implemented (→ Fixed.md) Feature
10	—	Implemented (→ Fixed.md)	Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					BOB-027 — solidtorrents.py deep-c (37 tests) 27 — Implemented (→ Fixed.md) Feature — BOB-028 — limetorrents.py deep-coverage tes 28 — Implemented (→ Fixed — BOB-029 — torlock.py deep-c (55 tests) 29 — Implemented (→ Fixed.md) Feature — BOB-030 — deep-coverage tests + missing imp documented 30 — Implemented (→ Fixed.md) Feature — BOB-031 — deep-coverage tests + comma-size 31 — Implemented (→ Fixed — BOB-032 — anilibra.py deep- (49 tests) 32 — Fixed (→ Bug — BOB-033 — kickass.py cr added (BOB-015 defense-in-depth) Implemented (→ Fixed.md) Feature BOB-034 — torrentgalaxy.py + yts. coverage (80 new tests) 34 Fixed.md) Bug — BOB-035 — r import re fixed —download_torre
35	—	Fixed (→ Fixed.md)	Bug	—	BOB-036 — kickass.py comma-se regex fixed
36	—	Implemented (→ Fixed.md)	Feature	—	BOB-037 — rutor.py deep-covera tests) — 83 tests covering date n pagination math, config, proxy,
37	—	Implemented (→ Fixed.md)	Feature	—	BOB-038 — tokyotoshokan.py de tests (60 tests)
38	—	Implemented (→ Fixed.md)	Feature	—	BOB-039 — snowfl.py deep-cover tests)
39	—	Implemented (→ Fixed.md)	Feature	—	BOB-040 — torrentdownload.py c tests (35 tests)
40	—	Implemented (→ Fixed.md)	Feature	—	BOB-041 — linuxtracker.py deep tests (30 tests)
41	—	Implemented (→ Fixed.md)	Task	—	BOB-042 — audiobookbay.py dee tests + missing import re fixed
42	—	Implemented (→ Fixed.md)	Task	—	BOB-043 — one337x.py deep-cov B-substring fixed
43	—	Implemented (→ Fixed.md)	Task	—	BOB-044 — extratorrent.py deep tests + B-substring fixed
44	—	Implemented (→ Fixed.md)	Task	—	BOB-045 — torrentfunk.py deep- + B-substring fixed
45	—		Task	—	BOB-046 — torrentproject.py dee tests — 36 tests covering MyHTM

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			(handle_starttag/endtag/data), fetch_magnet.
46	—	Implemented (→ Fixed.md)	Task	—	BOB-047 — therarbg.py deep-cover B-substring fixed
47	—	Implemented (→ Fixed.md)	Task	—	BOB-048 — academictorrents.py coverage tests — 48 tests covering parsing, concurrent.
48	—	Implemented (→ Fixed.md)	Task	—	BOB-049 — ali213.py deep-cover 25 tests covering threaded game handling, retry loop (20 ceiling), extraction.
49	—	Implemented (→ Fixed.md)	Task	—	BOB-050 — yourbittorrent.py deep-cover tests — 30 tests covering HTMLLE download_file, 7 categories.
50	—	Implemented (→ Fixed.md)	Task	—	BOB-051 — glotorrents.py deep-cover — 40 tests covering pagination, 9 magnet extraction, sleep.
51	—	Implemented (→ Fixed.md)	Task	—	BOB-052 — pctorrent.py deep-cover B-substring pre-fixed
52	—	Implemented (→ Fixed.md)	Task	—	BOB-053 — rockbox.py deep-cover 32 tests covering datetime, sleep pagination, kb/mb/gb sizes.
53	—	Implemented (→ Fixed.md)	Task	—	BOB-054 — bitru.py deep-cover substring fixed
54	—	Implemented (→ Fixed.md)	Task	—	BOB-055 — btsow.py deep-cover Tests covering data-list card parsing download_torrent.
55	—	Implemented (→ Fixed.md)	Task	—	BOB-056 — torrentscsv.py deep-cover — 33 tests covering CSV parsing download_torrent.
56	—	Implemented (→ Fixed.md)	Task	—	BOB-057 — xfsb.py deep-cover substring fixed
57	—	Implemented (→ Fixed.md)	Task	—	BOB-058 — yihua.py deep-cover substring fixed
58	—	Fixed (→ Fixed.md)	Task	—	BOB-059 — bt4g.py tests fixed (v — 3 tests had bugs: infinite loop return_value (should use
59	Low	Fixed (→ Fixed.md)	Bug	—	BOB-060 — Public-tracker plugin degenerate/empty upstream resp
60	High	Fixed (→ Fixed.md)	Bug	—	BOB-061 — Unit suite hang + or test-pollution (non-deterministic
61	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-062 — Unbounded plugin p loops + unbounded network I/O (

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
62	Low	Completed (→ Fixed.md)	Task	—	BOB-063 — pirateiro test-isolation conftest isolation + standing reg
63	—	Completed (→ Fixed.md)	Task	—	BOB-064 — Lava P1: Durable ren (systemd-linger helper)
64	—	Completed (→ Fixed.md)	Task	—	BOB-067 — Lava P4: Jackett cool hardening + behaviorally-equival fake
65	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-071 — RD2-01: guard-forbid commands.sh hook has live repro substring carrier false-positive
66	High	Fixed (→ Fixed.md)	Bug	—	BOB-072 — RD2-03: workable_it machine-caught SSoT integrity v 90% of closures have zero audit t
67	High	Fixed (→ Fixed.md)	Bug	—	BOB-073 — RD2-04: workable_it Issues.md/Fixed.md have drifted body differs)
68	High	Completed (→ Fixed.md)	Task	—	BOB-075 — RD2-08: docs/feature and docs/codegraph/Status.md a
69	Low	Completed (→ Fixed.md)	Task	—	BOB-076 — RD2-09: submodules commit behind upstream (inform
70	High	Fixed (→ Fixed.md)	Bug	—	BOB-091 — RD2-26: Relocate mo SearchOrchestrator tests to unit/ real-service replacements (closes
71	Medium	Completed (→ Fixed.md)	Task	—	BOB-103 — Incorporate Docs Ch per §11.4.106/§11.4.28(C)
72	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-108 — constitution scripts/v export reverts docs/Issues.md + revision counters
73	High	Fixed (→ Fixed.md)	Bug	—	BOB-112 — boba-jackett /healthz under cold-start concurrent burs Jackett.GetCatalog() call
74	High	Fixed (→ Fixed.md)	Bug	—	BOB-115 — Fix workable-items v scoping to Updated-events (BOB pattern)
75	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-116 — 2nd forced-logout in user@1000.service SIGKilled at pressure cascade (perceived hos
76	High	Fixed (→ Fixed.md)	Bug	—	BOB-117 — rutracker login diag forbidden §11.4.6 ‘likely’ vocabul error_type (unfixed sibling of nnr
77	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-119 — docs/ MERGE_SEARCH_DIAGNOSTICS ENABLE_DEAD_TRACKERS defa

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					code + compose default=0 (cont. doc)
78	High	Fixed (→ Fixed.md)	Bug	—	BOB-122 — IPTorrents seed/leech reports 0/0 despite real swarm data outdated markup selectors in plugin iptorrents.py AND download-problem merge_service/search.py
79	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-124 — 5th forced-logout 2026-08-20T15:28:22 — architectural install-check authored preventive gates never hit operator
80	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-125 — 6th forced-logout 2026-08-20T16:04:54 — RESOLVED via BOB-124 cause was pytest kill(-1,9))
81	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-126 — 7th forced-logout 2026-08-20T16:43:43 — REAL ROOT CAUSE: kill(-1,9) via MagicMock.__int__ = anchor + boba defense-in-depth
82	Low	Fixed (→ Fixed.md)	Bug	—	BOB-127 — Task 8 audit: 2 tests fail killpg/getpgid on hardcoded PIDs (8bedc5a)
83	Low	Fixed (→ Fixed.md)	Bug	—	BOB-130 — Badge-test timeout due to — synced_fixtures fixture 93s vs 10s
84	High	Fixed (→ Fixed.md)	Bug	—	BOB-132 — qbittorrent-proxy pod unhealthy — connection refused to sidecar on localhost:7185
85	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-133 — CRITICAL: fleet-wide dead-but-healthy — podman stale service outage
					BOB-138 — Reported-Via: §11.4 reporting directive bug on 2026-08-20T14:47:35Z Reported-Via: §11.4 What (the report, verbatim): The qbittorrent-proxy container serves from one process - 7186 (download) 7187 (merge service) - but its health probes ONLY 7186: docker-compose test: ["CMD-SHELL", "python -c 'import urllib.request; urllib.request.urlopen(\"http://localhost:7186/\", timeout=5)\" echo \"fail\"'"] e.g. when 7187 dies the container reports healthy indefinitely. Measured 2026-08-20T14:47:35Z showed "Up 4 hours (healthy)" while 7187 has been returning nothing for roughly 4 hours (see the sibling wedge item). This
86	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					§11.4.201 defect class exactly: the test asserts a PROXY signal (one port is open instead of the REAL condition (every container serves answers). A false health pass is a §11.4 PASS-bluff. The orchestration layer – an operator – has an orchestrator restart policy, and a service’s depends_on: service_healthy is “healthy” while the product’s primary capability is dead. The asymmetry is in the same file: the Go variant’s health check in docker-compose.yml:129 DOES pass (curl -sf http://localhost:7187/health) Python container – which serves health checks only the one that happens. Note also that the two checks probe different things: line 129 uses /health, line 130 uses /ready. Whichever endpoint is used, the test must cover 7187. FIX DIRECTION: the test must probe every port the container publishes and fail if ANY of them fails. Root cause: IS established (the check does not depend independent of WHY 7187 died – the test separately fixable and does not wedge investigation. DISCOVERY: (§11.4.238): found by hand-probing unrelated investigation, not by automated Coverage escape: no automated check that a container’s health check covers all port that container publishes. Affected scope / file-scope manifest: docker-compose.yml (qbittorrent-proxy health check line ~214) Reproduction / control: stop the 7187 listener while leaving the container then observe ‘podman ps’ still reports (healthy). Directly: curl -max-timeout localhost:7186/ -> 200 while curl localhost:7187/ -> 000, container reports ‘healthy’. Acceptance criteria: qbittorrent-proxy health check fails when it is unreachable and passes when it receives an answer. Guard: an automated check that every published port of a composition appears in that service’s health check. Evidence: health check observed against a container with a dead 7187. Result: PASSING with both ports live (because §11.4.201).

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
87	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-139 — Reported-Via: §11.4 reporting directive bug on 2026-08-20T14:47:35Z Reported What (the report, verbatim): E generators in download-proxy/streaming.py (lines ~153 and ~3 their while True loop with this he _client_gone() -> bool: if request return False try: return await request.is_disconnected() except return False The bare except Except False means: if the disconnect ch raises, the generator concludes t STILL CONNECTED and keeps s forever. That is fail-OPEN on the that terminates the loop, in a coo holds a socket and a task. This is fail-closed rule inverted: the safe cannot determine whether the cl to treat it as gone and stop strea client can always reconnect - SS for that), not to keep an unbound alive on an unresolvable signal. I §11.4.201(6) false-null: a raising genuinely-connected client retur False, so the loop cannot distinguish here” from “I am blind”. Corrobor observation (2026-08-20): seven by the merge-service process we CLOSE-WAIT with unread request clients had hung up and the serv noticed. That is consistent with (proven to be caused by) this fail- the reason this is filed rather tha style note. HONEST BOUNDARY be the cause of the 7187 wedge - DO call await asyncio.sleep(poll_ they yield and would not busy-sp as a real defect on its own merits unbounded stream on an unresol plus a leaked socket and task), n wedge’s root cause. Affected scope manifest: download-proxy/streaming.py (_client_gone at ~li ~line 351) Reproduction / cont Monkeypatch Request.is_disconn open an SSE stream, disconnect observe the generator never term

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
88	Medium	Completed (→ Fixed.md)	Task	—	loop keeps yielding and the task reclaimed). Acceptance criteria disconnect probe terminates the closed per §11.4.252) rather than AND a normally-connected client uninterrupted (§11.4.201 both di Guard: a unit test for each SSE g covering raise -> terminate and continue. BOB-140 — Reported-Via: §11.4 reporting directive task on 2026-08-20T14:56:38Z Reported What (the report, verbatim): s pre_build/ check_cm_healthcheck_covers_se (landed with BOB-138) implemen every project under this constitu container health check MUST co its service serves, because a che subset asserts a proxy signal inst condition (§11.4.201). Its detecti already carries ZERO boba litera compose file and the served-port inputs, defaulted from the projec therefore belongs in constitution and should be consumed BY REF thin boba delegator holding only DATA, exactly as check_cm_killpg_pgid_guard.sh v restructured (§11.4.177 / §11.4.2 WHY IT WAS NOT UPSTREAMED IMMEDIATELY: a concurrent age constitution/scripts/gates/ at the (upstreaming the killpg engine). one submodule directory risks lo this was deferred deliberately an than silently skipped (§11.4.197) known-and-tracked deviation fro not an oversight. Two properties the move: 1. FAIL when zero serv checked - a quiet zero from a bli is indistinguishable from a clean (§11.4.201(6)). 2. FAIL when pyth is unavailable, rather than skipping same reason. Acceptance: the en constitution/scripts/gates/, boba' thin delegator carrying only its m both directions still verified (a se

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
89	High	Fixed (→ Fixed.md)	Bug	—	a served port FAILs; a fully-covered PASSes), and no detection logic in between the two. Affected scope manifest: scripts/pre_build/check_cm_healthcheck_covers_se/config/served_ports.yaml, constitution/gates/ Reproduction / context: deviation recorded at landing time discovered defect. Acceptance criteria: Detection engine in constitution/boba ships a thin delegator with only; zero duplicated detection logic polarity directions still verified as BOB-142 — Reported-Via: §11.4 reporting directive bug on 2026-08-20T15:02:34Z Reported-What (the report, verbatim): E and list field on SearchRequest e was UNBOUNDED: query: min_le max_length category: NO max_length sort_order: NO max_length (list) li carried ge=1/le=100, so the mod bounding idiom - it simply was n the other fields. WHY THIS IS AN AMPLIFICATION SURFACE, NOT ISSUE: POST /api/v1/search fans out to ~43 tracker plugins. An un means one cheap inbound request expensive upstream requests, ea attacker-controlled payload. Rate (BOB-111) does NOT close it: a c inside its allowance can still send megabyte query, and the per-request the problem here, not the request two controls are complementary; substitutes for the other. Verified service BEFORE the fix: a 100,000 query was accepted and dispatched ARE EVIDENCE-BASED, NOT TA Measured across the repo 2026-0 longest legitimate query in any t is 14 chars (“boba-111-probe”); t category is “boundary-max-length. there are 43 managed plugins. C leave generous headroom over o while removing the unbounded t category 64, sort_by/sort_order 3

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
90	Medium	Completed (→ Fixed.md)	Task	—	entries. Affected scope / file-scope manifest: download-proxy/src/api/SearchRequest, tests/security/test_search_request_bounds.py Reproduction / context: POST with {"query": "A"100000} against service: accepted (HTTP 200) and to the tracker fan-out. Same for ["t"]10000}. Acceptance criteria: values are refused with HTTP 429 realistic values still return HTTP 200 (§11.4.201 both directions), provided live service over real HTTP. BOB-147 — Reported-Via: §11.4.201 reporting directive task on 2026-08-20T16:15:03Z Reported-Via: §11.4.201 What (the report, verbatim): A §11.4.252 fail-open hits classified unclassified, 9 real defects fixed stale gates reconciled per §11.4.252 phantom count in invariant 39 real defect 9 fixed (B) correct idiom capability, or the primary failure logged/re-raised (C) vendored 14 headers + byte-identical community Fixed: env_loader.py:30, iptorrentutor.py:303/324/121, rutracker.py:helpers.py:220, anilibra.py:75, phcommunity/anilibra.py:75 (the §11.4.252) Evidence: docs/qa/fail-open-triage/{trriage.md, test_fail_open_regression_run.txt, green_run.txt}. RED passed -> GREEN 29 passed; each makes its own guard FAIL; a COM stub the author did not write keep structure but blanks the diagnosis guard STILL fails. Two follow-ups separately and are NOT part of the BOB-146 — the constitution detected undercounts by 29% (30 vs 42 AS of invariant 39 to BLOCKING — §11.4.224(E) fence over the remainder the 10 unowned missed sites triage the fence is written against an un Operator's call (§11.4.66). Affected file-scope manifest: plugins/*.py community/anilibra.py, download-theme_state.py, download-proxy/

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					merge_service/scheduler.py, tests/test_plugin_rutor.py, tests/unit/test_plugin_rutracker.py, scripts/pre_build_verification.sh Reproducible context: n/a — planned triage of gate's output, not a discovered d Acceptance criteria: Every hit c bucket-A fixes RED-first with pai stale gates reconciled not fake-pa count reflects findings not the ga line.