

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Completed (→ Fixed.md)	3
Bug	Fixed (→ Fixed.md)	108
Bug	Obsolete (→ Fixed.md)	1
Feature	Implemented (→ Fixed.md)	17
Task	Completed (→ Fixed.md)	70
TOTAL		199

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Fixed (→ Fixed.md)	Bug	—	BOB-001 — start.sh BSD-sed incompat
2	—	Fixed (→ Fixed.md)	Bug	—	BOB-002 — start.sh podman unshare in podman
3	—	Fixed (→ Fixed.md)	Bug	—	BOB-003 — macOS tunnel port detect
4	—	Completed (→ Fixed.md)	Task	—	BOB-004 — Private-tracker credential
5	—	Completed (→ Fixed.md)	Task	—	BOB-005 — Public-tracker plugins all (systemic)
6	—	Implemented (→ Fixed.md)	Feature	—	BOB-006 — NNMClub username/pass uses the operator’s NNMCLUB_USERNAME

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
7	—	Completed (→ Fixed.md)	Task	—	BOB-007 — RuTor documented as pu tracker with no login endpoint; RUTOP
8	—	Completed (→ Fixed.md)	Task	—	BOB-009 — Containers submodule in
9	—	Completed (→ Fixed.md)	Task	—	BOB-010 — Workable-items SQLite D (\$11.4.93/\$11.4.95) BOB-011 — DOCX export support add 11 — Completed (→ Fixed.md) gate expanded to all docs (\$11.4.6 Bug — BOB-013 – torrentkitty MB/GB/TB size 13 — Fixed (→ GogenerateID()collided under burst Completed (→ Fixed.md) Task — tracker failures are external / no Completed (→ Fixed.md) Task — (Pool(0)) when zero indexers are co Fixed.md) Bug — BOB-017 – NN invalid ICON 17 — Complete BOB-018 – Jackett server image upd Completed (→ Fixed.md) Task — reference submodule (latest releas Fixed.md) Task — BOB-020 – C (\$11.4.78/79/80) 20 — Fixe – env_loader flaky test: KEY2 leak Fixed (→ Fixed.md) Bug — BOB deep-coverage tests 22 — I — BOB-023 – gamestorrents plug substring bug documented 23 — BOB-024 – gamestorrents_parse_sizeB Implemented (→ Fixed.md) Feature coverage tests (54 tests) – 54 tes units, date patterns, defaults, sp Implemented (→ Fixed.md) Feature deep-coverage tests + import-order Implemented (→ Fixed.md) Feature deep-coverage tests (37 tests) Feature — BOB-028 – limetorr tests) 28 — Implemented (→ – torlock.py deep-coverage tests (→ (→ Fixed.md) Feature — BOB-0
10	—	Implemented (→ Fixed.md)	Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					missing import re bug documented Fixed.md) Feature – BOB-031 comma-size gap documented 31 Feature – BOB-032 – anilibra.p 32 – Fixed (→ Fixed.md) Bu guards added (BOB-015 defense-in-d Fixed.md) Feature – BOB-034 coverage (80 new tests) 34 – BOB-035 – nyaa.py missing import r download_torrent()calledre.
35	—	Fixed (→ Fixed.md)	Bug	—	BOB-036 — kickass.py comma-separa
36	—	Implemented (→ Fixed.md)	Feature	—	BOB-037 — rutor.py deep-coverage te normalization, pagination math, con
37	—	Implemented (→ Fixed.md)	Feature	—	BOB-038 — tokyotoshokan.py deep-c
38	—	Implemented (→ Fixed.md)	Feature	—	BOB-039 — snowfl.py deep-coverage
39	—	Implemented (→ Fixed.md)	Feature	—	BOB-040 — torrentdownload.py deep
40	—	Implemented (→ Fixed.md)	Feature	—	BOB-041 — linuxtracker.py deep-cov
41	—	Completed (→ Fixed.md)	Task	—	BOB-042 — audiobookbay.py deep-co fixed
42	—	Completed (→ Fixed.md)	Task	—	BOB-043 — one337x.py deep-coverage
43	—	Completed (→ Fixed.md)	Task	—	BOB-044 — extratorrent.py deep-cov
44	—	Completed (→ Fixed.md)	Task	—	BOB-045 — torrentfunk.py deep-cove
45	—	Completed (→ Fixed.md)	Task	—	BOB-046 — torrentproject.py deep-co MyHTMLParser (handle_starttag/end
46	—	Completed (→ Fixed.md)	Task	—	BOB-047 — therarbg.py deep-coverage
47	—	Completed (→ Fixed.md)	Task	—	BOB-048 — academictorrents.py deep XML parsing, concurrent.
48	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			BOB-049 — ali213.py deep-coverage t gamepage handling, retry loop (20 ce
49	—	Completed (→ Fixed.md)	Task	—	BOB-050 — yourbittorrent.py deep-co HTMLParser, download_file, 7 categor
50	—	Completed (→ Fixed.md)	Task	—	BOB-051 — glotorrents.py deep-cover pagination, 9 categories, magnet extr
51	—	Completed (→ Fixed.md)	Task	—	BOB-052 — pctorrent.py deep-covera
52	—	Completed (→ Fixed.md)	Task	—	BOB-053 — rockbox.py deep-coverag sleep(3) pagination, kb/mb/gb sizes.
53	—	Completed (→ Fixed.md)	Task	—	BOB-054 — bitru.py deep-coverage te
54	—	Completed (→ Fixed.md)	Task	—	BOB-055 — btsow.py deep-coverage t parsing, search, download_torrent.
55	—	Completed (→ Fixed.md)	Task	—	BOB-056 — torrentscsv.py deep-cover parsing, search, download_torrent.
56	—	Completed (→ Fixed.md)	Task	—	BOB-057 — xfsusb.py deep-coverage t
57	—	Completed (→ Fixed.md)	Task	—	BOB-058 — yihua.py deep-coverage t
58	—	Completed (→ Fixed.md)	Task	—	BOB-059 — bt4g.py tests fixed (was h loop from constant return_value (sho
59	Low	Fixed (→ Fixed.md)	Bug	—	BOB-060 — Public-tracker plugins cra responses
60	High	Fixed (→ Fixed.md)	Bug	—	BOB-061 — Unit suite hang + order-d deterministic failures)
61	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-062 — Unbounded plugin pagin (hang risk)
62	Low	Completed (→ Fixed.md)	Task	—	BOB-063 — pirateiro test-isolation: ac regression guard
63	—	Completed (→ Fixed.md)	Task	—	BOB-064 — Lava P1: Durable remote
64	—	Completed (→ Fixed.md)	Task	—	BOB-067 — Lava P4: Jackett cookie-lo equivalent HelixQA fake
65	High	Fixed (→ Fixed.md)	Bug	—	BOB-070 — RD2-41: pre-build mutati silently defeats entire pre-build gate

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
66	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-071 — RD2-01: guard-forbidden-reproducible substring carrier false-
67	High	Fixed (→ Fixed.md)	Bug	—	BOB-072 — RD2-03: workable_items. violations + 90% of closures have zer
68	High	Fixed (→ Fixed.md)	Bug	—	BOB-073 — RD2-04: workable_items. drifted (BOB-008 body differs)
69	High	Completed (→ Fixed.md)	Task	—	BOB-075 — RD2-08: docs/features/Sta Status.md are stale
70	Low	Completed (→ Fixed.md)	Task	—	BOB-076 — RD2-09: submodules/jack (informational)
71	High	Completed (→ Fixed.md)	Task	—	BOB-077 — OPERATOR DECISION (2 clarification): UNKNOWN — INSTR The operator does not currently know Auto-commit fast-forwards, so the th Claude session / intentional rsync job DECIDED ACTION: stop hunting a hos — remote state is not knowable with the mechanism so the next occurrence to add: committer identity, hostname the git remote used, recorded at Auto log. ACCEPTANCE: the next Auto-com naming its origin host — at which po three original branches with evidenc §11.4.101 reversible-safe move: it cos a recurring mystery into a self-identi as consumer DATA per §11.4.35 — it i agent inference, and supersedes any question. Options not chosen are nar not re-litigate a settled call (§11.4.112 applied to decisions). — prior item te host running the Auto-commit rsync/ DECISION)
72	Medium	Completed (→ Fixed.md)	Task	—	BOB-079 — RD2-12: Retroactive attril GA-18/21/22/25/26/27 changes (never
73	High	Completed (→ Fixed.md)	Task	—	BOB-081 — RD2-14: Author CONTINU (currently 53 days / 24+ commits beh
74	High	Completed (→ Fixed.md)	Task	—	BOB-082 — RD2-15: Create BOB-064.. Lava-porting findings (closes GA-05)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
75	Medium	Completed (→ Fixed.md)	Task	—	BOB-083 — RD2-16: Regenerate browser Status.md + Summary/HTML/PDF sidebar
76	High	Completed (→ Fixed.md)	Task	—	BOB-084 — RD2-17: Reconcile BOB-009 workable-items tool
77	Medium	Completed (→ Fixed.md)	Task	—	BOB-086 — RD2-19: Fix BOB-009/BOB-009 item_history for 56 silent closures
78	High	Completed (→ Fixed.md)	Task	—	BOB-087 — RD2-20: Wire docs_chain §11.4.106(F) so DB writes cannot land
79	Medium	Completed (→ Fixed.md)	Task	—	BOB-088 — RD2-21: Complete/verify Documents table row-completeness (
80	High	Completed (→ Fixed.md)	Task	—	BOB-089 — RD2-24: RED-first tests for reload_plugins/recreate_stack (closes
81	High	Fixed (→ Fixed.md)	Bug	—	BOB-091 — RD2-26: Relocate mocked author real-service replacements (clo
82	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-092 — RD2-27: Remove test_live SKIP-on-404 fallback + verify live 200
83	Medium	Completed (→ Fixed.md)	Task	—	BOB-096 — RD2-31: Extend qBitTorrent process-kill/resource-exhaustion fault
84	Medium	Completed (→ Fixed.md)	Task	—	BOB-098 — RD2-34: Parametrize 20 helixqa banks with PROJECT_ROOT (
85	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-099 — RD2-36: Fix guard-forbidden false-positive class + add const033-p EXCLUDE_PATHS
86	Low	Completed (→ Fixed.md)	Task	—	BOB-100 — RD2-39: Bump submodule impl of RD2-09)
87	Medium	Completed (→ Fixed.md)	Task	—	BOB-103 — Incorporate Docs Chain s
88	Medium	Completed (→ Fixed.md)	Task	—	BOB-105 — §11.4.238 followup: mech integrity check
89	Medium	Completed (→ Fixed.md)	Task	—	BOB-107 — §11.4.238 followup: pre-d task-brief source inputs == CORREC conductor-caught before commit) == NEW script (scripts/check_subagent_ test_check_subagent_inputs_exist.sh) exact acceptance criterion was ALRE TRACKED, self-tested pre-dispatch ch inputs.sh (+ tests/hooks/test_check_br

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					7b45113 (2026-08-21) — the SAME co BOB-114. The pre-existing implemen required-input paths directly from a just take an explicit path list) and its good/golden-bad/brief-extract, all PA dispatch brief scoped its WRITES to a discovery search of scripts/hooks/ for catalogue-first-discovery applied incor subagent fabrication). Remediation: REMOVED (safe — never committed, tree). This item's Completed status is citation now points at the real, pre-ex hooks/check-brief-inputs.sh, tests/hoc commit 7b45113) rather than the ses fork. EVIDENCE: docs/qa/BOB-107/clo correction section appended).
90	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-108 — constitution scripts/work Issues.md + docs/Fixed.md revision c
91	Medium	Completed (→ Fixed.md)	Task	—	BOB-110 — BOB-074 followup: UX-cla usability) absent
92	High	Fixed (→ Fixed.md)	Bug	—	BOB-112 — boba-jackett /healthz amp burst via uncached Jackett.GetCatalo
93	Low	Completed (→ Fixed.md)	Task	—	BOB-113 — BOB-074 followup: add w challenges
94	Medium	Completed (→ Fixed.md)	Task	—	BOB-114 — BOB-074 followup: self-va rate-limit detector
95	High	Fixed (→ Fixed.md)	Bug	—	BOB-115 — Fix workable-items valid (BOB-010 id=64 pattern)
96	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-116 — 2nd forced-logout inciden after resource-pressure cascade (per
97	High	Fixed (→ Fixed.md)	Bug	—	BOB-117 — rutracker login diag still v vocabulary + wrong error_type (unfi
98	High	Fixed (→ Fixed.md)	Bug	—	BOB-118 — README.md python-tests -collect-only measures 5235 (9x stale
99	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-119 — docs/MERGE_SEARCH_DI ENABLE_DEAD_TRACKERS default=1 (contradicts sibling doc)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
100	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-120 — 3rd forced-logout incident user@1000 + preventive-timer-inside
101	High	Fixed (→ Fixed.md)	Bug	—	BOB-122 — IPTorrents seed/leech par data — outdated markup selectors in download-proxy/src/merge_service/s
102	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-123 — 4th forced-logout incident contradiction breakthrough (retro-re no tracker row)
103	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-124 — 5th forced-logout 2026-08 gap: 4 authored preventive gates nev
104	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-125 — 6th forced-logout 2026-08 BOB-126 (root cause was pytest kill(-1
105	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-126 — 7th forced-logout 2026-08 pytest kill(-1,9) via MagicMock.__int_ defense-in-depth
106	Low	Fixed (→ Fixed.md)	Bug	—	BOB-127 — Task 8 audit: 2 tests fired PIDs (fixed 8bedc5a)
107	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-128 — killpg-carrier collision be PATCHED-WHEN-REAL-PID and sibling registered: id used in 3 commits with
108	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-129 — Potential production slow 105 subagent
109	Low	Fixed (→ Fixed.md)	Bug	—	BOB-130 — Badge-test timeout determ 93s vs -timeout=60
110	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-131 — qbittorrent-proxy podma surfaced during BOB-129 investigation
111	High	Fixed (→ Fixed.md)	Bug	—	BOB-132 — qbittorrent-proxy post-re refused to qbittorrent sidecar on loca
112	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-133 — CRITICAL: fleet-wide con stale-cache masks service outage
113	Low	Completed (→ Fixed.md)	Bug	—	BOB-135 — Test isolation: test_list_ho (Permission denied /config)
114	High	Completed (→ Fixed.md)	Task	—	BOB-136 — Closure seam does not bi sweep, and workable-items diff is bli
115	High	Fixed (→ Fixed.md)	Bug	—	BOB-137 — Merge service on 7187 w serves 7186 (GIL starvation by one sp

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
116	High	Fixed (→ Fixed.md)	Bug	—	BOB-138 — qbittorrent-proxy health 7187 merge service reports healthy f
117	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-139 — SSE _client_gone() swallow connected’, so a raising disconnect p
118	Medium	Completed (→ Fixed.md)	Task	—	BOB-140 — Upstream the healthcheck constitution/scripts/gates/ and thin b
119	Low	Completed (→ Fixed.md)	Task	—	BOB-141 — CLAUDE.md claims the G its container binds only 7187 — doc c
120	High	Fixed (→ Fixed.md)	Bug	—	BOB-142 — SearchRequest fields were amplify into a 43-tracker fan-out carr
121	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-143 — Orphaned .worktrees/ dir gate scan scope and manufacture fal
122	Low	Fixed (→ Fixed.md)	Bug	—	BOB-144 — /theme/stream calls the d closed but via an uncaught traceback generators
123	High	Fixed (→ Fixed.md)	Bug	—	BOB-145 — Fix the 7187 wedge: offlo Deduplicator.merge_results so O(N^2) asyncio event loop
124	High	Fixed (→ Fixed.md)	Bug	—	BOB-146 — Constitution §11.4.252 de AST ground truth) — 4 distinct blind census
125	Medium	Completed (→ Fixed.md)	Task	—	BOB-147 — Triage all 36 §11.4.252 fai correct idioms, 14 vendored
126	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-148 — Standing red unit test not asserts has_session False, gets True — undecided
127	Low	Fixed (→ Fixed.md)	Bug	—	BOB-149 — Managed-plugin count di CLAUDE.md and the README badge, unguarded
128	Low	Completed (→ Fixed.md)	Task	—	BOB-150 — pre_build_verification.sh 35 invariants are labelled
129	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-152 — Constitution sweep walks one gate’s 38,291 findings come from
130	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-153 — Go profile cannot build: g Dockerfile builder is golang:1.23-alpi
131	Medium		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			BOB-154 — Host venv and production versions (1.4.1 vs 1.6.0)
132	High	Fixed (→ Fixed.md)	Bug	—	BOB-155 — workable-items diff repo. having opened zero Markdown files
133	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-156 — BOB-145 event-loop regression: flaky: 8786ms under host load vs a 90s quiet host
134	High	Fixed (→ Fixed.md)	Bug	—	BOB-157 — Our own BOB-137 stall w/ service: faulthandler dump_traceback() unpatched CPython 3.12 defect
135	High	Fixed (→ Fixed.md)	Bug	—	BOB-158 — tests/conftest.py cannot r binds asyncio.events._get_event_loop production is 3.12.13
					BOB-160 — Reported-Via: §11.4.202 2026-08-21T19:02:48Z Reported-By: A Independent §11.4.209 review (IMPO strongest automated checks were new ownership/test_container_writes_own turned-regression-guard for FR-011/FR compose.yml revert mutation — was (commit 58d340a, to escape an autou test.sh, run-all-tests.sh) was ever exte tests/pre_build/test_.sh, the §1.1 paire pre_build/check_cm_.sh gate family, w reported honestly in commit 04742d (reported, not fixed): tests/pre_build/ tracked as a workable item (a §11.4.1 never wired into scripts/pre_build_v globbed only tests/unit/test_.sh. Affected ci.sh; scripts/pre_build_verification.sh EXECUTED) Reproduction / context: test_container_writes_owned_files ci.s returned zero runner hits (only docs/s scripts/pre_build_verification.sh show only tests/unit/test_.sh, never tests/pr criteria: ci.sh gains a runtime-gated honestly, rc=0, when no podman/dock pre_build_verification.sh invariant 30 and tests/pre_build/test_*.sh, verified
136	Medium	Completed (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
137	High	Completed (→ Fixed.md)	Task	—	the invariant's exact block reporting files from both directories. BOB-161 — Reported-Via: §11.4.202 2026-08-21T19:31:12Z Reported-By: finding What (the report, verbatim) SKIP as one of three mandatory pre- helpers and FAILs if any code path co response into a PASS-counting SKIP f probe. This project does not have it. V the abstract: the BOB-092 remediation exactly this class from tests/e2e/test_ nnmclub SKIP-on-404 (already remov sibling at test_iporrents_is_authentic authenticated and status != success' v outage'. That assertion was false for r (upstream_http_403) and for a broke both of which are definitive product classifies via error_type. Two fail-ope is the §11.4.146 extend-to-all-cases sig escape signal together: the regime di code did. The remediation's own gua under three discriminating mutation GUARD, so deleting that file evades th durable home because it audits the c boundary (§11.4.6): this item does NO opens are unguarded — they are gua passed in 97.36s against the live stack wide detector, so the next instance in Affected scope / file-scope manifest tests/e2e/test_live_stack_evidence.py they guard) Reproduction / context scripts/ tests/ returns exactly ONE hit test_live_stack_evidence.py — the file Control needle: the same query for C that does exist) returns 3 files, so the the single hit is a real absence, not a Acceptance criteria: A scripts/pre_b SKIP exists, is wired into scripts/pre_ sink-side probe helpers for code path error response into a PASS-counting

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
138	Medium	Fixed (→ Fixed.md)	Bug	—	sink-side probe. It ships a golden-TRUE (with a golden-FIRES) and a golden-FALSE-with-carry (with a comment merely MENTIONING the golden-TRUE). §11.4.107(10)/§11.4.201(1). Paired §11.4.201(1) before the gate is trusted. BOB-163 — OPERATOR DECISION (2026-08-21T19:41:08Z) (clarification): YES — 429 IS RESPONSIVE FORMED A 429 carrying a VALID Retention endpoint being RESPONSIVE. Assertion 2xx OR a well-formed 429 (positive in PARSED, not merely present/non-empty failure, timeout, any 5xx, and a 429 v RESIDUAL RISK, accepted knowingly per §11.4.6: a genuinely wedged endpoint with-Retry-After would pass — the Retention window, it does not close it. Options (exempt healthz probe were both offered not covered by this decision: the detection the script header says ‘429 (or equivalent with the crash detector’s 5xx tally. Detection :7185 and :7189. This answer is recorded — it is the operator’s stated choice, not supersedes any prior agent-chosen decision chosen are named above so a future call (§11.4.112(5) bounded-verdict disallows item text follows — Reported-Via: §11.4.2026-08-21T19:41:08Z Reported-By: M defect surfaced by BOB-111 landing a (verbatim): PRE-EXISTING, NOT INTENT than asserted: git diff shows assertion and the failure reproduces against the changed is not the challenge but the partially delivered, because :7187 not previously returned none. :7185 and a 11.4.248-class corrosion risk and the a footnote: run_all_challenges.sh will intermittent red trains everyone to real regression is dismissed as ‘probable DECISION, which is an operator call v deliberately did NOT invent: Does a 4

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
139	Medium	Fixed (→ Fixed.md)	Bug	—	the sibling endpoint being RESPONSIVE. The sibling endpoint is alive and correctly protected by a 429, and only a connection failure can cause a 429. Risk: a genuinely wedged endpoint that can't pass. (b) NO – keep requiring 2xx, but don't drain or wait out the window before responding, so the budget is knowable rather than hidden on a path the limiter exempts (a health check question is asked without spending time on reasoning, not just a pick: (a) composed of 429 carrying a well-formed Retry-After header, behaving service, and (b) makes the window value that will drift. But the product judgement, so the answer is stated as fact rather than folded in: though the script header says '429 (or 5xx) collide with the crash detector's 5xx (or 429) lands limiters on :7185 and :7189. Affected: challenges/scripts/ddos_resilience_challenge_endpoint_isolation; run_all_challenge_scripts. context: Assertion (c) requires a sibling endpoint to return 2xx). :7187 now enforces a real limit of 120, x-ratelimit-remaining: 86, retry-after: 120, challenge run sends roughly 250 requests during the OTHER endpoints' tiers last. receive 429 – which assertion (c) scores as dependent: one run measured PASS=1, FAIL=1, SKIP=2. Acceptance criteria: The op classification question below, the answer and assertion (c) implements it. The verdict across 3 consecutive runs against a deterministic consistency), and the fix proving assertion (c) still catches a gap in narrowing it must not blind it (11.4.2.2 BOB-164 — Reported-Via: §11.4.202 2026-08-21T19:56:53Z Reported-By: [redacted] discovered by the new axe-core suite (see report, verbatim): This is a REAL use artifact, and it was found by the auto

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
140	High	Fixed (→ Fixed.md)	Bug	—	human squinting at the page – which project is aiming for. The static-grep Measured: the served root ships an e reading the raw HTML audits a page exists in the hydrated DOM, which is oracle and forbids value-equality ass Severity reasoning, stated rather tha affects the primary dashboard headi than breaking function, and the surf public. Medium, not High. The failing (11.4.238) instead of silenced or mark failed, 16 passed; that 1 is this defect. should read it as this item, not as flak suite goes fully green, which is the si LIMIT (11.4.6): only the dashboard la jacked/* sub-routes and the ng-serve audited – the commands to close botl ux_accessibility.md. So this item's 21 Affected scope / file-scope manifest http://localhost:7187/ (same compiled component CSS, not test files Reprod test_live_dashboard_accessibility.py a axe-core v4.13.0, scanning a real Play reports color-contrast violations on 2 text #9d001e on background #3c3f41 floor is 3:1); tagline #808080 on #3c3f Acceptance criteria: axe-core repor against the live rendered dashboard, component CSS rather than by relaxi rule (11.4.120: reconcile to the correc check). The existing tests/ux/ suite is the RED is captured – closure require surface, which is runtime-class evid BOB-165 — Reported-Via: §11.4.202 2026-08-21T20:00:08Z Reported-By: s evidence for BOB-092; diagnosed ratl report, verbatim): This is a STALE-A defect, not a missing package. The pa built for the previous interpreter. Tha install rpds-py' style advice can appe

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					artefact in place. WHY IT WAS NOT M paths that DO work all avoid system through <code>_select_python</code>; the long-run bin/python -m pytest and passed. So the DOCUMENTED operator command gap, since the escape was found by a than by the regime. WORKAROUND (PYTEST_DISABLE_PLUGIN_AUTOLOA explicitly (-p pytest_timeout ...) avoid drags in jsonschema -> referencing -> the fix: it silences the import path rat will surprise the next person who ru verbatim. RELATED, and worth decid BOB-154 wants .venv rebuilt on 3.12 CPython 3.12.13 while both system are therefore THREE interpreters in play confirm rpds resolves for the TARGET same class reappears one directory o this item does NOT claim any test is v The product and the venv-run suites documented entry point. Affected sc site-packages (~/.local/lib/python3/sit CLAUDE.md-documented 'python3 -r that uses system python3 rather than context: python3 -m pytest tests/e2e/ -import-mode=importlib -> ModuleN 'rpds.rpds', raised during collection v -> jsonschema -> referencing._core -> python3 is 3.14.6, but ~/.local/lib/pyth rpds.cpython-313-x86_64-linux-gnu.s init.py does 'from .rpds import *', an by 3.14, so the submodule genuinely The venv is CORRECT and unaffected rpds/ ships rpds.cpython-314-x86_64 import rpds' succeeds. Acceptance c -v -import-mode=importlib - the com reaches collection without ModuleNo corrected to document the supported documented command and the work that misleads is the documentation-l WORKAROUND SIDE EFFECTS MEAS

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
141	High	Fixed (→ Fixed.md)	Bug	—	free, and the item previously implied PYTEST_DISABLE_PLUGIN_AUTOLOAD not just the broken one, so anything re-enabled by hand: - It BREAKS 5 pr tests/unit/test_plugin_rutacker.py — test_env_mirrors_override, test_get_env test_get_mirrors_from_env_empty, test_get_mirrors_from_env_whitespa plugin. PROVEN not caused by any in copy of that file under identical flags makes –timeout=60 (set in pyproject. unless -p pytest_timeout is passed ex silently inert under the naive recipe is not. - With autoload ON and only s no:schemathesis), that same file is 96 ANYONE USING THE WORKAROUND better than blanket autoload-disablin removes only the broken plugin. Wh pytest_timeout must be added or tim dependent failures must be recognis than filed as defects. That last point i manufactures failures that look exac change the root cause (the venv’s rpo CPython 3.14 cannot import) or the fi documents that the interim recipe ha workaround artifact as a regression. BOB-166 — WHAT. §11.4.19 requires resolving item moves to Fixed.md, D (open-only) and APPEARS in Fixed_S violate all three properties right now current_location=‘Issues’, so they ren in docs/Issues_Summary.md with a s Fixed.md)’, while appearing 0 times i the canonical open tracker is told the (measured 2026-08-21): BOB-087 (Cor BOB-144, BOB-145, BOB-146, BOB-148 ‘Fixed (→ Fixed.md)’). Confirmed ren in Issues.md, 0 in Fixed.md, present i Fixed_Summary.md. ROOT CAUSE (re ‘close’ performs the atomic migration

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
142	Medium	Fixed (→ Fixed.md)	Bug	—	–status’ sets any §11.4.15 closed-set v migration — and it knows the location the real DB: \$ workable-items update: ‘Fixed (→ Fixed.md)’ update: BOB-063 Fixed.md), type=Task) \$ sqlite3 repro atm_id,status,current_location ...’ BO the seam that is supposed to be the O gated per §11.4.146(D3)) has a parallel same status while skipping BOTH the migration. WHY NOTHING CAUGHT . Three standing checks stay GREEN or verified on the poisoned copy from the involved: (1) ‘validate’ → ‘OK — 164 i no status↔location coherence invari Markdown agree — on the WRONG s (3) CM-CLOSURE-SEAM-BINDS CHECK rows whose id appears in a work con they are outside its predicate by cons a status tally, not by the automated r channel escape, which is itself a defe located rows. ACCEPTANCE. (a) ‘upda names ‘close’ as the correct path, wit refusal (removing the guard must ma grows a status↔location coherence in state, with a golden-bad fixture and a terminal row in Fixed must NOT fire rows are drained to Fixed with class- a row’s evidence cannot be produced migrated on a bare assertion. (d) Hor path hole and the detection gap; it do write was evidence-backed. NOT CLA filing. The 10 rows are untouched; dr each needs its own evidence, not a b BOB-167 — WHAT. download-proxy e routes. They are the same expensive hold a worker and a generator for the limit classed: routes.py:801 @router.g @_rl(‘sse_stream’) <- classed routes.p async def stream_theme(...) <- NO lim limiter.limit(limit_for(cls)), so /search

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
143	Low	Completed (→ Fixed.md)	Task	—	class while /theme/stream falls through. Measured live on the running stack: ratelimit-limit 120. PROVENANCE + A (§11.4.6). This was surfaced by the BOB-111 framed it as: ‘sse_stream_limit_decorator nowhere ... SSE falls through to the 1 protected’. That framing is WRONG and searched for one symbol NAME; the v (@_rl(‘sse_stream’)), and it IS applied reading routes.py:795-806 and the _rl control needle confirming other *_limit usage in api/init.py so the zero-hit was MEASUREMENT (120 on /theme/stream) this a real finding; its MECHANISM was the next reader does not re-derive the MATTERS. An unclassified SSE endpoint resources: each connection is held open 120/min of them. The declared sse_stream this route shape needs a tighter bound (a) A decision, recorded, on whether sse_stream class or genuinely warranted question, not automatically a bug to j the decorator is applied and a test driver each returns its INTENDED class limit route added without a class is caught shaped routes and fails on any that c the general form, so the third SSE route boundary: this does not claim 120/min with network_mode host and no reverse 127.0.0.1 bucket, which BOB-111 means CLAIMED. No change made. The limit never driven to exhaustion — the limit concurrent agents on this host (§11.4.6) BOB-168 — WHAT. scripts/run_all_challenges “scaling_horizontal_challenge.sh” in scripts/scaling_horizontal_challenge.sh does run_all_challenges.sh “scaling_horizontal_challenge.sh” directory VERIFIED independently, not BOB-109 scaling agent and re-checked

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					MATTERS. Whether this is cosmetic or not depends entirely on how the runner interprets the first thing to determine: if it SKIPS silently, it has coverage it does not have (a §11.4.260(1) challenge passing challenge behind it); if it FAILS, it has a reason unrelated to the system under test and ignore it. Neither outcome is acceptable. ACCEPTANCE. (a) Determine and record the missing entry by invoking it, not by failing challenge, OR remove the entry — with a history for whether it once existed and why. A dropped challenge is the more interesting than skips missing entries, that is its own item. (b) loud (§11.4.3 SKIP-with-reason at minimum). SEVERITY. Low as a defect, but it sits in the (c) may deserve its own item. CORRECTION. ITEM'S PREMISE WAS FALSE, and the challenge was rather than quietly edited. scaling_horizontal_challenge.sh, executed in submodules/challenges/challenges/scaling_horizontal_challenge.sh, executed in do all 14 other entries and the meta-challenge to the roster at 1c959ba, the challenge 873c0b1, and a pickaxe search across the finds ZERO deletions. HOW I GOT IT. submodules/challenges/challenges/scaling_horizontal_challenge.sh — a DIFFERENT directory belonging to Two similarly-named directories; I made §11.4.201(9) field-identity error. Worst invocation”: I had listed a directory and claim overstated the evidence class as THE LESSON, which generalises past challenges correctly caught a sibling agent making BOB-167 — a zero-hit produced by search applied a control needle there. Then I later on my own measurement. The challenge A CONTROL NEEDLE PROVES THE IN PROVE IT IS POINTED AT THE THING commonly applied guards blindness, a needle for THIS query would have been itself reads, not to confirm that some ACTUALLY WRONG, and it is worse than

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					path runs no challenges by definition against a checkout where the submo a clone made without –recursive — t asserted, not a replica) reports: PASS OBSERVED EXIT CODE: 0 An ENTIRE Not one dangling entry tolerated — t without executing anything. That is \$ it is observed-reachable rather than ACCEPTANCE. (a) ANSWERED, though loud, counted SKIP and then never b reads only the FAIL count. (b) The da is dangling. (c) The real work is the e runner cannot execute must not be i See the decision recorded in docs/qa/ decision_missing_vs_skip.md. RELAT pre_build_verification.sh:1792 carrie one level up, for the other runner. Fil BOB-169 — WHAT. The \$11.4.65 mark every in-scope doc to ship .html/.pdf under docs/ (excluding dist/ and node — they begin at BOB-171 — WHAT. Both rate limiters LEFTMOST element of X-Forwarded- is enabled: download-proxy/src/api/r new stdlib limiter in plugins/downlo deliberately built to exact policy pari SUPPLIED. An honest reverse proxy RIGHT of whatever arrived, so the le sent — attacker-controlled by constr
144	Medium	Fixed (→ Fixed.md)	Bug	—	Consequences with the flag on: (1) ro an unlimited sequence of fresh buck the flag is supposed to make MORE a idle-reap cap, since each forged iden map is a memory-growth surface bo eviction then discards the budgets of forged ones. NOT EXPLOITABLE AS D this is Low, not High. TRUST_FORWA and the deployed stack runs network front (verified across all five compos client IPs and no NAT collapse occurs
145	Low	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					moment someone puts a proxy in front of real client IPs — which is exactly the failure mode is therefore ‘correct-look disables the limiter’, not ‘currently broken MINOR-3 by the independent review and independently confirmed by the at BOTH source sites as a tracked follow change. Filed here because neither a WHY IT COVERS BOTH PORTS. :7186’ policy parity with :7187’s, including the other would leave the two surfaces different than the shared defect, because it becomes untestable as a single invariant. ACCORDING to element parsing with a trust-aware rightmost-minus-N-trusted-hops, or a only a peer inside the allowlist may a deployment-topology decision and should test that forges a rotating leftmost element does NOT rotate, per site. (c) Paired \$ parsing and the test must FAIL. (d) NOT TRUST_FORWARDED_FOR OFF, the header keying must fall back to the peer address XFF when the flag is off would be a weak (e) Honest boundary: this closes header per-IP limiting fair behind NAT, where one address. NOT CLAIMED. No change leftmost; the flag still defaults off. BOB-173 — WHAT. download-proxy/_save_hooks(hooks: list[dict[str, Any]] os.makedirs(os.path.dirname(HOOKS_FILE), open(HOOKS_FILE, ‘w’) as f: json.dump(exception as e: logger.error(f’Failed to caller has no channel to learn the write success unconditionally: :152 _save_hooks(hooks) :154 logger.info(‘Deleted hook: ...’) :156 return {‘message’: ‘Hook deleted which is why this is High and not a critical webhook, receives HTTP 200 and a header
146	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					written — their automation silently m exists. Symmetrically, a user DELETE file still holds it, and it fires again aft the product reports the opposite of w log line nobody is watching. THIS IS combines two dangerous capabilities MUTATION of a shared resource (a fi EFFECT (hooks are outbound calls th it is required to FAIL CLOSED: verify cannot be satisfied, and surface the r bare ‘except Exception:’ that only log enumerates. At the product layer it is successful write and a swallowed fai caller. PROVENANCE. Surfaced as an independent reviewer of the BOB-13 is what turned that defect into an ‘as EACCES on /config was logged and di returning 200. Verified here directly function body and both call sites rea Recorded as a §11.4.238 discovery-ch reading code during an unrelated inv regime — the coverage gap is a defect itself. ACCEPTANCE. (a) _save_hooks a status the callers must consume. (b persistence failure into an HTTP erro create that did not persist must not r endpoint with the hooks file unwrita raising OSError) and asserts a non-22 does not list the phantom hook — ass not on the log line. (d) Paired §1.1 mu must FAIL. (e) Audit the same file for and one instance is rarely alone. (f) F the write currently fails in productio user is told the opposite, and the BOE in at least one real environment. NO assessment of how often the write fa RECORDING A SHELL ERROR OF MY this description was written with the in a double-quoted shell argument, s substitution and the text was replace description read ‘and is the exact ant

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
147	High	Fixed (→ Fixed.md)	Bug	—	this session that backticks-inside-dou (the first mangled a commit message Python client with no shell quoting in truncated defect description is exactly §11.4.201(7)(c) warns about — the pa failed without erroring. BOB-174 — WHAT. A corrupt hooks f “no hooks configured”, and the next hook while returning HTTP 200. Thre because fixing any one alone leaves t download-proxy/src/api/hooks.py:10 except Exception: logger.error(... truncated or malformed hooks.json i as an empty, healthy hook list. Confir consequence, and the reason this is H saves. Given a corrupt file that load t element list over the top. Every previ Measured by the implementing agen this survives the BOB-173 write-failu hook-0’, ‘prod-hook-1’, ‘prod-hook-2’] 0} <- claims ZERO hooks configured I not found’} <- for a hook that IS in th hook_id=3c8a5930-... AFTER on disk destroyed, HTTP 200 throughout, not _save_hooks writes with a plain open kill mid-write truncates the file in pla A1 then reads as “no hooks” and A2 c already has the correct pattern: them os.replace. WHY THE THREE ARE ON corrupt file, A1 misreads it as empty, A1 leaves truncation reachable; fixing file a data-loss trigger; fixing only A2 configured. The chain is the defect. D BOB-173, and the reasoning is sound. all three while auditing sibling swall declined to fix them in the same char semantics on an endpoint the frontier a CORRUPT-file reproduction rather BOB-173 built; and they need a design obvious — a MISSING hooks file legit

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
148	Medium	Fixed (→ Fixed.md)	Bug	—	configured”, while a CORRUPT one d those apart. Expanding BOB-173’s sco shipping that decision unexamined. r MISSING from CORRUPT: a missing f one is an error, never silently []. (b) D on corruption — 5xx, or 200 with an frontend can render. This is the desig rather than inferred from whatever r delete MUST NOT overwrite a file the clobber (§11.4.252: mutation plus ext Make the write atomic via tmp + os.r existing pattern rather than re-inven the USER-OBSERVABLE outcome, not GET does not claim zero hooks, asser destroying, and assert the file still ho Paired §1.1 mutation per guard. (g) N MISSING file must still yield an empt file must behave exactly as today. A f by failing always is not a fix. A3, REC THIS CHAIN. VALID_EVENTS and Ho for one closed set. Verified identical t diverge a hook registers successfully assertion pinning them would close i The BOB-173 write-failure fix is real write honest; it does nothing about a derived from a misread file. BOB-176 — WHAT. _get_enabled_trac merge_service/search.py gates rutrac RUTRACKER_PASSWORD only. It neve an operator configured with cookies — never has rutracker enabled at all from every fan-out rather than failin INCOHERENT WITH THE REST OF TH COOKIES as the PREFERRED auth pat sibling DOES check its own *_COOKI holds three positions at once: cookies ignored at the enablement gate, and tracker. WHY IT MATTERS MORE TH documents a standing operator man Netscape cookies files at \${TRACKER

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					are auto-loaded into .env as <TRACK up, restart, install Stage 6 and start.sh that set. So the SANCTIONED, documented tracker produces exactly the state this follows the documented instructions no error to explain it. FAILURE MOD — the same §11.4.201(6) false-null sh BOB-172 fixes a tracker that RAN and empty; this is a tracker that never ran has one fewer contributor with nothing Found by the BOB-172 implementing path to locate the status-handling defect in that change: it is a separate defect oracle, and folding it in would have no evidence. ACCEPTANCE. (a) The enable RUTRACKER_COOKIES as an independent matching what _search_rutracker already sibling already does. (b) A test assertion ENABLES rutracker, driving the real test replica. (c) Paired §1.1 mutation restore gate — the test must go red. (d) NEGATIVE configuration with NO credentials at DISABLED. A fix that enables an unaddressed the gap, because it produces failing status Audit the other trackers' gates for the only the one that was noticed — three nobody has checked them together (§ verified against a live cookies-only de BOB-172 agent and recorded on its recheckable, but whoever takes this should relying on it. 149 High Fixed (WHAT: BOB-172 wired an identical 4 private-tracker fetch sites in download (rutracker cookie :1390, rutracker cron nmclub :1761, iptorrents :1934). On exercised by tests. EVIDENCE (review 11.4.194(6)(d), during the BOB-172 in the kinozal guard wiring (search.py: classifier intact left the full merge_section failures. The suite cannot see four of refactor drops or subtly breaks the w

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					iptorrents, or rutracker-credential. A status=empty with error=None -- the test reddens. FIX DIRECTION (review duplicated wirings into one shared h _check_search_response(tracker_nam ONE copy to test and a sixth site cann byte-identical-fork extraction). Altern across all five sites with per-site stub wiring at ANY of the five sites redder running the same R1 deletion at each Fixed (→ Fixed.md) Bug — BOB- merge_service/search.py:1638-1640 h response with if login_resp.status no return [] -- and sets NO diagnostic. FA 403 on takelogin.php. The kinozal ch That is the BOB-172 signature exactly empty result set. CONTRAST establish choice: the rutracker and nnmclub lo (upstream_captcha / auth_failure), an through to the search fetch where BO Kinozal is the one leg with neither. FI _classify_upstream_http_status(login return, or an auth_failure diag for th cookie case. ACCEPTANCE: a stubbed produces a non-None error on the ki against the pre-fix code first (11.4.115 Fixed.md) Task — BOB-179 — W review demonstrated two further pa unreachable tracker as an empty res neither is a regression from BOB-172 five-site coverage without stating the analysed dimensions be explicit gaps -- exception before resp.status is read connection-refused rutracker yields s http_status=None, metadata.errors=[_search_* method swallows exceptio return results) before _search_one's c tracker that is DOWN is indistinguish empty. GAP B -- soft refusal at HTTP 2 _classify_upstream_http_status(200, < CORRECT by design (a 2xx is a usable

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					would risk the over-fire the negative search GETs use aiohttp's default allow_expiry 302 -> login-page-200 chain page FIX DIRECTION: Gap A needs the expiry than being swallowed. Gap B needs a or login-form marker) with its own R the status-code trigger. ACCEPTANCE: REDs, or explicitly closed per 11.4.11. append a stated-gaps paragraph to do fix_evidence_20260822.log. 152 BOB-180 — WHAT: download-proxy status=captcha_required with a hard 'RuTracker requires CAPTCHA. Use /a FAILING SCENARIO: a whole search n flavoured diagnostic came from NNM user is told to visit a RuTracker captcha problem. SEVERITY BOUNDED: the full the same response payload, so the truth them is not misled -- only the headline by BOB-172's error propagation (correct would recreate the same false-null on covered at the routes layer by tests/unit test_routes_coverage.py:782. FIX DIRECTION: tracker(s) that actually erred rather than api/ was owned by a sibling stream directory correct not to touch it. ACCEPTANCE: diagnostic on a zero-result search page 153 High Fixed (→ Fixed.md) scripts/generate_markdown_exports.sh unconditionally scans PROJECT_ROOT recursively (scan loops at lines 105/196-109 when this was filed — line number the substance is unchanged and was invoking the generator with an explicit export and NOT the requested one), a BASH_SOURCE (line 17). A caller who generate_markdown_exports.sh does TREE run with the argument silently caller reasonably believes the run was shared checkout with parallel work space whose .md is newer than its derived

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
154	Medium	Completed (→ Fixed.md)	Task	—	artifacts in other streams' scopes and hazard, into another stream's commit script's interface implies a capability interface must mean what it claims). optional path arguments and honour those files), or REFUSE with a clear message. Silently discarding them is the one of ACCEPTANCE: passing a path either silently naming the unsupported argument. A discard behaviour first (11.4.115). LIVES (this is no longer hypothetical): During invoked the generator with an explicit The argument was discarded and the generated docs/qa/BOB-174/DESIGN_ a SIBLING STREAM's document, while editing the source (.md mtime 12:00) arrival, and additionally carried the sibling author independently reported having no idea another stream had a LESSON worth keeping with this item the blast radius ALSO failed, and failed grep -E "\.(html\ pdf)\$" returned only but docs/qa/BOB-174/ is an UNTRACKABLE collapses to a single line, so the grep the files inside it (11.4.201(7)(a): matched zero read as absence). The instrument BOB-182 — OPERATOR DECISION (2 clarification): KEEP THE MONOTONIC brownfield adoption answer, recorded model for CM-EXPORT-CHARSET-VALUE RATCHET. The count may only go down changed-code-only-with-deadline, and offered and NOT chosen. This closes genuinely the operator's. THE REMAINING STILL OWED: BASELINE is a hardcoded actually ratchet — on improvement to value to lower it to, but nothing lower regression back to the original count NOT collapse §11.4.249 role separation threshold during a pre-build run because

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Acceptable shapes include a persisted writes with lowering via a separate e gate that FAILS loudly when the live becomes an actionable refusal. This a DATA per §11.4.35 — it is the operator inference, and supersedes any prior question. Options not chosen are nan not re-litigate a settled call (§11.4.112 applied to decisions). — prior item te CHARSET-VALID (pre-build invariant violations via a monotone-decrease r things are owed. (1) THE ADOPTION THE SCRIPT’S. 11.4.224(E) requires th SURFACED to the operator and the an never an invented ratchet. What exist BOBA_EXPORT_CHARSET_BASELINE decision the agent made, it does not l gave. The independent reviewer judg not reverse it (a hard floor on 301 vic unreachable, which 11.4.234 forbids; option) but correctly held that it is no operator: immediate hard floor (BAS ratchet / per-corpus phase-in / chang corpus deadline. (2) THE RATCHET D BASELINE is a hardcoded constant. C PRINTS the value to lower it to, but n permitting regression all the way bac header now says tightening is MANU behaviour that does not exist (11.4.6) stopgap, not the fix. WHY IT WAS NO writes its own threshold during a pre well as a GATE (11.4.249 role separat operator should approve rather than ACCEPTANCE: the operator’s adoptio DATA; and either a persisted baseline (with the role-separation question ar manual tightening is acceptable. BOB-183 — The compiled Angular bu ui/dist/frontend/browser still carries verbatim: scanned 2026-08-23 it repo
155	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
156	—	Fixed (→ Fixed.md)	Bug	—	dark and 1 on darcula/light, while the report 0 across all 16 palette x mode correct at the SOURCE layer and absence §11.4.108 layer 2 is NOT closed and e dashboard. Two compounding facts m dist/ is gitignored, so the divergence m install.sh:133 asserts only that the dir than the sources it was built from, so unchallenged. Acceptance: install (or bundle older than its sources, the bundle axe_contrast_scan.py run against dove browser exits 0 with zero violation nodes. BOB-186 — workable-items diff return Markdown are in sync” on a PARTIAL without –fixed it compared 77 Markdown called that in sync, printing both mism while 107 DB items were never compared 2026-08-25: (A) no markdown paths - only -> honest, “no Markdown compared sync (compared 77 Markdown item(s) 11.4.201(6) false-null: a partially blind quiet green a genuinely-synced corporate 2026-08-25, my original filing OVERST the 11.4.106(F) commit seam was expected sync-commit-seam.sh:277 passes BOT wide sweep found NO executable call (that seam and pre_build_verification single-path hits are prose evidence for the defect was real and latent, never claim is: any FUTURE single-path call PROVENANCE, twice corrected. A sub to the no-paths form, which actually measured and relocated it to the part corrected the conductor on impact. B neither wrong version propagates. F submodule, fetched to upstream tip 7 Design: refuse by default (11.4.201(4) comparison PRESERVED behind an e deleted (deleting an existing document

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					silent removal), mirroring how –db-c shape. Keyed on MEASURED DB cont with zero Fixed rows IS fully account passes, so flag-keying would have tra false-positive refusal. Resulting prop when the two printed counts account GREEN 9/9; paired 1.1 mutation is the defect-guarding tests while the 5 pre now refuses naming “107 item(s) loca confirmed against an independent sc 185). Incidentally closed an 11.4.238 anywhere; TestDiffCmd_NoPathsStill –partial-scope is the agents naming c renaming is cheap now and expensive Other consumers of this shared subn 2026-08-26. Already fixed 2026-08-25 5979128 (“fix(workable-items): diff cl went uncomparred”) - only this tracke owed. ROOT CAUSE, proven from pre inference): two individually-reasona sync.go:852-863, the reverse “absent d.CurrentLocation == "Fixed" && *f own comment declares the intent, su caller never supplied, correct in isola dropped those rows out of difference sync.go:894-897, the verdict, printed two MISMATCHED numbers - then de VERDICT PRINTED BOTH NUMBERS one line: an 11.4.201(1) false-positive SCOPE while the verdict stayed scope positive created its 11.4.201(6) mirro EVIDENCE, not on reading the comm closure): the shipped binary now RE of reporting “in sync” - “refusing to r would silently exclude part of the DB not account for 122 item(s) located in opt-in –partial-scope it reports “PART 201 DB item(s) were NOT compared” structurally unreachable on a partial sync_diff_partial_scope_test.go (9 test VALIDATED BOTH WAYS (11.4.201(7)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
157	—	Fixed (→ Fixed.md)	Bug	—	Markdown from a copy DB yields “in checker is not stuck-on-FAIL. Needle detected exit 1. Needle B (delete BOB this defect was blind to) detected as “ (200 vs 201), exit 1. Each needle byte- HONEST GAP (11.4.6): UNKNOWN wh reproducible from HEAD source - the proven to carry the guard and behavior which is the behavioural evidence th about classes diff does not compare BOB-189 — WHAT: the fail-open scan distinguish ‘return False’ meaning PH False’ meaning REFUSE. It flags six te open defects: <code>_is_safe_fetch_url</code> (x3), hooks path-boundary guard. INDEPE the conductor rather than taken on t <code>proxy/src/api/routes.py:1122</code> defines and its only call site at :1476 reads ‘if logger.warning(Refusing SSRF-unsafe skipping); continue’ - a False return B MATTERS: per §11.4.201(1) a false-po severity to a false-negative pass, and noise - acting on the finding would m returning False, i.e. deleting an SSRF that instructs you to remove a securi merely imprecise. REPRO: run the fa each call site. ACCEPTANCE: the scan proceed-shaped False returns (call-si with per-entry justification), the six c containing a real fail-closed guard is falsifiable per §1.1. BOB-190 — WHAT: <code>~/local/lib/python</code> built for the cpython-313 ABI while t <code>pydantic_core</code> and <code>rpds</code> fail to impor dies at import time. CONFIRMED NO identically, so this is environmental a CLAUDE.md documents ‘python3 -m mode=importlib’ as the canonical inv command currently cannot run - doc misguidance class at the environmen
158	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
159	—	Completed (→ Fixed.md)	Task	—	sidesteps it by selecting .venv/bin/pyt simply is not what the docs tell a reader following CLAUDE.md literally concluding agent could chase green by rewriting the host site-packages so the document CLAUDE.md + docs/TESTING.md to not canonical - decided explicitly, not left out-of-band by the fail-open triage agent coverage-escape note: no automated invocation actually runs. BOB-192 — WHAT: the BOB-161 gate RATCHETED rather than fixed. Ratched brownfield default (§11.4.135/§11.4.209) so the choice is correct - but the remediation must be owned somewhere. WHY THE header asserted the 6 were ‘TRACKED’ if a tracker row existed. The §11.4.209 in the absence and raised it as IMPORTANT. The findings are precisely the parked-unavailable - the population an operator samples being tracked is not tracking. WHAT? No evidence the host ANSWERED must exist on it, or take a §11.4.69 reason that is the environment rather than from the remote stack, not asserted. Two of the six site tests/unit/test_tracker_auth_live.py:100 confirmed genuinely are fail-open, so the absolute. ACCEPTANCE: all 6 remediations §11.4.115, the gate’s BASELINE ratched decreasing property preserved through reviewer’s MINOR-1: a count-baseline remediation progress must be checked against the count. BOB-193 — WHAT: in download-proxy.py is written BEFORE the yield — seen_hashes_local.add() execute at :300. When format_event raises, the result is never recorded, so it is permanently dropped. §11.4.209 reviewer at both sites: mid-remediation subsequent polls so the result never .
160	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
161	—	Fixed (→ Fixed.md)	Bug	—	breaks immediately after, so there is in the SAME batch are not yet added which is why the observed symptom IT IS FILED SEPARATELY: the §11.4.2 OBSERVABLE by adding a log line, wh observability is not repair. The under remain, and per §11.4.226(5) a mitigat mitigates. THE DECISION IS A REAL T blindly: moving to add-after-successful DETERMINISTIC serialization failure every poll forever — trading silent lo at-most-once and treat the log line as successful-yield with a bounded per-yield but remove the hash on emit fail ACCEPTANCE: an explicit decision re by a test that drives a raising emit an with a RED observed first per §11.4.1 independent review of the fail-open the residual defect is not retired alone BOB-195 — OPERATOR DECISION (2 clarification): TEACH THE SCANNER §11.4.252 fail-open scanner is FIXED SIM105 rule STAYS ENABLED in pypr belt-and-braces both-at-once option, Rationale carried with the decision: f harmless, whereas disabling SIM105 any suppress written by hand, inheri already present in the tree. REQUIRE contextlib.suppress(...) and with s import suppress binding) wrapping a DETECTED with the same severity an pass form; a narrow suppress(Specif call must NOT fire, since a false-posit bluff of equal severity to a missed re NUMBER: once landed, the scanner's over try/except shapes and becomes citing completeness was scoped to try recorded as consumer DATA per §11. choice, not an agent inference, and s default on this question. Options not

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
162	—	Fixed (→ Fixed.md)	Bug	—	reader does not re-litigate a settled c discipline applied to decisions). — pr §11.4.252 fail-open scanner matches contextlib.suppress is a With node, s invisible. VERIFIED BY THE CONDUCT the same invocation path (§11.4.201(returned 0 for BOTH forms and was a positional, so a bare path exits on a invocation path is part of the instrum around os.unlink(user_supplied_path :5', the needle sees. contextlib.suppre call -> 'PASS - no swallowed-exception combine untrusted input with an irr everything; one is caught and one is PLAIN GAP: pyproject.toml enables r contextlib.suppress instead of try-ex instructs authors to rewrite the form CANNOT. The two tools are pulling in runs more often. Every SIM105 autof coverage while the count goes down, CONSEQUENCE FOR THE NUMBER: t FLOOR over try/except shapes, not a the form 'N fail-open sites remain' m shapes'. ACCEPTANCE: the scanner r whose items call contextlib.suppress applies the same ≥ 2-capability test; a form; a golden-FALSE fixture where diagnostic emitter and must NOT fire SIM105 tension - either exempt the s suppress and teach the gate to read i remediation agent when its own MIN contextlib.suppress at three diagnost legitimate and justified in-source. BOB-197 — OPERATOR DECISION (2 THE TOKEN AND ARM IT The condu token and writes BOBA_API_TOKEN i clients with it. DONE 2026-08-26: tok secrets.token_hex(32), appended to .e and the routes.py:83 env-gating fact, operator ONCE and never written to

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					BEFORE writing (§11.4.30/§11.4.10): . was untracked (needle-proven — the compose.yml IS tracked, so the negat taken and is itself ignored; post-write ignored and absent from git status. P BOBA_API_TOKEN= occurrences are {BOBA_API_TOKEN:-} and prose in th value has ever been committed. STIL until it lands: the BOOT-TIME INVARI LAN-bound when the token is unset o state fix, not a defect fix — §11.4.226 cannot close a defect item. Options n with the invariant blocking until the on a named date. Recorded as consum operator's stated choice, not an agen named so a future reader does not re text follows --- OPERATOR DECISION and keep 0.0.0.0, backed by a BOOT-T LAN-bound with the token unset. Thi FACT, not inference. download-proxy require_api_token() reads BOBA_API immediately when unset or empty. It "BOBA_API_TOKEN unset/empty -> re and preserves the current no-auth co compose.yml:237 passes BOBA_API_T container inherits empty unless the c operator .env does NOT declare it, ne same matcher hit QBITTORRENT_DAE a real absence and not a blind read. 7 RUNNING and LAN-bound at measur routes the BOB-102 guard resolves as default deploy. WHY A STATIC GATE gate asserts static route WIRING - tha marker exists on handler, decorator o ARMING, which depends on an env v static gate covers it would be exactly (11.4.262: machine evidence must ma boot-time invariant class per 11.4.254 that, when the listener is LAN-bound a non-zero exit and a named cause if so the open state becomes UNREACH

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
163	—	Fixed (→ Fixed.md)	Bug	—	1.1 mutation: remove the check, prov open. Golden-FALSE per 11.4.201(1): token unset must NOT be refused, or refusal blocking legitimate dev work found by a subagent reading source NOT by the automated QA regime - w names. The boot-time check IS the caught it. BOB-198 — OPERATOR DECISION (2 START LAN-BOUND The Go profile g only, or refuse to start. It does NOT go Rationale carried with the decision: t was not running when measured, and closing the exposure costs a guard ra Options not chosen: write auth midd route set (real work, and it would pa dev-only with no guard (rejected — next –profile go run on this network ACCEPTANCE: a boot-time check that and refuses to start when it is not loc proving the check FAILs on a 0.0.0.0 loopback bind is NOT refused (§11.4. it is not lost: this is NOT covered by B about ports; folding it in would be a consumer DATA per §11.4.35 — the o inference. Options not chosen are na litigate a settled call. — prior item tex verified independently of the reporti qbittorrent-proxy/main.go registers e 62, 63 and 68: middleware.CORS, mid middleware.GinRateLimit. There is N no per-route auth dependency. main. ALL interfaces, so every route is LAN SCOPE: 22 routes, of which the mutat download, POST /api/v1/magnet, DEL DELETE /api/v1/schedules. A LAN pee webhook configuration with no cred PUT /api/v1/theme is auth-gated in th same asymmetry holds for the down Two implementations of one adverti

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
164	—	Completed (→ Fixed.md)	Task	—	needs a credential. RELATIONSHIP T v1.0.0, operator decision 2026-08-26): the Go container binding :7186 and : cover an authentication hole, and the because the hole had not been measured. Treating this as covered by the deferred leak: citing a bounded decision outside. This item stands separately and its severity MITIGATING FACT, so severity is not via -profile go and was NOT running list showed qbittorrent-proxy, the Python exposure is latent, not live. ACCEPTANCE in the Go service with parity to the Python operator decision recording the Go process start LAN-bound - with a guard enforcement. BOB-199 — OPERATOR DECISION (2026-08-26) NARROW SUPPRESS ONLY WITH A scanner flags a narrow contextlib.suppress irreversible capability (delete / truncate) causes harm. Idiomatic narrow tolerance for credibility and no false-positive storm not chosen: accept the asymmetry per flag all narrow suppress and absorb exemption list. MEASUREMENT CORRECTION correction explains the first: the original was propagated by this conductor with by the authoring agent as OBSERVER 27 vendored third-party + 9 sibling-a tree being measured + 1 real = 37. The agents' duplicates of its own subject. scope stated: constitution repo 0 narrow DANGER_ROOTS 0 narrow with-suppress boba repo minus vendored 1 narrow suppress(OSError)); narrow except-pass 2026-08-26 per 11.4.201(9): the figure reproduces under NO scope and is with each with its scope and both independent except-pass git-tracked first-party (ca disk minus scratch dirs (the 'minus v Brackets that explain the bad number

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					113 ALL-except-pass on-disk-minus-scope conflation (narrow-vs-all), not later in this record is the same measurement agrees with 34 within one site. The ‘except-pass’ is false — the except-pass census contains test_plugin_torrentscsv.py:305,328), vCORRECTION 2026-08-26: a ‘KeyboardInter’ this sentence was itself unsourced and at NEITHER stated scope. Independent ZERO genuine ‘except KeyboardInterrupt’ instance in the checkout is .worktree/test_main.py:63 — a sibling-agent scanner-observer-contamination class (11.4.201(7)(a)) exclude — and the only main-tree text test_graceful_shutdown.py:165) sits in carrier not code (11.4.201(7)(a)). Record instructive: it was introduced BY the correction is not exempt from the disclosure consumer DATA per §11.4.35 — the only inference. Options not chosen are narrow litigate a settled call. — prior item text surfaced by the BOB-195 fix, reported teaching the scanner With nodes, a BaseException) is detected with the sNARROW suppress (suppress(FileNotFoundError semantically identical narrow try/except flagged. So ruff SIM105 rewriting a narrow out of the gate’s scope, a smaller version was filed to close. WHY IT WAS NOT measurement that decided it: the author suppress sites, all idiomatic. CORRECTION review): that figure DOES NOT REPRESENT propagated it into this item as fact was not the reviewer’s. Measured: the correct suppress(X) sites; boba first-party has nearest corpus match is 35 narrow except-party - a DIFFERENT construct - and ImportError x7, BrokenPipeError x3, FileNotFoundError x2, IndexError x2, one idiomatic’: a bare SystemExit: populations must not be conflated, and

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					substance of this item. The false-positive on the 35 narrow except-handlers, no strength should be re-judged on that FAIL-bluff of equal severity to the gap practice because it trains readers to ignore recorded the asymmetry in the gate leading shipping the storm. That was the right tracked item rather than an unfinished OPERATOR'S, mirroring BOB-195 itself permanently, with the gate header still count for a census; (b) flag narrow such an irreversible capability (delete / true actually matters and leaving the 37 in narrow suppress and absorb the 37 v LAN-route guard uses. RELATED FACT visible production sites in download- (1294, 1303, 1322, 1329, 1333) wrap p BOB-126 cleanup path. The conductor present and correct at both killpg sites isinstance(int) and > 1 before the system reasoning inline - so those sites are true SAFE in fact, and want a justified exchange. BOB-200 — WHAT: scripts/gates/cm_dangerous_combination_fail_close find(1). If find itself DIES (permission interrupted), the gate receives an EM files in scope' -> honest topology SKI stderr but SILENT in the exit code, so reads a dead instrument as a clean c textbook 11.4.201(6) FALSE-NULL – a artifact return the identical quiet zero exactly the 'cannot enumerate the c stated discipline is to fail CLOSED. A pass. AFFECTED SCOPE: constitution, cm_dangerous_combination_fail_close empty-list branch). PRE-EXISTING – N change; found by the independent r change and explicitly scoped OUT of make find(1) fail during the gate run
165	Medium	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
166	Medium	Fixed (→ Fixed.md)	Bug	—	returning non-zero with empty stdout topology-SKIP message, indistinguishable from ACCEPTANCE: (1) the gate distinguishes 'find failed' from 'find failed' – check find's failed enumeration is a FINDING (not a precondition, never a SKIP; (3) a genuine failure at exit 0 – the 11.4.201(1) goal becomes a false-positive refusal; (4) possible swallow-find-failure behaviour and the BOB-201 — WHAT: scripts/ownership entries LEXICALLY (string normalisation) lexical fence cannot see a symlink situation. A static (already-present) component. A static (already-present) middle of an otherwise-legal declared tree the operator never declared. Measured by independent reviewer as surviving non-SEPARATELY: the in-source honest-bug assert this reach is 'tracked as BOB-159' direct query: BOB-159's description is of 'symlink' or 'intermediate' (control through the same query path), and not reach at all. A dangling tracker citation NOWHERE - the 11.4.214 lost-defect situation coverage and is not. This item IS that cite THIS id. SCOPE / SEVERITY BOUNDED reach is BOUNDED, not arbitrary. It may have already placed a symlink inside reachable from the shipped config/ownership (shipped-scope control needle: 6 rows) a recursive chown can touch, not a thread measured it, no race needed. WHAT? the lexical fence is broken. The fence escapes ('/', system trees, '..' climbs) and reviewer-authored mutations. This is fencing, now recorded as a real item one. ACCEPTANCE: (1) decide deliberately resolve components (realpath/-P semantics path, OR keep the lexical fence and operator-owned risk; the choice is open resolving makes the fence depend on

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
167	Medium	Fixed (→ Fixed.md)	Bug	—	which has its own failure modes; (2) FALSE set proving legitimate symlink walk (11.4.201(1) - a fence that over-severity); (3) the in-source note and t BOB-159; (4) paired 1.1 mutation: res the fixture MUST fail. BOB-202 — WHAT: scripts/ownership rows with 'while IFS=\$'\t' read -r e_p scope entry that OMITS 'kind' emits t IFS-WHITESPACE character in bash e a RUN of consecutive tabs collapses i delimiting an empty field. Every field MEASURED 2026-08-26 on GNU bash field case was run FIRST and product sees; an earlier probe of mine return printf lacked a trailing newline - an 1 rather than reported): kind PRESENT rec=[1] kind EMPTY: path=[P] kind=[CONSEQUENCE: 'optional' is read out declared 'optional: true' is therefore absent path that should skip honestly and 'preserve_mode'/'recursive' are l with 'recursive' arriving EMPTY. The diagnostic, no refusal. REACHABILITY config/owned_paths.yaml - all six dec This is a latent defect in the reader, n today. PROVENANCE: surfaced out-of remediation agent while isolating an deliberately left unfixed and unfiled had to stay at hash ae025b74602414c (b) it was outside that round's two-NI caused whether the repair belongs in schema. That judgement was correct Independently re-measured by the co on report. 11.4.238 COVERAGE-ESCA this. It was found by a human-direct problem. Per 11.4.238 the coverage g to the bug, and closing only the bug i root-cause the correct layer - parser (field), consumer (read with a delimit

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					positionally), or schema (make 'kind' lacking it, consistent with the whole-expansions); the choice is operator-of the scope-file contract; (2) a fixture w true' asserting the entry is treated as RED-first against current code; (3) a g specified row still parses identically - start refusing valid scopes; (4) paired collapsing read so the fixture FAILs; (5) have caught it, per 11.4.238. PRECEDENT the T028 round-5 reviewer, independent SIBLING script scripts/ownership_pre this exact collapse class at lines 565-5 split_tsv() at line 579 (used at 437, 69 real forensic measurement dated 202 script used the collapsing read and re this location" for config/ and for the c SERVICES MOUNT THEM - a false sta produced by the instrument rather th comment classifies as the 11.4.201(7) failure. It also records why the unit s has no compose service at all, so only the real scope surfaced it. WHAT THA acceptance-criterion (1) 'root-cause t PRECEDENT rather than an open des via a split_tsv-style reader that does r sibling's existing function is preferab (11.4.251 - two answers to one questi SAME scope rows is exactly the diver 'two readers of one scope file disagre of a class already diagnosed and clos discovery - the fix landed in one read reader kept the collapsing form, whic code layer: the lesson was captured i (c) the 11.4.238 coverage-escape note own comment already states that a fi class, so the required automated che genuinely empty middle field, not me Critical Fixed (→ Fixed.md) Bug 2026-08-26 against the running stack loopback - qBittorrent's localhost byp

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					code path). Evidence: docs/qa/BOB-19 runtime_auth_verification_20260826 mutating LAN requests ARE currently named routes: 1. POST /api/v2/torren NO credentials (real torrent control) 422 field-validation (request REACHE runs AFTER middleware) 3. POST /ap (same) 4. DELETE /api/v1/hooks/<id> (the handler EXECUTED A LOOKUP) ' decisive evidence, not the 200: a 401 reaching body validation or a handle intervened. THE ARMED TOKEN IS IN in .env earlier this session on an open BYTE-IDENTICAL responses with and shapes. Port 7189 does not open for i identified: docker-compose.yml inject ONE service - download-proxy (line 2 proxy-go nor boba-jackett. And even api/v2/torrents/stop returned 200 un not enforcement. PER-SERVICE POST nox LIVE, binds * - same mutating su proxy 7186 download-proxy LIVE, bi accepted unauthenticated 7187 merg routes via openapi.json, NO auth laye honest SKIP 7189 boba-jackett Go LIV OPEN incl. /api/v1/jackett/credentials live service binds all interfaces. None BOB-198 (its named subject was NOT profiles:-gated (opt-in --profile go) an its '22 unauthenticated routes' is neit 11.4.3 SKIP. The exposure recorded H ADDITIONAL surface on the Python s this item as closing BOB-198. 11.4.238 equal standing to the bug: the autom The static gate check_cm_lan_routes independent review rounds proving middleware, and its own honest bou asserts static wiring ONLY. Nobody h directed agent did. This is precisely t shape: a green gate over a broken-for is an automated runtime check that v

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					capturing this exact exposure - not m PROVENANCE: control needle - Jacke SAME instrument, so the 200s are no returned exit-7, so absences are real. wrong token still got 401 on 7189. De Mutating probes used non-existent id list ([] before and after), so effect was referenced by name only, never prin scanned with a needle proving the so ACCEPTANCE: (1) operator decision (service - loopback-only bind, real aut with-rationale; (2) whichever is chos 11.4.238 that fails RED against today' evidence on a clean deployment, not mutation. === RELATED MEASUREM BOUND PORT (§11.4.6, recorded not r unauthenticated mutating routes on stream measured, and the conductor LAN-bound: webui-bridge.py:447 bin BRIDGE_PORT)) — the empty host str ALL INTERFACES rather than loopba §11.4.214 (distinct-but-similar): this i service, not a demonstrated unauth Whether 7188 exposes mutating rout UNVERIFIED and is the open questio the 7188 surface is not overlooked w so nobody later "discovers" it as new Fixed.md) Bug — BOB-204 — W credentials.go:234-253 (boba-jackett, handler checks the DB delete, then d envfile.Delete(...)` (line 240) and `_ = c then returns an UNCONDITIONAL 20 the plaintext credential variables RE the credential deleted. Second instan returns the error code `env_write_fai</p> <p>rollback's OWN error is discarded ( `_ body asserts a rollback that was neve contract itself. SCOPE: 4 combined da (credential access + filesystem mutat irreversible delete) where §11.4.252 i combination requires only 2. Compos

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					leak — a credential the operator beli class) and §11.4.252. REPRODUCTION syntactic and unconditional. A runtim the .env path made unwritable (chm and observes 204 while the variable CAUGHT: the CM-DANGEROUS-COME (constitution/scripts/gates/cm_danger enumerates .go at line 243 but gates i Go falls to two text matchers that key have. All 106 .go files are structurally as analysed. That blindness is BOB-19 ACCEPTANCE: (1) both discard sites e returns a non-2xx naming the unreso (2) the env_write_failed_db_rolled_ba rollback actually succeeded, else a di drives the unwritable-.env path and post-fix (§11.4.115); (4) a golden-FALS not refuse the healthy path (§11.4.20 (§11.4.238): found by an agent readin investigation, NOT by the automated escape and BOB-191 carries the escap COMPLETE 2026-08-26 — BOTH DEFI AND WATCHED FAIL === Line numb filing: :234-237 DB delete checked (50 error DISCARDED · :249 DeleteIndexe unconditional 204. NOT AN OVERSIG :210-211 reads: ".env and Jackett dele silently swallowed. The 204 status re delete that sentence or it will read as the doc asserting the old behaviour i MEASURED END STATE when the .env RUTRACKER_USERNAME/RUTRACKER says 204. WORSE THAN THIS ITEM O ENCRYPTED canonical copy is destro survives UNMANAGED — the system gone, so nothing will ever clean it up — CHECKING THE ERROR WOULD N Repo.Upsert(..., ifSet(prior.Username) credentials.go Upsert maps nil to CO username_enc) = LEAVE UNCHANGE empty field and the failed request se

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					returns nil — it SUCCEEDS — and leave it as is. If the fix is not rolled back, there is NO error to correct. The fix is correct anyway. Verified live by the third RED. The fix is one-line-ish: it needs the repo surface to be a "delete-and-reinsert the prior state" (delete-and-reinsert the prior state) separately from defect (1). THE RED: bob204_failclosed_test.go (297 lines, 100% coverage) is isolated from credentials_test.go so it can be tested. Failure injection is REAL, not mocked. The test pre-creates the <path>.tmp, so the test pre-creates the os.OpenFile returns EISDIR (errno 21). WHILE .env stays byte-identical with the test, chmod deliberately: opening a directory, whereas a chmod mechanism would not. The RED into a FALSE GREEN. A CONFIRMED breakEnvWrites calls the real envfile, which unexpectedly succeeds — a blind inspection. conclusion. Measured: 3 FAIL (all three). §11.4.201(1) golden-FALSE proving the fix must not refuse the healthy path. all this stream's, zero skips. §11.4.10 b prints a credential VALUE — names a not-a-real-*. HONEST BOUNDARY (§11.4.10) OWED, NOT CLAIMED. The stream was credentials.go, so RED was watched, (not applied): defect (1) IS one-line-ish. checked errors returning 5xx naming (env_delete_failed, jackett_cascade_delete). :210-211 GoDoc sentence. Defect (2) is scope. ADJACENT FINDINGS: (a) credentials own sibling — indexers.go:207-209 has error and at least LOGS it; credentials package, same call, two standards. (b) *repos.Credentials, not an interface, be driven deterministically — relevant wants that path testable. (c) The .gitignore deliverable is filed separately. SPOT-CHECKED benign — BOTH CONFIRMED I resp.Body.Close() closes a body already runs.go:112 `_, _ = w.Write(...)` is post-credentials.go:274. Bonus: runs.go:43

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					but mildly lossy — a corrupt ErrorsJS documented as deliberate degradation report, not an integrity issue; recorded major Fixed (→ Fixed.md) Bug §11.4.252 fail-closed scanner is driven pre_build_verification.sh:1481-1544 c DANGER_ROOTS list. `cmd/boba-ctl` - list, so it is never scanned by any arm shell-exec plus state-mutation surface combination class the gate exists for. is a MATCHER hole (the root IS scanned structurally unanalysable while coun prints green). This is a SCOPE hole (th Different failure shapes, different fix but-similar, deliberately not merged. hand-maintained, so a new first-part the gate. §11.4.251 (role-as-data-pack the hand-maintained list with a declar source of truth the build uses, so a ro enumerated. ACCEPTANCE: (1) cmd/b added to DANGER_ROOTS or by the r chosen, a RED fixture proves a plante SEEN pre-fix-absent / post-fix-presen is taken, a fixture proves a NEWLY-A without a hand edit — that is the inv the honest-blindness path (§11.4.3 SK already implements correctly for unc never converted into a silent PASS. D found by an agent auditing the scanr investigation, NOT by the automated BOB-191 carries the escape audit. === 2026-08-26 — CONFIRMED, with thre === CONFIRMED: DANGER_ROOTS=(qBitTorrent-go frontend/src) at script (conductor-verified verbatim). Invar existent roots at :1514, calls the gate invoked from exactly ONE place (:150 array is scanned by NO arm. cmd/bob files, 947 LOC — the filed numbers h this item said boba-ctl is a "shell-exec exec.Command in main.go — exec is

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					digital.vasic.containers/pkg/compose threshold is still met several times over :34,36,95-105,121 · untrusted input :2 credentials :432-440,496-509 · external irreversible :36,142) — but the specification (§11.4.6): this item's acceptance criteria implements correctly" an honest SKIP WRONG. That honest-skip path exists degradations only. An extension absence null. Filed separately as the LANGUAGE gap is not one root. FULL ENUMERATION scope = 66% of the gate-visible first-p (excluded-by-intent but UNDECLARED challenges/ 18 · cmd/boba-ctl 4 · front (CONCEALS 3 REAL HITS: plugin_upc repository ROOT 1 (CONCEALS 1 REAL separately as the ROOT-SCOPE item. I surface, but the hole around it is LAT empty `if err != nil {}`, no silent `return against qBitTorrent-go/internal/config guarantees a future one lands unseen spotted by reading: authMethod()'s d BOB-205 != BOB-191, AND THEY COM both needles: go-needle 0 hits, py-nee independently reconfirmed (gate rou real cmd/boba-ctl scanned DIRECTLY found" over 947 LOC it cannot analyse ALONE moves the root from never-lo FALSELY-GREEN — the §11.4.201(6) E because it then counts as covered. Bo with them. THE RED: tests/pre_build/ Oracle (§11.4.245) = METAMORPHIC · two BYTE-IDENTICAL Python fail-oper runtime, 8d8bd909...), one in a root th one in cmd/boba-ctl (probe), scanner it. Identical input, two locations, mus language/gate-version held constant Independent of the code under test: t relation, not from reading DANGER_ included as an explicitly-labelled WE typo'd list entry the [[-d]] guard sile

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					DELIBERATELY AVOIDED: the needle would stay unseen post-fix and the R itself a §11.4.201(1) FAIL-bluff. Fixing only widening scope will. BLIND-INS not found -> exit 3 ABORT, never RED from the real driver so it flips with ze pre_build_verification.sh. MEASURED BOB-205/red_run_live_gate.log, gate s "instrument PROVEN seeing", PROBE against a SCRATCH copy of the driver git diff --stat empty). Determinism 3/3 DIRECTION (assessed, not applied): \$ source of truth matters — docker-con plugins/, frontend/src, cmd/boba-ctl, (go.mod/package.json) MISS plugins/ from-git-tracked-source-extensions m exclusion fence reaches every gap. T way: if the operator keeps the hand l computation — the only question is v the list. The tests/ question (324 files) production-only is defensible but cur critical Obsolete (→ Fixed.md) Bu UNCONFIRMED — surfaced by the TC T041/review_scope_map_20260826.m unguarded as far as I could tell". Tha §11.4.6: this item exists to DRIVE the as a confirmed defect until a runtime (the hypothesis to test): probe_locatio independent terms — the §11.4.194(1 degenerate term triggers the failure a the rest is the exact forbidden gap. Fa EXPRESS per-file ownership. On a uio ntfms mounted with a uid= option) eve regardless of what any chown did or that uid and concludes ownership is structurally incapable of holding the §11.4.201(6) FALSE-NULL at the featu genuinely-correct filesystem return t CRITICAL RATHER THAN THEORETIC SPECIFIC MOUNT. Whether this fires mount table, not of our source — so i

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					alone, and a green probe on the deve about an operator whose media lives class §11.4.108 layer-3 exists for. ADJ same preflight surfaced (verify toget precondition has FOUR refusal trigge WAY product (measured-rootless AN declared-location) that the source sta and R4 both consume detect_rootless the source itself admits is documente PLAN (§11.4.115 RED-first, §11.4.262 the real mount table and record whic flattening filesystems — that measur the whole item; (2) construct a loopb uid= option, point a declared location capture the verdict — if it returns ok the filesystem's ownership-expressiv rather than reporting ok (§11.4.252 f resolve its condition refuses and says fixture on ext4/btrfs proving the new location (§11.4.201(1) — a false-positi normal operator). BLAST RADIUS: th correctness core — the subject of spe ok here means the feature reports su chown by hand, which is the ORIGIN to solve. DISCOVERY CHANNEL (§11.4 the T041 review scope, NOT by the au escape in its own right. The escape a exercises a uid-flattening filesystem, caught it. NOTE ON THIS RECORD: th corrupted by shell backtick expansio is the repaired text; the corruption is overwritten, per §11.4.6. 172 cri BOB-207 — WHAT: scripts/lib/owne reads stat -c '%u' and compares again NEVER reads '%g'. Meanwhile owner scripts/lib/ownership.sh:50 and cons ownership_repair.sh:360 — so the RE the PRECONDITION that verifies the precondition can therefore report ok repair exists to establish is wrong. M UNPRIVILEGED (a setgid directory is

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					no sudo): dir: uid=1000 gid=10 mode: both unprivileged) real file created th verdict = ok rc=0 <-- operator gid is 1 RATIONALE: this is the SAME CLASS reporting ok while ownership is only LIVE rather than hypothetical, needs reproduces with two unprivileged co this is the real defect that investigation ACCEPTANCE: (1) probe_location rea OR the asymmetry is deliberately just only uid matters to the user-visible g repair sets gid at all); (2) a RED fixture observes ok pre-fix, flips to a refusal FALSE fixture proves a correct uid+g (4) whichever way it is resolved, pre WHICH property they are talking abo primitive defect (§11.4.250). DISCOVER the BOB-206 verification stream, not existing test exercises a gid mismatch AUTHORED — AND THE FIX DIRECT THIS ITEM ASSUMED === CONFIRMA tree; line numbers happen to match) ownership.sh:299-320 reads stat '%u' branch), compares against want at :3 ownership_operator_gid is defined a consumer — ownership_repair.sh:36 untracked files, needle-proven (need negative control -> 0; untracked swee ownership_operator_gid -> 0); every comment. THE REPAIR SETS GID AT T {OP_UID}:\${OP_GID}" WRITES both, a OR ! -gid). FALSE ok REPRODUCED u -G + chmod g+s): dir uid=1000 gid=10 inside lands uid=1000 gid=10, probe_ arm: an absent path returns 'absent' ok is real. DESIGN QUESTION ANSWER NOT load-bearing.** This item was fi deficient. Measured, that is backward edit, read, rename, move, chmod, uti including recovery from chmod 000 + are selected by uid match and chmod

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
175	major	Fixed (→ Fixed.md)	Bug	—	always restore access. - Every FR-001 phrased as "owned by the account". M DECISIVE, conductor-verified in spec "Group-based workarounds (shared, control lists) are acceptable impleme makes "shared group plus inherited container platform cannot map the i identity. => WIDENING THE PROBE w on a configuration the spec explicitly positive refusal, the exact failure clas own gates. => AND THE REPAIR IS AL after repair a new file inherits gid 10 still set and NO diagnostic. The repair sanctioned shared-group setup. THE test_ownership_gid_agreement.sh (N deliberately does NOT assert "the pro implementation assertion that surviv one fix direction. It asserts the user-c probe_location(L) == ok IFF ownersh items under L. Measured: 4 passed / 1 "the PRECONDITION certifies it (ok) v (selects:2)". VALIDATED AGAINST BO COPIES (production untouched): bas PASS(0) · widen-the-probe PASS(0). G neither direction can go green by ref this RED fix-direction-agnostic rather — scripts/ownership_repair.sh:963: - -gid "\${OP_GID}" \) -printf '%U\t%G\t% {OP_UID}" -printf '%U 173 BOB-210 — WHAT: scripts/ownership the docker branch of detect_rootless (accurate — verified verbatim). The l built so that ‘an unverified reading c CAN. Line :413 emits a CONFIDENT r succeeds with non-empty output con the FAILURE modes fall through to u HARM: PUID=0 is declared in docker: jackson — deliberate per project polic that reaches the R3 refusal at :517. S whose docker info output SHAPE diff

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
176	critical	Fixed (→ Fixed.md)	Bug	—	FALSE REFUSAL produced by a branch measured — precisely the outcome of THE ORACLE PROBLEM (§11.4.245 in cover this path (tests/unit/test_owner but the shim's output shape was authentic as the code. Oracle and code share the cannot discover that the premise is within the doc; nobody has confirmed the details either the header claim is corrected to :413 is changed to yield unknown whether two must agree (§11.4.6); (2) the dock against REAL docker info output from branch is honestly marked unmeasured the header; (3) if validation is operational host), record it as such per §11.4.21 r promise standing. ALSO VERIFIED G investigated: the unknown branch is consumers (R3 :519-531, R4 :832-836 neither refuses), ROOTLESS_VERDICT measurement, and the carrier-trap g (test_ownership_rootless_detection.s lookalike inside a profile path and m guard at :396-411 uses exact field equ CHANNEL (§11.4.238): found by the E BOB-212 — WHAT: .gitignore:31 is a a HAND-MAINTAINED per-file allow NEW source file whose name contain ignored: git add refuses it and git stat no signal at all — the file simply does is concerned. HOW IT SURFACED: the test named credentials_failclosed_test only because it went looking for the bob204_failclosed_test.go to escape b became visible. A silent deliverable l any gate. INDEPENDENTLY RE-CONF needle proven: git check-ignore -v -n jocketapi/credentials_failclosed_test (IGNORED) git check-ignore -v -no-in jocketapi/zzz_probe_test.go -> no ma instrument proven seeing, so the hit

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					index frontend/e2e/credentials.spec.t (IGNORED) git ls-files --error-unmatch tracked SECOND, LATENT INSTANCE matched by the same rule and survive tracked (git honours the index over . and-re-add it — an ordinary refactor and it disappears silently. It is one ro lost. (For contrast, credential-edit-dia safe: it is covered by the DIRECTORY credentials/ at line 43, not by a per-fi FALSE-NULL, NOT MERELY AN INCO and the clean tree return the identica nothing means BOTH ‘no new files’ A There is no signal that distinguishes every other gate’s output eventually its own blindness. WHY IT IS NOT SII the mechanism that produced the de against a deny-all glob has the §11.4. legitimate credential-named source f remember to make, and the failure m same shape as BOB-205’s hand-maint must be edited in lockstep with the tr it was not. TENSION TO RESOLVE HC the glob exists for a real reason — §1 reaching git, and a broad deny-all is Narrowing it carelessly would re-ope is NOT ‘delete the glob’. Candidate di (a) narrow the deny to what actually directories (.env, secrets/, credentials/ every path containing the word; (b) ke FAILS when an untracked file matches first-party source root AND has a sou loud instead of silent; (c) both. (b) alon stays exactly as it is, and is the smalle credential-named source file under a f normally or produces a LOUD refusal the remedy — never silence; (2) a RED the current silence, flipping to the lou golden-FALSE proving real secret mat — the §11.4.201(1) guard, because a f false-null is strictly worse than the de

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					<i>credentials.spec.ts is made safe by rule already being tracked. DISCOVERY CH BOB-204 stream when its own deliver automated QA regime, and not by any an authored file actually became visible surface exists for this class at all. === — RECOMMENDATION (b), AND (a) I DISFAVOURED === TASK 1a — TRACK BEING TRACKED: 3, not 157. A raw s ignore rules — but 154 of those are N included and safe BY RULE. Reporting been a §11.4.201(1) false positive; the Two independent instruments (check-patterns, and bare check-ignore which produced IDENTICAL sets. 1. frontend — .gitignore:31 credentials* — HAZA Playwright spec) 2. tests/security/test — .gitignore:51 secrets — HAZARD, N FILED. Conductor-verified: matched line SECURITY / PEN TEST asserting r body, traceback, or log. Losing it silen guards §11.4.10 — the deny-all glob's instance available: the rule protectin from deleting the test that proves cre submodules/jackett — .gitignore:260 gitlink, and that entry is documented CodeGraph per §11.4.79). THE MECH directory negation at :43 re-includes frontend/src/app/jackett/credentials/ swallowed by :31, because <i>credential</i> BASENAME-scoped — the allowlisted Of the 154 safe files, 124 are held by (qa//.log) and 13 by fragile hand-ma currently live, none stale — but ea — ALREADY-SWALLOWED UNTRAC ignored+untracked paths. Two are credentials export twins and the B their own item); set_password.py i provenance and deliberately NOT qbittorrent_creds.json is the POSIT keys-only (never values) as [passw</i>

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					<i>credential-bearing, CORRECTLY ig</i> <i>SCRATCH TREE, 10 source paths x 1</i> <i>line file) swallows 10 leaks 0 (a) 1</i> <i>IT swallows 0 leaks 3 (a) repaired</i> <i>1 (b) deny-all unchanged + loud ga</i> <i>download-proxy/qbittorrent_creds</i> <i>SITTING IN THE TREE TODAY — be</i> <i>match “creds”. It also leaks my_pa</i> <i>service_credentials. Repairing tho</i> <i>an extension-scoped deny cannot c</i> <i>without collapsing back into the d</i> <i>(a) as this item worded it is DISPR</i> <i>and I wrote (a) first in the candida</i> <i>(b) NEWLY ALLOWS INTO GIT: NO</i> <i>pattern changes, so the §11.4.10-vs</i> <i>discharges trivially. No variant of</i> <i>3 — THE RED: tests/security/test_gi</i> <i>(filename verified not swallowed B</i> <i>is about). It asserts the acceptance</i> <i>OR refuses loudly), so it is FIX-DIR</i> <i>direction an operator decision. Th</i> <i>status is BYTE-IDENTICAL with an</i> <i>(authored) 330ceb52074cdbbe, wor</i> <i>330ceb52074cdbbe. That is the fals</i> <i>Proven NOT a tautology: RED_MOD</i> <i>exit 0; narrowed glob -> exit 0; and</i> <i>globs -> exit 2 with 11 leaks caught</i> <i>FALSE load-bearing rather than d</i> <i>distinct from exit 1 so a blind harr</i> <i>present”. BEYOND WHAT THIS ITE</i> <i>reds* problem. secrets, _password*</i> <i>swallowed something real.** *_user*</i> <i>future *_user.txt / .json evidence or fi</i> <i>against the whole rule set, not the one</i> <i>LIVE TRAP HIT, SAME SESSION (2026</i> <i>chose the natural filename tests/unit/t</i> <i>its RED. Conductor-verified: that path</i> <i>_user. The stream checked before writ</i> <i>renamed to test_ownership_gid_agree</i> <i>SECOND deliverable in one session th</i> <i>silently eaten — the first (BOB-204’s c</i>

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
177	critical	Fixed (→ Fixed.md)	Bug	—	<i>caught only after the fact. It also conf</i> <i>warning empirically: _user* is the bro</i> a file whose name contains no secret word ‘user’ inside ‘user_owned’, whi (spec 002-user-owned-downloads). A candidate for silent loss. Two hits in streams, is not a coincidence rate — i BOB-213 — WHAT: the §11.4.252 fail- shell entirely. Measured verbatim by gates/cm_dangerous_combination_fa {DANGEROUS_COMBO_EXT:-py go rs php rb}" No sh. No bash. THE CONSE declared DANGER_ROOT (scripts/pre contains 71 tracked .sh files and 3 .py root the gate is explicitly pointed at a invariant 39's driver prints "no fail-o source root(s)". Project-wide there ar control *.zzz = 0, instrument proven s THE THREE HOLES: BOB-205 is a sco BOB-191 is a matcher hole (Go enum worse than either, because the root I covered, and 96% of what is in it was driver's own summary is an under-co SHELL IS THE HIGHEST-RISK LANGU project's orchestration, credential ha are shell. start.sh alone is 1288 LOC a orchestrator. Fail-open in shell is also `cmd \\  true`, an unchecked ` \$? , as – and §11.4.67(6) already records class (a bare exec redirection sil its lifetime). CORRECTION TO A PR CRITERION (§11.4.6): I asserted, w honest-blindness path (§11.4.3 SKI already implements correctly for u preserved". THAT IS WRONG. The gat for the PYTHON ARM's degradations, the ext list. An unenumerated exte an honest skip. The distinction is backwards. NOTE ON LINE NUMBERS: list at :318; the conductor measur

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					their read times – a sibling stream this file. Re-derive before acting added to the ext list WITH an arm unenumerated extensions produce an file – never a silent pass (this is BOB-191 needs, and doing it once c summary reports files ANALYSED, no cannot masquerade as a census; (3) under scripts/ and asserting it is §11.4.201(1) – a correctly fail-CL flagged; §11.4.67's own brace-scope fixture. COMPOSES: BOB-191 (match by local shape, never consult sema registry fix closes both) and BOB- these are three symptoms of one pr stay three items because the fixes (§11.4.238): found by the BOB-205 independently by the conductor. No 178 critical Fixed (→ Fixed.md DANGER_ROOTS = (download-proxy/src frontend/src) at scripts/pre_build REPOSITORY ROOT itself is not amon entry). Everything living at the t THE LIVE HIT: webui-bridge.py – tr verified), 466 LOC, a live HTTP se (BaseHTTPRequestHandler:85, do_GET at :103, outbound urlopen at :273, :55-74). The gate REPORTS A REAL H directly. This is not a hypothetical unmodified, finds a genuine defect reaches it. ALSO UNSCANNED AT ROOT including start.sh (1288 LOC – per orchestrator and the sole sanction stop.sh, ci.sh, install-plugin.sh, qbit-password.sh / fix-qbit-passwo invisible for the separate LANGUAGE the gate's ext list – so root file AND by extension.) THE SCALE THIS out of scope – 66% of the gate-vis scanned. Other unscanned roots mea excluded-by-intent but UNDECLARED

#	Level	Status	Type	Fixed- In Tag(s)	One-line description
					exactly what §11.4.224(E) fences a browser extension), docs/ (51), ch CONCEALS 3 REAL HITS at plugin_upd frontend/e2e + 2 configs (5). SO REAL HITS the gate itself finds wh bridge.py, 3 in tools/). Invariant count, not a census. ACCEPTANCE: scanned, or explicitly fenced with – silence is not an exclusion; (2) (each is either a real defect to f the gate – both are findings); (3) OPERATOR decision per §11.4.66 – p must be DECLARED; (4) a RED provin (5) golden-FALSE proving genuine b stay excluded. FIX DIRECTION (mea guessed): a §11.4.251 manifest is must be chosen carefully – docker- plugins/, frontend/src, cmd/boba-c markers (go.mod/package.json) MISS Only derive-from-git-tracked-sourc §11.4.224(E) exclusion fence reach must be built either way – if the list, the omission-guard that audi only question is whether it drives DISCOVERY CHANNEL (§11.4.238): fou stream while enumerating the full verifying named only one missing r regime. === CORRECTION 2026-08-26 CLAIM IN THIS ITEM IS REFUTED (§11 I wrote that the scope hole "conce itself finds when pointed at them" the UNMODIFIED gate against scratc exactly, and triaged them: **4 of instrument was control-needle-prov on a plantedexcept: pass, stayed si so this is evidence, not a null. class – shape (A2) "silent default BOB-189 false-positive shape: the designed refusal value, consumed b webui-bridge.py:295 (_is_root_live send_error(502) at :438. The excep

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Fail-CLOSED. Combines ZERO of the pure classifier over self.path/self (_download_url): None -> :110 handle continue), no write. Handler BOUND anything else propagates. - tools "unknown" gates nothing – the update :116. (It IS a bareexcept:though, so Ctrl-C is swap handling defect, filed with the RE (_validate_plugin): False -> :151 This IS the refusal. Canonical BOB DOES NOT CHANGE. The scope hole it the repository root and tools/ are verbatim at scripts/pre_build_verify the ARGUMENT: I justified this item defects", and that justification is is narrower and does not depend on is a LIVE, LAN-BOUND HTTP service paths, outbound calls, and environment belongs in scope on its capabilities contains a defect. NEW FACT RAISED REACHABLE. webui-bridge.py:447 bin BRIDGE_PORT)) – conductor-verified INADDR_ANY, so port 7188 listens on Neither localhost-only nor internet forwarded). No severity is assigned closed – but this is the argument live LAN-bound service should be a defect is found in it. webui-bridge (§11.4.124 never engages – do NOT tracked files reference it, including the credential-leak-audit challenge it via bridge_health() at download newest of 12 commits is a real fun Critically, served_ports.yaml:66-6 is a SEPARATE binary the qbittorrent – so NOTHING ELSE BINDS 7188 and then serving that port. tools/ RECOMMENDED OUT, DECLARED – exclusion class "none Evidence: 2 tracked files, neither by NOTHING (control-needle-proven:

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					control – referenced only by its own name in a tracker note; zero hits across * tools/); its README self-declares "stop flow"; last functional commit PARTY, §11.4.224(E) requires the empty item – and the two REAL defects follow regardless of scope, since a hand-off 179 major Fixed (→ Fixed.m cmd/boba-ctl/main.go:498-509, authKey (:507) returns remote.AuthSSHKey. auth: key is misspelled, empty, or nil, therefore resolves SILENTLY to SSH, refusing to act. WHY IT IS A §11.4.224 credential-selection decision on a mutation and external side effects combining >=2 dangerous capabilities precondition, refuse when any is unresolved precondition. Silently MECHANISM for an unreadable declaration shape: the operator's intent was not proceeded anyway using a method that GATE CAUGHT IT: three independent own – (a) cmd/boba-ctl is in no DATA scope, .go files are structurally (BOB-191); (c) this shape is a semantic one of the two text patterns the name by a human-equivalent read, which class. HONEST QUALIFICATION (§11.4.224 = err, NO emptyiferr != nil {}), and NO verified with a control needle against config/config.go. This finding is the scope hole around boba-ctl is else live, it guarantees a future (1) an unrecognised/empty auth: value the offending key and its declared (2) a RED driving a typo'd auth: a key resolution, flipping to refusal proving every LEGITIMATE auth: value false refusal here would break real DISCOVERY CHANNEL (§11.4.238): four stream while confirming boba-ctl q

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					180 major Fixed (→ Fixed.md) carrier classes fire in the gate's degraded text fallback. Measured a report the hit): (a) a COMMENT or anti-pattern is reported as a LIVE spellings; (b) a // comment or a catch (e){ }is reported as an empty Shape (b), and the C-family half o GREPS with NO structural counterpa parser to be immune. WHY IT MATTE blanket claim that "A parser is im That is OVER-BROAD and now correct Try/With shapes where it is actual non-Python extension, and the cred even on Python – has no AST arm at applied there. A §11.4.201(1) fals materially worse than one in a fal it refuses provably-healthy code o on. THE CONTROL NEEDLE THAT SHARP reader inherits the measurement): poison the licensing table (text=0 anchored. So the blindness is to S code generally. That distinction i tractable for one class and not fo FIXED IN THE ROUND THAT FOUND IT (is the right call): closing these string model across every configur direction is the UNDER-reporting o silently swallows real violations same reasoning made the round DECL for OVER-1 while ACCEPTING the com strip's ambiguity resolves toward control needles – real violation + escaped quote before # – all 1/1), ambiguity resolves toward DROPPING difficulty, is the discriminator. import the under-reporting failure else. OPERATOR DECISION (§11.4.66 per-language comment-and-string mo default this gate should pick unil over-reports and DISCLOSE them per

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					MODE-INDEPENDENT CARRIERS section build the models per language and fixture per language; (c) narrow t only fire where a structural arm e precision. RELATION TO SIBLINGS (deliberately not merged): BOB-189 SSRF guard – a semantic-role miss CARRIER miss (comment/string read BOB-213 is a language absent from share the primitive §11.4.250 name syntactic shape, never consult sem so the items stay separate. ACCEP above is taken and recorded; (2) w the three classes has a fixture pr future change cannot silently alte golden-FALSE per language proving carrier is still caught – the unde risk. DISCOVERY CHANNEL (§11.4.23 remediation stream while closing a automated QA regime and NOT by the the same file in round 6. 181 Bug – BOB-217 – WHAT: tools/pl update_plugin() combines three §11 is gated by nothing that could sto INPUT: 14 URLs across four GitHub third-party PERSONAL repos, not th organisation. - MUTATION: writes CODE EXECUTION: qBittorrent EXECUT fetched over the network become ru The ONLY validation is compile(con tools/plugin_update_automation.py: sole compile call. That is a SYNTA file is exactly what a hostile pay verification, NO pinned commit SHA check of any kind. §11.4.252 requ dangerous capabilities to FAIL CLO refuse when any is unverifiable. T verifies none of them. §11.4.246's counterpart: dependencies are eith provenance-attested, or mirrored t an unattested public source is an

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					unattested public source becomes E ABOUT THIS FINDING: the fail-close POSITIVES in this same file (:189, POSITIVE, see BOB-214's correction genuine dangerous combination in i directions failure – false-positiv demonstrated inside a single file. evidence that the detector classif never consults semantic role (the BOB-191/BOB-216). REACHABILITY, S script is invoked by NOTHING – con hits, 0 negative control) it is re its own docstring, and a tracker n *.yaml / *.py / Makefile outside to "not invoked by the normal start/s 2026-04-12. So this is NOT live in reachable by a hand-run --update, v exists for. Severity is Critical o bounded by that reachability – not ACCEPTANCE: (1) plugin sources are hash) and verified before write; (and names which check failed (§11. syntax pass; (3) the compile() cal syntax check that is NOT a safety (4) a RED serving a syntactically- asserting it is REFUSED pre-fix-ab golden-FALSE proving a legitimate (§11.4.201(1)). DISCOVERY CHANNEL concealed-hits triage stream while hits in this area were false posit regime – and the regime that WAS p three lines. 182 major Fix BOB-218 – WHAT: tools/README.md:30 on validation failure. Conductor-v EXACTLY ONCE in tools/plugin_updat only – a reverse-direction restore control-needle-proven seeing: need The plugin write opens in mode "w" USER-OBSERVABLE HARM (the reason t failure part-way through the write IMPORTABLE plugin on disk. The ope

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					and reasonably concludes the previ README says it was restored. It wa plugin.sh copies the corrupt file engines/ and that search engine SI needed to recover DOES exist on di never uses it. This is a §11.4 do real downstream consequence: the d code does not implement, and the o made on that false assertion. SEC README claims JSON goes to stdout; (open(args.output, "w")). THIRD, file (recorded here rather than as the file and the fix window): _ext BAREexcept:, so a Ctrl-C during the is a signal-handling defect, not a line, but for the wrong reason (it the real issue is the bare except ACCEPTANCE: (1) either the rollbac on failure) or the README claim is must agree (§11.4.6); if implement rename atomically rather than trun vs-file claim corrected; (3) the b KeyboardInterrupt propagates; (4) and asserts the previous plugin is (pre-fix). REACHABILITY: same as not in any automated path, last fu Severity Major on the harm shape, DISCOVERY CHANNEL (§11.4.238): fou stream. Not by the automated QA re Fixed.md) Bug – BOB-220 – WH ownership_repair.sh:891-895 runs c setuid/setgid bits. Traced live: t the mode stays 2755. Root cause me symbolic-equivalent octal PRESERVE only a 4-digit form (00755) or an comment at :868-884 describes a st directories. EFFECT: benign today itself harmful, and no defect is k filed as a §11.4.6 accuracy defect behaviour the code does not perfor reader will trust it, and because

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					written against the same pattern w RELATION TO BOB-207: the same stre new file inherits gid 1000 with TH facts compound. If BOB-207 is reso recommended direction), the setgid path but the misleading comment re strip is made real (00755 or g-s) state that directories retain setg (2) if made real, a RED asserting since the current form silently no directory that SHOULD keep its mod DISCOVERY CHANNEL (§11.4.238): fou tracing an unrelated behaviour. No 184 critical Fixed (→ Fixed.md scripts/pre_build_verification.sh EXECUTED) enumerates suites by FIL fail() on any non-zero exit. It th it has NO concept of a test that i tests/pre_build/test_bob205_danger correctly, because it is a RED tes Invariant 30 counts that as a gate verdict is FAIL, and this is one o STRUCTURAL PROBLEM: §11.4.115 and FIRST and OBSERVED TO FAIL before the RED to persist as the permanen discipline mandates that failing t authoring and fixing – and the blo as a defect. Following the constit refuse the commit. That is a §11.4 asserts "no suite fails" when the suite fails UNEXPECTEDLY". WHY IT authored FOUR REDs across parallel BOB-207, BOB-212) – the first time this volume. Previously REDs were round, so the window never spanned new; the exposure is. THE FORBIDD delete the RED to make the gate gr ignore failures; do NOT mark the R reason. Each converts a real signa this is §11.4.248's quarantine mec already specifies and this project

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					expected-failing status and its tr naming convention, or a manifest), declaration, and a declared-RED fa a fail) while an UNDECLARED failur declaration must EXPIRE or be trac with a stabilisation deadline prec become permanent cover. A RED whos the gate should FAIL on the stale declared RED does not block; (2) a blocks (the §11.4.201(1) guard – a strictly worse than the defect); (1 item is CLOSED blocks, so declarat mutation removing the declaration- undeclared failure -> gate FAILs. found by the T042 readiness prefli than during it. Not by the automat thing that would have blocked. == DIRECTION IN THIS ITEM WAS WRONG, === CORRECTION 1 – §11.4.248 IS N §11.4.248's quarantine mechanism, v specifies and this project has not the wrong half matters. §11.4.248(– its trigger is literally "two-co rerun-after-red", and its remedy i quarantine/ and run the blocking s green". §11.4.248(B) PROTECTED-SPE reviewer gate on MODIFYING a regre may fail. A RED is DETERMINISTIC a §11.4.115(F) and §11.4.226 require the evidence. Excluding it destroy mandates. Merging the two would al hide behind a RED declaration and legitimately supplies, and what sh invented (§11.4.227), is the SHAPE + a deadline + a must-only-shrink LANGUAGE-PARITY GAP, NOT A DESIGN project ALREADY runs this mechanis pytest.mark.xfail(strict=True) is at tests/scaling/test_scaling_enve in tests/scaling/README.md:64) and test_plugin_parsers_stress_chaos.p

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the ratchet discipline verbatim ("every report", "then remove this x failure, strict so an unexpected policy in one language. The BASH s real gap. CORRECTION 3 – BOB-221 A full replication of invariant 30 SKIPPED=2: rc=124 300s test_comp HANG, not a RED. Blocks independent 3s test_ownership_gid_agreement.sh in-glob RED; this item assumed one test_bob205_danger_roots_scope.sh test_check_cm_lan_routes_authentic stream was writing lan_route_auth_ run (§11.4.119 – the surveying str correctly declined to adjudicate). internal FAIL-bluff signature, not Returned to its owning stream. ALS share tests/security/test_gitignor OUTSIDE invariant 30's glob and ex do not block today, and widening t another blocker. THE DESIGN, RECO SSoT expiry + strict semantics. TH before a failure is excused – (1) lib/expected_red.sh, a file the PR the suite file itself carries# EXP <ID> is OPEN in docs/workable_item store or unknown id (§11.4.252). P declared suite that PASSES blocks, ratchet to shrink in the same comm CONVENTION REJECTED ON MEASURED EV promising. The non-{0,1} exit spac FOR THE OPPOSITE MEANING: test_git exit 2 = "INSTRUMENT BROKEN or SEC test_bob205_danger_roots_scope.sh blind). Both were chosen precisely read as a verdict. Overloading eit a genuinely BLIND INSTRUMENT INDIS the gate would swallow exactly the to make loud. It also fails accept item id) and (3) (nothing to rot-c inside the PRODUCER, collapsing pr

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					§11.4.249). HONEST BOUNDARY ON TH separation by LOCATION and MULTI-P CAPABILITY, which §11.4.240 prefer here to enforce capability – CLAUD PR gates, so the CODEOWNERS half o UNENFORCEABLE in this project. Wha silencing a failure requires a coh a diff, instead of one comment lin test_bob221_expected_red_declarati loop and its blocking predicate VE CONTENT MARKER (never line number) scratch PROJECT_ROOT – so the logi text, not a paraphrase (§11.4.226 properties unmet, exit 1. P3 is as merely on "it blocked" – today eve block check would pass FOR THE WRO anti-rot half were never built. Po IDENTICAL test file against a sand all five properties met. Four pair exactly ONE property, one-to-one, lines, 4 hunks + one new file scri –checkclean, NOT APPLIED. Operatio not miss: the table names test_bob test_ownership_gid_agreement.sh, b RED:marker today (verified 0 in bo additions the gate blocks them wit no matching marker", which is the intended, not a bug. SEQUENCING R variant of (i) – land the mechanis BOB-207 and this item's own suite, triage the rc=124 hang as its own owner, THEN run T042. THE HONEST C modifies the blocking gate BEFORE the mechanism's first full-gate ex circularity is unavoidable and IS whose precondition is produced by run is impossible while any RED ex changing it" cannot be satisfied. without running the gate (proven-a flip, four biting mutations, P2 un asserted and mutation-proven) but

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the-four-defects-first: all four a BOB-212's fix direction is an expl OPERATOR decision whose own test w direction-agnostic so as not to pr making that decision on the operat implementations and four reviews, the rc=127 blocking. RECURSION NO and failing, so it is itself a 5th – at which point its already-prese The mechanism is its own first cus Fixed.md) Bug – BOB-222 – WH pre_build_verification.sh:1196 enu covering EXACTLY three directories test_*.sh · "\${PROJECT_ROOT}"/test {PROJECT_ROOT}"/tests/hooks/test_* them. Conductor-verified verbatim. test_gitignore_swallow_is_loud.sh · a golden-FALSE guard proving real by NOTHING. It is a guard that gua indistinguishable from success. T CLASS. The driver's OWN comment at same defect class "existed for tes fixed by adding that directory to directory over (tests/hooks), fixe security. Each fix was a new glob test directory is invisible by def three symptoms, one primitive. The enumeration that must be edited in failure mode is SILENT. It is the DANGER_ROOTS and BOB-212's .gitign hand-maintained lists in this repo silently missed something. Adding be the fourth instance of layer N+ RIGHT INSTINCT at :1220: it fails ("the glob is blind"). That guard not a PARTIALLY blind one – the mo because a partially blind glob sti DIRECTION (§11.4.251 role-as-data- the tree – every tests/**/test_*.s exclusion fence with a justificati directory cannot be invisible, and

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					and reasoned. If a hand list is ke computation, so the derivation mus ACCEPTANCE: (1) tests/security sui tests/<newdir>/test_x.sh is picked the invariant that stops the recur the fourth patch; (3) a RED creati it runs; (4) the :1220 blind-glob blindness, not only total. DISCOV the T042 readiness preflight. Not notably not by the two previous fi which asked why it happened. 1 Bug – BOB-224 – WHAT: a repl glob, same skip list, same BOBA_PR measured RAN=38 FAILED=4 SKIPPED=2 tests/unit/test_compute_badges_car after the FULL 300 seconds** – it IS FILED SEPARATELY AND URGENTLY: therefore T042, INDEPENDENTLY of B that landing an expected-RED mecha stated – two of the four failures contaminated. Landing the mechanis this suite. IT MUST NOT BE SILENC §11.4.232(C) liveness failure, not progressing op both look like "not expected-to-fail would convert a \$ permanent cover. That is exactly t property (2) exists to prevent, so defect. INVESTIGATION DIRECTION (rc=124 is the timeout(1) signature consumer blocked on an unclosed pr shape here (§11.4.201(12) records inside a \$(...) command-substituti and an early disarm orphans its sl substitution stalls for the FULL b code stays CORRECT). That signatur – matches rc=124 exactly and shoul not the last. The countermeasure i watchdog subshell fds away from th probe write to a file. Do NOT assu highest-prior hypothesis given the (1) the wedge point is identified

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					inferred; (2) the suite completes budget; (3) a RED reproducing the silently re-wedge (a timeout-based the duration); (4) NOT closed by a timeout – raising the budget hides dated 2026-08-21, so the hang pred CHANNEL (§11.4.238): found by the surveying invariant 30 more widely T042 preflight had verified only 3 boundary honestly, which is what p major Fixed (→ Fixed.md) Bug verified: .gitignore:266 ignores * export pipeline GENERATES .docx tw produces Issues.docx / Fixed.docx Fixed_Summary.docx, and the doc ex check_cm_lan_routes_authenticated. them is untrackable by constructio never see them, and no gate can no silent. WHY THIS IS THE BOB-212 C BOB-212 is a deny-all glob plus a ALLOWLIST, where new files leak th is a deny-all glob with NO allowli project MANDATES producing. The me identical – git status stays silen succeed and the artifact appears t per §11.4.214 (distinct-but-simila siblings. THE TENSION TO RESOLVE FOUR-format export (HTML + PDF + D §11.4.65 governs the twins general producing an artifact the reposito the two is wrong and the resolutio (§11.4.66): (a) the .docx mandate carve out generated doc twins; (b) as a heavy binary derivative regen in which case the EXPORTERS should into an explicitly untracked locat requirement should be recorded as than silently unmet. What is NOT a generate it, ignore it, and let bo satisfied. MEASURED SCOPE (CORREC said 'tracked .docx files = 0', wh

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					§11.4.6 rather than silently amend and **1140** exist repo-wide, so * (A second correction, also recorded correction said 344, which counted numeric errors in a row on one item measured with a narrower instrument which is the §11.4.201(7)(c) path-applied to my own reporting.) AND INTERESTING PART: they are docs/features/Status_Summary.docx – pre explicitly mandates as a FOUR-form artifacts git can see are the two survive not by rule but because they makes this a PARTIAL condition, no survivors are the interesting part as frontend/e2e/credentials.spec.ts because they are already in the in over .gitignore for tracked paths. move, and they vanish silently like than a clean 'we never track docx' two artifacts appear to prove the it is not. ACCEPTANCE: (1) the op recorded; (2) whichever way, the e – if .docx is not tracked, nothing a tracked doc directory; (3) if ca twin is actually trackable, so thi §11.4.153 compliance is either met never left implicitly failing. DI by the BOB-102 round-9 remediation own guide twins and noticed the .d automated QA regime – and the regi point. 188 major Completed – WHAT: ownership_repair walks a d whose uid is not the operator. The only onto FILES and SYMLINKS; inte owned (case 22 seeds only a foreign path). Production first-start repair MANIFEST: tests/unit/test_ownership_scripts/ownership_repair.sh walk a interior directories carry uid 100 repair, observe no automated asser

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					UNTESTED: the unprivileged harness directory it no longer owns, which DECLARED GAPS note cross-reference test_container_writes_owned_files. side (FR-002), not the repair-side layer test (where the unprivileged that seeds foreign-owned interior asserts post-state ownership plus BOB-207 independent review 2026-08 Fixed.md) Bug – BOB-227 – WH the CM-LAN-ROUTES-AUTHENTICATED pr MEASURED 2026-08-27 with git ls-fi needed against a known-tracked fi lan_route_auth_analyzer.py UNTRACK check_cm_lan_routes_authenticated. test_check_cm_lan_routes_authentic scripts/check_cm_lan_routes_authen losing this checkout loses an enti assertions; (2) no round-over-round 8 through 14 was ever checkable, b exists - the same \$11.4.226 eviden chain hit independently; (3) a fre whose implementation is absent. AC tracked and committed, and a gate pre-build invariant invokes is its BOB-102 round-13 remediation and i 190 minor Completed (→ Fix WHAT: \$11.4.212 makes the main REA ALL project documentation, with no no link path. docs/scripts/check_c not reachable from README.md. MEAS guide name in README.md returns 0, README does link (CONTINUATION ret blind. ACCEPTANCE: README links th and the doc-link generator covers guide cannot land orphaned. Surfac remediation and independently veri Critical Fixed (→ Fixed.md) Bu scripts/pre_build/check_gitignore_ invariant 56), the very first real scripts/pre_build/check_cm_qbittor

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					tests/pre_build/test_check_cm_qbit existed on disk (executable, dated FUNCTIONAL USE by pre_build_verifi QBITTORRENT-WEBUI-CREDENTIALS, pas were NEVER tracked by git: git ls--short returned nothing (the exact ignore confirmed .gitignore:31:*cr Both files existed ONLY on this lo other environment, or any disk los entire gate implementation plus it meta-test with zero signal. FIX: a both exact paths to .gitignore (ma maintained allowlist pattern at li now shows them as untracked-and-vi pre_build/check_gitignore_swallow. files are still functional (bash - 8-case paired-mutation self-check record the incident per this proje directive discipline (every discov item) even though it is being clos found. 192 Minor Completed – BOB-203 added qBitTorrent-go/int wired via a scoped Gin route group Python-side Depends(require_api_to lan_route_auth_policy.yaml's exemp hooks/schedules/theme routes were fix, since the implementing subage pre_build/check_cm_lan_routes_auth resolution semantics for a .Use()- did not want to guess at a checked service is not currently running i opt-in) and is already loopback-bo decision, so this is NOT an active accuracy follow-up. ACCEPTANCE: (1 check_cm_lan_routes_authenticated. if it reports a new finding for th positive (the analyzer not recogni pattern) or a stale-looking known- actually protected, update config/ qbittorrent-proxy-go.auth_markers reality; (3) if the gate already p

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					needed, close this item noting that 193 – Completed (→ Fixed.m AGENTS.md:55 states the Go backend 7186, 7187, AND 7188, and 'replace claim CLAUDE.md's Architecture sec (2026-08-20, BOB-141): the contain ["/app/qbittorrent-proxy"])), bindi from MERGE_SERVICE_PORT (default 7 but nothing binds it, and 7186 is independently verifying BOB-141's coordinator confirmed CLAUDE.md is AGENTS.md was out of that dispatch flagged rather than silently left completeness). Acceptance: AGENTS. table for the Go backend is correc accurate BOB-141 text (same citati internal/config/config.go:58), reu citation style rather than inventi (→ Fixed.md) Bug – BOB-233 – --reload-jackett rebuilt image 38e boba-jackett recreated, but podman image 2a3173ce1941 started 17:09 (boba-jackett' did not recreate an Only ./start.sh --recreate moved t Violates the §11.4.200 verify-afte is not proof the intended target h after the recreate, read back the compare with the freshly built ima force-recreate the scoped service) proxy-go. Needs RED-first test aga recreate. Reproduction: build a ch compare 'podman inspect boba-jacke 'podman images' id. 195 – BOB-234 – Found 2026-09-23 while r fail-open skips were fixed, the li test_merge_api.py gave 10 x HTTP 4 x2). The running merge service has mandatory auth guard), so POST /ap API token required'; the tests bui Authorization header. Each failing changed, so HEAD fails identically

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					masked or never run against an arm fixtures must read BOBA_API_TOKEN \$11.4.10) and send it; when no tok demands one, FAIL loudly rather th http.server fixture answering 401 Fixed (→ Fixed.md) Bug – BOB during ./start.sh --reload-python: stop container qbittorrent-proxy i SIGKILL'. The container's PID 1 do grace period, so in-flight request pending writes are cut off instead costs the full 10 s. Root cause UN a shell wrapper (start-proxy.sh) t the uvicorn/proxy children, uvicor SSE streams stay open, or a blocke debugging: measure which process i send SIGTERM to a scratch instance RED-first test (a container/stub t SIGTERM). Related context: BOB-137 proxy.sh, docker-compose.yml stop_ Completed (→ Fixed.md) Bug – independently verifying this sessi conductor discoveredtests/hooks/test file proving BOB-107 was ALREADY f 6b03524d9c799bdd68496ec202575e4 session dispatched a subagent that (caught and removed before commit closure evidence). The SAME commit confirmed it also closed BOB-114 (ddos_resilience.md:571 carries an this session found and verified fo confirmed stale-tracker cases from question: does 7b45113 close MORE this session happened to stumble o –format=%B” 7b45113 grep -oE “B distinct item references: BOB-079, BOB-110, BOB-120, BOB-136, BOB-154 BOB-161, BOB-162, BOB-163. Cross-c docs/workable_items.db “SELECT atr atm_id IN (...))”: 9 of the 14 are AL (BOB-079/092/120/136/154/158/160/1

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					consistent with genuine closures a Queued: BOB-088, BOB-106, BOB-110, BOUNDARY (§11.4.6): a bare mention remediation-round commit message d commit closed it – the commit coul as CONTEXT, PARTIALLY addressed it later closes it. The 9-of-14-alrea not proof for the remaining 5. Thi BOB-088/106/110/159/162 are stale against this specific commit and f derives the same discovery-by-acci ACCEPTANCE: for each of BOB-088, B read7b45113's full diff for the f item's own acceptance criteria (no mention of the ID), and CONFIRM wh actually applies – (a) the commit a corrected evidence citation to 7 BOB-114's corrected closure patter partially addresses it – update it progress split, same pattern as th the commit's mention is unrelated/ note the mention was investigated it. DISCOVERY CHANNEL (§11.4.238) independent-verification disciplin regression suite surfaced the stal automated gate – itself worth noti mechanical check currently catches message references an item-id that 198 low Completed (→ Fixed.m §11.4.33's closed vocabulary mappi >Implemented, Task->Completed. A c workable-items DB (2026-09-25) fou Type/Status pairing violates this (from earlier sessions, spanning a BOB-005/015/016/042..059), found A self-corrected 4 of its OWN fresh (BOB-077/100/179/226, all Type=Tas status=Fixed instead of Completed discipline and fixed in-session, b among the 30 counted here). REPRO re-verified twice, §11.4.6 – the f

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the count as 25; the second, careful accurate figure): `` ` \$ sqlite3 do atm_id, type, status FROM items WHERE ((type='Task' AND status NOT LIKE 'Obsolete%') OR (type='Bug' AND status NOT LIKE 'Obsolete%') OR (type='Feature' AND status NOT LIKE 'Implemented%' AND status NOT LIKE 'Completed%')) Full list (all Type=Task): B0B-005 B0B-043, B0B-044, B0B-045, B0B-046 B0B-050, B0B-051, B0B-052, B0B-053 B0B-057, B0B-058, B0B-059, B0B-141 B0B-182, B0B-192, B0B-199, B0B-228 (B0B-042..058, a consecutive run, "Implemented" (the Feature-only word) (B0B-005/015/016/059/141/150/161/162 that is 13, not 11; see honest note (the Bug-only word). Every one of read "Completed". HONEST NOTE ON Implemented / (30-19)=11-Fixed split against the full 30-item list (13 visible in the raw query output, not re-verify the sub-split further; the machine-counted TOTAL of 30, independent command above. Whoever picks up the re-run the reproduction command from stated in prose here) before acting caught this description's own first FIXED IN THIS SESSION: changing 30 is a consequential, tracker-wide audit of these items reads in Fixed.md/F HTML/PDF/DOCX twins, touches items investigation on, and deserves its regenerated docs and a focused comment an unrelated backlog-triage session other work. §11.4.33 itself does not violation must be corrected, only mapping. CANDIDATE ROOT CAUSE (st §11.4.6): the CLI's closesubcommand implemented completed obsolete>a must choose correctly per the item itself cross-checks the chosen status

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
199	—	Completed (→ Fixed.md)	Task	—	and refuses a mismatch. This session happened exactly this way – the class simply typed–status fixed out of habit three separate close calls, before the pattern. If 30 independent his mistake exist, the likely mechanism was caught because no mechanical gate mapping at write time – corroborated by a clean throughout this session's own transient instance simultaneously. ACCEPTANCE: (1) error is individually corrected via workable-items (-> Fixed.md) – location Fixed, docs (2) per the stated candidate root update to VALIDATE the status word refuse a mismatch (closing the write instances of this exact mistake last of this filing) – a genuine candidate (3) extend workable-items validate's this class for defense-in-depth (in this session's own repeated clean version that simultaneously held these violations (§11.4.238): found by the conductor catching its own instance of the session any pre-build gate (workable-items session despite 30+ live instances, completely invisible to that check). BOB-241 — BOB-234 added a mandatory parameter to TestDownloadEndpoint.test_download in tests/integration/test_merge_api.py. A separate unit test file, test_bob192, reuses that method's body via a direct pytest fixture injection) and was never arg, causing a TypeError discovered (seed 12345) plus isolated reproduction (fail-open-skip remediation) despite a distinct root cause, distinct fix. Fixed token string at the call site (the mock

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					validation) – see docs/qa/BOB-192/test RED/GREEN evidence.