

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (§11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	117
Bug	Obsolete (→ Fixed.md)	1
Feature	Implemented (→ Fixed.md)	17
Task	Completed (→ Fixed.md)	73
Task	Obsolete (→ Fixed.md)	1
TOTAL		209

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Fixed (→ Fixed.md)	Bug	—	BOB-001 — start.sh BSD-sed incompat
2	—	Fixed (→ Fixed.md)	Bug	—	BOB-002 — start.sh podman unshare in podman
3	—	Fixed (→ Fixed.md)	Bug	—	BOB-003 — macOS tunnel port detect
4	—	Completed (→ Fixed.md)	Task	—	BOB-004 — Private-tracker credential working
5	—	Completed (→ Fixed.md)	Task	—	BOB-005 — Public-tracker plugins all (systemic)
6	—	Implemented (→ Fixed.md)	Feature	—	BOB-006 — NNMClub username/pass uses the operator’s NNMCLUB_USERNAME

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
7	—	Completed (→ Fixed.md)	Task	—	BOB-007 — RuTor documented as pu tracker with no login endpoint; RUTOF
8	—	Completed (→ Fixed.md)	Task	—	BOB-009 — Containers submodule in
9	—	Completed (→ Fixed.md)	Task	—	BOB-010 — Workable-items SQLite D (\$11.4.93/\$11.4.95) BOB-011 — DOCX export support add generate_markdown_exports. 11 Task — BOB-012 – Export-sync g (\$11.4.65) 12 — Fixed (→ F torrentkitty_parse_sizereported 0 f — Fixed (→ Fixed.md) Bug — GogenerateID()collided under burst Completed (→ Fixed.md) Task — tracker failures are external / no Completed (→ Fixed.md) Task — (Pool(0)) when zero indexers are co Fixed.md) Bug — BOB-017 – NN invalid ICON 17 — Complete BOB-018 – Jackett server image upd Completed (→ Fixed.md) Task — reference submodule (latest releas Fixed.md) Task — BOB-020 – C (\$11.4.78/79/80) 20 — Fixe – env_loader flaky test: KEY2 leak Fixed (→ Fixed.md) Bug — BOB deep-coverage tests 22 — I — BOB-023 – gamestorrents plug substring bug documented 23 · BOB-024 – gamestorrents_parse_sizeB-substring Implemented (→ Fixed.md) Feature coverage tests (54 tests) – 54 tes units, date patterns, defaults, sp Implemented (→ Fixed.md) Feature deep-coverage tests + import-order Implemented (→ Fixed.md) Feature deep-coverage tests (37 tests) Feature — BOB-028 – limetorr tests) 28 — Implemented (→
10	—	Implemented (→ Fixed.md)	Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					– torlock.py deep-coverage tests (→ Fixed.md) Feature – BOB-030 missing import re bug documented (→ Fixed.md) Feature – BOB-031 comma-size gap documented 31 Feature – BOB-032 – anilibra.py 32 – Fixed (→ Fixed.md) Bug guards added (BOB-015 defense-in-depth Fixed.md) Feature – BOB-034 deep-coverage (80 new tests) 34 – BOB-035 – nyaa.py missing import re download_torrent()calledre.
35	—	Fixed (→ Fixed.md)	Bug	—	BOB-036 — kickass.py comma-separator
36	—	Implemented (→ Fixed.md)	Feature	—	BOB-037 — rutor.py deep-coverage test date normalization, pagination math
37	—	Implemented (→ Fixed.md)	Feature	—	BOB-038 — tokyotoshokan.py deep-coverage
38	—	Implemented (→ Fixed.md)	Feature	—	BOB-039 — snowfl.py deep-coverage
39	—	Implemented (→ Fixed.md)	Feature	—	BOB-040 — torrentdownload.py deep-coverage
40	—	Implemented (→ Fixed.md)	Feature	—	BOB-041 — linuxtracker.py deep-coverage
41	—	Completed (→ Fixed.md)	Task	—	BOB-042 — audiobookbay.py deep-coverage fixed
42	—	Completed (→ Fixed.md)	Task	—	BOB-043 — one337x.py deep-coverage
43	—	Completed (→ Fixed.md)	Task	—	BOB-044 — extratorrent.py deep-coverage
44	—	Completed (→ Fixed.md)	Task	—	BOB-045 — torrentfunk.py deep-coverage
45	—	Completed (→ Fixed.md)	Task	—	BOB-046 — torrentproject.py deep-coverage MyHTMLParser (handle_starttag/encoding)
46	—	Completed (→ Fixed.md)	Task	—	BOB-047 — therarbg.py deep-coverage
47	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			BOB-048 — academictorrents.py deep-coverage t
48	—	Completed (→ Fixed.md)	Task	—	XML parsing, concurrent.
		Completed (→ Fixed.md)			BOB-049 — ali213.py deep-coverage t
49	—	Completed (→ Fixed.md)	Task	—	gamepage handling, retry loop (20 ce
		Completed (→ Fixed.md)			BOB-050 — yourbittorrent.py deep-co
50	—	Completed (→ Fixed.md)	Task	—	HTMLParser, download_file, 7 categor
		Completed (→ Fixed.md)			BOB-051 — glotorrents.py deep-cover
51	—	Completed (→ Fixed.md)	Task	—	pagination, 9 categories, magnet extr
		Completed (→ Fixed.md)			BOB-052 — pctorrent.py deep-covera
52	—	Completed (→ Fixed.md)	Task	—	BOB-053 — rockbox.py deep-coverag
		Completed (→ Fixed.md)			sleep(3) pagination, kb/mb/gb sizes.
53	—	Completed (→ Fixed.md)	Task	—	BOB-054 — bitru.py deep-coverage te
		Completed (→ Fixed.md)			BOB-055 — btsow.py deep-coverage t
54	—	Completed (→ Fixed.md)	Task	—	parsing, search, download_torrent.
		Completed (→ Fixed.md)			BOB-056 — torrentscsv.py deep-cover
55	—	Completed (→ Fixed.md)	Task	—	parsing, search, download_torrent.
		Completed (→ Fixed.md)			BOB-057 — xfsb.py deep-coverage t
56	—	Completed (→ Fixed.md)	Task	—	BOB-058 — yihua.py deep-coverage t
		Completed (→ Fixed.md)			BOB-059 — bt4g.py tests fixed (was h
57	—	Completed (→ Fixed.md)	Task	—	loop from constant return_value (sho
		Completed (→ Fixed.md)			BOB-060 — Public-tracker plugins cra
58	—	Completed (→ Fixed.md)	Task	—	responses
59	Low	Fixed (→ Fixed.md)	Bug	—	BOB-061 — Unit suite hang + order-d
		Fixed (→ Fixed.md)			deterministic failures)
60	High	Fixed (→ Fixed.md)	Bug	—	BOB-062 — Unbounded plugin pagin
		Fixed (→ Fixed.md)			O (hang risk)
61	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-063 — pirateiro test-isolation: a
		Completed (→ Fixed.md)			regression guard
62	Low	Completed (→ Fixed.md)	Task	—	BOB-064 — Lava P1: Durable remote
		Completed (→ Fixed.md)			BOB-067 — Lava P4: Jackett cookie-lo
63	—	Completed (→ Fixed.md)	Task	—	equivalent HelixQA fake
64	—	Completed (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
65	High	Fixed (→ Fixed.md)	Bug	—	BOB-070 — RD2-41: pre-build mutation positive silently defeats entire pre-build
66	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-071 — RD2-01: guard-forbidden-reproducible substring carrier false-j
67	High	Fixed (→ Fixed.md)	Bug	—	BOB-072 — RD2-03: workable_items. violations + 90% of closures have zero
68	High	Fixed (→ Fixed.md)	Bug	—	BOB-073 — RD2-04: workable_items. drifted (BOB-008 body differs)
69	High	Completed (→ Fixed.md)	Task	—	BOB-075 — RD2-08: docs/features/Status.md are stale
70	Low	Completed (→ Fixed.md)	Task	—	BOB-076 — RD2-09: submodules/jack (informational)
71	High	Completed (→ Fixed.md)	Task	—	BOB-077 — OPERATOR DECISION (2 clarification): UNKNOWN — INSTR The operator does not currently know Auto-commit fast-forwards, so the the Claude session / intentional rsync job DECIDED ACTION: stop hunting a host — remote state is not knowable with INSTRUMENT the mechanism so the Forensic capture to add: committer i push timing, and the git remote used a tracked forensic log. ACCEPTANCE: captured record naming its origin ho resolves to one of the three original h a guess. This is the §11.4.101 reversib nothing, and converts a recurring my This answer is recorded as consumer operator’s stated choice, not an agent prior agent-chosen default on this qu named above so a future reader does (§11.4.112(5) bounded-verdict discipl item text follows — RD2-10: Identify commit rsync/sync mechanism (OPE
					BOB-079 — RD2-12: Retroactive attril GA-18/21/22/25/26/27 changes (never
73	High	Completed (→ Fixed.md)	Task	—	BOB-081 — RD2-14: Author CONTINU (currently 53 days / 24+ commits beh

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
74	High	Completed (→ Fixed.md)	Task	—	BOB-082 — RD2-15: Create BOB-064.. Lava-porting findings (closes GA-05)
75	Medium	Completed (→ Fixed.md)	Task	—	BOB-083 — RD2-16: Regenerate brow Status.md + Summary/HTML/PDF sib
76	High	Completed (→ Fixed.md)	Task	—	BOB-084 — RD2-17: Reconcile BOB-00 workable-items tool
77	Medium	Completed (→ Fixed.md)	Task	—	BOB-086 — RD2-19: Fix BOB-009/BOB item_history for 56 silent closures
78	High	Completed (→ Fixed.md)	Task	—	BOB-087 — RD2-20: Wire docs_chain §11.4.106(F) so DB writes cannot land
79	Medium	Completed (→ Fixed.md)	Task	—	BOB-088 — RD2-21: Complete/verify Documents table row-completeness (
80	High	Completed (→ Fixed.md)	Task	—	BOB-089 — RD2-24: RED-first tests for reload_plugins/recreate_stack (closes
81	High	Fixed (→ Fixed.md)	Bug	—	BOB-091 — RD2-26: Relocate mocked author real-service replacements (clo
82	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-092 — RD2-27: Remove test_live SKIP-on-404 fallback + verify live 200
83	Medium	Completed (→ Fixed.md)	Task	—	BOB-096 — RD2-31: Extend qBitTorre process-kill/resource-exhaustion faul
84	Medium	Completed (→ Fixed.md)	Task	—	BOB-098 — RD2-34: Parametrize 20 h helixqa banks with PROJECT_ROOT (
85	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-099 — RD2-36: Fix guard-forbid false-positive class + add const033-p EXCLUDE_PATHS
86	Low	Completed (→ Fixed.md)	Task	—	BOB-100 — RD2-39: Bump submodule impl of RD2-09)
87	Medium	Completed (→ Fixed.md)	Task	—	BOB-103 — Incorporate Docs Chain s
88	Medium	Completed (→ Fixed.md)	Task	—	BOB-105 — §11.4.238 followup: mech integrity check
89	Medium	Completed (→ Fixed.md)	Task	—	BOB-107 — §11.4.238 followup: pre-d subagent task-brief source inputs == session, conductor-caught before cor built a NEW script (scripts/check_sub test_check_subagent_inputs_exist.sh)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					exact acceptance criterion was ALREADY TRACKED, self-tested pre-dispatch check inputs.sh (+ tests/hooks/test_check_brief_inputs.sh) commit 7b45113 (2026-08-21) — the SAME code as BOB-114. The pre-existing implementation extract required-input paths directly as shorthand, not just take an explicit path cleanly (golden-good/golden-bad/brief-inputs). The subagent’s dispatch brief scoped its Vocabularies. I directed a discovery search of scripts/WORKABLE-items (S\$11.4.74 catalogue-first-discovery approach) and conductor, not a subagent fabrication. The pair was REMOVED (safe — never committed elsewhere in the tree). This item’s Complete. Its evidence citation now points at the scripts/WORKABLE-items (scripts/hooks/check-brief-inputs.sh, test_check_brief_inputs.sh, commit 7b45113) own redundant, now-deleted fork. Evidence closure_evidence_20260925.md (full)
90	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-108 — constitution scripts/workable-items Issues.md + docs/Fixed.md revision of
91	Medium	Completed (→ Fixed.md)	Task	—	BOB-110 — BOB-074 followup: UX-clarity (usability) absent
92	High	Fixed (→ Fixed.md)	Bug	—	BOB-112 — boba-jackett /healthz amp; burst via uncached Jackett.GetCatalogue
93	Low	Completed (→ Fixed.md)	Task	—	BOB-113 — BOB-074 followup: add workable challenges
94	Medium	Completed (→ Fixed.md)	Task	—	BOB-114 — BOB-074 followup: self-validation rate-limit detector
95	High	Fixed (→ Fixed.md)	Bug	—	BOB-115 — Fix workable-items validation (BOB-010 id=64 pattern)
96	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-116 — 2nd forced-logout incident after resource-pressure cascade (per
97	High	Fixed (→ Fixed.md)	Bug	—	BOB-117 — rutracker login diag still wrong vocabulary + wrong error_type (unfix
98	High	Fixed (→ Fixed.md)	Bug	—	BOB-118 — README.md python-tests --collect-only measures 5235 (9x stale
99	Medium		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			BOB-119 — docs/MERGE_SEARCH_DISABLED → ENABLE_DEAD_TRACKERS default=1 (contradicts sibling doc)
100	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-120 — 3rd forced-logout incident: user@1000 + preventive-timer-inside
101	High	Fixed (→ Fixed.md)	Bug	—	BOB-122 — IPTorrents seed/leech page data — outdated markup selectors in download-proxy/src/merge_service/s
102	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-123 — 4th forced-logout incident: contradiction breakthrough (retro-re no tracker row)
103	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-124 — 5th forced-logout 2026-08 gap: 4 authored preventive gates nev
104	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-125 — 6th forced-logout 2026-08 BOB-126 (root cause was pytest kill(-1
105	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-126 — 7th forced-logout 2026-08 pytest kill(-1,9) via MagicMock.__int_ defense-in-depth
106	Low	Fixed (→ Fixed.md)	Bug	—	BOB-127 — Task 8 audit: 2 tests fired PIDs (fixed 8bedc5a)
107	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-128 — killpg-carrier collision be PATCHED-WHEN-REAL-PID and sibling registered: id used in 3 commits with
108	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-129 — Potential production slow 105 subagent
109	Low	Fixed (→ Fixed.md)	Bug	—	BOB-130 — Badge-test timeout determ 93s vs -timeout=60
110	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-131 — qbittorrent-proxy podma surfaced during BOB-129 investigation
111	High	Fixed (→ Fixed.md)	Bug	—	BOB-132 — qbittorrent-proxy post-re refused to qbittorrent sidecar on loca
112	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-133 — CRITICAL: fleet-wide con stale-cache masks service outage
113	Low	Fixed (→ Fixed.md)	Bug	—	BOB-135 — Test isolation: test_list_ho (Permission denied /config)
114	High		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			BOB-136 — Closure seam does not bi one sweep, and workable-items diff i
115	High	Fixed (→ Fixed.md)	Bug	—	BOB-137 — Merge service on 7187 w serves 7186 (GIL starvation by one sp
116	High	Fixed (→ Fixed.md)	Bug	—	BOB-138 — qbittorrent-proxy health 7187 merge service reports healthy f
117	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-139 — SSE _client_gone() swallo connected’, so a raising disconnect pr
118	Medium	Completed (→ Fixed.md)	Task	—	BOB-140 — Upstream the healthchec constitution/scripts/gates/ and thin b
119	Low	Completed (→ Fixed.md)	Task	—	BOB-141 — CLAUDE.md claims the G its container binds only 7187 — doc c
120	High	Fixed (→ Fixed.md)	Bug	—	BOB-142 — SearchRequest fields wer amplify into a 43-tracker fan-out carr
121	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-143 — Orphaned .worktrees/ dir gate scan scope and manufacture fal
122	Low	Fixed (→ Fixed.md)	Bug	—	BOB-144 — /theme/stream calls the d closed but via an uncaught traceback generators
123	High	Fixed (→ Fixed.md)	Bug	—	BOB-145 — Fix the 7187 wedge: offlo Deduplicator.merge_results so O(N^2 asyncio event loop
124	High	Fixed (→ Fixed.md)	Bug	—	BOB-146 — Constitution §11.4.252 de AST ground truth) — 4 distinct blind census
125	Medium	Completed (→ Fixed.md)	Task	—	BOB-147 — Triage all 36 §11.4.252 fai correct idioms, 14 vendored
126	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-148 — Standing red unit test not asserts has_session False, gets True — undecided
127	Low	Fixed (→ Fixed.md)	Bug	—	BOB-149 — Managed-plugin count di CLAUDE.md and the README badge, unguarded
128	Low	Completed (→ Fixed.md)	Task	—	BOB-150 — pre_build_verification.sh 35 invariants are labelled
129	Medium		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Obsolete (→ Fixed.md)			BOB-151 — CM-SCRIPT-DOCS-SYNC is implementation, and 24 of 36 scripts
130	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-152 — Constitution sweep walks one gate's 38,291 findings come from
131	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-153 — Go profile cannot build: g Dockerfile builder is golang:1.23-alpi
132	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-154 — Host venv and production versions (1.4.1 vs 1.6.0)
133	High	Fixed (→ Fixed.md)	Bug	—	BOB-155 — workable-items diff repo having opened zero Markdown files
134	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-156 — BOB-145 event-loop regre flaky: 8786ms under host load vs a 90 quiet host
135	High	Fixed (→ Fixed.md)	Bug	—	BOB-157 — Our own BOB-137 stall w service: faulthandler dump_traceback patched CPython 3.12 defect
136	High	Fixed (→ Fixed.md)	Bug	—	BOB-158 — tests/conftest.py cannot r binds asyncio.events._get_event_loop production is 3.12.13
					BOB-159 — OPERATOR DECISION (2 THEN RE-VERIFY UNTIL STABLE TH running the ownership repair against and repeats until a pass finds nothing, the repair while the stack is up and c the stack on the warm path too (corr document the window. WHY THIS M ITEM: this is the exact defect the who feature exists to end. The -recreate p precondition -> down -> repair -> up can write. The warm path was not, s owned file AFTER the repair has pass problem leaking back in through the CHOSEN OPTION, and it is the hard p and on giving up it MUST report hon rather than silently exiting 0 (§11.4.2 new files because it ran out of iterati genuinely clean tree). An active down walk completes is the realistic non-co
137	Medium	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					in the give-up message. Recorded as operator's stated choice, not an agent named so a future reader does not re text follows — Reported-Via: §11.4.2 2026-08-21T19:01:17Z Reported-By: (IMPORTANT-2), partially remediated –recreate path was fixed this round: stack_down -> run_ownership_repair tree no container can write to. That behaviourally by three new checks in test_start_reload_recreate.sh, each ki (11/11 RED-OK). The WARM path is N tracks the remainder. On a warm ./sta invocation brings anything up, but if containers write while the repair wa new non-operator-owned file BEHIN completion marker records complete stragglers are never repaired without dismissed: after any successful pass t fingerprint and the repair short-circu (marker_is_valid), so the window req a live stack together. Declaring a new which is exactly how that combinatio THIS ROUND, with the reason stated is a cheap marker-only probe mode c answers has-this-scope-been-repaire existing –dry-run cannot serve: it del path (FORCE=0 && DRY_RUN=0 guaro warm-start probe would walk the tre mode requires editing ownership_re actively editing during this round; du start.sh instead would be a near-iden item rather than done unilaterally on at the warm-start call site (which cla container writes) has been corrected Affected scope / file-scope manifest run_ownership_gate call site); scripts path) Reproduction / context: 1. Ens config/owned_paths.yaml so the scop the marker by design, data-model E2 –recreate). 4. The ownership repair v

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
138	Medium	Completed (→ Fixed.md)	Task	—	while containers are still running an criteria: A warm ./start.sh cannot co container that writes to a declared lo is deferred with an actionable refusa quiesced for the walk. Asserted beha test_start_reload_recreate.sh alongsi PRECONDITION_BEFORE_DOWN / RE REPAIR_BEFORE_UP checks, each wi BOB-160 — Reported-Via: §11.4.202 2026-08-21T19:02:48Z Reported-By: A Independent §11.4.209 review (IMPO strongest automated checks were nev tests/ownership/test_container_wrote RED-turned-regression-guard for FR- compose.yml revert mutation — was (commit 58d340a, to escape an autou (ci.sh, test.sh, run-all-tests.sh) was ev ownership/. (2) tests/pre_build/test_*.s tests for the scripts/pre_build/check_c NOTHING — self-reported honestly in (‘STILL OPEN (reported, not fixed): te NOTHING’) but never tracked as a wo requirements gap) and never wired i invariant 30, which globbed only test scope manifest: ci.sh; scripts/pre_bu BASH-UNIT-TESTS-EXECUTED) Repro test_container_writes_owned_files ci.s returned zero runner hits (only docs/s scripts/pre_build_verification.sh show only tests/unit/test_.sh, never tests/pr criteria: ci.sh gains a runtime-gated honestly, rc=0, when no podman/dock pre_build_verification.sh invariant 30 and tests/pre_build/test_*.sh, verified the invariant’s exact block reporting files from both directories. BOB-161 — Reported-Via: §11.4.202 2026-08-21T19:31:12Z Reported-By: I finding What (the report, verbatim OPEN-SKIP as one of three mandator
139	High	Completed (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					probe helpers and FAILs if any code j unreachable response into a PASS-co a sink-side probe. This project does n rather than in the abstract: the BOB-o fail-opens of exactly this class from t — the nnmclub SKIP-on-404 (already surviving sibling at test_iporrents_is skipped on ‘not authenticated and sta ‘treating as transient outage’. That as credentials (upstream_http_403) and (plugin_env_missing), both of which product already classifies via error_t found one at a time, is the §11.4.146 o §11.4.238 coverage-escape signal togo either, an agent reading code did. The structural and lethal under three dis LIVE IN THE FILE THEY GUARD, so d entirely. A pre-build gate is the durak corpus rather than one file. Honest b NOT claim the two remediated fail-op guarded, with runtime evidence (13 j stack). It claims the CLASS has no cor instance in a different file is invisible manifest: scripts/pre_build/ (gate abo test_live_stack_evidence.py (guards c guard) Reproduction / context: grep scripts/ tests/ returns exactly ONE hit test_live_stack_evidence.py — the file Control needle: the same query for C that does exist) returns 3 files, so the the single hit is a real absence, not a Acceptance criteria: A scripts/pre_b OPEN-SKIP exists, is wired into script audits sink-side probe helpers for co unreachable/error response into a PA that HAS a sink-side probe. It ships a open -> gate FIRES) and a golden-FAI topology/geo skip, and a comment m gate MUST NOT fire), per §11.4.107(1 makes the gate FAIL before the gate i

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
140	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-163 — OPERATOR DECISION (2 clarification): YES — 429 IS RESPON FORMED A 429 carrying a VALID Ret sibling endpoint being RESPONSIVE. accepts 2xx OR a well-formed 429 (po HTTP-date — PARSED, not merely pr remains: connection failure, timeout malformed Retry-After. RESIDUAL R stated in the script source per §11.4.6 happens to answer 429-with-Retry-A parse narrows that window, it does n drain and (c) exempt healthz probe v STILL OPEN, not covered by this deci not 503, though the script header say would collide with the crash detector lands limiters on :7185 and :7189. Th DATA per §11.4.35 — it is the operato inference, and supersedes any prior question. Options not chosen are nar not re-litigate a settled call (§11.4.112 applied to decisions). — prior item te §11.4.202 reporting directive bug on 2 BOB-114 remediation, pre-existing de real limiter What (the report, verba INTRODUCED – and proven so rather assertion (c) is BYTE-IDENTICAL to H against the unmodified HEAD script. but the SYSTEM: BOB-111 appears at :7187 now returns real 429s where it and :7189 still produce zero 429s. Thi and that is why it is filed rather than run_all_challenges.sh will now fail IN intermittent red trains everyone to r real regression is dismissed as ‘probab DECISION, which is an operator call u deliberately did NOT invent: Does a 4 as the sibling endpoint being RESPON endpoint is alive and correctly protec OR 429, and only a connection failure Risk: a genuinely wedged endpoint th pass. (b) NO – keep requiring 2xx, bu

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
141	Medium	Fixed (→ Fixed.md)	Bug	—	drain or wait out the window before served, so the budget is knowable rather than on a path the limiter exempts (a health question is asked without spending too much reasoning, not just a pick: (a) composed of a 429 carrying a well-formed Retry-After header behaving service, and (b) makes the window value that will drift. But the product judgement, so the answer is stated as fact rather than folded in: though the script header says ‘429 (or collide with the crash detector’s 5xx response) lands limiters on :7185 and :7189. Affected challenges/scripts/ddos_resilience_challenges/endpoint_isolation; run_all_challenges Reproduction / context: Assertion (code to answer ^2 (a 2xx). :7187 now enforces ratelimit-limit: 120, x-ratelimit-remaining: 120 (uvicorn). A full challenge run sends multiple sibling probes fired during the OTHER exhausted bucket and receive 429 – with ‘endpoint degraded’. Timing-dependent FAIL=2; the UNMODIFIED HEAD script later measured PASS=7 FAIL=0 SKIP=0 operator has answered the classification recorded as consumer DATA, and associated challenge then produces the same vector against a rate-limited stack (11.4.50 d fix ships a paired 1.1 mutation providing genuinely degraded sibling endpoint (11.4.201(1)). BOB-164 — Reported-Via: §11.4.202 2026-08-21T19:56:53Z Reported-By: [redacted] discovered by the new axe-core suite report, verbatim): This is a REAL use artifact, and it was found by the auto human squinting at the page – which project is aiming for. The static-grep Measured: the served root ships an endpoint reading the raw HTML audits a page

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
142	High	Fixed (→ Fixed.md)	Bug	—	exists in the hydrated DOM, which is oracle and forbids value-equality assertions. Severity reasoning, stated rather than affects the primary dashboard heading than breaking function, and the surface public. Medium, not High. The failing (11.4.238) instead of silenced or marked 1 failed, 16 passed; that 1 is this defect should read it as this item, not as flake suite goes fully green, which is the si LIMIT (11.4.6): only the dashboard layout jackson/* sub-routes and the ng-server audited – the commands to close both ux_accessibility.md. So this item's 21 Affected scope / file-scope manifest http://localhost:7187/ (same compiled component CSS, not test files Reproduction test_live_dashboard_accessibility.py axe-core v4.13.0, scanning a real Play reports color-contrast violations on 2 h1 text #9d001e on background #3c3 text floor is 3:1); tagline #808080 on # 4.5:1). Acceptance criteria: axe-core violations against the live rendered production component CSS rather than excluding the rule (11.4.120: reconciliation weaken the check). The existing tests fails today, so the RED is captured – captured against the live surface, which is run BOB-165 — Reported-Via: §11.4.202 2026-08-21T20:00:08Z Reported-By: evidence for BOB-092; diagnosed rather report, verbatim): This is a STALE-A defect, not a missing package. The package is built for the previous interpreter. The 'install rpds-py' style advice can appear artefact in place. WHY IT WAS NOT M paths that DO work all avoid system through _select_python; the long-run bin/python -m pytest and passed. So

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the DOCUMENTED operator command gap, since the escape was found by a than by the regime. WORKAROUND (PYTEST_DISABLE_PLUGIN_AUTOLOA passed explicitly (-p pytest_timeout .. that drags in jsonschema -> referenci NOT the fix: it silences the import pa and it will surprise the next person v verbatim. RELATED, and worth decid BOB-154 wants .venv rebuilt on 3.12 CPython 3.12.13 while both system and therefore THREE interpreters in play confirm rpds resolves for the TARGET same class reappears one directory o this item does NOT claim any test is v broken. The product and the venv-run broken is the documented entry poin manifest: host user site-packages (~/.rpds/); every CLAUDE.md-documente any tooling that uses system python3 Reproduction / context: python3 -m test_live_stack_evidence.py -q -import ModuleNotFoundError: No module n collection via the schemathesis plugi referencing._core -> rpds. MEASURE 3.14.6, but ~/.local/lib/python3/site-pa rpds.cpython-313-x86_64-linux-gnu.s init.py does 'from .rpds import *', an by 3.14, so the submodule genuinely The venv is CORRECT and unaffected rpds/ ships rpds.cpython-314-x86_64 -c import rpds' succeeds. Acceptance unit/ -v -import-mode=importlib - th - reaches collection without ModuleE corrected to document the supported documented command and the work guide that misleads is the documenta bluff). WORKAROUND SIDE EFFECTS recipe is not free, and the item previo PYTEST_DISABLE_PLUGIN_AUTOLOA not just the broken one, so anything

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
143	High	Fixed (→ Fixed.md)	Bug	—	re-enabled by hand: - It BREAKS 5 pr tests/unit/test_plugin_rutracker.py — test_env_mirrors_override, test_get_ test_get_mirrors_from_env_empty, test_get_mirrors_from_env_whitespa plugin. PROVEN not caused by any in OWN copy of that file under identical - It makes --timeout=60 (set in pyproj unless -p pytest_timeout is passed ex silently inert under the naive recipe - bounded is not. - With autoload ON a no:schemathesis), that same file is 96 ANYONE USING THE WORKAROUND better than blanket autoload-disablin removes only the broken plugin. Wh pytest_timeout must be added or tim dependent failures must be recognis than filed as defects. That last point i manufactures failures that look exac not change the root cause (the venv's CPython 3.14 cannot import) or the fi documents that the interim recipe ha workaround artifact as a regression. BOB-166 — WHAT. §11.4.19 requires resolving item moves to Fixed.md, D (open-only) and APPEARS in Fixed_S violate all three properties right now current_location='Issues', so they ren in docs/Issues_Summary.md with a s Fixed.md)', while appearing 0 times i of the canonical open tracker is told t (measured 2026-08-21): BOB-087 (Cor BOB-144, BOB-145, BOB-146, BOB-148 'Fixed (→ Fixed.md)'). Confirmed ren 1 in Issues.md, 0 in Fixed.md, presen Fixed_Summary.md. ROOT CAUSE (re 'close' performs the atomic migration --status' sets any §11.4.15 closed-set v migration — and it knows the locatio the real DB: \$ workable-items update

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
144	Medium	Fixed (→ Fixed.md)	Bug	—	‘Fixed (→ Fixed.md)’ update: BOB-063 Fixed.md), type=Task) \$ sqlite3 repro atm_id,status,current_location ...’ BOB-063 the seam that is supposed to be the OBO-063 gated per §11.4.146(D3)) has a parallel same status while skipping BOTH the migration. WHY NOTHING CAUGHT . Three standing checks stay GREEN or verified on the poisoned copy from the involved: (1) ‘validate’ → ‘OK — 164 i no status↔location coherence invari Markdown agree — on the WRONG s (3) CM-CLOSURE-SEAM-BINDS CHECK rows whose id appears in a work cor they are outside its predicate by cons reading a status tally, not by the auto discovery-channel escape, which is it mis-located rows. ACCEPTANCE. (a) ‘ and names ‘close’ as the correct path proving the refusal (removing the gu (b) ‘validate’ grows a status↔location the forbidden state, with a golden-ba legitimately terminal row in Fixed m 10 existing rows are drained to Fixed row, or, where a row’s evidence cann rather than migrated on a bare asser closes the update-path hole and the c every historical status write was evic is implemented by this filing. The 10 is acceptance (c) and each needs its o BOB-167 — WHAT. download-proxy e routes. They are the same expensive hold a worker and a generator for th limit classed: routes.py:801 @router.g @_rl(‘sse_stream’) <- classed routes.p async def stream_theme(...) <- NO lim limiter.limit(limit_for(cls)), so /search class while /theme/stream falls throu Measured live on the running stack: ratelimit-limit 120. PROVENANCE + A

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(§11.4.6). This was surfaced by the BOB-111 agent. BOB-111 framed it as: ‘sse_stream_limit_decorator applied nowhere ... SSE falls through unprotected’. That framing is WRONG and the BOB-111 agent searched for one symbol NAME_Mechanism (@_rl(‘sse_stream’)), and not a mechanism. Verified by reading routes.py:795-800 and routes.py:46-51, with a control needle. The *_limit_decorator symbols show real work. BOB-111 was not a blind search. The agent’s Mechanism (sse_stream) was correct and is what makes the BOB-111 MECHANISM was not. Both halves are wrong. BOB-111 not re-derive the same wrong cause. BOB-111 SSE endpoint is the cheapest way to patch. BOB-111 connection is held open, and the default is not. The declared sse_stream class exists, but BOB-111 needs a tighter bound than ordinary. BOB-111 recorded, on whether /theme/stream exists, BOB-111 genuinely warrants the default — this is not BOB-111 automatically a bug to patch. (b) If it is not, BOB-111 decorator is applied and a test drives the test. BOB-111 returns its INTENDED class limit from the test. BOB-111 added without a class is caught. (c) A test is added. BOB-111 routes and fails on any that carries no test. BOB-111 general form, so the third SSE route is caught. BOB-111 boundary: this does not claim 120/m. BOB-111 with network_mode host and no reverse. BOB-111 127.0.0.1 bucket, which BOB-111 means. BOB-111 CLAIMED. No change made. The limit is not. BOB-111 never driven to exhaustion — the limit is not. BOB-111 concurrent agents on this host (§11.4.6). BOB-168 — WHAT. scripts/run_all_challenges.sh “scaling_horizontal_challenge.sh” in scripts/run_all_challenges.sh does not. scripts/run_all_challenges.sh “scaling_horizontal_challenge.sh” in scripts/scaling_horizontal_challenge.sh does not. scripts/scaling_horizontal_challenge.sh or directory VERIFIED independently. BOB-109 the BOB-109 scaling agent and re-checked. WHY IT MATTERS. Whether this is correct or not, the defect depends entirely on how the r
145	Low	Completed (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					that is the first thing to determine: if advertises coverage it does not have with no passing challenge behind it); permanently red for a reason unrelated trains readers to ignore it. Neither our different fixes. ACCEPTANCE. (a) Determine actual behaviour on the missing entry (b) EITHER author the challenge, OR discipline: check git history for whether since a silently-dropped challenge is the runner silently skips missing entry. missing challenge must be loud (§11.4.6) never absent-and-quiet. SEVERITY. Look for challenge-coverage seam, so (c) may be 2026-08-22 (§11.4.6) — THIS ITEM’S PROBLEM was mine. Recorded openly rather than scaling_horizontal_challenge.sh EXISTS challenges/scripts/scaling_horizontal_challenge.bytes, dated Aug 7. So do all 14 other challenges never deleted: added to the roster at 873c0b1 in the submodule at 873c0b1, and a pointer to repositories and all branches finds Z. WRONG. run_all_challenges.sh reads challenges/scripts/. I checked challenges/scripts/ belonging to a DIFFERENT, glob-based directories; I measured the wrong one for identity error. Worse, I wrote that it was listed a directory and never run the agent the evidence class as well as getting the which generalises past this item. In the a sibling agent making this exact class produced by searching one symbol name there. Then I omitted the needle one measurement. The distinction that was NEEDLE PROVES THE INSTRUMENT POINTED AT THE THING UNDER TEST applied guards blindness; it does not THIS query would have been to resolve not to confirm that some directory list WRONG, and it is worse than what I have no challenges by definition, so it can

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					checkout where the submodule is ab made without –recursive — the REAL not a replica) reports: PASS: 0 FAIL: 0 EXIT CODE: 0 An ENTIRELY UN-RUN dangling entry tolerated — the whole executing anything. That is §11.4.201 observed-reachable rather than cons ACCEPTANCE. (a) ANSWERED, though loud, counted SKIP and then never b reads only the FAIL count. (b) The da is dangling. (c) The real work is the e runner cannot execute must not be i run. See the decision recorded in doc decision_missing_vs_skip.md. RELAT pre_build_verification.sh:1792 carrie one level up, for the other runner. Fil
146	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-169 — WHAT. The §11.4.65 mark every in-scope doc to ship .html/.pdf under docs/ (excluding dist/ and node FRAGMENTS — they begin at
					BOB-171 — WHAT. Both rate limiters LEFTMOST element of X-Forwarded- is enabled: download-proxy/src/api/r new stdlib limiter in plugins/downlo deliberately built to exact policy pari SUPPLIED. An honest reverse proxy A RIGHT of whatever arrived, so the le sent — attacker-controlled by constr Consequences with the flag on: (1) ro an unlimited sequence of fresh buck the flag is supposed to make MORE a idle-reap cap, since each forged iden map is a memory-growth surface bo eviction then discards the budgets of forged ones. NOT EXPLOITABLE AS D this is Low, not High. TRUST_FORWA sites, and the deployed stack runs ne proxy in front (verified across all five addresses are real client IPs and no M latent: it arms the moment someone
147	Low	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
148	High	Fixed (→ Fixed.md)	Bug	—	flag on to recover real client IPs — w exists for. The failure mode is therefore change silently disables the limiter’, PROVENANCE. Raised as MINOR-3 by BOB-111 rate-limiter work and indep implementing agent, which noted it a follow-up rather than fixing it in that agent has write access to the tracker. :7186’s limiter was built to deliberate this parsing. Fixing one and not the c disagreeing on client identity — wor becomes surface-dependent and unt ACCEPTANCE. (a) Replace leftmost-el resolution at BOTH sites: either right trusted-proxy CIDR allowlist where c assert XFF at all — the choice is a dep should be recorded, not assumed. (b) leftmost element and asserts the buc Paired §1.1 mutation: restore leftmos Negative control (§11.4.201(1)): with header must be ignored entirely and address — a guard that starts honour be a worse defect than the one being closes header-forgery bypass; it does behind NAT, where many real users CLAIMED. No change made. Both site defaults off. BOB-173 — WHAT. download-proxy/s _save_hooks(hooks: list[dict[str, Any] os.makedirs(os.path.dirname(HOOKS open(HOOKS_FILE, ‘w’) as f: json.dur Exception as e: logger.error(f’Failed t exception, logs, and returns None. Th caller has no channel to learn the wr success unconditionally: :152 _save_h _save_hooks(hooks) :154 logger.info(‘ logger.info(‘Deleted hook: ...’) :156 re :176 return {‘message’: ‘Hook deleted which is why this is High and not a c webhook, receives HTTP 200 and a h

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					written — their automation silently m exists. Symmetrically, a user DELETE file still holds it, and it fires again aft directions the product reports the op only trace is a log line nobody is wat The path combines two dangerous ca taxonomy — MUTATION of a shared EXTERNAL SIDE EFFECT (hooks are c will not make) — so it is required to precondition, refuse when it cannot l Instead it fails open, and a bare ‘exce exact anti-pattern §11.4.252 enumera §11.4.201(6) false-null: a successful w indistinguishable to the caller. PROV scope observation by the independen isolation work — this swallow is wha == 1’ mystery, because the EACCES or while the endpoint kept returning 20 source before filing (the function bod not taken on report. Recorded as a §1 found by an agent reading code durin by the automated QA regime — the c standing to the defect itself. ACCEPTA failure — raise, or return a status the endpoints translate a persistence fail never a success body; a create that d hook_id. (c) A test drives each endpo (read-only dir or a patched open rais status AND that a subsequent GET do assert on the user-observable outcom §1.1 mutation: restore the swallow; t file for sibling swallows — this is a p alone. (f) Honest boundary: this does in production; it claims that WHEN i and the BOB-135 investigation shows environment. NOT CLAIMED. No cha often the write fails in the operator’s ERROR OF MY OWN (§11.4.6): the first written with the anti-pattern snippet shell argument, so the shell ran it as was replaced by nothing — the store

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
149	High	Fixed (→ Fixed.md)	Bug	—	anti-pattern’. This is the SECOND time double-quotes has corrupted content (message). Fixed here by editing through quoting in the path. Noted because a description is exactly the kind of quirk about — the path is part of the instruction erroring. BOB-174 — WHAT. A corrupt hooks file “no hooks configured”, and the next existing hook while returning HTTP 200 together because fixing any one alone — download-proxy/src/api/hooks.py: read in except Exception: logger.error return []. A truncated or malformed every caller as an empty, healthy hook the consequence, and the reason this appends, saves. Given a corrupt file it writes a one-element list over the top is gone. Measured by the implementation FIXED tree, so this survives the BOB-disk : [‘prod-hook-0’, ‘prod-hook-1’, ‘prod-hook-2’] {‘hooks’: [], ‘count’: 0} <- claims ZERO 404 {‘detail’: ‘Hook not found’} <- for reports : 200 hook_id=3c8a5930-... A1 prod hooks destroyed, HTTP 200 through user. A5 — _save_hooks writes with a ENOSPC, or a kill mid-write truncates the corruption A1 then reads as “no hooks configured” codebase already has the correct path tmp-file + os.replace. WHY THE THREE the corrupt file, A1 misreads it as empty only A1 leaves truncation reachable; corrupt file a data-loss trigger; fixing what is configured. The chain is the corruption UNDER BOB-173, and the reasoning is identified all three while auditing side and declined to fix them in the same semantics on an endpoint the frontier a CORRUPT-file reproduction rather than BOB-173 built; and they need a design

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					obvious — a MISSING hooks file legit configured”, while a CORRUPT one d those apart. Expanding BOB-173’s sco meant shipping that decision unexar MISSING from CORRUPT: a missing f one is an error, never silently []. (b) D on corruption — 5xx, or 200 with an frontend can render. This is the desig rather than inferred from whatever delete MUST NOT overwrite a file the clobber (§11.4.252: mutation plus ext (d) Make the write atomic via tmp + c existing pattern rather than re-inven the USER-OBSERVABLE outcome, not GET does not claim zero hooks, asser destroying, and assert the file still ho (f) Paired §1.1 mutation per guard. (g (§11.4.201(1)): a MISSING file must st create; a VALID file must behave exa load fail closed by failing always is n SEPARATELY, NOT PART OF THIS CHL HookEventType are two sources of tr identical today, unguarded against d successfully and then silently never f would close it. NOT CLAIMED. No cha failure fix is real and orthogonal — it does nothing about a SUCCESSFUL w misread file. BOB-175 — WHAT. The workable-iter location invariant in one direction on <terminal> on an Issues-located row update --location Fixed --status < row that update’s own validator imm by the independent reviewer of BOB- ’In progress’ -> exit 0 validate -> FAIL fixedLocationNonTerminalStatus) So its own validate call refuses. That is t layer: the invariant is CONFIGURED i every write path that can violate it. V OPEN IN BOB-166, and why that was
150	Low	Completed (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
151	Medium	Fixed (→ Fixed.md)	Bug	—	rather than asserted: (1) the real corp direction against TEN of the direction in the data matched the asymmetry in ALREADY existed and demonstrably this cannot rot silently; (3) and the lo documents and SANCTIONS a transie its --location Fixed operator overrid update seam would collide with that therefore requires a design decision a different question from the one BO expanding that item would have mea unexamined. ACCEPTANCE. (a) Decid guard on this direction coexists with — this is the actual work, and the an than inferred from whatever the pat weighing: exempt the reopen path ex update mirroring reopen's, or leave t rationale recorded so the asymmetry oversight. (b) If a guard lands, it reus established one predicate source spe cannot drift. (c) Paired §1.1 mutation (§11.4.201(1)), and it is the sharp one MUST still work. A guard that breaks is a false-positive refusal, and worse breaks a workflow operators are told not a live data defect. Zero corpus ins catches it at the next validate. It is fil stays visible as a tracked decision ins comment where the next reader will (§11.4.197: a started thread reaches a quiet abandonment). PROVENANCE. of BOB-166 as a known asymmetry it independently verified and endorsed by that item's reviewer, on the condit rather than a comment. This is that i BOB-176 — WHAT. _get_enabled_trac merge_service/search.py gates rutrac and RUTRACKER_PASSWORD only. It RUTRACKER_COOKIES. So an operato no username, no password — never

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					tracker is silently absent from every WHY THAT IS INCOHERENT WITH T _search_rutracker treats COOKIES as fallback. And the nnmclub sibling DO variable. So the same codebase holds preferred at the search site, cookies i cookies honoured for a sibling tracker LOOKS. CLAUDE.md documents a sta (2026-08-15) that per-tracker Netscap {TRACKER_COOKIE_DIR}/cookies_<tr as <TRACKER>_COOKIES before ever and start.sh boot — and rutracker is SANCTIONED, documented configura exactly the state this gate ignores. An documented instructions gets a track explain it. FAILURE MODE. Silent abs same §11.4.201(6) false-null shape as fixes a tracker that RAN and was REF is a tracker that never ran at all, and fewer contributor with nothing to in the BOB-172 implementing agent wh locate the status-handling defect. Rec change: it is a separate defect on a se and folding it in would have widened evidence. ACCEPTANCE. (a) The enab RUTRACKER_COOKIES as an indepen matching what _search_rutracker alr sibling already does. (b) A test assert. ENABLES rutracker, driving the real replica. (c) Paired §1.1 mutation resto gate — the test must go red. (d) NEGA configuration with NO credentials at DISABLED. A fix that enables an unav the gap, because it produces failing s Audit the other trackers' gates for the fixing only the one that was noticed - suggests nobody has checked them to BOUNDARY. Not verified against a liv from source by the BOB-172 agent an reading is specific and checkable, bu by invocation before relying on it.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Bug — BOB-177 — WHAT: BOB-177 is a refusal guard at five private-tracker sites: kinozal :1468, kinozal :1648, nnmclub :1761, and rutracker :1761. The COOKIE path is exercised by tests. EVIL: a mutation R1, per 11.4.194(6)(d), during review): deleting ONLY the kinozal guard while leaving the classifier intact left the tests passed, ZERO failures. The suite cannot be run on SCENARIO: a refactor drops or subtly changes nnmclub, iptorrents, or rutracker-created tests. It folds back to status=empty with error=empty and signature -- and no test reddens. FIX: collapse the five duplicated wirings into one. _check_search_response(tracker_name) now has ONE copy to test and a sixth site cannot be used for byte-identical-fork extraction). Alternately, test across all five sites with per-site stubs. The wiring at ANY of the five sites requires a test running the same R1 deletion at each site. Fixed (→ Fixed.md) Bug — BOB-178 — merge_service/search.py:1638-1640 handle a 403 response with if login_resp.status not 200: return [] -- and sets NO diagnostic. FAILURE: it returns 403 on takelogin.php. The kinozal guard error=None. That is the BOB-172 signature. The user as an empty result set. CONTINGENCY: an oversight, not a design choice: the rule is to NOT set diagnostics (upstream_captcha_failed). A login failure falls through to the search guard catches it. Kinozal is the one left. stash_classify_upstream_http_status returns an early return, or an auth_failure diagnostic in the no-cookie case. ACCEPTANCE: a stubbed endpoint produces a non-None error=empty. The test captured against the pre-fix code first. Completed (→ Fixed.md) Task — BOB-179 — independent review demonstrated two sites refusing or unreachable tracker as an error. EXISTING and neither is a regression. The log presents the five-site coverage with

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(11.4.194(5) requires un-analysed dir silently assumed safe). GAP A -- excep Reviewer probe B, captured: a connec status=empty, error=None, http_statu metadata.status=completed. Each _se (except Exception: logger.error; retur error handling can see them, so a tra indistinguishable from one that is ge at HTTP 200. Reviewer probe A, captu _classify_upstream_http_status(200, < is CORRECT by design (a 2xx is a usab triggering would risk the over-fire th But all five search GETs use aiohttp's session-expiry 302 -> login-page-200 reports empty. FIX DIRECTION: Gap A diagnostic rather than being swallow detector (final-URL check or login-for explicitly NOT a widening of the statu gaps closed with their own REDs, or c evidence. Immediate sub-task: appen qa/BOB-172/fix_evidence_20260822.1 Fixed.md) Bug — BOB-180 — W routes.py:727-745 sets status=captcha message naming RuTracker: 'RuTrac auth/rutracker/captcha'. FAILING SCH zero results and the captcha-flavoure Turnstile, not RuTracker. The user is endpoint for an NNMClub problem. S errors[] and tracker_stats travel in th truth is present and a client that reac headline is wrong. The branch was r propagation (correctly: suppressing t same false-null one layer up, 11.4.247 routes layer by tests/unit/api_layer/te DIRECTION: derive the message from rather than hardcoding one. SCOPE M stream during BOB-172; the author w ACCEPTANCE: an NNMClub-only cap search produces a headline naming I Fixed.md) Bug — BOB-181 — W generate_markdown_exports.sh acce

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
157	Medium		Task	—	unconditionally scans PROJECT_ROOT/scripts/ recursively (scan loops at line 96-109 when this was filed — line 109 was BOB-169 fix, the substance is unchanged by execution: invoking the generator out-of-scope export and NOT the request derived from BASH_SOURCE (line 17). generate_markdown_exports.sh docs/TREE run with the argument silently caller reasonably believes the run was shared checkout with parallel work stream whose .md is newer than its derived artifacts in other streams' scopes and hazard, into another stream's commit script's interface implies a capability interface must mean what it claims). optional path arguments and honour those files), or REFUSE with a clear message. Silently discarding them is the one of ACCEPTANCE: passing a path either silently naming the unsupported argument. A discard behaviour first (11.4.115). LIVED 2026-08-23 (this is no longer hypothesis conductor invoked the generator with document. The argument was discarded scanned. It generated docs/qa/BOB-17 {html,pdf,docx} at 11:50 -- a SIBLING stream's author was still editing the s exports were therefore stale on arrival fix BOB-169 charset defect. The sibling them as stale in its own hand-off, having created them. SECOND-ORDER LESSON conductor's attempt to verify the blas silently. 'git status --porcelain \\\n grep own files and read as clean – but docs DIRECTORY, which porcelain collapses structurally incapable of seeing the fix the wrong surface; the quiet zero read DOES see it is 'find

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			BOB-182 — OPERATOR DECISION (2 clarification): KEEP THE MONOTON brownfield adoption answer, recorded model for CM-EXPORT-CHARSET-VAL RATCHET. The count may only go down changed-code-only-with-deadline, and offered and NOT chosen. This closes genuinely the operator's. THE REMA STILL OWED: BASELINE is a hardcoded actually ratchet — on improvement to value to lower it to, but nothing lower regression back to the original count NOT collapse §11.4.249 role separation threshold during a pre-build run bec GATE. Acceptable shapes include a p never writes with lowering via a sep or a gate that FAILS loudly when the becomes an actionable refusal. This a DATA per §11.4.35 — it is the operator inference, and supersedes any prior question. Options not chosen are nar not re-litigate a settled call (§11.4.112 applied to decisions). — prior item te CHARSET-VALID (pre-build invariant violations via a monotone-decrease r things are owed. (1) THE ADOPTION THE SCRIPT'S. 11.4.224(E) requires th SURFACED to the operator and the an never an invented ratchet. What exist BOBA_EXPORT_CHARSET_BASELINE decision the agent made, it does not l gave. The independent reviewer judg not reverse it (a hard floor on 301 vic unreachable, which 11.4.234 forbids; option) but correctly held that it is no operator: immediate hard floor (BAS ratchet / per-corpus phase-in / chang corpus deadline. (2) THE RATCHET D BASELINE is a hardcoded constant. C and PRINTS the value to lower it to, k keeps permitting regression all the w

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
158	High	Fixed (→ Fixed.md)	Bug	—	heals. The header now says tightening automatic behaviour that does not ex statement is a stopgap, not the fix. W FIX: a gate that writes its own thresh a PRODUCER as well as a GATE (11.4. design change the operator should ap effect. ACCEPTANCE: the operator's a consumer DATA; and either a persist never raises (with the role-separation decision that manual tightening is ac BOB-183 — The compiled Angular bu src/ui/dist/frontend/browser still carr defect verbatim: scanned 2026-08-23 darcula/dark and 1 on darcula/light, scratch path report 0 across all 16 pa is therefore correct at the SOURCE la layer, so §11.4.108 layer 2 is NOT clos contrast dashboard. Two compoundi obvious: dist/ is gitignored, so the div scripts/install.sh:133 asserts only tha is newer than the sources it was built install unchallenged. Acceptance: ins a bundle older than its sources, the b BOB-164/axe_contrast_scan.py run ag frontend/browser exits 0 with zero v incomplete nodes. BOB-186 — workable-items diff retur Markdown are in sync” on a PARTIAL without –fixed it compared 77 Markd and called that in sync, printing both output while 107 DB items were neve Measured 2026-08-25: (A) no markdo 1; (B) –db-only -> honest, “no Markdo exit 0, “in sync (compared 77 Markdo The 11.4.201(6) false-null: a partially quiet green a genuinely-synced corpe 2026-08-25, my original filing OVERS the 11.4.106(F) commit seam was exp docs-sync-commit-seam.sh:277 passe repo-wide sweep found NO executab
159	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					callers (that seam and pre_build_ver paths; the single-path hits are prose o fixture. So the defect was real and lat corrected claim is: any FUTURE single silently mis-told. PROVENANCE, twic attributed the false-null to the no-pat correctly; the conductor re-measured Then the fixing agent corrected the c corrections are recorded so neither v (uncommitted, constitution submodu before edit per 11.4.26). Design: refus narrow per-tracker comparison PRE scope rather than deleted (deleting a would be an 11.4.122 silent removal) the no-Markdown shape. Keyed on M presence — a DB with zero Fixed row alone and still passes, so flag-keying an 11.4.201(1) false-positive refusal. I reachable only when the two printed 4 fail/5 pass -> GREEN 9/9; paired 1.1 killing exactly the 4 defect-guarding stay green. Case C now refuses namin (supply –fixed)”, the 107 confirmed a (107 Fixed + 78 Issues = 185). Inciden refusal had no test anywhere; TestDi guards it. OPEN: –partial-scope is the operator decision, and renaming is c consumers adopt it. Other consumer swept. CLOSED 2026-08-26. Already f constitution commit 5979128 (“fix(w while 107 DB rows went uncompare no code work was owed. ROOT CAUS (11.4.6 - fact, not inference): two indi sync.go. (a) sync.go:852-863, the reve carried if d.CurrentLocation == "Fi { continue } - its own comment decl positives for trackers the caller never the continue ALSO dropped those row compensated. (b) sync.go:894-897, th len(dbItems) - the two MISMATCHED differences. THE VERDICT PRINTED

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
160	—	Fixed (→ Fixed.md)	Bug	—	COMPARED THEM. In one line: an 11 silently narrowed comparison SCOPE unaware, so the fix for a false positive image. CLOSED ON BEHAVIOURAL E commit (11.4.226 evidence-class-at-cl REFUSES a partial-scope verdict instead to report a DB-vs-Markdown verdict the DB - the supplied Markdown path located in Fixed (supply –fixed)”, exit reports “PARTIAL SCOPE - N different NOT compared”, exit 1. The phrase “i on a partial read. Regression suite sy tests) landed with the fix. INSTRUMENT (11.4.201(7)(b)): negative control - reg DB yields “in sync (201 against 201)” on-FAIL. Needle A (flip BOB-008 status B (delete BOB-067 on the FIXED leg - to) detected as “present in DB, absent Each needle byte-verified applied before UNKNOWN whether the shipped bin HEAD source - they were not rebuilt. guard and behave identically on the behavioural evidence this closure re classes diff does not compare (revisi BOB-187 — scripts/ownership_precon unreviewed .env-driven scope as own files inside it, but it is NOT fenced. TO ownership_path_fence() to scripts/lib ownership_repair.sh, closing the path precondition was outside that agents whatever config/owned_paths.yaml e than a recursive chown (it writes pro ownership of an existing tree) but the unreviewed, so the same QBITTORRE have driven a filesystem-wide chown arbitrary location. Note the escape is repair path, not merely reasoned: du declaring the verbatim shipped entry hung the suite, and ps showed the re 1000 -o ! -gid 1000) -printf ...” before

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
161	—	Fixed (→ Fixed.md)	Bug	—	Acceptance: ownership_precondition ownership_path_fence() predicate from second dialect, 11.4.251), refuses fail- a paired 1.1 mutation proving the rel proving the six live shipped entries s 11.4.201(1) false-positive refusal. Diso remediation and reported by the age 11.4.238 coverage escape. BOB-189 — WHAT: the fail-open scan distinguish ‘return False’ meaning PF False’ meaning REFUSE. It flags six te open defects: _is_safe_fetch_url (x3), hooks path-boundary guard. INDEPE the conductor rather than taken on t proxy/src/api/routes.py:1122 defines and its only call site at :1476 reads ‘if logger.warning(Refusing SSRF-unsafe skipping); continue’ - a False return E MATTERS: per §11.4.201(1) a false-po severity to a false-negative pass, and noise - acting on the finding would m returning False, i.e. deleting an SSRF that instructs you to remove a securi merely imprecise. REPRO: run the fa each call site. ACCEPTANCE: the scan from proceed-shaped False returns (list with per-entry justification), the s fixture containing a real fail-closed g is itself falsifiable per §1.1. BOB-190 — WHAT: ~/.local/lib/python built for the cpython-313 ABI while t pydantic_core and rpds fail to import dies at import time. CONFIRMED NO identically, so this is environmental a CLAUDE.md documents ‘python3 -m mode=importlib’ as the canonical inv command currently cannot run - doc misguidance class at the environmen sidesteps it by selecting .venv/bin/pyt simply is not what the docs tell a read
162	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
163	—	Completed (→ Fixed.md)	Task	—	following CLAUDE.md literally concl agent could chase green by rewriting the host site-packages so the docume CLAUDE.md + docs/TESTING.md to n canonical - decided explicitly, not left out-of-band by the fail-open triage ag a coverage-escape note: no automate invocation actually runs. BOB-192 — WHAT: the BOB-161 gate RATCHETED rather than fixed. Ratch brownfield default (§11.4.135/§11.4.2 precedent, so the choice is correct - b work that must be owned somewhere gate's own header asserted the 6 wer (§11.4.197)' while no tracker row exist review verified the absence and rais without a row those findings are pre class §11.4.226(4) names - the popula broken. A prose claim of being track NEEDS: a skip that fires on evidence classify the response and FAIL on it, honestly derivable from the environ - verified against the live stack, not allow-skip:' markers at tests/unit/test which the reviewer confirmed genui must not be treated as absolution. AC RED-first evidence per §11.4.115, the the ratchet's monotone-decreasing pr (§11.4.227(A)). NOTE the reviewer's M one-out-one-in swap, so remediation the finding SET, not only the count. BOB-193 — WHAT: in download-prox set is written BEFORE the yield — seen_hashes_local.add() execute at :3 format_event raises, the result is nev recorded, so it is permanently dropp §11.4.209 reviewer at both sites: mid subsequent polls so the result never breaks immediately after, so there is in the SAME batch are not yet added
164	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
165	—	Fixed (→ Fixed.md)	Bug	—	which is why the observed symptom WHY IT IS FILED SEPARATELY: the \$ loss OBSERVABLE by adding a log line but observability is not repair. The un remain, and per §11.4.226(5) a mitigation mitigates. THE DECISION IS A REAL T blindly: moving to add-after-successful DETERMINISTIC serialization failure on every poll forever — trading silence keep at-most-once and treat the log line successful-yield with a bounded per-yield but remove the hash on emit failure ACCEPTANCE: an explicit decision reached by a test that drives a raising emit and with a RED observed first per §11.4.1 independent review of the fail-open and the residual defect is not retired alone BOB-195 — OPERATOR DECISION (2 clarification): TEACH THE SCANNER The §11.4.252 fail-open scanner is FDRuff's SIM105 rule STAYS ENABLED in and the belt-and-braces both-at-once chosen. Rationale carried with the decision SIM105 harmless, whereas disabling blind to any suppress written by hand style, or already present in the tree. I contextlib.suppress(...) and with s import suppress binding) wrapping a DETECTED with the same severity and pass form; a narrow suppress (Specific call must NOT fire, since a false-positive bluff of equal severity to a missed re NUMBER: once landed, the scanner's over try/except shapes and becomes citing completeness was scoped to try recorded as consumer DATA per §11. choice, not an agent inference, and s default on this question. Options not reader does not re-litigate a settled c discipline applied to decisions). — pr

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
166	—	Completed (→ Fixed.md)	Task	—	§11.4.252 fail-open scanner matches contextlib.suppress is a With node, so invisible. VERIFIED BY THE CONDUCTOR the same invocation path (§11.4.201) returned 0 for BOTH forms and was a positional, so a bare path exits on a invocation path is part of the instrument around os.unlink(user_supplied_path:5', the needle sees. contextlib.suppress IDENTICAL call -> 'PASS - no swallow found'. Both combine untrusted input swallow everything; one is caught and THAN A PLAIN GAP: pyproject.toml and SIM105 is 'use contextlib.suppress in linter therefore instructs authors to m into the form it CANNOT. The two too and the lint one runs more often. Even this gate's coverage while the count g CONSEQUENCE FOR THE NUMBER: t FLOOR over try/except shapes, not a of the form 'N fail-open sites remain' except shapes'. ACCEPTANCE: the sca (a With whose items call contextlib.s type) and applies the same ≥ 2-capab suppress form; a golden-FALSE fixtur capability diagnostic emitter and mu on the SIM105 tension - either exemp accept suppress and teach the gate to remediation agent when its own MIN contextlib.suppress at three diagnosti legitimate and justified in-source. BOB-196 — WHAT: the CM-PLUGIN-C SECONDS to verify 8 documented cov exceeded a 90s probe budget (rc=124 at 'rc=0 wall=189s' - it PASSES, it is si GUESSED: the marker loop at check_ EVERY LINE of every governed docum line. Per iteration: 'printf grep -oE 'printf sed -n' (2) = ~6. Governed do CLAUDE.md 494 + docs/features/Statr

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
167	—	Fixed (→ Fixed.md)	Bug	—	process spawns, measuring ~102 ms/ shell trap. THE IRONY WORTH PRES nobody simplified it: the in-code com DELIBERATELY over ‘grep -c’ after m on this host (ugrep 7.8.4) ‘grep -coE’ r ‘set -euo pipefail’ subshell, a context- fix is right and must be kept; it is the the three minutes. HYPOTHESIS REF it: this is NOT worktree traversal. The \$PLUGINS_DIR (:224), so the five agen That guess was raised on BOB-194 an stated as a candidate not a conclusio containing ‘CM-PLUGIN-COUNT:’ bef ~1853 iterations to the ~8 lines that c per-line parsing logic - and its footgu unchanged. WHY IT MATTERS beyon pre-build critical path, and CLAUDE.r authority for the three distinct plugin 12 bootstrap) whose conflation was E tempt anyone into skipping it protect reduced with the counts and the foot for-byte in behaviour, proven by the plus a before/after wall-clock record the gate’s VERDICTS - only its runtime BOB-197 — OPERATOR DECISION (2 THE TOKEN AND ARM IT The condu token and writes BOBA_API_TOKEN i clients with it. DONE 2026-08-26: tok secrets.token_hex(32), appended to .e BOB-197 and the routes.py:83 env-ga the operator ONCE and never written BEFORE writing (\$11.4.30/\$11.4.10): . and was untracked (needle-proven — docker-compose.yml IS tracked, so th backup was taken and is itself ignore confirmed .env still ignored and abse found the only tracked BOBA_API_TC compose passthrough \${BOBA_API_T challenge — no literal value has ever the item stays open until it lands: the

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					that refuses to start LAN-bound when Without it the arming is a state fix, n explicit that a state-only repair cannot chosen: operator sets it themselves w then; invariant warns first and block consumer DATA per §11.4.35 — the o inference. Options not chosen are na litigate a settled call. --- prior item tex (2026-08-26): arm BOBA_API_TOKEN TIME invariant that refuses to start L This item IS that invariant. MEASURE proxy/src/api/routes.py:83 require_ap at request time and returns immediat docstring states it plainly: "BOBA_API (OPEN). This is the DEFAULT and pre + dev workflow". docker-compose.yml {BOBA_API_TOKEN:-}, so the contain operator declares it. The operator .en verified per 11.4.201(7)(b): the same QBITTORRENT_DATA_DIR in the sam and not a blind read. The qbittorrent LAN-bound at measurement time. Co BOB-102 guard resolves as auth-wire deploy. WHY A STATIC GATE CANNOT asserts static route WIRING - that a D exists on handler, decorator or route which depends on an env var read p covers it would be exactly the bluff th machine evidence must match the la invariant class per 11.4.254. ACCEPTA the listener is LAN-bound (not loopb exit and a named cause if BOBA_API open state becomes UNREACHABLE n mutation: remove the check, prove th open. Golden-FALSE per 11.4.201(1): token unset must NOT be refused, or refusal blocking legitimate dev work found by a subagent reading source c NOT by the automated QA regime - w

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
168	—	Fixed (→ Fixed.md)	Bug	—	11.4.238 names. The boot-time check would have caught it. BOB-198 — OPERATOR DECISION (2026-08-26) START LAN-BOUND The Go profile goes loopback only, or refuse to start. It does a cycle. Rationale carried with the decision. —profile go, was not running when in development — so closing the exposure to parity implementation. Options not consistent with the Python route set (really defer BOB-101); document dev-only v would enforce it, and the next –profile opens 22 routes). ACCEPTANCE: a bootstrap listener’s bind address and refuses to accept a paired §1.1 mutation proving the claim golden-FALSE proving a loopback bind. Scope reminder recorded so it is not BOB-101’s parity deferral, which was a §11.4.112(5) verdict leak. Recorded the operator’s stated choice, not an alternative are named so a future reader does not miss item text follows — MEASURED, concerning reporting subagent. qBitTorrent-go/c registers exactly three middlewares, middleware.CORS, middleware.Logger is NO authentication middleware and main.go:119-121 binds addr=“:” which is LAN-reachable when the profile runs mutating ones matter most - POST /api/magnet, DELETE /api/v1/hooks/:id, POST A LAN peer can queue downloads and with no credential. PARITY GAP, state gated in the Python service and open for the download, hooks and scheduling of one advertised surface disagree about RELATIONSHIP TO BOB-101 (Go parity decision 2026-08-26): that deferral comes container binding :7186 and :7188 as authentication hole, and the operator the hole had not been measured when

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
169	—	Completed (→ Fixed.md)	Task	—	this as covered by the deferral would be a bounded decision outside the scope of the record. The record stands separately and its severity is NOT a MITIGATING FACT, so severity is not reduced via –profile go and was NOT running on a container list showed qbittorrent-problem (sibling). The exposure is latent, not likely to be a middleware landed in the Go service or an explicit operator decision record. The record must refuse to start LAN-bound - with the record chosen. BOB-199 — OPERATOR DECISION (2) NARROW SUPPRESS ONLY WITH A scanner flags a narrow contextlib.suppress as an irreversible capability (delete / true) that actually causes harm. Idiomatic narrow suppress keeps its credibility and no false-positive is it. Options not chosen: accept the asymptotic statement; flag all narrow suppress as a justified exemption list. MEASUREMENT second correction explains the first: the ‘idiomatic’ was propagated by this correction re-measured by the authoring agent (§11.4.201(10)) — 27 vendored third-party COPIES of the very tree being measured was counting other agents’ duplicated figures, each with its scope stated: contextlib.suppress; boba DANGER_ROOTS 0 narrow except-pass; boba repo minus vendor contextlib.suppress(OSError)); narrow except-pass 2026-08-26 per 11.4.201(9): the figure reproduces under NO scope and is wrong each with its scope and both independent except-pass git-tracked first-party (cache disk minus scratch dirs (the ‘minus vendor’ Brackets that explain the bad number and 113 ALL-except-pass on-disk-minus class-scope conflation (narrow-vs-all) cited later in this record is the same number and agrees with 34 within one site. The

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					also false — the except-pass census c test_plugin_torrentscsv.py:305,328), v CORRECTION 2026-08-26: a ‘Keyboar this sentence was itself unsourced an at NEITHER stated scope. Independen ZERO genuine ‘except KeyboardInter instance in the checkout is .worktree test_main.py:63 — a sibling-agent scr observer-contamination class (11.4.2 exclude — and the only main-tree tex test_graceful_shutdown.py:165) sits i carrier not code (11.4.201(7)(a)). Rec instructive: it was introduced BY the correction is not exempt from the dis consumer DATA per §11.4.35 — the o inference. Options not chosen are na litigate a settled call. — prior item tex ASYMMETRY surfaced by the BOB-19 closed. After teaching the scanner W (Exception / BaseException) is detect except/pass. A NARROW suppress (su but the semantically identical narrow pass IS flagged. So ruff SIM105 rewri that site out of the gate’s scope, a sma BOB-195 was filed to close. WHY IT V with the measurement that decided i narrow suppress sites, all idiomatic. independent review): that figure DOI conductor propagated it into this iter error is mine, not the reviewer’s. Me narrow with suppress(X) sites; boba suppress(OSError)). The nearest corp pass handlers in boba first-party - a I class census (OSError x7, ImportErro RuntimeError x3, ValueError x2, File SystemExit x2) contradicts ‘every one is not a benign tolerance. The two po and the distinction is the whole subs storm argument therefore rests on th on 37 suppress sites, and its strength which under 11.4.201(1) is a FAIL-bl

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
170	Medium	Fixed (→ Fixed.md)	Bug	—	would close, and worse in practice be gate. The subagent recorded the asym known gap rather than shipping the why this is a separate tracked item ra DECISION IS THE OPERATOR'S, mirror asymmetry permanently, with the ga mistakes the count for a census; (b) f combined with an irreversible capab catching the shape that actually matt sites quiet; (c) flag all narrow suppre exemption list like the LAN-route gua carrying: the five newly-visible prod merge_service/search.py (1294, 1303, os.killpg / proc.wait in the BOB-126 cl the 11.4.263 pgid guard IS present an and _pgid each checked isinstance(in the BOB-126 forensic reasoning inlin scanner's-definition but SAFE in fact, entry rather than a code change. BOB-200 — WHAT: scripts/gates/cm_dangerous_combination_fail_clos find(1). If find itself DIES (permission interrupted), the gate receives an EM 'no files in scope' -> honest topology : stderr but SILENT in the exit code, so reads a dead instrument as a clean co textbook 11.4.201(6) FALSE-NULL – a artifact return the identical quiet zero exactly the 'cannot enumerate the co own stated discipline is to fail CLOSE refuse, not pass. AFFECTED SCOPE: c cm_dangerous_combination_fail_clos empty-list branch). PRE-EXISTING – M change; found by the independent ro that change and explicitly scoped OU REPRODUCTION: make find(1) fail du root, or a find stub returning non-zero the gate exit 0 with a topology-SKIP r genuinely empty corpus. ACCEPTANC succeeded and found zero files' from

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
171	Medium	Fixed (→ Fixed.md)	Bug	—	status, not only its output; (2) a failed zero exit) naming the unresolved pre genuinely empty scan root still SKIPs golden-FALSE guard, so the fix does not (4) paired 1.1 mutation: restore the status the new fixture MUST fail. BOB-201 — WHAT: scripts/ownership entries LEXICALLY (string normalisation) lexical fence cannot see a symlink site component. A static (already-present) middle of an otherwise-legal declared tree the operator never declared. Me independent reviewer as surviving not SEPARATELY: the in-source honest-bob assert this reach is ‘tracked as BOB-159’ by direct query: BOB-159’s description occurrences of ‘symlink’ or ‘intermediate’ readable through the same query path recorded this reach at all. A dangling is recorded NOWHERE - the 11.4.214 looks like coverage and is not. This it must now cite THIS id. SCOPE / SEVERITY (11.4.6): the reach is BOUNDED, not an accident to have already placed a symlink. It is NOT reachable from the shipped standards (shipped-scope control needles) of what a recursive chown can touch. reviewer measured it, no race needed. CLAIM: that the lexical fence is broken refuses lexical escapes (‘/’, system tree) doing so under 12 reviewer-authored LIMIT of lexical fencing, now recorded to an unrelated one. ACCEPTANCE: (1) decision - resolve components (realpath resolved path, OR keep the lexical fence accepted operator-owned risk; the change because resolving makes the fence dangerous time, which has its own failure mode golden-FALSE set proving legitimate roots still walk (11.4.201(1)) - a fence to

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
172	Medium	Fixed (→ Fixed.md)	Bug	—	equal severity); (3) the in-source note item, not BOB-159; (4) paired 1.1 mut behaviour and the fixture MUST fail. BOB-202 — WHAT: scripts/ownership rows with 'while IFS=\$'\t' read -r e_p scope entry that OMITS 'kind' emits t IFS-WHITESPACE character in bash e so a RUN of consecutive tabs collapse delimiting an empty field. Every field one. MEASURED 2026-08-26 on GNU I with-field case was run FIRST and pr instrument sees; an earlier probe of cases because printf lacked a trailing null I discarded rather than reported kind=[dir] opt=[1] pres=[0] rec=[1] ki opt=[0] pres=[1] rec=[] CONSEQUENC 'preserve_mode's slot. An entry declar treated as NON-optional, so an absen instead becomes a hard failure - and likewise read from the wrong slots, v shift is silent: no parse error, no diagn NOT reachable from the shipped con declared entries carry 'kind' (verified reader, not a live misbehaviour of the surfaced out-of-band by the T028 rou isolating an unrelated instrument sli unfiled by it because (a) ownership_r ae025b74602414ca for that round's d that round's two-NIT remit, and (c) it repair belongs in the parser, the cons judgement was correct; this item is th re-measured by the conductor before 11.4.238 COVERAGE-ESCAPE NOTE: n was found by a human-directed ager 11.4.238 the coverage gap is itself a d and closing only the bug is the violat correct layer - parser (never emit a r (read with a delimiter that is not IFS- schema (make 'kind' mandatory and consistent with the whole-run refusa

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					expansions); the choice is operator-or the scope-file contract; (2) a fixture w true' asserting the entry is treated as RED-first against current code; (3) a g specified row still parses identically - start refusing valid scopes; (4) paired collapsing read so the fixture FAILs; (5) have caught it, per 11.4.238. PRECED the T028 round-5 reviewer, independ SIBLING script scripts/ownership_pr this exact collapse class at lines 565-5 split_tsv() at line 579 (used at 437, 69 real forensic measurement dated 202 script used the collapsing read and r mounts this location" for config/ and SERVICES MOUNT THEM - a false sta produced by the instrument rather th comment classifies as the 11.4.201(7) instrument' failure. It also records w fixture scope has no compose service invocation against the real scope sur THIS ITEM: (a) acceptance-criterion (has a PRECEDENT rather than an ope layer, via a split_tsv-style reader that the sibling's existing function is pref (11.4.251 - two answers to one questi SAME scope rows is exactly the diver 'two readers of one scope file disagree RECURRENCE of a class already diagn codebase, not a novel discovery - the 2026-08-21 and the sibling reader kep 11.4.238 escape shape at the code lay comment instead of in a check; (c) th above is SHARPENED - the sibling's o fixture-scope suite cannot see this cla must exercise a row with a genuinely well-formed one. 173 Critical BOB-203 — MEASURED LIVE 2026-08 LAN 192.168.1.90 (NOT loopback - qB have exercised a different code path) runtime_auth_verification_20260826

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					mutating LAN requests ARE currently named routes: 1. POST /api/v2/torrent NO credentials (real torrent control) 422 field-validation (request REACHED runs AFTER middleware) 3. POST /ap (same) 4. DELETE /api/v1/hooks/<id> (the handler EXECUTED A LOOKUP) 'decisive evidence, not the 200: a 401 reaching body validation or a handle middleware intervened. THE ARMED BOBA_API_TOKEN was armed in .env decision. Port 7187 returns BYTE-IDE it across three header shapes. Port 71 header shapes. Root cause identified. BOBA_API_TOKEN into EXACTLY ONE 237) - and into neither qbittorrent-pr on 7186, where it IS injected, POST /a unauthenticated, so injection alone is POSTURE (measured): 7185 qbittorre mutating surface visible from LAN as proxy LIVE, binds 0.0.0.0 - mutating 7187 merge service LIVE, binds 0.0.0. auth layer at all 7188 bridge NOT BO Go LIVE, binds * - writes 401-gated, r credentials 9117 jackett LIVE, binds * interfaces. None is loopback-only. RE subject was NOT running): qbittorrent --profile go) and absent from the con routes' is neither confirmed nor refu exposure recorded HERE is a DIFFER the Python service and the proxy. Do BOB-198. 11.4.238 COVERAGE ESCAP bug: the automated QA regime did N check_cm_lan_routes_authenticated review rounds proving routes are sta and its own honest boundary (tracke wiring ONLY. Nobody had measured This is precisely the 11.4 covenant's f over a broken-for-the-user reality. Th runtime check that would have caug exposure - not merely a fix to the rou

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					control needle - Jackett returned a re instrument, so the 200s are not instr exit-7, so absences are real. Negative still got 401 on 7189. Decisive probes used non-existent ids against a prova and after), so effect was nil and verif by name only, never printed (11.4.10) a needle proving the scanner fires on operator decision (11.4.66) on the int loopback-only bind, real auth middle rationale; (2) whichever is chosen, ar 11.4.238 that fails RED against today' evidence on a clean deployment, not mutation. === RELATED MEASUREMEN BOUND PORT (§11.4.6, recorded not r unauthenticated mutating routes on stream measured, and the conductor LAN-bound: webui-bridge.py:447 bin BRIDGE_PORT)) — the empty host str ALL INTERFACES rather than loopba §11.4.214 (distinct-but-similar): this i different service, not a demonstrated 7188. Whether 7188 exposes mutatin UNVERIFIED and is the open questio the 7188 surface is not overlooked w and so nobody later "discovers" it as Fixed.md) Bug — BOB-204 — W credentials.go:234-253 (boba-jackett, handler checks the DB delete, then d envfile.Delete(...)` (line 240) and `_ = c 249), then returns an UNCONDITION fails, the plaintext credential variabl reports the credential deleted. Secon credentials.go:166-176 returns the er `env_write_failed_db_rolled_back` wh discarded (`_ =` at :169 and :171) — th that was never confirmed, a §11.4 bl 4 combined dangerous capabilities o filesystem mutation + external side e §11.4.252 fail-closed-on-dangerous-co Composes §11.4.10 (credentials must

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					operator believes deleted, still on disc REPRODUCTION: read the cited lines unconditional. A runtime repro drive unwritable (chmod 0444 or a director while the variable persists in .env. W DANGEROUS-COMBINATION-FAIL-CI gates/cm_dangerous_combination_fa 243 but gates its ast analyser on *.py matchers that key on `catch` — a key files are structurally unanalysable w blindness is BOB-191; this item is the both discard sites either handle the e non-2xx naming the unresolved prec env_write_failed_db_rolled_back cod actually succeeded, else a distinct ho unwritable-.env path and observes th (§11.4.115); (4) a golden-FALSE fixtur refuse the healthy path (§11.4.201(1)) found by an agent reading source du by the automated QA regime — this i BOB-191 carries the escape audit. === 2026-08-26 — BOTH DEFECTS CONFID WATCHED FAIL === Line numbers re :234-237 DB delete checked (500 on e DISCARDED · :249 DeleteIndexer erro 204. NOT AN OVERSIGHT — THE GO ".env and Jakkett deletes are best-effo swallowed. The 204 status reflects DE sentence or it will read as authorizin asserting the old behaviour is part of MEASURED END STATE when the .env plaintext RUTRACKER_USERNAME/R DISK, API says 204. WORSE THAN TH the ENCRYPTED canonical copy is de survives UNMANAGED — the system gone, so nothing will ever clean it up — CHECKING THE ERROR WOULD N Repo.Upsert(..., ifSet(prior.Username) credentials.go Upsert maps nil to CO username_enc) = LEAVE UNCHANGE empty field and the failed request se

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					returns nil — it SUCCEEDS — and leave it as is. If the fix is not rolled back, there is NO error to be rolled back anyway. Verified live by the test. Defect (2) is NOT one-line-ish: it needs the real fix to be rolled back to NULL" (delete-and-reinsert the fix). Scope it separately from defect (1). The fix is in jaxetapi/bob204_failclosed_test.go (the fix is deliberately isolated from credential injection). T041/T042 diff). Failure injection is ROLLBACK. It writes through <path>.tmp, so the test is not a DIRECTORY -> os.OpenFile returns ERROR. envfile.Delete fails WHILE .env stays in place. Chosen over chmod deliberately: chmod is not for root too, whereas a chmod mechanism is not uid 0 and turn the RED into a FALSE. breakEnvWrites calls the real envfile.Delete. Unexpectedly succeeds — a blind inspection. Conclusion. Measured: 3 FAIL (all three). §11.4.201(1) golden-FALSE proving that the fix must not refuse the healthy path. Defect (1) failures, all this stream's, zero skips. Defect (2) message prints a credential VALUE — the fix is fake-not-a-real-*. HONEST BOUNDARY. The flip is OWED, NOT CLAIMED. The fix is in credentials.go, so RED was watched, the fix is (not applied): defect (1) IS one-line-ish. Checked errors returning 5xx naming. Defect (2) (env_delete_failed, jaxett_cascade_delete_failed). :210-211 GoDoc sentence. Defect (2) is in the scope. ADJACENT FINDINGS: (a) credential is its own sibling — indexers.go:207-209. DeleteIndexer error and at least LOG. Even log. Same package, same call, two different *repos.Credentials, not an interface, but can be driven deterministically — relevant. (b) The path wants that path testable. (c) The .gitignore deliverable is filed separately. SPOT-CHECK. Called benign — BOTH CONFIRMED. resp.Body.Close() closes a body already closed. runs.go:112 `_, _ = w.Write(...)` is post-conditions. credentials.go:274. Bonus: runs.go:43

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					but mildly lossy — a corrupt ErrorsJS documented as deliberate degradation report, not an integrity issue; recorded major Fixed (→ Fixed.md) Bug §11.4.252 fail-closed scanner is driven pre_build_verification.sh:1481-1544 c DANGER_ROOTS list. `cmd/boba-ctl` - list, so it is never scanned by any arm shell-exec plus state-mutation surface combination class the gate exists for. is a MATCHER hole (the root IS scanned structurally unanalysable while coun prints green). This is a SCOPE hole (th Different failure shapes, different fix but-similar, deliberately not merged. hand-maintained, so a new first-part the gate. §11.4.251 (role-as-data-pack replace the hand-maintained list with the same source of truth the build us being enumerated. ACCEPTANCE: (1) by being added to DANGER_ROOTS o whichever is chosen, a RED fixture p cmd/boba-ctl is SEEN pre-fix-absent / the manifest route is taken, a fixture root is picked up without a hand edit this recurring; (4) the honest-blindne which the gate already implements c extensions) is preserved, never conv CHANNEL (§11.4.238): found by an a list during the BOB-191 investigation — a coverage escape; BOB-191 carrie VERIFICATION COMPLETE 2026-08-2 corrections and a far larger gap === 0 DANGER_ROOTS=(download-proxy/s frontend/src) at scripts/pre_build_ver verified verbatim). Invariant 39 span roots at :1514, calls the gate once per invoked from exactly ONE place (:150 array is scanned by NO arm. cmd/bol files, 947 LOC — the filed numbers h (§11.4.6): this item said boba-ctl is a "

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					exec.Command in main.go — exec is digital.vasic.containers/pkg/compose threshold is still met several times over :34,36,95-105,121 · untrusted input :2 credentials :432-440,496-509 · external irreversible :36,142) — but the specification (§11.4.6): this item's acceptance criteria implements correctly" an honest SKI WRONG. That honest-skip path exists degradations only. An extension absence false-null. Filed separately as the LAM 3: the gap is not one root. FULL ENUM OUT of scope = 66% of the gate-visible tests/ 324 (excluded-by-intent but UN 51 · challenges/ 18 · cmd/boba-ctl 4 · f (CONCEALS 3 REAL HITS: plugin_upo repository ROOT 1 (CONCEALS 1 REA separately as the ROOT-SCOPE item. I surface, but the hole around it is LAT empty `if err != nil {}`, no silent `return against qBitTorrent-go/internal/config guarantees a future one lands unseen spotted by reading: authMethod()'s d BOB-205 != BOB-191, AND THEY COM root, both needles: go-needle 0 hits, p independently reconfirmed (gate rou real cmd/boba-ctl scanned DIRECTLY found" over 947 LOC it cannot analyse ALONE moves the root from never-lo FALSELY-GREEN — the §11.4.201(6) F because it then counts as covered. Bo with them. THE RED: tests/pre_build/ Oracle (§11.4.245) = METAMORPHIC · two BYTE-IDENTICAL Python fail-oper runtime, 8d8bd909...), one in a root th one in cmd/boba-ctl (probe), scanner drives it. Identical input, two location matcher/language/gate-version held variable. Independent of the code un from the relation, not from reading I shape (b) included as an explicitly-la

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					pass on a typo'd list entry the [[-d]] g DELIBERATELY AVOIDED: the needle would stay unseen post-fix and the R itself a §11.4.201(1) FAIL-bluff. Fixing only widening scope will. BLIND-INS not found -> exit 3 ABORT, never RED from the real driver so it flips with z pre_build_verification.sh. MEASURE BOB-205/red_run_live_gate.log, gate s hit "instrument PROVEN seeing", PRO 0 against a SCRATCH copy of the driv driver git diff --stat empty). Determin 0. FIX DIRECTION (assessed, not appl the source of truth matters — docker plugins/, frontend/src, cmd/boba-ctl, (go.mod/package.json) MISS plugins/ from-git-tracked-source-extensions m exclusion fence reaches every gap. T way: if the operator keeps the hand l computation — the only question is v the list. The tests/ question (324 files) production-only is defensible but cur critical Obsolete (→ Fixed.md) Bu UNCONFIRMED — surfaced by the TC T041/review_scope_map_20260826.m unguarded as far as I could tell". Tha per §11.4.6: this item exists to DRIVE cited as a confirmed defect until a ru WHAT (the hypothesis to test): probe >=7 independent terms — the §11.4.1 degenerate term triggers the failure the rest is the exact forbidden gap. Fa EXPRESS per-file ownership. On a uic ntfs mounted with a uid= option) eve regardless of what any chown did or that uid and concludes ownership is filesystem structurally incapable of h a §11.4.201(6) FALSE-NUL at the fea genuinely-correct filesystem return t CRITICAL RATHER THAN THEORETIC SPECIFIC MOUNT. Whether this fires

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					actual mount table, not of our source reading code alone, and a green probe proves nothing about an operator who. This is precisely the class §11.4.108 la UNGUARDED TERMS the same prefix, share the tri-state): the precondition R4 is itself a THREE-WAY product (more spec AND mounts-a-declared-location second line of defence; R3 and R4 both state whose DOCKER branch the source measured. VERIFICATION PLAN (§11.4.108 evidence): (1) enumerate the real mounts declared locations sit on uid-flattening alone may confirm or dismiss the whole vfat/exfat image mounted with a uid-flattening it, run probe_location() and capture the RED; (3) fix by detecting the filesystem and refusing-with-reason rather than a probe that cannot resolve its condition passes); (4) golden-FALSE fixture on condition does NOT refuse a healthy location (§11.4.108 refusal here would break every normal the ownership feature's own correctness user-owned-downloads. A false ok here success while the operator still has to ORIGINAL reported problem the specification CHANNEL (§11.4.238): found by an audit scope, NOT by the automated QA regression right. The escape audit owed: no existing filesystem, so no automated surface RECORD: the first write of this description backtick expansion (three terms silently text; the corruption is recorded here §11.4.6. 177 critical Fixed (→ F WHAT: scripts/lib/ownership.sh:299-300 '%u' and compares against ownership_probe reads '%g'. Meanwhile ownership_probe ownership.sh:50 and consumed ONLY ownership_repair.sh:360 — so the RED the PRECONDITION that verifies the precondition can therefore report ok

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					repair exists to establish is wrong. M UNPRIVILEGED (a setgid directory is mount, no sudo): dir: uid=1000 gid=1 g+s, both unprivileged) real file creat probe_location verdict = ok rc=0 <-- o SEVERITY RATIONALE: this is the SA probe reporting ok while ownership that is LIVE rather than hypothetical reproduces with two unprivileged co this is the real defect that investigati ACCEPTANCE: (1) probe_location rea OR the asymmetry is deliberately jus only uid matters to the user-visible g repair sets gid at all); (2) a RED fixtur observes ok pre-fix, flips to a refusal FALSE fixture proves a correct uid+g (4) whichever way it is resolved, prec WHICH property they are talking abo primitive defect (§11.4.250). DISCOVER the BOB-206 verification stream, not existing test exercises a gid mismatch AUTHORED — AND THE FIX DIRECTI THIS ITEM ASSUMED === CONFIRMA tree; line numbers happen to match) ownership.sh:299-320 reads stat '%u' branch), compares against want at :3 ownership_operator_gid is defined a consumer — ownership_repair.sh:36 untracked files, needle-proven (need files, negative control -> 0; untracked ownership_operator_gid -> 0); every comment. THE REPAIR SETS GID AT T "\${OP_UID}:\${OP_GID}" WRITES both -uid OR ! -gid). FALSE ok REPRODUC from id -G + chmod g+s): dir uid=100 created inside lands uid=1000 gid=10 Needle arm: an absent path returns ' refuse, so the ok is real. DESIGN QUE THE REPAIR. gid is NOT load-bearing PROBE was deficient. Measured, that and gid=10: edit, read, rename, move

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
180	major	Fixed (→ Fixed.md)	Bug	—	PERMITTED — including recovery from Owner-class bits are selected by uid n the operator can always restore access FR-010b is phrased as "owned by the mentions gid. - DECISIVE, conductor-section blesses "Group-based workar modes, access-control lists) are accep Dependencies makes "shared group p NECESSARY if the container platform account to the operator's identity. => make FR-010 REFUSE TO START on a sanctions — a §11.4.201(1) false-posit this project keeps finding in its own g ALREADY DOING HARM: measured, 1000 instead of 10 with the setgid bit repair silently dismantles a spec-san RED: tests/unit/test_ownership_gid_a bash -n clean). It deliberately does N %g" — that is an implementation ass AND hard-wires one fix direction. It a invariant: probe_location(L) == ok IF selects ZERO items under L. Measure failure being "the PRECONDITION ce reports it broken (selects:2)". VALIDA FIXES from patched COPIES (product narrow-the-repair PASS(0) · widen-th passes in all three, so neither directio everything. That is what makes this F than a vote. THE FIX, NOT APPLIED - find_args+=((! -uid "\${OP_UID}" -o ! '%U\t%G\t%m\t%p\0') + find_args+=(! BOB-210 — WHAT: scripts/ownership documents the docker branch of dete measured (accurate — verified verba branch is built so that ‘an unverified refusal’. IT CAN. Line :413 emits a CO docker info succeeds with non-empty name=rootless field. Only the FAILURE (:387-394). THE PATH TO HARM: PUI compose.yml:32 (and again for jacke

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
181	critical	Fixed (→ Fixed.md)	Bug	—	With a confident rootful verdict, that genuinely ROOTLESS Docker host which differs from the documented one gets the branch the source itself admits was not the outcome the header promises is impossible (§11.4.245 independence): the shim test_ownership_rootless_detection.sh was authored from the SAME document code share the unvalidated premise, the premise is wrong. It confirms the code confirmed the doc matches Docker. A claim is corrected to match :413's reading yield unknown when the reading is unknown (§11.4.6); (2) the docker branch's premise docker info output from a real rootless honestly marked unmeasured at the (3) if validation is operator-gated (not as such per §11.4.21 rather than leave ALSO VERIFIED GOOD, recorded so if unknown branch is handled IDENTICAL :519-531, R4 :832-836 — both a name refuses), ROOTLESS_VERDICT is cache measurement, and the carrier-trap gets (test_ownership_rootless_detection.sh lookalike inside a profile path and must guard at :396-411 uses exact field equation CHANNEL (§11.4.238): found by the E BOB-212 — WHAT: .gitignore:31 is a code by a HAND-MAINTAINED per-file allowed. Any NEW source file whose name could be silently ignored: git add refuses it and the author gets no signal at all — the file commit path is concerned. HOW IT S authored a RED test named credentials. The agent noticed only because it was written. It renamed to bob204_failclose credentials and creds, and the file became loss, caught by luck rather than by accident. CONFIRMED BY THE CONDUCTOR, code ignore -v --no-index qBitTorrent-go/in

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					credentials_failclosed_test.go -> .gitignore check-ignore -v --no-index qBitTorrent zzz_probe_test.go -> no match (NOT in) proven seeing, so the hit above is real frontend/e2e/credentials.spec.ts -> .gitignore git ls-files --error-unmatch frontend/e2e SECOND, LATENT INSTANCE: frontend by the same rule and survives ONLY honours the index over .gitignore for — an ordinary refactor, a branch open disappears silently. It is one routine c contrast, credential-edit-dialog.comp covered by the DIRECTORY rule !from line 43, not by a per-file entry.) WHY NOT MERELY AN INCONVENIENCE: t tree return the identical quiet zero. g BOTH ‘no new files’ AND ‘a new file e signal that distinguishes them. The c gate’s output eventually has to travel blindness. WHY IT IS NOT SIMPLY ‘A mechanism that produced the defect against a deny-all glob has the §11.4. legitimate credential-named source f remember to make, and the failure m same shape as BOB-205’s hand-maint must be edited in lockstep with the tr it was not. TENSION TO RESOLVE HC the glob exists for a real reason — §1 reaching git, and a broad deny-all is Narrowing it carelessly would re-open is NOT ‘delete the glob’. Candidate di (§11.4.66): (a) narrow the deny to wh extensions and directories (.env, secr enc) rather than every path containin add a GATE that FAILS when an untr AND lives under a first-party source r the swallow becomes loud instead of s false-null even if the glob stays exactly ACCEPTANCE: (1) a NEW credential-n source root either commits normally the rule that blocked it and the remed

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					creates such a file and asserts the current path is not a post-fix (§11.4.115); (3) a golden-FALSE (a .env, a key) is STILL ignored — the .env leaks credentials to close a false-null in frontend/e2e/credentials.spec.ts is made an accident of already being tracked. DISCOVERED by the BOB-204 stream when its NOT by the automated QA regime, and checks that an authored file actually bled audit: no surface exists for this class of 2026-08-26 — RECOMMENDATION (b) MERELY DISFAVOURED === TASK 1a ONLY BY BEING TRACKED: 3, not 157 paths hit 157 ignore rules — but 154 i.e. explicitly re-included and safe BY H radius would have been a §11.4.201(1) stream caught this itself. Two independent filtered on non-negated patterns, and truly-excluded paths) produced IDENTICAL credentials.spec.ts — .gitignore:31 credentials one, 109-line Playwright spec) 2. tests test_jackett_autoconfig_secrets.py — NOT NAMED IN THIS ITEM WHEN by :51, currently tracked. It is a 113-line no credential value reaches an HTTP silently would remove the test that goes on its own purpose. That is the sharpest insight into credentials is one refactor away from credentials are protected. 3. submodule a hazard: mode 160000 gitlink, and the deliberately inert for git (it steers Code MECHANIC THAT DECIDES THE FIX: includes the DIRECTORY ONLY. A new credentials/credentials.guard.ts is STILL credentials contains no slash and is the allowlisted directory buys nothing for are held by ONE robust glob negation hand-maintained per-file entries (and but each is a future silent loss). TASK UNTRACKED FILES: 5 of 60,217 ignored real losses (the tracker-credentials

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					<i>BOB-124 .txt evidence — filed as the recorded UNKNOWN: provenance work; download-proxy/qbittorrent CONTROL — shape-inspected keys-username], genuinely credential-b TASK 2 — MEASURED IN A SCRATCH secret paths: baseline (full 316-line EXACTLY AS THIS ITEM WORDED I repaired to plug those 3 swallows + loud gate swallows 0 leaks 0 (a qbittorrent_creds.json — A REAL C TREE TODAY — because credential also leaks my_password.txt and se those still leaves service_credentia cannot cover EXTENSIONLESS secr into the deny-all it was meant to re it is DISPROVEN, not merely disfav the candidate list, which was wron INTO GIT: NOTHING — the set is E §11.4.10-vs-§11.4.201(1) proof oblig variant of (a) can make that argum security/test_gitignore_swallow_is swallowed BEFORE writing — the j the acceptance DISJUNCTION (com loudly), so it is FIX-DIRECTION-AG an operator decision. The load-bea BYTE-IDENTICAL with and without 330ceb52074cdbbe, world B (never the false-null proven directly, not a RED_MODE=1 -> exit 0; guard stand 0; and the §1.1 mutation DELETING caught, which is what makes the g than decorative. Exit 2 is deliberat harness can never read it as “defe ITEM FRAMED: it is not a credentia _password* and *_user* have EACH a real.** *_user* is the broadest — it w *_user.txt / .json evidence or fixture. T whole rule set, not the one glob that s TRAP HIT, SAME SESSION (2026-08-2 natural filename tests/unit/test_owner</i>

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
182	critical	Fixed (→ Fixed.md)	Bug	—	Conductor-verified: that path is SWAL stream checked before writing (having test_ownership_gid_agreement.sh, which deliverable in one session that the den — the first (BOB-204's credentials_fail the fact. It also confirms this item's ov empirically: _user* is the broadest of whose name contains no secret and n 'user' inside 'user_owned', which is t 002-user-owned-downloads). Any tes candidate for silent loss. Two hits in streams, is not a coincidence rate — i BOB-213 — WHAT: the §11.4.252 fail-shell entirely. Measured verbatim by scripts/gates/cm_dangerous_combina {DANGEROUS_COMBO_EXT:-py go rs php rb}" No sh. No bash. THE CONSE declared DANGER_ROOT (scripts/pre contains 71 tracked .sh files and 3 .py root the gate is explicitly pointed at a invariant 39's driver prints "no fail-o source root(s)". Project-wide there are control *.zzz = 0, instrument proven s OF THE THREE HOLES: BOB-205 is a BOB-191 is a matcher hole (Go enum is worse than either, because the root as covered, and 96% of what is in it v the driver's own summary is an unde SHELL IS THE HIGHEST-RISK LANGU project's orchestration, credential ha are shell. start.sh alone is 1288 LOC a orchestrator. Fail-open in shell is also `cmd \\ \\  true`, an unchecked ` \$? , as — and §11.4.67(6) already records class (a bare exec redirection sil its lifetime). CORRECTION TO A PR CRITERION (§11.4.6): I asserted, w honest-blindness path (§11.4.3 SKI already implements correctly for u preserved". THAT IS WRONG. The gat

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					for the PYTHON ARM's degradations, the ext list. An unenumerated exte an honest skip. The distinction is backwards. NOTE ON LINE NUMBERS: list at :318; the conductor measur their read times – a sibling strea this file. Re-derive before acting added to the ext list WITH an arm unenumerated extensions produce an file – never a silent pass (this i BOB-191 needs, and doing it once c summary reports files ANALYSED, no cannot masquerade as a census; (3) under scripts/ and asserting it is §11.4.201(1) – a correctly fail-CL flagged; §11.4.67's own brace-scop fixture. COMPOSES: BOB-191 (match by local shape, never consult sema registry fix closes both) and BOB- these are three symptoms of one pr stay three items because the fixes (§11.4.238): found by the BOB-205 independently by the conductor. No 183 critical Fixed (→ Fixed.md DANGER_ROOTS = (download-proxy/src frontend/src) at scripts/pre_build REPOSITORY ROOT itself is not amon entry). Everything living at the t THE LIVE HIT: webui-bridge.py – tr verified), 466 LOC, a live HTTP se (BaseHTTPRequestHandler:85, do_GET at :103, outbound urlopen at :273, :55-74). The gate REPORTS A REAL H directly. This is not a hypothetical unmodified, finds a genuine defect reaches it. ALSO UNSCANNED AT R00 including start.sh (1288 LOC – per orchestrator and the sole sanction stop.sh, ci.sh, install-plugin.sh, qbit-password.sh / fix-qbit-passwo invisible for the separate LANGUAG

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the gate's ext list – so root file AND by extension.) THE SCALE THIS out of scope – 66% of the gate-vis scanned. Other unscanned roots mea excluded-by-intent but UNDECLARED exactly what §11.4.224(E) fences a browser extension), docs/ (51), ch CONCEALS 3 REAL HITS at plugin_upd frontend/e2e + 2 configs (5). SO REAL HITS the gate itself finds wh bridge.py, 3 in tools/). Invariant count, not a census. ACCEPTANCE: scanned, or explicitly fenced with – silence is not an exclusion; (2) (each is either a real defect to f the gate – both are findings); (3) OPERATOR decision per §11.4.66 – p must be DECLARED; (4) a RED provin (5) golden-FALSE proving genuine b stay excluded. FIX DIRECTION (mea guessed): a §11.4.251 manifest is must be chosen carefully – docker- plugins/, frontend/src, cmd/boba-c markers (go.mod/package.json) MISS Only derive-from-git-tracked-sourc §11.4.224(E) exclusion fence reach must be built either way – if the list, the omission-guard that audi only question is whether it drives DISCOVERY CHANNEL (§11.4.238): fou stream while enumerating the full verifying named only one missing r regime. === CORRECTION 2026-08-26 CLAIM IN THIS ITEM IS REFUTED (§11 I wrote that the scope hole "conce itself finds when pointed at them" the UNMODIFIED gate against scrato exactly, and triaged them: **4 of instrument was control-needle-prov on a plantedexcept: pass, stayed silent on a clean log

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					evidence, not a null. All four ar (A2) "silent default return" – whi positive shape: the returned liter refusal value, consumed by a calle bridge.py:295 (_is_root_liveness_p :438. The except DENIES the lenien ZERO of the six §11.4.252 capabili self.path/self.command. - tools/. :110 handles it explicitly (warn + BOUNDED to (URLError, HTTPError); tools/...:198 (_extract_version): update decision is the HASH compar bareexcept:though, so Ctrl-C is swa handling defect, filed with the RE (_validate_plugin): False -> :151 This IS the refusal. Canonical BOB DOES NOT CHANGE. The scope hole it the repository root and tools/ are verbatim at scripts/pre_build_veri the ARGUMENT: I justified this ite defects", and that justification i is narrower and does not depend on is a LIVE, LAN-BOUND HTTP service paths, outbound calls, and environ belongs in scope on its capabiliti contains a defect. NEW FACT RAISI REACHABLE. webui-bridge.py:447 bin BRIDGE_PORT)) – conductor-verified INADDR_ANY, so port 7188 listens o Neither localhost-only nor interne forwarded). No severity is assigne closed – but this is the argument live LAN-bound service should be s defect is found in it. webui-brid (§11.4.124 never engages – do NOT tracked files reference it, includ the credential-leak-audit challeng it via bridge_health() at download newest of 12 commits is a real fun Critically, served_ports.yaml:66-6 is a SEPARATE binary the qbittorre

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					– so NOTHING ELSE BINDS 7188 and t serving that port. tools/ RECOMME OUT, DECLARED – exclusion class "n Evidence: 2 tracked files, neither by NOTHING (control-needle-proven: control – referenced only by its o a tracker note; zero hits across * tools/); its README self-declares stop flow"; last functional commit PARTY, §11.4.224(E) requires the e item – and the two REAL defects fo regardless of scope, since a hand- 184 major Fixed (→ Fixed.m cmd/boba-ctl/main.go:498-509, auth (:507) returns remote.AuthSSHKey. . auth: key is misspelled, empty, or therefore resolves SILENTLY to SSH refusing to act. WHY IT IS A §11. credential-selection decision on a mutation and external side effects combining >=2 dangerous capabiliti precondition, refuse when any is u unresolved precondition. Silently MECHANISM for an unreadable declar shape: the operator's intent was n proceeded anyway using a method th GATE CAUGHT IT: three independent own – (a) cmd/boba-ctl is in no DA scope, .go files are structurally (BOB-191); (c) this shape is a sem one of the two text patterns the n by a human-equivalent read, which class. HONEST QUALIFICATION (§11. = err, NO emptyiferr != nil {}), and NO verified with a control needle aga config/config.go. This finding is the scope hole around boba-ctl is else live, it guarantees a future (1) an unrecognised/empty auth: va the offending key and its declared (2) a RED driving a typo'd auth: a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					key resolution, flipping to refusal proving every LEGITIMATE auth: val false refusal here would break read DISCOVERY CHANNEL (§11.4.238): four stream while confirming boba-ctl q 185 major Fixed (→ Fixed.md) carrier classes fire in the gate's degraded text fallback. Measured a report the hit): (a) a COMMENT or anti-pattern is reported as a LIVE spellings; (b) a // comment or a catch(e){} is reported as an empty Shape (b), and the C-family half of GREPS with NO structural counterpart parser to be immune. WHY IT MATTER blanket claim that "A parser is immune That is OVER-BROAD and now correct Try/With shapes where it is actual non-Python extension, and the cred even on Python – has no AST arm at applied there. A §11.4.201(1) false materially worse than one in a false it refuses provably-healthy code on. THE CONTROL NEEDLE THAT SHARP reader inherits the measurement): poison the licensing table (text=0 anchored. So the blindness is to S code generally. That distinction is tractable for one class and not for FIXED IN THE ROUND THAT FOUND IT (is the right call): closing these string model across every configuration direction is the UNDER-reporting or silently swallows real violations same reasoning made the round DECL for OVER-1 while ACCEPTING the comment strip's ambiguity resolves toward control needles – real violation + escaped quote before # – all 1/1), ambiguity resolves toward DROPPING difficulty, is the discriminator.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					import the under-reporting failure else. OPERATOR DECISION (§11.4.66 per-language comment-and-string mo default this gate should pick unil over-reports and DISCLOSE them per MODE-INDEPENDENT CARRIERS section build the models per language and fixture per language; (c) narrow t only fire where a structural arm e precision. RELATION TO SIBLINGS (deliberately not merged): BOB-189 SSRF guard – a semantic-role miss CARRIER miss (comment/string read BOB-213 is a language absent from share the primitive §11.4.250 name syntactic shape, never consult sem so the items stay separate. ACCEP above is taken and recorded; (2) w the three classes has a fixture pr future change cannot silently alte golden-FALSE per language proving carrier is still caught – the unde risk. DISCOVERY CHANNEL (§11.4.23 remediation stream while closing a automated QA regime and NOT by the the same file in round 6. 186 Bug – BOB-217 – WHAT: tools/pl update_plugin() combines three §11 is gated by nothing that could sto INPUT: 14 URLs across four GitHub third-party PERSONAL repos, not th organisation. - MUTATION: writes CODE EXECUTION: qBittorrent EXECUT fetched over the network become ru The ONLY validation is compile(con tools/plugin_update_automation.py: sole compile call. That is a SYNTA file is exactly what a hostile pay verification, NO pinned commit SHA check of any kind. §11.4.252 requ dangerous capabilities to FAIL CLO

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					refuse when any is unverifiable. T verifies none of them. §11.4.246's counterpart: dependencies are eith provenance-attested, or mirrored t an unattested public source is an unattested public source becomes E ABOUT THIS FINDING: the fail-close POSITIVES in this same file (:189, POSITIVE, see BOB-214's correction genuine dangerous combination in i directions failure – false-positiv demonstrated inside a single file. evidence that the detector classif never consults semantic role (the BOB-191/BOB-216). REACHABILITY, S script is invoked by NOTHING – con hits, 0 negative control) it is re its own docstring, and a tracker n *.yaml / *.py / Makefile outside to "not invoked by the normal start/s 2026-04-12. So this is NOT live in reachable by a hand-run --update, v exists for. Severity is Critical o bounded by that reachability – not ACCEPTANCE: (1) plugin sources are hash) and verified before write; (and names which check failed (§11. syntax pass; (3) the compile() cal syntax check that is NOT a safety (4) a RED serving a syntactically- asserting it is REFUSED pre-fix-ab golden-FALSE proving a legitimate (§11.4.201(1)). DISCOVERY CHANNEL concealed-hits triage stream while hits in this area were false posit regime – and the regime that WAS p three lines. 187 major Fix BOB-218 – WHAT: tools/README.md:30 on validation failure. Conductor-v EXACTLY ONCE in tools/plugin_updat only – a reverse-direction restore

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					control-needle-proven seeing: need The plugin write opens in mode "w" USER-OBSERVABLE HARM (the reason t failure part-way through the write IMPORTABLE plugin on disk. The ope and reasonably concludes the previ README says it was restored. It wa plugin.sh copies the corrupt file engines/ and that search engine SI needed to recover DOES exist on di never uses it. This is a §11.4 do real downstream consequence: the d code does not implement, and the o made on that false assertion. SEC README claims JSON goes to stdout; (open(args.output, "w")). THIRD, file (recorded here rather than as the file and the fix window): _ext BAREexcept:, so a Ctrl-C during the is a signal-handling defect, not a line, but for the wrong reason (it the real issue is the bare except ACCEPTANCE: (1) either the rollbac on failure) or the README claim is must agree (§11.4.6); if implement rename atomically rather than trun vs-file claim corrected; (3) the b KeyboardInterrupt propagates; (4) and asserts the previous plugin is (pre-fix). REACHABILITY: same as not in any automated path, last fu Severity Major on the harm shape, DISCOVERY CHANNEL (§11.4.238): fou stream. Not by the automated QA re Fixed.md) Bug – BOB-220 – WH ownership_repair.sh:891-895 runs c setuid/setgid bits. Traced live: t the mode stays 2755. Root cause me symbolic-equivalent octal PRESERVE only a 4-digit form (00755) or an comment at :868-884 describes a st

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					directories. EFFECT: benign today itself harmful, and no defect is filed as a §11.4.6 accuracy defect behaviour the code does not perform reader will trust it, and because written against the same pattern w RELATION TO BOB-207: the same stre new file inherits gid 1000 with TH facts compound. If BOB-207 is reso recommended direction), the setgid path but the misleading comment re strip is made real (00755 or g-s) state that directories retain setg (2) if made real, a RED asserting since the current form silently no directory that SHOULD keep its mod DISCOVERY CHANNEL (§11.4.238): fou tracing an unrelated behaviour. No 189 critical Fixed (→ Fixed.md scripts/pre_build_verification.sh EXECUTED) enumerates suites by FIL fail() on any non-zero exit. It th it has NO concept of a test that i tests/pre_build/test_bob205_danger correctly, because it is a RED tes Invariant 30 counts that as a gate verdict is FAIL, and this is one o STRUCTURAL PROBLEM: §11.4.115 and FIRST and OBSERVED TO FAIL before the RED to persist as the permanen discipline mandates that failing t authoring and fixing – and the blo as a defect. Following the constit refuse the commit. That is a §11.4 asserts "no suite fails" when the suite fails UNEXPECTEDLY". WHY IT authored FOUR REDs across parallel BOB-207, BOB-212) – the first time this volume. Previously REDs were round, so the window never spanned new; the exposure is. THE FORBIDD

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					delete the RED to make the gate gr ignore failures; do NOT mark the R reason. Each converts a real signa this is §11.4.248's quarantine mec already specifies and this project expected-failing status and its tr naming convention, or a manifest), declaration, and a declared-RED fa a fail) while an UNDECLARED failur declaration must EXPIRE or be trac with a stabilisation deadline prec become permanent cover. A RED whos the gate should FAIL on the stale declared RED does not block; (2) a blocks (the §11.4.201(1) guard – a strictly worse than the defect); (item is CLOSED blocks, so declarat mutation removing the declaration- undeclared failure -> gate FAILs. found by the T042 readiness prefli than during it. Not by the automat thing that would have blocked. == DIRECTION IN THIS ITEM WAS WRONG, , === CORRECTION 1 – §11.4.248 IS N §11.4.248's quarantine mechanism, , specifies and this project has not the wrong half matters. §11.4.248(– its trigger is literally "two-co rerun-after-red", and its remedy i quarantine/ and run the blocking s green". §11.4.248(B) PROTECTED-SPE reviewer gate on MODIFYING a regre may fail. A RED is DETERMINISTIC a §11.4.115(F) and §11.4.226 require the evidence. Excluding it destroy mandates. Merging the two would al hide behind a RED declaration and legitimately supplies, and what sh invented (§11.4.227), is the SHAPE + a deadline + a must-only-shrink LANGUAGE-PARITY GAP, NOT A DESIGN

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					project ALREADY runs this mechanism pytest.mark.xfail(strict=True) is at tests/scaling/test_scaling_enve in tests/scaling/README.md:64) and test_plugin_parsers_stress_chaos.p the ratchet discipline verbatim ("every report", "then remove this xfailure, strict so an unexpected policy in one language. The BASH real gap. CORRECTION 3 – BOB-221 A full replication of invariant 30 SKIPPED=2: rc=124 300s test_comp HANG, not a RED. Blocks independent 3s test_ownership_gid_agreement.sh in-glob RED; this item assumed one test_bob205_danger_roots_scope.sh test_check_cm_lan_routes_authentic stream was writing lan_route_auth_ run (§11.4.119 – the surveying str correctly declined to adjudicate). internal FAIL-bluff signature, not Returned to its owning stream. ALS share tests/security/test_gitignor OUTSIDE invariant 30's glob and ex do not block today, and widening t another blocker. THE DESIGN, RECO SSoT expiry + strict semantics. TH before a failure is excused – (1) lib/expected_red.sh, a file the PR the suite file itself carries# EXP with the SAME id; (3) <ID> is OPEN CLOSED on unreadable store or unkn XFAIL PARITY: a declared suite tha mechanically forces the ratchet to fix. EXIT-CODE CONVENTION REJECTE flagged it as promising. The non-{ IN THIS REPO FOR THE OPPOSITE MEAN test_gitignore_swallow_is_loud.sh or SECRET LEAK – verdict void", an test_bob205_danger_roots_scope.sh blind). Both were chosen precisely

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					read as a verdict. Overloading eit a genuinely BLIND INSTRUMENT INDIS the gate would swallow exactly the to make loud. It also fails accept item id) and (3) (nothing to rot-c inside the PRODUCER, collapsing pr §11.4.249). HONEST BOUNDARY ON TH separation by LOCATION and MULTI-P CAPABILITY, which §11.4.240 prefer here to enforce capability – CLAUD PR gates, so the CODEOWNERS half o UNENFORCEABLE in this project. Wha silencing a failure requires a coh a diff, instead of one comment lin test_bob221_expected_red_declarati loop and its blocking predicate VE CONTENT MARKER (never line number) scratch PROJECT_ROOT – so the logi text, not a paraphrase (§11.4.226 properties unmet, exit 1. P3 is as merely on "it blocked" – today eve block check would pass FOR THE WRO anti-rot half were never built. Po IDENTICAL test file against a sand all five properties met. Four pair exactly ONE property, one-to-one, lines, 4 hunks + one new file scri –checkclean, NOT APPLIED. Operatio not miss: the table names test_bob test_ownership_gid_agreement.sh, b RED:marker today (verified 0 in bo additions the gate blocks them wit no matching marker", which is the intended, not a bug. SEQUENCING R variant of (i) – land the mechanis BOB-207 and this item's own suite, trriage the rc=124 hang as its own owner, THEN run T042. THE HONEST C modifies the blocking gate BEFORE the mechanism's first full-gate ex circularity is unavoidable and IS

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					whose precondition is produced by run is impossible while any RED exchanging it" cannot be satisfied. without running the gate (proven-a flip, four biting mutations, P2 unasserted and mutation-proven) but the-four-defects-first: all four a BOB-212's fix direction is an expl OPERATOR decision whose own test w direction-agnostic so as not to pr making that decision on the operat implementations and four reviews, the rc=127 blocking. RECURSION NO and failing, so it is itself a 5th – at which point its already-prese The mechanism is its own first cus Fixed.md) Bug – BOB-222 – WH pre_build_verification.sh:1196 enu covering EXACTLY three directories test_*.sh · "\${PROJECT_ROOT}"/test {PROJECT_ROOT}"/tests/hooks/test_* them. Conductor-verified verbatim. test_gitignore_swallow_is_loud.sh · a golden-FALSE guard proving real by NOTHING. It is a guard that gua indistinguishable from success. T CLASS. The driver's OWN comment at same defect class "existed for tes fixed by adding that directory to directory over (tests/hooks), fixe security. Each fix was a new glob test directory is invisible by def three symptoms, one primitive. The enumeration that must be edited in failure mode is SILENT. It is the DANGER_ROOTS and BOB-212's .gitign hand-maintained lists in this repo silently missed something. Adding be the fourth instance of layer N+ RIGHT INSTINCT at :1220: it fails ("the glob is blind"). That guard

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					not a PARTIALLY blind one – the mo because a partially blind glob sti DIRECTION (§11.4.251 role-as-data- the tree – every tests/**/test_*.s exclusion fence with a justificati directory cannot be invisible, and and reasoned. If a hand list is ke computation, so the derivation mus ACCEPTANCE: (1) tests/security sui tests/<newdir>/test_x.sh is picked the invariant that stops the recur the fourth patch; (3) a RED creati it runs; (4) the :1220 blind-glob blindness, not only total. DISCOV the T042 readiness preflight. Not notably not by the two previous fi which asked why it happened. 1 Bug – BOB-223 – WHAT, both con needles: CM-SCRIPT-DOCS-SYNC occur pre_build_verification.sh = 0 (con SYNC = 6, so the instrument sees). enforcement likewise 0 hits (contr companion-doc mandate nor §11.4.44 any invariant. THE PERVERSE CONSE with NO companion doc passes the g that §11.4.18 MANDATES creates doc invariant 16 (CM-MARKDOWN-EXPORT-S and .pdf twins – and their absence session hit it exactly: docs/scrip {html,pdf} are missing and are two So the gate's incentive gradient p complying with §11.4.18 is punishe worse than an ungated rule – it is discourages. §11.4.227 IS THE GOV exists only in prose is gate debt, CM-* names must be monotone-decrea in §11.4.18's own text and impleme exactly the 58%-unimplemented popu shrink. ACCEPTANCE: (1) either CM or it is registered as a deferral item – silent absence is what §11.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					§11.4.44's header check; (3) which inversion is closed: it must never than to write one – if invariant1 creation path must produce them, o docs/scripts until it can; (4) a p implemented. HONEST NOTE ON SCOPE §11.4.18 should be enforced immedi about gate debt priority (§11.4.66 incoherent: an unenforced mandate different gate's failure. Either e DISCOVERY CHANNEL (§11.4.238): fou while explaining why a new file br automated QA regime. 192 cri – BOB-224 – WHAT: a replication skip list, same BOBA_PREBUILD_NEST RAN=38 FAILED=4 SKIPPED=2. One of test_compute_badges_carrier_match. 300 seconds** – it does not fail, SEPARATELY AND URGENTLY: it blocks INDEPENDENTLY of BOB-221. The assu expected-RED mechanism unblocks T0 four failures are REDs, one is thi Landing the mechanism alone leaves MUST NOT BE SILENCED BY A DECLARAT liveness failure, not a verdict: a both look like "not finished yet", would convert a §11.4.201(6) false is exactly the abuse the expected- prevent, so it must be triaged as DIRECTION (§11.4.102 first, no gue signature. Determine WHERE it wedg unclosed producer write-end is the (§11.4.201(12) records that a back (...) command-substitution inherit disarm orphans its sleep grandchil the FULL budget while every verdict That signature – full budget, corr exactly and should be the FIRST hy countermeasure is documented: redi away from the cmd-subst pipe, or h NOT assume that is the cause; it i

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					given the recorded precedent. ACC identified with captured evidence, completes deterministically well i reproducing the hang, so a regress timeout-based assertion, since the closed by a declaration or by rais budget hides it. FILE DATE: the s hang predates this session. DISCO the BOB-221 design stream whilesu than its brief required – the T042 38 suites and stated that boundary the wider survey. 193 major BOB-225 – WHAT, conductor-verified globally. The §11.4.65 export pipe workable-items export produces Iss Issues_Summary.docx / Fixed_Summar produced docs/scripts/check_cm_lan round 9. Every one of them is untr exist on disk, git will never see because the absence is silent. WH DUPLICATE OF IT: BOB-212 is a deny per-file ALLOWLIST, where new file list. This is a deny-all glob with type the project MANDATES producin false-null is identical – git stat appears to succeed and the artifac separately per §11.4.214 (distinct BOB-219 as siblings. THE TENSION mandates a FOUR-format export (HTM class, and §11.4.65 governs the tw requires producing an artifact the refuse. One of the two is wrong an decision (§11.4.66): (a) the .docx must carve out generated doc twins untracked as a heavy binary deriva its .md, in which case the EXPORTE produce it into an explicitly untr four-format requirement should be adopted rather than silently unmet present state: generate it, ignore the glob appear satisfied. MEASUR

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					write of this item said 'tracked . recorded here per §11.4.6 rather t files ARE tracked and **1140** exi untracked-and-ignored. (A second c than amended: my first correction docs/ subtree. Two numeric errors is that each was measured with a n it supported, which is the §11.4.2 instrument failure applied to my o SURVIVORS ARE THE INTERESTING PART Status.docx and docs/features/Stat pair §11.4.153 explicitly mandates only two DOCX artifacts git can se named, and they survive not by rul the index. That makes this a PARTI the two survivors are the interest position as frontend/e2e/credentia only because they are already in t index over .gitignore for tracked file move, and they vanish silentl worse than a clean 'we never track where two artifacts appear to prov prove it is not. ACCEPTANCE: (1) taken and recorded; (2) whichever r rule AGREE – if .docx is not track generate one into a tracked doc di check that a generated twin is act recur silently; (4) §11.4.153 comp as an honest gap, never left impli (§11.4.238): found by the BOB-102 regenerated its own guide twins an added. Not by the automated QA reg it, which is the point. 194 Task – BOB-226 – WHAT: ownersh and repairs items whose uid is not seeds a foreign uid only onto FILE DIRECTORIES stay operator-owned (c declared ROOT, on the failure path exactly the untested shape. MANIFE test_ownership_repair.sh seed_tree ownership_repair.sh walk at :994.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					directories carry uid 1000000 via p observe no automated assertion cov unprivileged harness cannot create longer owns, which cases 8/9/18 re cross-references tests/ownership/ test_container_writes_owned_files. side (FR-002), not the repair-side layer test (where the unprivileged that seeds foreign-owned interior asserts post-state ownership plus BOB-207 independent review 2026-08 Fixed.md) Bug – BOB-227 – WH the CM-LAN-ROUTES-AUTHENTICATED pr MEASURED 2026-08-27 with git ls-fi needed against a known-tracked fi lan_route_auth_analyzer.py UNTRACK check_cm_lan_routes_authenticated. test_check_cm_lan_routes_authentic scripts/check_cm_lan_routes_authen losing this checkout loses an enti assertions; (2) no round-over-roun 8 through 14 was ever checkable, b exists - the same §11.4.226 eviden chain hit independently; (3) a fre whose implementation is absent. AC tracked and committed, and a gate pre-build invariant invokes is its BOB-102 round-13 remediation and i 196 minor Completed (→ Fix WHAT: §11.4.212 makes the main REA ALL project documentation, with no no link path. docs/scripts/check_c not reachable from README.md. MEAS guide name in README.md returns 0, README does link (CONTINUATION ret blind. ACCEPTANCE: README links th and the doc-link generator covers guide cannot land orphaned. Surfac remediation and independently veri Critical Fixed (→ Fixed.md) Bu scripts/pre_build/check_gitignore_

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					invariant 56), the very first real scripts/pre_build/check_cm_qbittorrents/pre_build/test_check_cm_qbittorrent existed on disk (executable, dated FUNCTIONAL USE by pre_build_verify QBITTORRENT-WEBUI-CREDENTIALS, passwords were NEVER tracked by git: git ls-files --short returned nothing (the exact .gitignore confirmed .gitignore:31:*cr Both files existed ONLY on this local other environment, or any disk loss entire gate implementation plus its meta-test with zero signal. FIX: add both exact paths to .gitignore (maintained allowlist pattern at line now shows them as untracked-and-verify pre_build/check_gitignore_swallow. files are still functional (bash - 8-case paired-mutation self-check record the incident per this project directive discipline (every discovery item) even though it is being closed found. 198 Minor Completed – BOB-203 added qBitTorrent-go/internet wired via a scoped Gin route group Python-side Depends(require_api_to_lan_route_auth_policy.yaml's exempt hooks/schedules/theme routes were fix, since the implementing subagent pre_build/check_cm_lan_routes_auth resolution semantics for a .Use()- did not want to guess at a checked service is not currently running in opt-in) and is already loopback-bound decision, so this is NOT an active accuracy follow-up. ACCEPTANCE: (1 check_cm_lan_routes_authenticated. if it reports a new finding for the positive (the analyzer not recognizing pattern) or a stale-looking known-actually protected, update config/

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					qbittorrent-proxy-go.auth_markers reality; (3) if the gate already p needed, close this item noting tha 199 – Completed (→ Fixed.m AGENTS.md:55 states the Go backend 7186, 7187, AND 7188, and 'replace claim CLAUDE.md's Architecture sec (2026-08-20, BOB-141): the contain ["/app/qbittorrent-proxy"])), bindi from MERGE_SERVICE_PORT (default 7 but nothing binds it, and 7186 is independently verifying BOB-141's coordinator confirmed CLAUDE.md is AGENTS.md was out of that dispatch flagged rather than silently left completeness). Acceptance: AGENTS. table for the Go backend is correc accurate BOB-141 text (same citati internal/config/config.go:58), reu citation style rather than inventi (→ Fixed.md) Bug – BOB-233 – --reload-jackett rebuilt image 38e boba-jackett recreated, but podman image 2a3173ce1941 started 17:09 (boba-jackett' did not recreate an Only ./start.sh --recreate moved t Violates the §11.4.200 verify-after is not proof the intended target h after the recreate, read back the compare with the freshly built ima force-recreate the scoped service) proxy-go. Needs RED-first test aga recreate. Reproduction: build a ch compare 'podman inspect boba-jacke 'podman images' id. 201 – BOB-234 – Found 2026-09-23 while r fail-open skips were fixed, the li test_merge_api.py gave 10 x HTTP 4 x2). The running merge service has mandatory auth guard), so POST /ap API token required'; the tests bui

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Authorization header. Each failing changed, so HEAD fails identically masked or never run against an arm fixtures must read BOBA_API_TOKEN §11.4.10) and send it; when no tok demands one, FAIL loudly rather th http.server fixture answering 401 v Fixed (→ Fixed.md) Bug – BOB during ./start.sh --reload-python: stop container qbittorrent-proxy i SIGKILL'. The container's PID 1 do grace period, so in-flight request pending writes are cut off instead costs the full 10 s. Root cause UN a shell wrapper (start-proxy.sh) t the uvicorn/proxy children, uvicorn SSE streams stay open, or a blocke debugging: measure which process i send SIGTERM to a scratch instance RED-first test (a container/stub t SIGTERM). Related context: BOB-137 proxy.sh, docker-compose.yml stop_ Fixed (→ Fixed.md) Bug – BOB verifying this session's BOB-077 s discoveredtests/hooks/test_check_bri proving BOB-107 was ALREADY fully 3524d9c799bdd68496ec202575e4c(20 session dispatched a subagent that (caught and removed before commit closure evidence). The SAME commit confirmed it also closed BOB-114 (ddos_resilience.md:571 carries an this session found and verified fo confirmed stale-tracker cases from question: does 7b45113 close MORE this session happened to stumble o –format="%B" 7b45113 grep -oE “B distinct item references: BOB-079, BOB-110, BOB-120, BOB-136, BOB-154 BOB-161, BOB-162, BOB-163. Cross-c 3 docs/workable_items.db “SELECT a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					atm_id IN (...)): 9 of the 14 are AL (BOB-079/092/120/136/154/158/160/1 consistent with genuine closures a Queued: BOB-088, BOB-106, BOB-110, BOUNDARY (§11.4.6): a bare mention remediation-round commit message d commit closed it – the commit coul as CONTEXT, PARTIALLY addressed it later closes it. The 9-of-14-alrea not proof for the remaining 5. Thi BOB-088/106/110/159/162 are stale against this specific commit and f derives the same discovery-by-acci ACCEPTANCE: for each of BOB-088, B read7b45113's full diff for the f item's own acceptance criteria (no mention of the ID), and CONFIRM wh actually applies – (a) the commit a corrected evidence citation to 7 BOB-114's corrected closure patter partially addresses it – update it progress split, same pattern as th the commit's mention is unrelated/ note the mention was investigated it. DISCOVERY CHANNEL (§11.4.238) independent-verification disciplin regression suite surfaced the stal automated gate – itself worth noti mechanical check currently catches message references an item-id that 204 low Fixed (→ Fixed.md) §11.4.33's closed vocabulary mappi >Implemented, Task->Completed. A c workable-items DB (2026-09-25) fou Type/Status pairing violates this (from earlier sessions, spanning a BOB-005/015/016/042..059), found A self-corrected 4 of its OWN fresh (BOB-077/100/179/226, all Type=Tas status=Fixed instead of Completed discipline and fixed in-session, b

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					among the 30 counted here). REPRO re-verified twice, §11.4.6 – the f the count as 25; the second, caref accurate figure): ``` \$ sqlite3 do atm_id, type, status FROM items WH ((type='Task' AND status NOT LIKE 'Obsolete%') OR (type='Bug' AND st NOT LIKE 'Obsolete%') OR (type='Fe 'Implemented%' AND status NOT LIKE Full list (all Type=Task): BOB-005 BOB-043, BOB-044, BOB-045, BOB-046 BOB-050, BOB-051, BOB-052, BOB-053 BOB-057, BOB-058, BOB-059, BOB-141 BOB-182, BOB-192, BOB-199, BOB-228 (BOB-042..058, a consecutive run, "Implemented" (the Feature-only wo (BOB-005/015/016/059/141/150/161/1 that is 13, not 11; see honest not (the Bug-only word). Every one of read "Completed". HONEST NOTE ON Implemented / (30-19)=11-Fixed spl against the full 30-item list (13 visible in the raw query output, n re-verify the sub-split further; t machine-counted TOTAL of 30, indep command above. Whoever picks up th re-run the reproduction command fr stated in prose here) before actin caught this description's own firs FIXED IN THIS SESSION: changing 30 is a consequential, tracker-wide a of these items reads in Fixed.md/F HTML/PDF/DOCX twins, touches items investigation on, and deserves its regenerated docs and a focused com an unrelated backlog-triage sessio other work. §11.4.33 itself does n violation must be corrected, only mapping. CANDIDATE ROOT CAUSE (st §11.4.6): the CLI'sclosesubcommand implemented completed

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					obsolete>as a literal flag value to be used per the item's own Type; nothing is chosen status word against the item. This session's own 4 fresh violations of the closing agent (this conductor) habit without checking Type first, before an unrelated audit query can independent historical instances of the likely mechanism is the same human mechanical gate enforces the Type< corroborated by the factworkable-items this session despite 30 (34 counting instances) live violations existing each of the 30 pre-existing items. able-items update –status “Completed” docs regenerated, one focused comment root cause, extendworkable-items command to VALIDATE the status word to refuse a mismatch (closing the write instances of this exact mistake last of this filing) – a genuine candidate (3) extendworkable-items validate's this class for defense-in-depth (in this session's own repeated cleanV OKruns against a database that simulates violations). DISCOVERY CHANNEL (\$ conductor's own routine self-audit of the same mistake on BOB-077 – new e-items validate ran clean throughout instances, confirming this class is check). 205 medium Completed BOB-240 – WHAT: split from BOB-239 correcting 30 pre-existing §11.4.3. This item is the remaining MECHANICAL constitution/scripts/workable-item VALIDATE the chosen status word against >Fixed, Feature->Implemented, Task and REFUSE a mismatched call rather extend the validatesubcommand's existing class for defense-in-depth – confirmed OKran repeatedly against a DB simulation

#	Level	Status	Type	Fixed- In Tag(s)	One-line description
					violations of this exact class, so not check it. EVIDENCE THIS IS A HYPOTHETICAL: this session's own c 4 times in a row (BOB-077/100/179/ tus fixed) before an unrelated self ALREADY held 30 historical instance earlier sessions. A CLI-level guard those 34 calls at the moment they v human/agent to remember to audit f constitution/scripts/workable-item constitution-submodule-owned tool, here needs the §11.4.26 fetch/merge same as BOB-191's gate fix this se all.sh. ACCEPTANCE: (1)workable-i <word>'s implied Type-mapping does actual Type, printing the correct v -status; (3)validategains a new inv location item for a Type/Status mi mapping, FAILing (not silently pas (3) ships a paired §1.1 mutation p (a neutered version of the check m pair through); (5) the Obsolete st for ANY Type (it is not part of th new check does not false-positive items. DISCOVERY CHANNEL (§11.4.2 repeated, self-caught instances of generalised into BOB-239 (the bulk item (the mechanical prevention) p criterion 2/3. 206 – Compl BOB-241 – BOB-234 added a mandator parameter to TestDownloadEndpoint.test_download in tests/integration/test_merge_ap delete). A separate unit test file test_bob192_fail_open_skip_remedia via a direct plain-function call (injection) and was never updated f a TypeError discovered via a full 12345) plus isolated reproduction. (fail-open-skip remediation) despi -- distinct root cause, distinct f

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					a placeholder token string at the performs zero token validation) - test_wiring_fix_20260925.md for fu Critical Fixed (→ Fixed.md) Bu 2026-09-25 by the pre-build sweep' gate (§11.4.201(6), BOB-212 patter shortcomings-audit feature's setup party files under .specify/extensi agent-claude.sh (19458 bytes), e2e extension-metadata.py (5888 bytes) (7053 bytes), all dated Aug 31 202 (confirmed via 'git ls-files --err file(s) known to git) and are BLOC broad directory-level ignore rule extensions/superspec/). Root cause needed: .gitignore:218's own comme ignored because it is 'the vendore that 'carries its OWN .git (gitdir root superspec submodule' – but th genuine first-party CI/e2e/validat content, and predate today's sessi (investigate-before-remove) and §1 operator decision), this needs git ever a commit touching these paths project or are they truly part of should stay ignored?) before eithe into .gitignore for exactly these are genuinely disposable vendored explicitly. Acceptance: CM-GITIGNO findings) OR the 4 files are expli as vendored-and-correctly-ignored in the .gitignore comment itself. Fixed.md) Bug – BOB-245 – sc (tracked source; installed to .git install_git_hooks.sh) did a naive, string MUTATED (and two sibling ma with zero ability to distinguish a artifact in shipped production cod QA-evidence files or legitimate co correctly and intentionally descri paired §1.1 mutation-testing metho

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					GREEN on the UNMUTATED sandbox copy). Confirmed real false-positive otherwise-clean commit this session closure_evidence_20260925.md line describing an UNMUTATED sandbox re closure_evidence_20260925.md line documented shell variable name MUT describing a reproduction script; test_ownership_precondition.sh line the UNMUTATED sandbox copy / RED o FRESH escape target. FIX: adopted technique already proven in the si check_cm_no_production_mutation_re the staged-file list to only first (download-proxy, qBitTorrent-go, s of a scannable type (.sh/.bash/.py tests/, docs/, qa-results/, scratc challenges/, mutants/, and vendore new _pc_is_excluded_path / _pc_is_ _pc_is_production_path helper func concatenated marker tokens, and th avoiding literal marker spelling) was added (judged unnecessary for source why, with a pointer to the mechanism as the extension point i hermetic test tests/hooks/test_pre the real invocation path against a (never the real project repo) - Te fix (legitimate marker-containing exits 0), Test 2 is a negative con shaped marker staged under scripts 1 and names the offending file, Te exits 0. All 7 assertions PASS. A out the _pc_is_production_path sco unscoped behaviour) was manually a 1 and 1b to FAIL (5 passed, 2 fail reverted and GREEN (7/7) was re-co genuinely catches a regression to VERIFICATION: reinstalled the fixe install_git_hooks.sh, staged the o installed .git/hooks/pre-commit di

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					false-positive output, then git re belong to separate, already-in-fl this fix). 209 Important F BOB-249 – **Reported-Via:** §11.4. 2026-09-26T12:19:46Z Reported-By: A Found while running the deferred lo (zero-shortcomings audit). Pre-existin merge-base, so it is not caused by tha independently of the separate gate-le BOBA_SYNC_SKIP_CI=1 cannot be ret scope / file-scope manifest: scripts/p 30 (CM-BASH-UNIT-TESTS-EXECUTED <i>Fixed.</i> , docs/*_Summary., <i>README.</i> a ocx export twins Reproduction / con bash scripts/pre_build_verification.sh FAILs: 'N tracked file(s) mtime-moved rewritten files show as modified in g generated .docx/.html/.pdf twins; the Measured 2026-09-26: at merge-base 25980c1) 15 files moved (README, FI Issues_Summary twins); at main 887 of several docs/qa closure evidence f Restoring the files with git checkout r six export-related tests from tests/un test_export_pdf_charset_integrity, tes test_generate_markdown_exports_pa test_pre_build_workable_items_invar test_update_readme_doc_links_no_du so the writer is UNCONFIRMED. Early similar side effect attributed to work resemblance not a diagnosis. Accept writer is identified with captured evi sweep stages that run before invaria the mtime instrument sees a known touching tracked twins during the sw changed (idempotent, byte-stable out behaviour and passes after; a full pre git status clean and invariant 30 PASS