

# Incident 2026-08-18 “ 3rd forced-logout of milosvasic user session

**Revision:** 1 **Last modified:** 2026-08-18T23:59:00+02:00

**Note on tracking ID:** This incident is tracked as workable-item **BOB-120** in the SSoT DB. It is the 3rd occurrence of this incident class on this host, following the “12.12-anchor-producing incident of 2026-07-07 and BOB-116 (2026-08-18, ~20:50:59).

**Reporter:** session-continuation task dispatch (2026-08-18, following the operator’s earlier CRITICAL reports of the same class this same day)  
**Session-under-investigation:** 4db6eadb-03e7-466b-9cb4-34b2b2bd30f3 (boba SDD orchestration) **Investigator:** boba autonomous loop, systematic-debugging Phase 1 **Class:** perceived host power event (CONST-033 Operational Note class) “ 3rd occurrence **Terminal state:** partial root cause with “11.4.6 UNCONFIRMED boundary (same class as BOB-116); **NEW architectural finding:** the preventive resource-pressure monitor landed for BOB-116 (task #77) runs *inside* the very user@1000.service scope it exists to protect, so it dies together with everything else at the moment of the kill and cannot have fired in the minutes immediately preceding it.

## Timeline (2026-08-18, Europe/Belgrade, CEST +02:00)

| Time                | Event                                                                                                                                                 | Evidence                                                  |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| 11:08               | Host boot (host has <b>not</b> rebooted since “ uptime shows 12:46h continuous at time of writing)                                                    | uptime, who -b                                            |
| 20:50:59            | <b>1st kill of the day “ user@1000.service SIGKILLed (BOB-116, documented separately in docs/incidents/2026-08-18-perceived-forced-logout-2nd.md)</b> | prior incident doc                                        |
| 20:51:16            | New session (session 18) begins post-BOB-116                                                                                                          | journalctl                                                |
| 22:42:40 “ 22:42:42 | boba-resource-pressure-                                                                                                                               | journalctl --user -u boba-resource-pressure-check.service |

| Time                     | Event                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Evidence                                                    |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| 22:57:48 â€²<br>22:57:58 | <p>check.service fires + completes (PASS, no signature tripped)</p> <p>boba-resource-pressure-check.service fires <b>3 more times</b> in rapid succession (22:57:48, 22:57:51, 22:57:55 â€²” all under the same systemd[1665349] user-manager instance, i.e.Â no session restart occurred between these fires) â€²” all complete</p> <p>qbittorrent-proxy containerâ€™s health-probe socketserver logs a</p>                                                                                                                                                                                                                                                                                  | same                                                        |
| 23:38â€²23:45            | <p>ConnectionResetError: [Errno 104]</p> <p>Connection reset by peer roughly every 30s, continuously, right up to the kill (last entry <b>23:45:44.737</b>, five seconds before the kill)</p> <p><b>2nd kill of the day / 3rd overall on this project â€²” user@1000.service Main process exited, code=killed, status=9/ KILL. Cascade SIGKILL of every user process</b> (gnome-shell, Xwayland, mutter-x11-fram, gvfsd/gvfsd-recent, ssh, dbus-daemon, gnome-keyring-d, ibus-daemon/x11, at-spi-bus-launcher/at-spi2-registryd, gsd-media-keys/datetime/keyboard/ally-settings/sharing/screensaver/printer, chrome_crashpad, Telegram, jackson, qbittorrent-nox, boba-jackson python PID</p> | docs/qa/B0B-120/<br>qbittorrent_proxy_socketserver_traces.l |
| <b>23:45:49</b>          | <p>recent, ssh, dbus-daemon, gnome-keyring-d, ibus-daemon/x11, at-spi-bus-launcher/at-spi2-registryd, gsd-media-keys/datetime/keyboard/ally-settings/sharing/screensaver/printer, chrome_crashpad, Telegram, jackson, qbittorrent-nox, boba-jackson python PID</p>                                                                                                                                                                                                                                                                                                                                                                                                                            | docs/qa/B0B-120/<br>journalctl_23-42_to_23-46.log           |

| Time             | Event                                                                                                                                                                                                                                                                                          | Evidence                                                                               |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|                  | 3111634, common PID<br>2319406, plus every<br>MCP-server / node /<br>npm / claude process in-<br>session) " 73 Killing<br>process lines total in<br>the captured journal<br>window                                                                                                             |                                                                                        |
| 23:45:49         | gdm-password session<br>closed for milosvasic;<br>systemd-logind<br>removed session 19                                                                                                                                                                                                         | same                                                                                   |
| 23:45:50         | GDM greeter session<br>(23/24) spawned                                                                                                                                                                                                                                                         | same                                                                                   |
| 23:45:52         | <b>All four boba-stack<br/>containers<br/>(qbittorrent, jackett,<br/>boba-jackett,<br/>qbittorrent-proxy)<br/>show a fresh<br/>CreatedAt of 23:45:52</b><br>" i.e. " they were re-<br>created <b>3 seconds</b><br><b>after</b> the kill, before the<br>operator's session<br>had even returned | podman ps -a --format "{{.Names}}<br>\t{{.CreatedAt}}\t{{.Status}}" (captured<br>live) |
| 23:49:00         | New GDM password<br>session opened for<br>milosvasic (session<br>25); new systemd --<br>user manager instance<br>(PID 3115149) starts<br>boba-resource-<br>pressure-check.timer<br>starts (re-enabled by the<br>fresh user-manager<br>boot) but shows                                          | same                                                                                   |
| 23:49:00         | Trigger: n/a and<br>systemctl --user<br>list-timers reports<br>NEXT: - (no next-fire<br>time computed) at time<br>of writing, ~7 minutes<br>into the new session                                                                                                                               | docs/qa/B0B-120/timer_fire_history.log                                                 |
| ~23:52<br>onward | Investigation + this<br>incident document<br>authored                                                                                                                                                                                                                                          | this session                                                                           |

**3 subagents were mid-flight at kill time:** the BOB-117 partial-fix recovery (its ssh push process, PID 1839991, appears in the 73-line kill list above), a BOB-083-related retry stream, and this incident-write-up dispatch. The BOB-117 partial fix was successfully recovered post-restart and committed as 111e584 fix(rutracker,BOB-117): recover partial fix “ Â§11.4.6 upstream\_captcha reclassification (from stopped subagent ab2a34107) ” this was already the current HEAD commit at the start of this investigation, confirming the recovery held.

## CONST-033 triage (mandatory per CLAUDE.md)

| Check                   | Result                                                                                                                                                            | Evidence                                                                                                                   |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Uptime discontinuity    | <b>No</b> “ kernel uptime 12:46h continuous since 11:08 boot                                                                                                      | uptime, who -b                                                                                                             |
| systemd-suspend markers | <b>None</b> in journal for 2026-08-18                                                                                                                             | journalctl -k --since "2026-08-18 00:00:00" \\<br>  grep -iE "will suspend\\ systemd-suspend" “ zero matches               |
| Kernel OOM-killer       | <b>None</b> in journal for 2026-08-18                                                                                                                             | journalctl -k --since "2026-08-18 00:00:00" \\<br>  grep -iE "oom-kill\\ killed process" “ zero matches                    |
| systemd-oomd trigger    | <b>No entries</b> for the incident window                                                                                                                         | journalctl -u systemd-oomd --since "2026-08-18 23:30:00" --until "2026-08-18 23:50:00" “ empty                             |
| Lid open/close events   | <b>None</b> in the incident window (distinguishes this from BOB-116, where a lid re-open at 20:51:06 coincided with the operator’s return)                        | journalctl --since "2026-08-18 23:00:00" --until "2026-08-18 23:50:00" \\<br>  grep -iE "lid (open\\ clos)" “ zero matches |
| HandleLidSwitch         | ignore (CONST-033 compliant, unchanged)                                                                                                                           | /etc/systemd/logind.conf                                                                                                   |
| CONST-033 challenges    | Not re-run this incident (already verified clean/hardened during BOB-116; no regression suspected “ see docs/incidents/2026-08-18-perceived-forced-logout-2nd.md) | prior incident doc                                                                                                         |

**Verdict:** identical to BOB-116 â€” NO forbidden CONST-033 host-power path was invoked. The forced logout was NOT a suspend/hibernate/poweroff event. Host uptime is uninterrupted; this was a `user@1000.service` (user-session-scope) kill, not a host power-state transition.

## What killed `user@1000.service`?

Â§11.4.6 HONEST BOUNDARY (carried forward from BOB-116, unchanged): the mechanism that delivered SIGKILL to `user@1000.service` at 23:45:49 is UNCONFIRMED. As with BOB-116, the `systemd` PID 1 journal shows the *receipt* of SIGKILL by the main process and the subsequent cascade kill of every child process in the scope, but no kill-audit event attributing the *sender*. The same candidates from BOB-116 remain ruled out by direct evidence this incident:

- **Kernel OOM-killer:** journal clean, zero oom-kill markers.
- **systemd-oomd:** zero log entries in the incident window (would have logged a â€œKilled unitâ€” message if triggered).
- **Lid-close suspend:** no lid events at all in this incident (unlike BOB-116) â€” `HandleLidSwitch=ignore` remains compliant regardless.
- **Manual `systemctl stop user@1000`:** no such event in the journal.

The candidates BOB-116 left open (`systemd-oomd` stealth kill, GDM/GNOME watchdog, third-party monitor escalation, cross-session kill from a sibling project) remain open and are **not** independently re-investigated in this incident â€” that deep forensic work is explicitly out of scope for this document (BOB-116â€™s own followup, PENDING FORENSICS Task #79 for SIGKILL-source attribution, still owns that work; this is the *3rd data point* feeding it, not a duplicate investigation).

## Contributing factors CONFIRMED

1. **qbittorrent-proxy health-probe `ConnectionResetError` cascade** â€” the socket-server handling the proxyâ€™s health endpoint logged a `ConnectionResetError: [Errno 104] Connection reset by peer` roughly every 30 seconds continuously through the ~7-minute window captured (23:38â€”23:45), with the *last* log line at 23:45:44.737 â€” **5 seconds before the kill**. This is corroborating evidence of the same class Â§12.12/BOB-116 documented (a probe-vs-process contention signature), but is explicitly **not** established as causal â€” it is a health-probe *client* disconnecting mid-request against a server that was itself about to lose its process tree, which is consistent with either direction of causality (the probe client dying because resources were already tight, or the probe traffic itself being unrelated background noise that happened to be running when the kill landed). Filed as an observed correlation, not a cause.
2. **All four boba-stack containers were re-created (not merely restarted) 3 seconds after the kill**, before any human session existed to have issued a `podman/start.sh` command. This means the containersâ€™ own supervision (whatever launches/restarts them â€” outside the scope of this incident to trace exactly which unit did it)

survived independently of user@1000.service's death and self-healed within seconds. This is a **positive** finding (the boba stack self-recovers fast) but is also new information: it confirms the containers do **not** live inside the killed scope in a way that requires a human relogin to restart them " whatever killed user@1000.service did not also permanently take down the product's own containers.

3. **This is the SAME incident class recurring a 3rd time on this host** (2026-07-07 ' Â§12.12 anchor; 2026-08-18 20:50:59 ' BOB-116; 2026-08-18 23:45:49 ' this incident, BOB-120), roughly 2h55m after the previous occurrence, on the same host, same session lineage. The recurrence rate (2 occurrences in under 3 hours) is itself evidence that whatever contributing pressure exists was not resolved by BOB-116's remediation.

## Architectural finding: the preventive monitor lives inside the scope it protects

BOB-116's remediation (task #77) landed boba-resource-pressure-check.timer " an hourly systemd --user timer running resource\_pressure\_signature\_challenge.sh to proactively detect the resource-pressure signatures (runaway RSS, thread-ceiling exhaustion, EAGAIN cascades, PSI pressure, pathological regex processes) BOB-116 found preceding the kill. This incident surfaces a real, previously-undocumented limitation of that design:

- The timer unit lives at ~/.config/systemd/user/boba-resource-pressure-check.timer, loaded and run by the **user's own systemd --user manager instance** " which is itself a child of user@1000.service. **When user@1000.service dies, the timer, its triggered service, and any in-flight or about-to-fire probe die with it**, in the same SIGKILL cascade that kills everything else in the scope (the process list above shows systemd[1665349], the user-manager PID that was hosting the timer, as itself belonging to the killed session).
- Captured fire history (docs/qa/BOB-120/timer\_fire\_history.log) shows the **last completed run before the kill finished at 22:57:58** " 47 minutes and 51 seconds before the 23:45:49 kill. Under the timer's own schedule (OnUnitActiveSec=1hour, RandomizedDelaySec=5min, measured from the *end* of the previous run), the next fire was due somewhere in the window **23:52:58"24:02:58** " i.e., the probe had **not yet reached its next scheduled activation** at the moment of the kill. This incident does **not** confirm the originally-hypothesized "the timer was overdue and silently missed its 23:42:38 fire" framing " the real captured fire history shows the timer was simply not yet due, not that it missed a scheduled fire. That earlier hypothesis is corrected here per Â§11.4.6: it does not survive contact with the real journalctl --user data.
- The **real, confirmed** architectural gap is narrower but still genuine: because the monitor's own liveness is coupled to the exact scope it is meant to protect, (a) it provides no coverage for the final stretch of

any hour between its own fires â€” up to ~1h05m of blind window per cycle (1h base + up to 5m jitter) â€” and (b) a kill that happens to land inside that blind window, however it arises, takes the monitor down with it rather than being caught mid-flight, so there is **no possibility of an in-scope self-monitor â€œseeing itself die.**â€” An out-of-scope watchdog (a systemd unit or process living *outside* user@1000.service â€” e.g. a root-owned system-level timer, or a unit under --user with Delegate=/RemainAfterExit=class isolation from the session scope) is required to close this class of gap entirely; the current design cannot, by construction, do so.

- **Post-incident observation** (captured live, docs/qa/BOB-120/timer\_fire\_history.log): after the new session started at 23:49:00, boba-resource-pressure-check.timer shows enabled + active (started 23:49:00) but systemctl --user list-timers reports NEXT: - (no next-fire time computed) and systemctl --user status reports Trigger: n/a, both captured ~7 minutes into the new session. Whether this resolves on its own once OnBootSec=5min elapses, or is itself a latent gap in the unitâ€™s post-restart re-arming, is **not confirmed** in this incident and is tracked as a followup rather than asserted as a finding â€” the honest state is â€œobserved uncertain, not yet resolved to a fire or a genuine stuck-timer confirmation.â€”

This finding is filed as **BOB-120** (Critical, Queued â€” not closed in this commit, since closing it requires the actual architectural fix: an out-of-user-scope watchdog, tracked separately as the referenced follow-up task).

## Actions taken (this incident)

1. **BOB-117 partial fix recovery** â€” already landed as commit 111e584 prior to this investigation starting (recovered from the stopped subagent ab2a34107); confirmed present at HEAD, not re-done here.
2. **This incident document** â€” docs/incidents/2026-08-18-3rd-forced-logout.md.
3. **Evidence capture** under docs/qa/BOB-120/:
  - journalctl\_23-42\_to\_23-46.log â€” full system journal for the incident window.
  - timer\_fire\_history.log â€” the preventive timerâ€™s unit files, full 2026-08-18 fire history, and post-incident list-timers/status snapshots.
  - qbittorrent\_proxy\_socketserver\_traces.log â€” the health-probe ConnectionResetError cascade captured from podman logs qbittorrent-proxy.
4. **Memory playbook updated** â€” forced\_logout\_incidents.md gains this 3rd occurrence row and the â€œpreventive-timer-inside-user-sliceâ€” architectural gap as a documented, named limitation (not a silent absorption).
5. **docs/QA\_DISCOVERY\_LEDGER.md** â€” new entry FORCED-LOGOUT-2026-08-18-3RD per Â§11.4.238, citing BOB-120 and the coverage-escape audit for why the automated regime (i.e., the very monitor built in response to BOB-116) still could not have caught this one.

6. **BOB-120 filed** in docs/workable\_items.db " Type=Bug, Severity=Critical, Status=Queued (left open; closing requires the actual out-of-scope-watchdog architectural fix, not just this documentation).

## Honest boundary (§11.4.6)

- The SIGKILL source remains UNCONFIRMED for all three incidents to date. This document does not claim to have identified it.
- The "preventive timer inside user.slice" finding is a genuine, previously-undocumented architectural limitation of the BOB-116 remediation " it is not a bluff-cover for an unexplained kill; it is a real gap that would exist and matter even if the SIGKILL source were fully attributed tomorrow, because the monitor cannot outlive the scope it watches.
- The originally-circulated "next fire was due at 23:42:38 and was silently missed" hypothesis does **not** hold up against the real captured fire history (last completed run 22:57:58, next due no earlier than 23:52:58) and is explicitly corrected here rather than repeated as fact.
- Whether the qbittorrent-proxy ConnectionResetError cascade is causally related to the kill, or an independent symptom of the same underlying pressure, or unrelated noise, is **not** established " it is reported as a time-correlated observation only.

---

## RETROSPECTIVE §11.4.6 CORRECTION " RESOLVED via BOB-126 (added 2026-08-19T17:32:00Z)

This doc's original hypothesis (PAM/Linger contradiction and/or various downstream mechanisms) was **WRONG**. The 7th forced-logout incident (BOB-126, 2026-08-19 16:43:43) captured the REAL root cause via kernel audit trail:

```
audit[399861]: SYSCALL syscall=62 a0=ffffffff a1=9
pid=399861 auid=1000 comm="pytest" exe="/usr/bin/python3.14"
key="sigkill_investigation"
```

A pytest process called kill(-1, SIGKILL). Root cause: tests/unit/merge\_service/test\_deadline\_tunable.py::test\_deadline\_hit\_flag\_true\_when\_readline\_times\_created AsyncMock() without setting mock.pid as int. Production \_search\_public\_tracker called os.killpg(os.getpgid(proc.pid), SIGKILL). MagicMock.\_\_int\_\_ defaults to 1, so os.getpgid(1) == 1 " os.killpg(1, SIGKILL) " glibc " kill(-1, SIGKILL) = SIGKILL every UID-1000 process. Bug existed since 2026-04-24 (~4 months).

**PAM session\_close was a DOWNSTREAM effect**, not the initiator. The Linger=yes protection was irrelevant " the SIGKILL came from userspace



(a UID-1000 process signaling its own UID-group), not from systemd's session lifecycle.

**Fix chain:**

- ad4b46a "boba: search.py int-guard + test hardening + §11.4.115 RED regression guard
- 502586c "constitution: NEW universal §11.4.263 anchor covering Python/Go/Rust/Bash/C
- bf01cf3 "boba: constitution pointer bump
- e984f4b "boba: workable\_items.db chain-close + regenerated docs

**Verification:** 863/863 unit tests PASS + 14/14 Go race packages clean + 50+ min elapsed vs prior ~37-38 min cadence with no 8th incident.

**§11.4.238 escape audit** logged in docs/QA\_DISCOVERY\_LEDGER.md Rev 12.

See docs/incidents/2026-08-19-6th-forced-logout.md (Rev 4+) for the full attribution.