

2026-08-19 “ Anchor-block-integrity checker surfaced 176 findings on the constitution mirror set: triage (no fixes)

Revision: 1 **Last modified:** 2026-08-19T11:49:41Z **Status:** active
Description: Triage of the 176 real findings BOB-105’s scripts/anchor_block_integrity_check.sh (commit 7cd080c on boba HEAD 0497b3d) surfaced against the four constitution mirrors (constitution/{CLAUDE,AGENTS,QWEN,GEMINI}.md). Investigation + classification ONLY per the operator directive “ NO fixes applied. Â§11.4.238 discovery-channel-escape signal; Â§11.4.227(B) block-integrity/lockstep enforcement.
Authority: Â§11.4.227(B) canonical vs.Â mirror layer discipline, Â§11.4.157 mirror lockstep, Â§11.4.238 automated-QA-discovers, Â§11.4.44 revision header, Â§11.4.6 no-guessing.

1. Summary counts (measured 2026-08-19T11:49:41Z)

Checker: bash scripts/anchor_block_integrity_check.sh --config scripts/anchor_block_integrity_check.conf (commit 7cd080c).

Category	Count
Total findings	176
DUPLICATE-OR-COLLISION	17
LOCKSTEP-DIVERGENCE	7 (task brief said 4 “ actual 7)
LOCKSTEP-GAP	152

The 7 divergences (not 4): Â§11.4.69, Â§11.4.112, Â§11.4.120, Â§11.4.142, Â§11.4.192, Â§11.4.193, Â§11.4.201, Â§11.4.227. Re-counting the checker output: Â§11.4.201 is enumerated in the divergence list too. Correction: **8** distinct anchors show LOCKSTEP-DIVERGENCE when the additional duplicate-driven divergences are counted (see Â§3 note).

The 17 duplicates split: Constitution.md 3 (Â§11.4.30, Â§11.4.93, Â§11.4.202), CLAUDE.md 3, AGENTS.md 5, QWEN.md 4, GEMINI.md 2 “ all in the anchor set {Â§11.4.69, .112, .120, .142, .201} plus the three Constitution-only cases.

2. DUPLICATE-OR-COLLISION “ classification

All 17 duplicates are the SAME structural class: an anchor with (a) a compact-summary/reference-heading block **plus** (b) a later verbatim-mandate or amendment block. The F7 pattern the round-of-2026-07-22

amendment already forensically identified (Â§11.4.208/Â§11.4.209) is now measured on 8 additional anchors.

- **REAL DEFECT (mirror layer, 14 findings):**
Â§11.4.69/.112/.120/.142/.201 duplicated across CLAUDE/AGENTS/QWEN/GEMINI mirrors. First occurrence is the compact section (bulleted-list entry or short heading), second is the full amendment block from a later round. Per Â§11.4.227(B) exactly-once-per-file: >1 block-start = FAIL. Reconciliation follows the F7 pattern “ keep the fuller variant, union in any unique element from the compact.
- **CANONICAL-VS-MIRROR LAYER (3 findings):**
Constitution.md™s Â§11.4.30, Â§11.4.93, Â§11.4.202 each appear as two block-starts (### heading + a later **bold**). Â§11.4.227(B) explicitly permits canonical-vs-mirror layer variance; however the RULE “exactly one block-start per anchor per file” is written FILE-scoped, not layer-scoped “ so these are REAL DEFECTS at the same severity as the mirror duplicates but arguably require operator adjudication whether Constitution.md™s dual-format tradition counts as a legitimate <H3>+bold-reference pair.

3. LOCKSTEP-DIVERGENCE “ per-anchor triage

Extractor produces the first-block content-hash per mirror. Any mirror the same anchor appears twice in gets its FIRST occurrence hashed; that first occurrence™s variant (compact vs. full) is often what the divergence reveals “ not that the full text is different, but that the FIRST occurrence™s shape differs.

3.1 Â§11.4.69 “ REAL DEFECT

Hashes: AGENTS unique, others match. AGENTS.md has TWO occurrences (compact reference-heading L1526 + full amendment L2554); other three carry one block. First-occurrence hash for AGENTS is the compact short heading “Â§11.4.69 “ Universal sink-side positive-evidence taxonomy + mechanical enforcement (User mandate, 2026-05-20)”; other mirrors™ first hit is the full-body block. Same F7 shape as Â§11.4.208/209.

3.2 Â§11.4.112 “ REAL DEFECT

Three distinct hashes across four mirrors. AGENTS=QWEN duplicate the anchor (compact + full pattern), CLAUDE duplicates it too but at a different pair of line offsets, GEMINI is the outlier single-block. Root: divergent compact vs. verbatim variant of the impossibility-verdict-bounded amendment.

3.3 Â§11.4.120 “ REAL DEFECT (same shape as .112)

Three hashes; AGENTS=QWEN, CLAUDE unique, GEMINI unique “ compact/full order differs across the four mirrors.

3.4 §11.4.142 " REAL DEFECT

Two hashes; AGENTS=GEMINI=QWEN identical, CLAUDE differs. CLAUDE carries the "universal code-review" no exception anchor as ONE block; the other three carry a second amendment block later in the file which the checker's first-block selection reveals as a compact/full mismatch.

3.5 §11.4.192 " REAL DEFECT (whitespace/trailer-only class)

Two hashes; AGENTS=CLAUDE, GEMINI=QWEN. Sampled bodies are word-for-word identical across 3200+ chars. Divergence is likely a trailing whitespace, trailing newline, or single-character formatting artifact (verified textually indistinguishable at 300-char boundaries). Fix is a byte-normalization pass; not a content re-mint.

3.6 §11.4.193 " REAL DEFECT (genuine content divergence)

Three hashes; QWEN=GEMINI, CLAUDE unique, AGENTS unique " the ONLY divergence of the seven that is a genuine content-level lockstep violation: * GEMINI+QWEN carry the **full verbatim mandate** (~2600 chars including operator quote + numbered clauses 1-6 + gate list). * CLAUDE.md carries a **medium-summary** variant (~700 chars, prose paragraph, no numbered clauses, no gate list). * AGENTS.md carries a **short-summary** variant (~350 chars: "Blind typing is STRICTLY FORBIDDEN everywhere" every agent, every tool, every automation). Three distinct information levels " the exact F7-class divergence §11.4.227 was minted to prevent, hitting an anchor minted AFTER §11.4.227 already existed. Needs operator reconciliation to the FULLEST variant (GEMINI/QWEN body).

3.7 §11.4.201 " REAL DEFECT

Duplicate + divergence in all four mirrors " a second amendment block landed in each mirror at a different line offset, and the checker's first-hash selection picks up divergent variants.

3.8 §11.4.227 " REAL DEFECT (whitespace/trailer-only class)

Two hashes; AGENTS=GEMINI=QWEN identical, CLAUDE differs. Sampled bodies are near-identical (>5000 chars). Same likely root as §11.4.192 " trailing character or single-punctuation edit.

4. LOCKSTEP-GAP " 10-sample classification

Sampled across the 152 gap range. Categories per operator taxonomy:

Sample anchor	Present in	Classification	Notes
Â§11.4.1	CLAUDE only	REAL DEFECT	Anchor exists as ### Â§11.4.1 heading in CLAUDE but as un-shaped compact citation in others
Â§11.4.10.A	CLAUDE only	LEGITIMATE (sub-anchor)	Dotted sub-anchor legitimately only cataloged once
Â§11.4.83	AGENTS/ CLAUDE/QWEN, NOT GEMINI	REAL DEFECT	Both ### (CLAUDE) and ** (AGENTS) block-start forms present; GEMINI genuinely lacks it
Â§11.4.100	AGENTS/QWEN only	CHECKER OVER-REACH + REAL DEFECT	CLAUDE has - Â§11.4.100 â€” RETIRED dash-bullet (regex excludes) â€” legitimate compact form; but GEMINI absent entirely
Â§11.4.108	AGENTS/ CLAUDE/QWEN, NOT GEMINI	REAL DEFECT	GEMINI backfill needed â€” this is a core four-layer verification anchor
Â§11.4.135	AGENTS/QWEN only	REAL DEFECT	Missing from CLAUDE and GEMINI â€” release-blocking regression-guard anchor
Â§11.4.141	AGENTS/GEMINI/ QWEN, NOT CLAUDE	REAL DEFECT	CLAUDE carries compact bullet (- Â§11.4.141 â€” ...) which regex excludes; historically known collision territory
Â§11.4.157	AGENTS/GEMINI/ QWEN, NOT CLAUDE	REAL DEFECT	The mirror-lockstep anchor itself is missing from one mirror â€” self-

Sample anchor	Present in	Classification	Notes
Â§11.4.192	(in gaps list)	CHECKER OVER-REACH	referential ledger drift Also in divergence list “one finding double-reported
Â§11.4.72	AGENTS only	REAL DEFECT	Audio-top-priority anchor missing from 3 of 4 mirrors

Pattern extrapolation to the full 152

Three visible cohorts: 1. **Â§11.4.1..Â§11.4.99** “early-anchor era: CLAUDE.md is the “compact retelling” file (bulleted - Â§11.4.X entries), AGENTS.md is the “full mirror”. Regex `^(#{2,4} Â§|**Â§)` excludes dash-bullets “false-positive gap for anchors that ARE present in compact form. Estimated ~40-60 of the 152 are this class (checker over-reach “legitimate compact variance per Â§11.4.227(B) canonical-vs-mirror layer permission, extended to CLAUDE-vs-mirror layer by convention). 2. **Â§11.4.100..Â§11.4.134** “present in AGENTS+CLAUDE+QWEN, NOT GEMINI” cohort (~35 anchors). GEMINI.md was added LATER (Â§11.4.157 landed 2026-06-15) “anchors minted before GEMINI joined the mirror set were never backfilled. REAL DEFECT class per Â§11.4.157 lockstep, requires GEMINI backfill. 3. **Â§11.4.135..Â§11.4.165** “present in AGENTS+GEMINI+QWEN, NOT CLAUDE” cohort (~30 anchors). CLAUDE.md’s compact-summary discipline for these ranges emits dash-bulleted - Â§11.4.X entries, not block-start-shaped headings. Legitimate compact variance OR checker over-reach depending on operator interpretation of Â§11.4.227(B).

Coarse split of the 152 gaps: **~70 REAL DEFECT** (missing-from-GEMINI cohort + genuinely absent anchors), **~70 CHECKER OVER-REACH / LEGITIMATE COMPACT VARIANCE** (CLAUDE dash-bullets), **~12 sub-anchor edge cases** (Â§11.4.10.A-class dotted ids only cataloged once by design).

5. Recommended next-step operator decisions (NOT executed)

1. **Reconcile Â§11.4.193 (highest-severity)** “the only “3 information levels” divergence. Operator picks canonical variant (recommend GEMINI/QWEN full body) and lockstep-syncs to all 4 mirrors.
2. **Byte-normalize Â§11.4.192 and Â§11.4.227** “trailing-whitespace/newline pass; verifiable by re-running the checker until hashes converge.
3. **Reconcile the 5 duplicate-driven divergences** (Â§11.4.69/.112/.120/.142/.201) via the F7 recipe from the 2026-07-22

- round: keep the fuller variant, union unique elements from the compact, delete the duplicate “ per §11.4.227(B).
4. **Backfill GEMINI.md** with the §11.4.100..§11.4.134 range (~35 anchors) that predate its mirror inclusion “ a bulk lockstep sync.
 5. **Operator-decide the compact-vs-full policy question:** per §11.4.227(B) canonical-vs-mirror variance is legitimate; extend explicitly to CLAUDE-compact-vs-AGENTS-full, or require CLAUDE to carry block-start-shaped compacts (bold **§11.4.X** instead of dash - §11.4.X). Choice determines whether ~70 of 152 gaps are REAL DEFECT or checker over-reach.
 6. **Checker tuning** “ teach the extractor to (a) count dash-bulleted - §11.4.X as compact-form block-start (per operator’s policy in decision 5), (b) collapse dup-reports where an anchor appears in both DIVERGENCE and GAP lists, (c) surface Constitution.md dual ###+** legitimately per §11.4.227(B).
 7. **Fix Constitution.md’s 3 duplicates** (§11.4.30/.93/.202) via the same F7 recipe OR document the dual-format as canonical-layer-permitted per §11.4.227(B).

None of the above are executed by this triage per operator directive.

6. Provenance

- Checker commit: 7cd080c (scripts/anchor_block_integrity_check.sh “ BOB-105 landing)
- Repo HEAD at triage: 0497b3d
- Findings log preserved: /tmp/anchor_findings.log (186 lines, includes 176 FAIL lines + 10 header/verdict lines)
- Triage authored by: Claude (fresh agent, Opus 4.7)
- Discovery-channel-escape signal: §11.4.238 “ the automated checker DID surface these; manual QA would have caught none of the whitespace-only or byte-hash divergences (§11.4.238 automated-QA-discovers holds true here).