

BOB-115 Evidence â€”

REDâ†’GREEN Regression-Guard

+ Â§1.1 Mutation Transcript

Revision: 1 Last modified: 2026-08-18T19:37:41Z **Item:** BOB-115 â€” Fix workable-items validate over-scoping to Updated-events (BOB-010 id=64 pattern) **Constitution:** Â§11.4.5 / Â§11.4.69 / Â§11.4.115 / Â§11.4.226 (closure-evidence-at-closure + REDâ†’GREEN + Â§1.1 mutation)

Full go test transcript: RED on the unfixed source, GREEN on the fixed source, RED again under the Â§1.1 paired mutation (event_type clause stripped), GREEN again after restoring the fix, and the full package suite confirming no other regression (one pre-existing, unrelated TestDiffCmd_NoPathsSkipsMarkdownComparison failure verified to fail identically on the unfixed source too).

Task #54 â€” workable-items validate over-scoping to Updated-events (BOB-0

Root cause: unresolvableClosureEvidence() (constitution/scripts/workable-items/workable-items/sync.go) scoped its evidence-path-resolvability check to "item's CURRENT status is terminal" but never to "the item_history ROW is itself a closure event". BOB-010's real closure (history id=4, event=Completed) recorded a resolvable evidence_path; a LATER Updated event (history id=64, on=2026-08-10) recorded evidence_path="scripts/docs_chain.sh" â€” the file pre-rename name (git-mv'd to scripts/workable-items-export.sh by commits 0558399/d9d512d). The validator flagged the Updated row as an unresolvable CLOSURE claim, which it is not (Â§11.4.5/Â§11.4.69/Â§11.4.123/Â§11.4.226 b closure event's pointer, never every subsequent note on an already-closed item).

Fix: added `AND h.event\_type IN ('Fixed', 'Implemented', 'Completed', 'Obsolete')` to the query â€” the SAME closed set correct_evidence.go's closureEvents / assign.go's hasClosureEvidence already recognise (Â§11.4.6 reused, not re-derived).

STEP 1 â€” RED: new regression test FAILS on the UNFIXED source

\$ go test -run TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_N
== RUN TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_No
add: created WIT-707 (Bug, status=Queued) in Issues
close: moved WIT-707 Issuesâ†’Fixed (status=Fixed (â†’ Fixed.md), evidence
validate_evidence_test.go:327: guard flagged 1 violation(s) for an Upd
--- FAIL: TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_No
FAIL
FAIL github.com/HelixDevelopment/HelixConstitution/scripts/workable-ite
FAIL
exit=1

STEP 2 " GREEN: same test PASSES on the FIXED source

```
$ go test -run TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePa
=== RUN    TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_No
add: created WIT-707 (Bug, status=Queued) in Issues
close: moved WIT-707 Issues"Fixed (status=Fixed (" Fixed.md), evidence
validate: OK " 1 items, all invariants satisfied
--- PASS: TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_No
PASS
ok          github.com/HelixDevelopment/HelixConstitution/scripts/workable-ite
exit=0
```

STEP 3 " "1.1 PAIRED MUTATION: strip the event_type clause -> test FAIL

```
$ (mutation: removed 'AND h.event_type IN (...)' clause)
=== RUN    TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_No
add: created WIT-707 (Bug, status=Queued) in Issues
close: moved WIT-707 Issues"Fixed (status=Fixed (" Fixed.md), evidence
      validate_evidence_test.go:327: guard flagged 1 violation(s) for an Upd
--- FAIL: TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_No
FAIL
FAIL       github.com/HelixDevelopment/HelixConstitution/scripts/workable-ite
FAIL
exit=1
```

STEP 4 " restore fix, re-confirm GREEN + full package suite (only pre-ex
unrelated TestDiffCmd_NoPathsSkipsMarkdownComparison failure remains, veri
independently to fail identically on the STASHED pre-fix source too)

```
=== RUN    TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_No
add: created WIT-707 (Bug, status=Queued) in Issues
close: moved WIT-707 Issues"Fixed (status=Fixed (" Fixed.md), evidence
validate: OK " 1 items, all invariants satisfied
--- PASS: TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_No
PASS
ok          github.com/HelixDevelopment/HelixConstitution/scripts/workable-ite
exit=0
group add: created g-low-pri-high-sev (destination=main priority=5 state=o
group add: created g-low-pri-low-sev (destination=main priority=5 state=op
group add: created g-high-pri (destination=main priority=1 state=open)
group add: created g-no-open-members (destination=main priority=0 state=op
group add: created g-complete-state (destination=main priority=0 state=ope
group add: created g-other-dest (destination=feature:x priority=0 state=op
group state: g-complete-state open -> group-complete
group add: created g-a (destination=main priority=3 state=open)
group add: created g-b (destination=main priority=3 state=open)
group add: created g-c (destination=main priority=1 state=open)
group add: created grp-solo (destination=main priority=1 state=open)
```

```

NEXT-GROUP: grp-solo -> track track-1 (destination=main priority=1)
group add: created grp-high (destination=main priority=1 state=open)
group add: created grp-low (destination=main priority=2 state=open)
NEXT-GROUP: grp-low -> track track-1 (destination=main priority=2)
group add: created grp-empty (destination=main priority=1 state=open)
NEXT-GROUP: no candidate group available for track track-1 (destinations=main)
group add: created grp-a (destination=main priority=1 state=open)
assign next-group: claim-script invocation failed for grp-a: fork/exec /tmp/
group add: created grp-a (destination=main priority=1 state=open)
assign next-group: --db is required
assign next-group: --track is required
assign next-group: --destinations is required (comma-separated, non-empty)
assign next-group: --claim-script is required (Â§11.4.176-A exactly-once)
group add: created grp-target (destination=main priority=1 state=open)
group add: created grp-other (destination=main priority=1 state=open)
NEXT-ITEM: no open item in group grp-other for track t1 right now
group add: created grp-order (destination=main priority=1 state=open)
group add: created grp-exclude (destination=main priority=1 state=open)
group add: created grp-none-open (destination=main priority=1 state=open)
NEXT-ITEM: no open item in group grp-none-open for track t1 right now
assign next-item: group no-such-group not found
assign next-item: --db is required
assign next-item: --track is required
assign next-item: --group is required (the track's already-claimed group is)
group add: created grp-open-member (destination=main priority=1 state=open)
group add: created grp-no-evidence (destination=main priority=1 state=open)
group add: created grp-e2e-complete (destination=main priority=1 state=open)
add: created WIT-700 (Task, status=Queued) in Issues
group set: classified WIT-700 -> group=grp-e2e-complete destination=main
close: moved WIT-700 Issuesâ†’Fixed (status=Fixed (â†’ Fixed.md), evidence=)
assign group-complete: grp-e2e-complete -> group-complete (1 member(s) all)
group add: created grp-zero-members (destination=main priority=1 state=open)
assign group-complete: group grp-zero-members has zero classified members
assign group-complete: group no-such-group not found
Issues.md: 2 items, 3 segments
syncd 2 total items into /tmp/.private/milosvasic/TestATM627_WriterEmitsH
wrote /tmp/.private/milosvasic/TestATM627_WriterEmitsHeadingOnOwnLine37075
Issues.md: 1 items, 2 segments
Fixed.md: 1 items, 2 segments
syncd 2 total items into /tmp/.private/milosvasic/TestATM627_IntegrityGua
Issues.md: 1 items, 2 segments
Fixed.md: 1 items, 2 segments
syncd 2 total items into /tmp/.private/milosvasic/TestATM627_IntegrityGua
validate: OK â€” 2 items, all invariants satisfied
validate: 4 violation(s):
  - ATM-900: Fixed-location item has NON-terminal status "Queued" â€” a Fi
  - Issues: DB not renderable by db-to-md (Â§11.4.93): segment references
  - dangling item-segment (document=Issues, seq=1, atm_id=ATM-900, rep=sec
  - missing item-segment (atm_id=ATM-900, rep=section): item at current_lo
Issues.md: 1 items, 2 segments
Fixed.md: 1 items, 2 segments
syncd 2 total items into /tmp/.private/milosvasic/TestATM627_ValidateCatc

```

```

validate: 2 violation(s):
  - Issues: DB not renderable by db-to-md (Â§11.4.93): segment references
  - dangling item-segment (document=Issues, seq=1, atm_id=ATM-900, rep=sec
sync db-to-md: render issues: segment references unknown item "ATM-900" [s
Issues.md: 1 items, 2 segments
Fixed.md: 1 items, 2 segments
synced 2 total items into /tmp/.private/milosvasic/TestATM627_ValidateCato
validate: 4 violation(s):
  - ATM-900: Fixed-location item has NON-terminal status "Queued" â€" a Fi
  - Issues: DB not renderable by db-to-md (Â§11.4.93): segment references
  - dangling item-segment (document=Issues, seq=1, atm_id=ATM-900, rep=sec
  - missing item-segment (atm_id=ATM-900, rep=section): item at current_lo
sync db-to-md: render issues: segment references unknown item "ATM-900" [s
wrote /tmp/.private/milosvasic/TestATM627_ValidateCatchesLocationMismatchD
Issues.md: 2 items, 3 segments
Fixed.md: 0 items, 1 segments
synced 2 total items into /tmp/.private/milosvasic/TestATM627_SegmentBackf
validate: OK â€" 2 items, all invariants satisfied
wrote /tmp/.private/milosvasic/TestATM627_SegmentBackfill_RedBaseline_DbTo
wrote /tmp/.private/milosvasic/TestATM627_SegmentBackfill_RedBaseline_DbTo
Issues.md: 2 items, 3 segments
Fixed.md: 0 items, 1 segments
synced 2 total items into /tmp/.private/milosvasic/TestATM627_SegmentBackf
validate: OK â€" 2 items, all invariants satisfied
validate: 1 violation(s):
  - missing item-segment (atm_id=ATM-980, rep=section): item at current_lo
Issues.md: 2 items, 3 segments
Fixed.md: 0 items, 1 segments
synced 2 total items into /tmp/.private/milosvasic/TestATM627_SegmentBackf
validate: OK â€" 2 items, all invariants satisfied
repair-bodies: scanned 2 items â€" applied 1 change(s): 0 rewrite, 0 popul
validate: OK â€" 2 items, all invariants satisfied
wrote /tmp/.private/milosvasic/TestATM627_SegmentBackfill_RepairBackfillsA
wrote /tmp/.private/milosvasic/TestATM627_SegmentBackfill_RepairBackfillsA
Issues.md: 2 items, 3 segments
Fixed.md: 0 items, 1 segments
synced 2 total items into /tmp/.private/milosvasic/TestATM627_SegmentBackf
validate: OK â€" 2 items, all invariants satisfied
repair-bodies: scanned 2 items â€" applied 1 change(s): 0 rewrite, 0 popul
Issues.md: 1 items, 2 segments
Fixed.md: 1 items, 2 segments
synced 2 total items into /tmp/.private/milosvasic/TestATM627_StatusDesync
validate: OK â€" 2 items, all invariants satisfied
validate: 1 violation(s):
  - ATM-900 [Issues/section]: items.status="In progress" but body_md **Sta
validate: OK â€" 2 items, all invariants satisfied
Issues.md: 1 items, 2 segments
Fixed.md: 1 items, 2 segments
synced 2 total items into /tmp/.private/milosvasic/TestATM627_StatusDesync
Issues.md: 2 items, 3 segments
Fixed.md: 1 items, 2 segments
synced 3 total items into /tmp/.private/milosvasic/TestRepairBodies_Normal

```

validate: OK " 3 items, all invariants satisfied
wrote /tmp/.private/milosvasic/TestRepairBodies_NormalizesTrailingNewline_
wrote /tmp/.private/milosvasic/TestRepairBodies_NormalizesTrailingNewline_
~ ATM-970 body differs (md=149 bytes db=148 bytes)
diff: 1 difference(s)
repair-bodies: scanned 3 items " applied 1 change(s): 1 rewrite, 0 popul
wrote /tmp/.private/milosvasic/TestRepairBodies_NormalizesTrailingNewline_
wrote /tmp/.private/milosvasic/TestRepairBodies_NormalizesTrailingNewline_
diff: DB and Markdown are in sync
repair-bodies: scanned 3 items " already canonical (0 rewrite, 0 populat
Issues.md: 2 items, 3 segments
Fixed.md: 1 items, 2 segments
synced 3 total items into /tmp/.private/milosvasic/TestUpdate_NormalizesTr
validate: OK " 3 items, all invariants satisfied
update: ATM-970 updated in Issues (status=Queued, type=Bug)
Issues.md: 2 items, 3 segments
synced 2 total items into /tmp/.private/milosvasic/TestAttribution_Fixture
wrote /tmp/.private/milosvasic/TestAttribution_FixtureWithFields_RoundTrip
Issues.md: 2 items, 3 segments
synced 2 total items into /tmp/.private/milosvasic/TestAttribution_LegacyF
wrote /tmp/.private/milosvasic/TestAttribution_LegacyFixture_RoundTripsByt
validate: OK " 2 items, all invariants satisfied
add: created WIT-700 (Bug, status=Queued) in Issues
validate: OK " 1 items, all invariants satisfied
add: created WIT-701 (Task, status=Queued) in Issues
add: created WIT-800 (Bug, status=Queued) in Issues
close: moved WIT-800 Issues"Fixed (status=Fixed (" Fixed.md), evidence
add: created WIT-901 (Task, status=Queued) in Issues
add: created WIT-902 (Task, status=Queued) in Issues
add: created WIT-903 (Task, status=Queued) in Issues
Workable items by Assigned-To:
@bob 2
@milos85vasic 1

TOTAL 3
Workable items by Created-By:
@alice 2
Claude 1

TOTAL 3
add: created OLD-002 (Feature, status=Queued) in Issues
group add: created mistiq-vader-rebrand (destination=feature:mistiq-vader
classify: proposed 2 unclassified item(s) -> /tmp/.private/milosvasic/Test
classify: --propose is required (the only supported mode this phase implem
classify: --db is required
classify: proposed 1 unclassified item(s) -> /tmp/.private/milosvasic/Test
add: created WIT-810 (Bug, status=Queued) in Issues
close: evidence "/tmp/.private/milosvasic/TestCloseEvidenceRecordTime_Pola
add: created WIT-811 (Bug, status=Queued) in Issues
close: moved WIT-811 Issues"Fixed (status=Fixed (" Fixed.md), evidence
add: created WIT-812 (Bug, status=Queued) in Issues
close: moved WIT-812 Issues"Fixed (status=Fixed (" Fixed.md), evidence

add: created WIT-820 (Bug, status=Queued) in Issues
close: moved WIT-820 Issuesâ†'Fixed (status=Obsolete (â†' Fixed.md), evidence
obsolete-details: evidence "/tmp/.private/milosvasic/TestEvidenceRecordTime
obsolete-details: WIT-820 written (Since:2026-08-08 Reason:feature-removed
add: created WIT-830 (Bug, status=Queued) in Issues
subtask-add: created WIT-830-001 (parent=WIT-830, session="record-time-evidence",
subtask-status: evidence "/tmp/.private/milosvasic/TestEvidenceRecordTime
subtask-status: WIT-830-001 Queued -> Completed (â†' Fixed.md)
add: created WIT-840 (Bug, status=Queued) in Issues
move: evidence "/tmp/.private/milosvasic/TestEvidenceRecordTime_OtherSinks
move: WIT-840 relocated Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), reason
add: created WIT-841 (Bug, status=Queued) in Issues
move: WIT-841 relocated Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), reason
add: created WIT-901 (Task, status=Queued) in Issues
close: moved WIT-901 Issuesâ†'Fixed (status=Completed (â†' Fixed.md), evidence
correct-history-evidence: evidence "/tmp/.private/milosvasic/TestCorrectHistory
add: created WIT-901 (Task, status=Queued) in Issues
close: moved WIT-901 Issuesâ†'Fixed (status=Completed (â†' Fixed.md), evidence
correct-history-evidence: WIT-901 history id=2 (Completed) evidence_path s
add: created WIT-902 (Bug, status=Queued) in Issues
correct-history-evidence: refusing â€" item WIT-902 carries NON-terminal s
add: created WIT-001 (Bug, status=Queued) in Issues
validate: OK â€" 1 items, all invariants satisfied
add: created DEM-001 (Task, status=Queued) in Issues
add: created DEM-002 (Task, status=Queued) in Issues
add: created DEM-003 (Task, status=Queued) in Issues
add: --description fails Â§11.4.91 floor (2 words / 9 chars; need â‰¥6 words
add: created WIT-042 (Feature, status=Queued) in Issues
wrote /tmp/.private/milosvasic/TestAdd_FixedPoint1981232984/002/Issues.md
Issues.md: 1 items, 1 segments
synced 1 total items into /tmp/.private/milosvasic/TestAdd_FixedPoint1981232984/002/Issues.md
wrote /tmp/.private/milosvasic/TestAdd_FixedPoint1981232984/002/Issues.2.md
add: created WIT-100 (Bug, status=Queued) in Issues
close: --evidence is required (Â§11.4.5/Â§11.4.90 captured-evidence mandatory
close: moved WIT-100 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
add: created WIT-200 (Task, status=Queued) in Issues
close: moved WIT-200 Issuesâ†'Fixed (status=Completed (â†' Fixed.md), evidence
wrote /tmp/.private/milosvasic/TestClose_RoundTripsAndValidates840175926/002/Issues.md
Fixed.md: 1 items, 1 segments
synced 1 total items into /tmp/.private/milosvasic/TestClose_RoundTripsAndValidates840175926/002/Issues.md
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-777 (Bug, status=Queued) in Issues
add: created WIT-888 (Task, status=Queued) in Issues
close: moved WIT-888 Issuesâ†'Fixed (status=Implemented (â†' Fixed.md), evidence
close: item WIT-NOPE not found in Issues (nothing to close)
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary add: recorded entry_id=1 on ATM-300-001 (PASS, tested_by=HelixQA)
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary add: a PASS run REQUIRES --evidence (Â§11.4.149 â€" a PASS without c
diary add: PASS --evidence "/tmp/.private/milosvasic/TestDiaryGroupAddPass

diary add: PASS --evidence "/tmp/.private/milosvasic/TestDiaryGroupAddPass
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary add: recorded entry_id=1 on ATM-300-001 (FAIL, tested_by=AI-agent)
diary add: recorded entry_id=2 on ATM-300-001 (SKIP, tested_by=Operator)
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary add: --tested-by must be one of: User | Operator | AI-agent | HelixQ
diary add: --result must be one of: PASS | FAIL | SKIP
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary add: target ATM-999-777 not found in items (a diary entry needs an e
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary add: recorded entry_id=1 on ATM-300-001 (FAIL, tested_by=AI-agent)
diary add: recorded entry_id=2 on ATM-300-001 (PASS, tested_by=HelixQA)
Testing diary for ATM-300-001 (2 entries, oldest first):
[1] 2026-06-10T01:00:00Z AI-agent FAIL
 observations: first run failed
 action: status unchanged
[2] 2026-06-10T02:00:00Z HelixQA PASS
 observations: second run green
 action: status unchanged
 feature-class: audio_output
 evidence: /tmp/.private/milosvasic/TestDiaryGroupListAndSummar
diary list: no diary entries for ATM-300
Testing-diary summary (total/pass/fail/skip, last verdict, last run):
 ATM-300-001 total=2 P=1 F=1 S=0 last=PASS @ 2026-06-10T02:00:00Z
Testing-diary summary (total/pass/fail/skip, last verdict, last run):
 ATM-300-001 total=2 P=1 F=1 S=0 last=PASS @ 2026-06-10T02:00:00Z
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary add: --id is required
diary list: --id is required
diary add: --db is required
diary summary: --db is required
diary add: --observations are required
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary-add: recorded entry_id=1 on ATM-300-001 (FAIL, tested_by=AI-agent)
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary-add: a PASS run REQUIRES --evidence ("a PASS without ca
diary-add: recorded entry_id=1 on ATM-300-001 (PASS, tested_by=AI-agent)
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary-add: --tested-by must be one of: User | Operator | AI-agent | HelixQ
diary-add: --result must be one of: PASS | FAIL | SKIP
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",

diary-add: recorded entry_id=1 on ATM-300-001 (FAIL, tested_by=AI-agent)
diary-add: recorded entry_id=2 on ATM-300-001 (PASS, tested_by=HelixQA)
diary-add: recorded entry_id=3 on ATM-300-001 (SKIP, tested_by=AI-agent)
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary-add: recorded entry_id=1 on ATM-300-001 (FAIL, tested_by=AI-agent)
add: created ATM-300 (Bug, status=Queued) in Issues
subtask-add: created ATM-300-001 (parent=ATM-300, session="diary-session",
diary-add: recorded entry_id=1 on ATM-300-001 (FAIL, tested_by=AI-agent)
subtask-export: wrote /tmp/.private/milosvasic/TestSubtaskExportWritesThre
subtask-export: --no-formats set; skipped HTML/PDF/DOCX siblings
add: created WIT-001 (Bug, status=Queued) in Issues
export: wrote /tmp/.private/milosvasic/TestExportCmd_NeverRegressesRevisio
export: wrote /tmp/.private/milosvasic/TestExportCmd_NeverRegressesRevisio
export: wrote /tmp/.private/milosvasic/TestExportCmd_NeverRegressesRevisio
export: wrote /tmp/.private/milosvasic/TestExportCmd_NeverRegressesRevisio
export: --no-formats set; skipped HTML/PDF/DOCX sibling generation
export: wrote /tmp/.private/milosvasic/TestExportCmd_PreservesRevisionWhen
export: wrote /tmp/.private/milosvasic/TestExportCmd_PreservesRevisionWhen
export: wrote /tmp/.private/milosvasic/TestExportCmd_PreservesRevisionWhen
export: wrote /tmp/.private/milosvasic/TestExportCmd_PreservesRevisionWhen
export: --no-formats set; skipped HTML/PDF/DOCX sibling generation
add: created WIT-001 (Bug, status=Queued) in Issues
add: created WIT-002 (Feature, status=Queued) in Issues
add: created WIT-003 (Task, status=Queued) in Issues
close: moved WIT-003 Issuesâ†'Fixed (status=Completed (â†' Fixed.md), evid
export: wrote /tmp/.private/milosvasic/TestExportCmd_EmitsDocsAndSummaries
export: wrote /tmp/.private/milosvasic/TestExportCmd_EmitsDocsAndSummaries
export: wrote /tmp/.private/milosvasic/TestExportCmd_EmitsDocsAndSummaries
export: wrote /tmp/.private/milosvasic/TestExportCmd_EmitsDocsAndSummaries
export: --no-formats set; skipped HTML/PDF/DOCX sibling generation
add: created WIT-001 (Task, status=Queued) in Issues
close: moved WIT-001 Issuesâ†'Fixed (status=Completed (â†' Fixed.md), evid
export: wrote /tmp/.private/milosvasic/TestFixedSummary_ColumnAlignedHeade
export: wrote /tmp/.private/milosvasic/TestFixedSummary_ColumnAlignedHeade
export: wrote /tmp/.private/milosvasic/TestFixedSummary_ColumnAlignedHeade
export: wrote /tmp/.private/milosvasic/TestFixedSummary_ColumnAlignedHeade
export: --no-formats set; skipped HTML/PDF/DOCX sibling generation
Fixed.md: 3 items, 4 segments
syncd 3 total items into /tmp/.private/milosvasic/TestUpdateDescription_T
update: FIX-2026-05-19#1 updated in Fixed (status=Implemented (â†' Fixed.m
wrote /tmp/.private/milosvasic/TestUpdateDescription_TableRepresentation_R
diff: DB and Markdown are in sync
Fixed.md: 3 items, 4 segments
syncd 3 total items into /tmp/.private/milosvasic/TestUpdateDescription_T
wrote /tmp/.private/milosvasic/TestUpdateDescription_TableRepresentation_R
Fixed.md: 2 items, 4 segments
syncd 2 total items into /tmp/.private/milosvasic/TestObsoleteDetails_Dua
obsolete-details: HXC-044 written (Since:2026-07-12 Reason:not-reproducibl
wrote /tmp/.private/milosvasic/TestObsoleteDetails_DualRepresentation_NoSi
Fixed.md: 2 items, 4 segments
syncd 2 total items into /tmp/.private/milosvasic/TestUpdate_DualRepresent


```

update: HXC-044 updated in Fixed (status=Obsolete (â†’ Fixed.md), type=Bug
Fixed.md: 2 items, 4 segments
syncd 2 total items into /tmp/.private/milosvasic/TestRepresentationScope
group add: created grp-a (destination=main priority=3 state=open)
group add: created grp-feature (destination=feature:mistiq-vader priority=
group add: <group_id> "Grp_With_Bad_Chars" must be lowercase snake/kebab (
group add: <destination> "not-a-valid-destination" must be 'main' or 'feat
group add: <priority> "not-an-int" must be an integer
group add: --state must be one of: open | in-progress | group-complete
group add: created grp-dup (destination=main priority=1 state=open)
group add: group grp-dup already exists
group add: created video-bugs (destination=main priority=2 state=open)
group add: created urgent-main (destination=main priority=0 state=open)
group add: created zzz-same-priority (destination=main priority=2 state=op
group add: created mistiq-vader-rebrand (destination=feature:mistiq-vader
urgent-main                dest=main                priority=0        st
video-bugs                 dest=main                priority=2        st
zzz-same-priority          dest=main                priority=2        st
mistiq-vader-rebrand       dest=feature:mistiq-vader priority=7        st
group add: created a-main (destination=main priority=1 state=open)
group add: created b-feature (destination=feature:x priority=2 state=open)
group list: no groups match
group add: created grp-edit (destination=main priority=5 state=open)
group set: grp-edit updated (destination=feature:new-dest priority=9)
group set: group nonexistent-group not found
group add: created grp-noop (destination=main priority=1 state=open)
group set: at least one mutable field flag is required (--title/--destinat
group add: created grp-bad-edit-dest (destination=main priority=1 state=op
group set: --destination "not-valid" must be 'main' or 'feature:<slug>'
group add: created mistiq-vader-rebrand (destination=feature:mistiq-vader
add: created WIT-500 (Task, status=Queued) in Issues
group set: classified WIT-500 -> group=mistiq-vader-rebrand destination=fe
validate-groups: OK â€” 1 items, 1 groups, all design Â§3.1 invariants sat
add: created WIT-501 (Bug, status=Queued) in Issues
group set: group nonexistent-group not found (referential integrity â€” cl
group add: created grp-for-unknown-item (destination=main priority=1 state=
group set: item WIT-999 not found in Issues
group add: created grp-conflict (destination=main priority=1 state=open)
group set: --item (Mode B: item classification) does not take a positional
group add: created grp-lifecycle (destination=main priority=1 state=open)
group state: grp-lifecycle open -> in-progress
group state: grp-lifecycle in-progress -> group-complete
group add: created grp-bad-transition (destination=main priority=1 state=o
group state: <new_state> must be one of: open | in-progress | group-comple
group state: group no-such-group not found
add: created WIT-500 (Bug, status=Queued) in Issues
close: moved WIT-500 Issuesâ†’Fixed (status=Fixed (â†’ Fixed.md), evidence
move: WIT-500 relocated Fixedâ†’Issues (status=Ready for testing, reason=f
add: created WIT-501 (Bug, status=Queued) in Issues
close: moved WIT-501 Issuesâ†’Fixed (status=Fixed (â†’ Fixed.md), evidence
move: WIT-501 relocated Fixedâ†’Issues (status=Ready for testing, reason=r
add: created WIT-502 (Bug, status=Queued) in Issues

```

close: moved WIT-502 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
move: WIT-502 relocated Fixedâ†'Issues (status=Ready for testing, reason=r
add: created WIT-001 (Bug, status=Queued) in Issues
move: WIT-001 stays in Issues (status=Queued, reason=no-op relocation exer
add: created WIT-001 (Bug, status=Queued) in Issues
add: created WIT-510 (Bug, status=Queued) in Issues
close: moved WIT-510 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
move: refusing â€" status "Queued" is NON-terminal and cannot live at Fixe
move: refusing â€" status "Fixed (â†' Fixed.md)" is TERMINAL and belongs a
add: created WIT-520 (Bug, status=Queued) in Issues
close: moved WIT-520 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
move: WIT-520 relocated Fixedâ†'Issues (status=In testing, reason=legitima
move: WIT-520 relocated Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), reaso
add: created WIT-530 (Bug, status=Queued) in Issues
close: moved WIT-530 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
move: --to is required and must be Issues or Fixed
move: --to is required and must be Issues or Fixed
move: --why is required (recorded in the item_history audit row)
move: --id is required
move: item WIT-999 not found in Issues or Fixed
add: created WIT-001 (Bug, status=Queued) in Issues
update: WIT-001 updated in Issues (status=In progress, type=Bug)
add: created WIT-001 (Task, status=Queued) in Issues
update: --description fails Â§11.4.91 floor (2 words / 9 chars; need â‰¥6
update: item WIT-999 not found in Issues
add: created WIT-001 (Bug, status=Queued) in Issues
update: at least one mutable field flag is required (--title / --severity
add: created WIT-001 (Bug, status=Queued) in Issues
reopen: WIT-001 reopened in Issues (By:AI On:2026-05-31 Reason:test-failed
add: created WIT-001 (Bug, status=Queued) in Issues
reopen: --who is required and must be AI or User (Â§11.4.34 By)
reopen: --why is required (Â§11.4.34 closed-set): test-failed | manual-tes
reopen: --who is required and must be AI or User (Â§11.4.34 By)
reopen: --when is required (Â§11.4.34 On: ISO date YYYY-MM-DD)
reopen: --incident is required (Â§11.4.34 Evidence; a reopen without evide
reopen: --why "i-felt-like-it" not in Â§11.4.34 closed-set: test-failed |
add: created WIT-001 (Task, status=Queued) in Issues
block: WIT-001 set Operator-blocked in Issues (WHAT:Needs operator to prov
add: created WIT-001 (Task, status=Queued) in Issues
block: --details is required and must be non-empty (Â§11.4.21 WHAT)
block: --details is required and must be non-empty (Â§11.4.21 WHAT)
add: created ATM-901 (Bug, status=Queued) in Issues
close: moved ATM-901 Issuesâ†'Fixed (status=Obsolete (â†' Fixed.md), evide
obsolete-details: ATM-901 written (Since:2026-06-09 Reason:not-reproducibl
obsolete-details: ATM-901 written (Since:2026-06-09 Reason:not-reproducibl
add: created ATM-902 (Bug, status=Queued) in Issues
close: moved ATM-902 Issuesâ†'Fixed (status=Obsolete (â†' Fixed.md), evide
obsolete-details: --reason must be one of the Â§11.4.90 closed-set: supers
add: created ATM-905 (Bug, status=Queued) in Issues
obsolete-details: item ATM-905 status is "Queued", not Obsolete â€" close
add: created WIT-001 (Bug, status=Queued) in Issues
export: wrote /tmp/.private/milosvasic/TestExportCmd_RelativeFlags_AnchorA

export: wrote /tmp/.private/milosvasic/TestExportCmd_RelativeFlags_AnchorA
export: wrote /tmp/.private/milosvasic/TestExportCmd_RelativeFlags_AnchorA
export: wrote /tmp/.private/milosvasic/TestExportCmd_RelativeFlags_AnchorA
export: --no-formats set; skipped HTML/PDF/DOCX sibling generation
add: created WIT-400 (Bug, status=Queued) in Issues
close: moved WIT-400 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
reopen: WIT-400 reopened, relocated Fixedâ†'Issues (By:AI On:2026-07-20 Re
add: created WIT-401 (Bug, status=Queued) in Issues
close: moved WIT-401 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
reopen: WIT-401 reopened, relocated Fixedâ†'Issues (By:AI On:2026-07-20 Re
add: created WIT-402 (Bug, status=Queued) in Issues
close: moved WIT-402 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
reopen: WIT-402 reopened, relocated Fixedâ†'Issues (By:AI On:2026-07-20 Re
reopen: WIT-402 reopened in Issues (By:User On:2026-07-21 Reason:test-fail
add: created WIT-403 (Bug, status=Queued) in Issues
close: moved WIT-403 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
reopen: WIT-403 reopened, relocated Fixedâ†'Issues (By:AI On:2026-07-20 Re
add: created WIT-410 (Bug, status=Queued) in Issues
close: moved WIT-410 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
reopen: WIT-410 reopened, relocated Fixedâ†'Issues (By:AI On:2026-07-20 Re
add: created WIT-411 (Bug, status=Queued) in Issues
close: moved WIT-411 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
reopen: WIT-411 reopened, relocated Fixedâ†'Issues (By:User On:2026-07-21
add: created WIT-300 (Bug, status=Queued) in Issues
close: moved WIT-300 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
reopen: WIT-300 reopened, relocated Fixedâ†'Issues (By:AI On:2026-07-11 Re
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-001 (Bug, status=Queued) in Issues
reopen: WIT-001 reopened in Issues (By:AI On:2026-07-11 Reason:test-failed
add: created WIT-301 (Bug, status=Queued) in Issues
close: moved WIT-301 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
reopen: WIT-301 reopened in Fixed (By:AI On:2026-07-11 Reason:test-failed
add: created WIT-302 (Bug, status=Queued) in Issues
close: moved WIT-302 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
validate: OK â€" 1 items, all invariants satisfied
validate: 1 violation(s):
- WIT-302: Fixed-location item has NON-terminal status "Reopened" â€" a
validate: OK â€" 1 items, all invariants satisfied
Issues.md: 2 items, 3 segments
Fixed.md: 1 items, 2 segments
synced 3 total items into /tmp/.private/milosvasic/TestRepairBodies_Clears
validate: OK â€" 3 items, all invariants satisfied
validate: 2 violation(s):
- ATM-970 [Issues/section]: items.status="In progress" but body_md **Sta
- ATM-971 [Fixed/section]: items.status="Completed (â†' Fixed.md)" but b
repair-bodies: scanned 3 items â€" applied 2 change(s): 1 rewrite, 1 popul
validate: OK â€" 3 items, all invariants satisfied
Issues.md: 2 items, 3 segments
Fixed.md: 1 items, 2 segments
synced 3 total items into /tmp/.private/milosvasic/TestRepairBodies_Idempo
validate: OK â€" 3 items, all invariants satisfied
repair-bodies: scanned 3 items â€" applied 2 change(s): 1 rewrite, 1 popul

```

repair-bodies: scanned 3 items â€" already canonical (0 rewrite, 0 populat
validate: OK â€" 3 items, all invariants satisfied
Issues.md: 2 items, 3 segments
Fixed.md: 1 items, 2 segments
syncd 3 total items into /tmp/.private/milosvasic/TestRepairBodies_Presen
validate: OK â€" 3 items, all invariants satisfied
repair-bodies: scanned 3 items â€" applied 1 change(s): 1 rewrite, 0 popul
Issues.md: 2 items, 3 segments
Fixed.md: 1 items, 2 segments
syncd 3 total items into /tmp/.private/milosvasic/TestRepairBodies_Popula
validate: OK â€" 3 items, all invariants satisfied
repair-bodies: scanned 3 items â€" applied 1 change(s): 0 rewrite, 1 popul
add: created WIT-001 (Bug, status=Queued) in Issues
add: created WIT-002 (Bug, status=Queued) in Issues
add: created WIT-003 (Feature, status=Queued) in Issues
Workable items by Status:
  Queued    3
  -----
  TOTAL     3
add: created WIT-001 (Bug, status=Queued) in Issues
add: created WIT-002 (Bug, status=Queued) in Issues
add: created WIT-003 (Feature, status=Queued) in Issues
Workable items by Type:
  Bug        2
  Feature    1
  -----
  TOTAL      3
Workable items by Severity:
  Critical   2
  Low        1
  -----
  TOTAL      3
Workable items by Status:
  Queued    3
  -----
  TOTAL     3
report: choose at most one of --by-type / --by-status / --by-severity / --
Â§11.4.90 Obsolete audit:
  WIT-OBS â€" an obsoleted item lacking its triple-check details row
    âšŒ Â§11.4.90 GAP: no obsolete_details row (bare-assertion Obsolete)
  1 Obsolete item(s), 1 compliance gap(s)
Â§11.4.90 Obsolete audit:
  WIT-OBS â€" an obsoleted item lacking its triple-check details row
    Since: 2026-05-30 Reason: superseded-by-later-mandate Superseding:
    Triple-check evidence: git-log: commit abc123 removed the feature; g
  1 Obsolete item(s), 0 compliance gap(s)
Issues.md: 45 items, 46 segments
Fixed.md: 69 items, 70 segments
syncd 114 total items into /tmp/.private/milosvasic/TestRoundTrip_RealDoc
wrote /tmp/.private/milosvasic/TestRoundTrip_RealDocs1608631639/001/Issues
wrote /tmp/.private/milosvasic/TestRoundTrip_RealDocs1608631639/001/Fixed.
Issues.md: 45 items, 46 segments

```

Fixed.md: 69 items, 70 segments
synced 114 total items into /tmp/.private/milosvasic/TestValidate_OK_RealD
validate: OK â€" 114 items, all invariants satisfied
validate: OK â€" 1 items, all invariants satisfied
validate: 1 violation(s):
- HXC-999: description too short (1 words / 5 chars): "short"
validate: migrate representation: copy items rows: NOT NULL constraint fai
add: created WIT-001 (Bug, status=Queued) in Issues
update: WIT-001 updated in Issues (status=In progress, type=Bug)
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-002 (Bug, status=Queued) in Issues
reopen: WIT-002 reopened in Issues (By:AI On:2026-07-04 Reason:test-failed
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-003 (Task, status=Queued) in Issues
block: WIT-003 set Operator-blocked in Issues (WHAT:operator must reconfig
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-004 (Bug, status=Queued) in Issues
close: moved WIT-004 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
validate: OK â€" 1 items, all invariants satisfied
add: created ATM-025 (Bug, status=Queued) in Issues
subtask-add: created ATM-025-001 (parent=ATM-025, session="s", status=Queu
subtask-status: ATM-025-001 Queued -> In progress
validate: OK â€" 2 items, all invariants satisfied
add: created ATM-025 (Bug, status=Queued) in Issues
subtask-add: created ATM-025-001 (parent=ATM-025, session="s", status=Queu
subtask-status: ATM-025-001 Queued -> In progress
validate: OK â€" 2 items, all invariants satisfied
add: created WIT-050 (Bug, status=Queued) in Issues
add: created WIT-060 (Task, status=Queued) in Issues
block: WIT-060 set Operator-blocked in Issues (WHAT:operator must do X)
add: created ATM-025 (Bug, status=Queued) in Issues
add: created ATM-026 (Task, status=Queued) in Issues
subtask-add: created ATM-025-001 (parent=ATM-025, session="s", status=Queu
subtask-add: created ATM-025-002 (parent=ATM-025, session="s", status=Queu
subtask-add: created ATM-025-003 (parent=ATM-025, session="s", status=Queu
subtask-add: created ATM-026-001 (parent=ATM-026, session="t", status=Queu
add: created BG (Bug, status=Queued) in Issues
subtask-add: created BG-001 (parent=BG, session="x", status=Queued)
subtask-add: parent ATM-999 not found in items (a sub-task needs an existi
add: created ATM-100 (Bug, status=Queued) in Issues
subtask-add: created ATM-100-001 (parent=ATM-100, session="D3-post-flash-2
add: created ATM-200 (Bug, status=Queued) in Issues
subtask-add: created ATM-200-001 (parent=ATM-200, session="s", status=Queu
subtask-status: ATM-200-001 Queued -> In progress
subtask-status: --evidence is required to reach Completed (Â§11.4.69)
subtask-status: ATM-200-001 In progress -> Completed (â†' Fixed.md)
Issues.md: 1 items, 2 segments
synced 1 total items into /tmp/.private/milosvasic/TestATM627_StatusDesync
validate: 1 violation(s):
- ATM-950 [Issues/section]: items.status="Operator-blocked" but body_md
Issues.md: 1 items, 2 segments
synced 1 total items into /tmp/.private/milosvasic/TestDiffCmd_BareDBOnlyR

Fixed.md: 2 items, 4 segments
synced 2 total items into /tmp/.private/milosvasic/TestDiffCmd_NoPathsSkip
--- FAIL: TestDiffCmd_NoPathsSkipsMarkdownComparison (0.00s)
 sync_diff_nopaths_test.go:66: RED: expected diff --db without --issues
 diff: DB and Markdown are in sync
Fixed.md: 2 items, 4 segments
synced 2 total items into /tmp/.private/milosvasic/TestDiffCmd_CompositeKe
add: created WIT-001 (Bug, status=Queued) in Issues
update: WIT-001 updated in Issues (status=Queued, type=Bug)
add: created WIT-001 (Bug, status=Queued) in Issues
update: WIT-001 updated in Issues (status=In progress, type=Bug)
add: created WIT-401 (Task, status=Queued) in Issues
block: WIT-401 set Operator-blocked in Issues (WHAT:operator must reconfig
validate: 1 violation(s):
 - WIT-401: Operator-blocked unblock_condition has no enumerated unblock
add: created WIT-402 (Task, status=Queued) in Issues
block: WIT-402 set Operator-blocked in Issues (WHAT:operator decides the h
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-403 (Task, status=Queued) in Issues
validate: 2 violation(s):
 - WIT-403 [Issues/section]: items.status="Operator-blocked" but body_md
 - WIT-403: Operator-blocked with no operator_block_details row (Â§11.4.1
add: created WIT-701 (Bug, status=Queued) in Issues
close: moved WIT-701 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-702 (Bug, status=Queued) in Issues
close: moved WIT-702 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
add: created WIT-703 (Bug, status=Queued) in Issues
close: moved WIT-703 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
add: created WIT-704 (Bug, status=Queued) in Issues
close: moved WIT-704 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
add: created WIT-705 (Bug, status=Queued) in Issues
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-706 (Bug, status=Queued) in Issues
close: moved WIT-706 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
validate: 1 violation(s):
 - WIT-706: closure evidence_path does not resolve (well-formed path, but
validate: OK â€" 1 items, all invariants satisfied
add: created WIT-707 (Bug, status=Queued) in Issues
close: moved WIT-707 Issuesâ†'Fixed (status=Fixed (â†' Fixed.md), evidence
validate: OK â€" 1 items, all invariants satisfied
group add: created group-a (destination=main priority=1 state=open)
validate-groups: OK â€" 2 items, 1 groups, all design Â§3.1 invariants sat
group add: created group-a (destination=main priority=1 state=open)
group add: created group-b (destination=main priority=2 state=open)
group add: created group-a (destination=main priority=1 state=open)
validate-groups: OK â€" 1 items, 1 groups, all design Â§3.1 invariants sat
group add: created group-a (destination=main priority=1 state=open)
group add: created group-a (destination=main priority=1 state=open)
validate-groups: OK â€" 1 items, 1 groups, all design Â§3.1 invariants sat
validate-groups: OK â€" 1 items, 0 groups, all design Â§3.1 invariants sat
group add: created group-a (destination=main priority=1 state=open)

validate-groups: OK " 1 items, 1 groups, all design 3.1 invariants sat
group add: created urgent-main (destination=main priority=0 state=open)
validate-groups: OK " 1 items, 1 groups, all design 3.1 invariants sat
group add: created urgent-main (destination=main priority=0 state=open)
group add: created group-a (destination=main priority=1 state=open)
group add: created group-a (destination=main priority=1 state=open)
group add: created group-a (destination=main priority=1 state=open)
FAIL
FAIL github.com/HelixDevelopment/HelixConstitution/scripts/workable-ite
FAIL
package-suite-exit=1