

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	58
Bug	Obsolete (→ Fixed.md)	1
Feature	Implemented (→ Fixed.md)	17
Task	Completed (→ Fixed.md)	28
Task	Fixed (→ Fixed.md)	4
Task	Implemented (→ Fixed.md)	17
TOTAL		125

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Fixed (→ Fixed.md)	Bug	—	BOB-001 — start.sh BSD-sed incompatibility aborted the boot
2	—	Fixed (→ Fixed.md)	Bug	—	BOB-002 — start.sh podman unshare incompatible with macOS remote po
3	—	Fixed (→ Fixed.md)	Bug	—	BOB-003 — macOS tunnel port detect broken (ports never forwarded)
4	—	Completed (→ Fixed.md)	Task	—	BOB-004 — Private-tracker credential stored securely + verified working
5	—	Fixed (→ Fixed.md)	Task	—	BOB-005 — Public-tracker plugins all raised an unhandled exception (system
6	—		Feature	—	BOB-006 — NNMClub username/pass login wired — NNMClub now uses th

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			operator's NNMCLUB_USERNAME/ NNMCLUB_PASSWORD (in .
7	—	Completed (→ Fixed.md)	Task	—	BOB-007 — RuTor documented as pu (no-auth) — RuTor is a public tracker no login endpoint; RUTOR_USERNAME/ PASSWORD are
8	—	Completed (→ Fixed.md)	Task	—	BOB-009 — Containers submodule integrated with Go wrapper
9	—	Completed (→ Fixed.md)	Task	—	BOB-010 — Workable-items SQLite D integrated + pre-build gate wired (\$11.4.93/\$11.4.95)
					BOB-011 — DOCX export support add generate_markdown_exports. 11 Completed (→ Fixed.md) Task – BOB-012 – Export-sync gate expanded all docs (\$11.4.65) 12 – F (→ Fixed.md) Bug – BOB-013 – torrentkitty_parse_sizereported 0 f every KB/MB/GB/TB size 13 – Fixed (→ Fixed.md) Bug – BOB – GogenerateID()collided under burs (UnixNano-only) 14 – Fixed Fixed.md) Task – BOB-015 – Remaining public-tracker failures external / non-deterministic 1 Fixed (→ Fixed.md) Task – BOB-016 – Jackett plugin crashed (Pool(0)) when zero indexers are configured 16 – Fixed (→ Fixed.md) Bug – BOB-017 – NM plugin self-heal crashed on invali ICON 17 – Completed (→ Fixed.md) Task – BOB-018 – Jackett server image updated to la 18 – Completed (→ Fixed.md Task – BOB-019 – Jackett added reference submodule (latest releas 19 – Completed (→ Fixed.md) Task – BOB-020 – CodeGraph initialized + wired (\$11.4.78/79/8
10	—	Implemented (→ Fixed.md)	Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					20 – Fixed (→ Fixed.md) Bug – B0B-020 – env_loader leak across test ordering 21 – Fixed (→ Fixed.md) Bug – B0B-021 – AsyncMock warning in search deep coverage tests 22 – Implemented (→ Fixed.md) Feature – B0B-022 – gamestorrents plugin deep-coverage tests + B-substring bug documented 23 – Fixed (→ Fixed.md) Bug – B0B-023 – gamestorrents_parse_sizeB substring bug fixed 24 – Implemented (→ Fixed.md) Feature – B0B-024 – eztv.py deep-coverage (54 tests) – 54 tests covering MyHtmlParser (size units, date patterns, defaults, special chars) 25 – Implemented (→ Fixed.md) Feature – B0B-025 – piratebay. deep-coverage tests + import-order documented 26 – Implemented (→ Fixed.md) Feature – B0B-026 – solidtorrents.py deep-coverage tests (37 tests) 27 – Implemented (→ Fixed.md) Feature – B0B-027 – limetorrents.py deep-coverage tests (28 tests) 28 – Implemented (→ Fixed.md) Feature – B0B-028 – torlock.py deep-coverage tests (55 tests) 29 – Implemented (→ Fixed.md) Feature – B0B-029 – nyaa.py deep-coverage tests + miss import re bug documented 30 – Implemented (→ Fixed.md) Feature – B0B-030 – kickass.py deep-coverage tests + comma-size gap documented 31 – Implemented (→ Fixed.md) Feature – B0B-031 – anilibra.py deep-coverage tests (49 tests) 32 – Fixed (→ Fixed.md) Bug – B0B-032 – kickass.py crash guards

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(BOB-015 defense-in-depth) 33 Implemented (→ Fixed.md) Feature BOB-034 – torrentgalaxy.py + yts deeper coverage (80 new tests) – Fixed (→ Fixed.md) Bug – BOB-035 – nyaa.py missing import r fixed –download_torrent()calledre.
35	—	Fixed (→ Fixed.md)	Bug	—	BOB-036 — kickass.py comma-separa size regex fixed
36	—	Implemented (→ Fixed.md)	Feature	—	BOB-037 — rutor.py deep-coverage te (83 tests) — 83 tests covering date normalization, pagination math, con proxy,
37	—	Implemented (→ Fixed.md)	Feature	—	BOB-038 — tokyotoshokan.py deep-coverage tests (60 tests)
38	—	Implemented (→ Fixed.md)	Feature	—	BOB-039 — snowfl.py deep-coverage (30 tests)
39	—	Implemented (→ Fixed.md)	Feature	—	BOB-040 — torrentdownload.py deep coverage tests (35 tests)
40	—	Implemented (→ Fixed.md)	Feature	—	BOB-041 — linuxtracker.py deep-cov tests (30 tests)
41	—	Implemented (→ Fixed.md)	Task	—	BOB-042 — audiobookbay.py deep-coverage tests + missing import re fix
42	—	Implemented (→ Fixed.md)	Task	—	BOB-043 — one337x.py deep-coverage tests + B-substring fixed
43	—	Implemented (→ Fixed.md)	Task	—	BOB-044 — extratorrent.py deep-cov tests + B-substring fixed
44	—	Implemented (→ Fixed.md)	Task	—	BOB-045 — torrentfunk.py deep-cove tests + B-substring fixed
45	—	Implemented (→ Fixed.md)	Task	—	BOB-046 — torrentproject.py deep-coverage tests — 36 tests covering MyHTMLParser (handle_starttag/end data), feed, fetch_magnet.
46	—	Implemented (→ Fixed.md)	Task	—	BOB-047 — therarbg.py deep-coverage tests + B-substring fixed
47	—	Implemented (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					BOB-048 — academictorrents.py deep-coverage tests — 48 tests covering XMPP parsing, concurrent.
48	—	Implemented (→ Fixed.md)	Task	—	BOB-049 — ali213.py deep-coverage tests — 25 tests covering threaded gamepad handling, retry loop (20 ceiling), magnet extraction.
49	—	Implemented (→ Fixed.md)	Task	—	BOB-050 — yourbittorrent.py deep-coverage tests — 30 tests covering HTMLParser, download_file, 7 categories
50	—	Implemented (→ Fixed.md)	Task	—	BOB-051 — glotorrents.py deep-coverage tests — 40 tests covering pagination, categories, magnet extraction, sleep.
51	—	Implemented (→ Fixed.md)	Task	—	BOB-052 — pctorrent.py deep-coverage tests + B-substring pre-fixed
52	—	Implemented (→ Fixed.md)	Task	—	BOB-053 — rockbox.py deep-coverage tests — 32 tests covering datetime, sleep, pagination, kb/mb/gb sizes.
53	—	Implemented (→ Fixed.md)	Task	—	BOB-054 — bitru.py deep-coverage tests + B-substring fixed
54	—	Implemented (→ Fixed.md)	Task	—	BOB-055 — btsow.py deep-coverage tests — Tests covering data-list card parsing, search, download_torrent.
55	—	Implemented (→ Fixed.md)	Task	—	BOB-056 — torrentscsv.py deep-coverage tests — 33 tests covering CSV parsing, search, download_torrent.
56	—	Implemented (→ Fixed.md)	Task	—	BOB-057 — xfsb.py deep-coverage tests + B-substring fixed
57	—	Implemented (→ Fixed.md)	Task	—	BOB-058 — yihua.py deep-coverage tests + B-substring fixed
58	—	Fixed (→ Fixed.md)	Task	—	BOB-059 — bt4g.py tests fixed (was hanging) — 3 tests had bugs: infinite loop from constant return_value (should use return)
59	Low	Fixed (→ Fixed.md)	Bug	—	BOB-060 — Public-tracker plugins crash on degenerate/empty upstream responses
60	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					BOB-061 — Unit suite hang + order-dependent test-pollution (non-deterministic failures)
61	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-062 — Unbounded plugin pagin loops + unbounded network I/O (harm risk)
62	Low	Completed (→ Fixed.md)	Task	—	BOB-063 — pirateiro test-isolation: ad conftest isolation + standing regression guard
63	—	Completed (→ Fixed.md)	Task	—	BOB-064 — Lava P1: Durable remote execution (systemd-linger helper)
64	—	Completed (→ Fixed.md)	Task	—	BOB-067 — Lava P4: Jackett cookie-lo hardening + behaviorally-equivalent HelixQA fake
65	High	Fixed (→ Fixed.md)	Bug	—	BOB-070 — RD2-41: pre-build mutation marker scan carrier false-positive sil defeats entire pre-build gate
66	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-071 — RD2-01: guard-forbidden- commands.sh hook has live reproduction substring carrier false-positive
67	High	Fixed (→ Fixed.md)	Bug	—	BOB-072 — RD2-03: workable_items. machine-caught SSoT integrity violation 90% of closures have zero audit trail
68	High	Fixed (→ Fixed.md)	Bug	—	BOB-073 — RD2-04: workable_items. and Issues.md/Fixed.md have drifted (BOB-008 body differs)
69	High	Completed (→ Fixed.md)	Task	—	BOB-075 — RD2-08: docs/features/ Status.md and docs/codegraph/Status are stale
70	Low	Completed (→ Fixed.md)	Task	—	BOB-076 — RD2-09: submodules/jack fork 1 commit behind upstream (informational)
71	Medium	Completed (→ Fixed.md)	Task	—	BOB-079 — RD2-12: Retroactive attril history notes for GA-18/21/22/25/26/2 changes (never rewrite published his
72	High	Completed (→ Fixed.md)	Task	—	BOB-081 — RD2-14: Author CONTINUATION.md Session 15 entry

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(currently 53 days / 24+ commits behind HEAD)
73	Medium	Completed (→ Fixed.md)	Task	—	BOB-083 — RD2-16: Regenerate browser_extension/features/codegray Status.md + Summary/HTML/PDF sidebar
74	High	Completed (→ Fixed.md)	Task	—	BOB-084 — RD2-17: Reconcile BOB-00 MD body drift via the workable-item
75	Medium	Completed (→ Fixed.md)	Task	—	BOB-086 — RD2-19: Fix BOB-009/BOB evidence_path + backfill item_history 56 silent closures
76	High	Completed (→ Fixed.md)	Task	—	BOB-087 — RD2-20: Wire docs_chain commit-seam sync hook per §11.4.10 so DB writes cannot land without MD mirror
77	High	Completed (→ Fixed.md)	Task	—	BOB-089 — RD2-24: RED-first tests for start.sh reload_python/reload_plugin recreate_stack (closes test-half of GA-14)
78	High	Fixed (→ Fixed.md)	Bug	—	BOB-091 — RD2-26: Relocate mocked SearchOrchestrator tests to unit/ + au real-service replacements (closes GA-14/15/16)
79	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-092 — RD2-27: Remove test_live_stack_evidence.py:265 nnm SKIP-on-404 fallback + verify live 200 (closes GA-13)
80	Medium	Completed (→ Fixed.md)	Task	—	BOB-096 — RD2-31: Extend qBitTorrent jackett_db_test.go with real process-k resource-exhaustion fault injection
81	Medium	Completed (→ Fixed.md)	Task	—	BOB-098 — RD2-34: Parametrize 20 hardcoded /Volumes/T7 paths in helix banks with PROJECT_ROOT (closes GA-12)
82	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-099 — RD2-36: Fix guard-forbidden commands.sh substring-match false-positive class + add const033-poweron signal-triage carrier to EXCLUDE_PATH
83	Medium	Completed (→ Fixed.md)	Task	—	BOB-103 — Incorporate Docs Chain submodule per §11.4.106/§11.4.28(C)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
84	Medium	Completed (→ Fixed.md)	Task	—	BOB-105 — §11.4.238 followup: mechanical §11.4.227(B) anchor-block integrity check
85	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-108 — constitution scripts/work items export reverts docs/Issues.md + docs/Fixed.md revision counters
86	High	Fixed (→ Fixed.md)	Bug	—	BOB-112 — boba-jackett /healthz amp under cold-start concurrent burst via uncached Jackett.GetCatalog() call
87	Low	Completed (→ Fixed.md)	Task	—	BOB-113 — BOB-074 followup: add w dev tooling for DDoS/load challenges
88	High	Fixed (→ Fixed.md)	Bug	—	BOB-115 — Fix workable-items valid over-scoping to Updated-events (BOB id=64 pattern)
89	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-116 — 2nd forced-logout incident user@1000.service SIGKILLed after resource-pressure cascade (perceived suspend)
90	High	Fixed (→ Fixed.md)	Bug	—	BOB-117 — rutracker login diag still forbidden §11.4.6 ‘likely’ vocabulary wrong error_type (unfixed sibling of nnmclub fix)
91	High	Fixed (→ Fixed.md)	Bug	—	BOB-118 — README.md python-tests badge claims 585 passing; pytest –col only measures 5235 (9x stale/wrong)
92	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-119 — docs/MERGE_SEARCH_DIAGNOSTICS.md s ENABLE_DEAD_TRACKERS default=1 actual code + compose default=0 (contradicts sibling doc)
93	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-120 — 3rd forced-logout incident 2026-08-18 23:45:49 — SIGKILL user@ + preventive-timer-inside-user-slice architectural gap
94	High	Fixed (→ Fixed.md)	Bug	—	BOB-122 — IPTorrents seed/leech par reports 0/0 despite real swarm data – outdated markup selectors in plugins

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					iptorrents.py AND download-proxy/s/merge_service/search.py
95	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-123 — 4th forced-logout incident 2026-08-19 00:37:11 — PAM/Linger contradiction breakthrough (retro-registered: id used in 6 commits with no tracker row)
96	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-124 — 5th forced-logout 2026-08-15:28:22 — architectural install-gap: authored preventive gates never installed by operator
97	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-125 — 6th forced-logout 2026-08-16:04:54 — RESOLVED via BOB-126 (the cause was pytest kill(-1,9))
98	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-126 — 7th forced-logout 2026-08-16:43:43 — REAL ROOT CAUSE: pytest kill(-1,9) via MagicMock.__int__==1; §11.4.263 anchor + boba defense-in-depth
99	Low	Fixed (→ Fixed.md)	Bug	—	BOB-127 — Task 8 audit: 2 tests fired killpg/getpgid on hardcoded PIDs (fix 8bedc5a)
100	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-128 — killpg-carrier collision between CM-TEST-MOCK-PID-PATCH WHEN-REAL-PID and sibling CM-KILL-PGID-GUARD (retro-registered: id used in 6 commits with no tracker row)
101	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-129 — Potential production slow starlette defect flagged by Task 105 subagent
102	Low	Fixed (→ Fixed.md)	Bug	—	BOB-130 — Badge-test timeout deterministic — synced_fixtures fixture 93s vs -timeout=60
103	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-131 — qbittorrent-proxy podman common crash — pre-existing, surfaced during BOB-129 investigation
104	High	Fixed (→ Fixed.md)	Bug	—	BOB-132 — qbittorrent-proxy post-recovery: unhealthy — connection reset to qbittorrent sidecar on localhost:7100

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
105	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-133 — CRITICAL: fleet-wide con dead-but-healthy — podman stale-ca masks service outage
106	High	Completed (→ Fixed.md)	Task	—	BOB-136 — Closure seam does not bi tracker rows found stale in one swee and workable-items diff is blind to body_md drift
107	High	Fixed (→ Fixed.md)	Bug	—	BOB-138 — qbittorrent-proxy health probes only 7186, so a dead 7187 mer service reports healthy forever
108	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-139 — SSE _client_gone() swallo every exception into ‘client still connected’, so a raising disconnect pr streams forever (fail-open)
109	Medium	Completed (→ Fixed.md)	Task	—	BOB-140 — Upstream the healthchec covers-served-ports gate into constit scripts/gates/ and thin boba’s copy to delegator (§11.4.177)
110	High	Fixed (→ Fixed.md)	Bug	—	BOB-142 — SearchRequest fields wer unbounded, so one request could am into a 43-tracker fan-out carrying arbitrary payload
111	Low	Fixed (→ Fixed.md)	Bug	—	BOB-144 — /theme/stream calls the disconnect probe unguarded — fail-c but via an uncaught traceback, inconsistent with the two SSE genera
112	High	Fixed (→ Fixed.md)	Bug	—	BOB-145 — Fix the 7187 wedge: offlo and/or memoise Deduplicator.merge_results so O(N^2) regex work stops blocking the asynci event loop
113	High	Fixed (→ Fixed.md)	Bug	—	BOB-146 — Constitution §11.4.252 de undercounts by 29% (30 vs 42 AST gr truth) — 4 distinct blind spots make i output a floor, not a census
114	Medium	Completed (→ Fixed.md)	Task	—	BOB-147 — Triage all 36 §11.4.252 fai open hits: 9 real defects fixed, 14 cor idioms, 14 vendored

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
115	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-148 — Standing red unit test not tracked: test_no_credentials asserts has_session False, gets True — real d or non-hermetic test, undecided
116	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-153 — Go profile cannot build: go.mod requires go 1.26.2 but the Dockerfile builder is golang:1.23-alpi
117	High	Fixed (→ Fixed.md)	Bug	—	BOB-155 — workable-items diff repo. ‘DB and Markdown are in sync’ havin opened zero Markdown files when –issues/–fixed are omitted
118	High	Fixed (→ Fixed.md)	Bug	—	BOB-157 — Our own BOB-137 stall watchdog can segfault the merge ser fault handler dump_traceback(all_threads=True) h unpatched CPython 3.12 defect
119	High	Fixed (→ Fixed.md)	Bug	—	BOB-158 — tests/conftest.py cannot r the production interpreter: binds asyncio.events._get_event_loop_polic 3.13+ private API, while production i 3.12.13
					BOB-166 — WHAT. §11.4.19 requires closure migration to be ATOMIC: a resolving item moves to Fixed.md, DISAPPEARS from Issues_Summary (only) and APPEARS in Fixed_Summa (closed-only). Ten rows violate all thr properties right now — they carry a terminal status yet
120	High	Fixed (→ Fixed.md)	Bug	—	current_location=‘Issues’, so they ren in docs/Issues.md and are listed in do Issues_Summary.md with a status tha literally reads ‘(→ Fixed.md)’, while appearing 0 times in Fixed_Summary Any reader of the canonical open tra is told these are open work. MANIFE (measured 2026-08-21): BOB-087 (Completed), BOB-129, BOB-131, BOB BOB-145, BOB-146, BOB-148, BOB-153

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					BOB-155, BOB-157 (all ‘Fixed (→ Fixed.md)’). Confirmed rendering: BOB-155/087/157 each grep 1 in Issues_0 in Fixed.md, present in Issues_Summary.md, 0 hits in Fixed_Summary.md. ROOT CAUSE (reproduced at runtime, not inferred) ‘close’ performs the atomic migration REQUIRES –evidence. ‘update –status any §11.4.15 closed-set value with NO evidence and NO migration — and it knows the location, because it prints a COPY of the real DB: \$ workable-item update –id BOB-065 –db repro.db –status ‘Fixed (→ Fixed.md)’ update: BOB-065 updated in Issues (status=Fixed (→ Fixed.md), type=Task) \$ sqlite3 repro ‘SELECT atm_id,status,current_location BOB-065 Fixed (→ Fixed.md) Issues seam that is supposed to be the ONLY closure path (close, evidence-gated path §11.4.146(D3)) has a parallel unguarded path that reaches the same status without skipping BOTH the evidence requirement and the migration. WHY NOTHING CAUGHT IT (§11.4.238 coverage-escape audit). Three standing checks stay GREEN on a DB holding the forbidden row, verified on the poisoned copy from the repo root so no cwd artifact is involved (1) ‘validate’ → ‘OK — 164 items, all invariants satisfied’ (it has no status↔location coherence invariant) ‘diff’ → ‘in sync’ (DB and Markdown agree — on the WRONG state; agreement is correctness); (3) CM-CLOSURE-SEAM BINDS CHECK A → PASS (it flags NON-terminal rows whose id appears in a commit; these rows are terminal, so they are outside its predicate by construction This was found by reading a status tag

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
121	High	Fixed (→ Fixed.md)	Bug	—	not by the automated regime — a §11.4.238 discovery-channel escape, is itself a defect of equal standing to mis-located rows. ACCEPTANCE. (a) ‘update’ REFUSES a terminal status a names ‘close’ as the correct path, with paired §1.1 mutation proving the ref (removing the guard must make the mutation pass). (b) ‘validate’ grows a status↔location coherence invariant FAILS on the forbidden state, with a golden-bad fixture and a negative co (a legitimately terminal row in Fixed NOT fire — §11.4.201(1)). (c) The 10 existing rows are drained to Fixed w class-matched evidence per row, or, w a row’s evidence cannot be produced honestly re-opened rather than migr on a bare assertion. (d) Honest bound this closes the update-path hole and t detection gap; it does not claim every historical status write was evidence-backed. NOT CLAIMED. No fix is implemented by this filing. The 10 ro are untouched; draining them is acceptance (c) and each needs its ow evidence, not a bulk UPDATE. BOB-183 — The compiled Angular bu shipped at download-proxy/src/ui/dis frontend/browser still carries the BO colour-contrast defect verbatim: scan 2026-08-23 it reports 21 violation nod darcula/dark and 1 on darcula/light, the same sources built to a scratch pa report 0 across all 16 palette x mode combinations. The fix is therefore co at the SOURCE layer and absent at th ARTIFACT layer, so §11.4.108 layer 2 i NOT closed and end users still see the contrast dashboard. Two compoundi

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
122	—	Fixed (→ Fixed.md)	Bug	—	facts make this silent rather than obvi- dist/ is gitignored, so the divergence shows in a diff; and scripts/install.sh: asserts only that the directory EXISTS never that it is newer than the source was built from, so a stale bundle pass install unchallenged. Acceptance: ins (or an equivalent gate) FAILS on a bu older than its sources, the bundle is rebuilt, and docs/qa/BOB-164/ axe_contrast_scan.py run against download-proxy/src/ui/dist/frontend/ browser exits 0 with zero violation n and zero blocking incomplete nodes. BOB-186 — workable-items diff retur exit 0 and the verdict “DB and Markd are in sync” on a PARTIAL read: invo with –issues but without –fixed it compared 77 Markdown items again DB items and called that in sync, prin both mismatched counts in its own o while 107 DB items were never comp against anything. Measured 2026-08- (A) no markdown paths -> correctly REFUSES exit 1; (B) –db-only -> hones Markdown compared”; (C) –issues al exit 0, “in sync (compared 77 Markd item(s) against 184 DB item(s))”. The 11.4.201(6) false-null: a partially blin instrument returned the same quiet a genuinely-synced corpus returns. IMPACT — CORRECTED 2026-08-25, r original filing OVERSTATED this. I wr that CHECK 2 of the 11.4.106(F) comm seam was exposed. It was NOT. script hooks/docs-sync-commit-seam.sh:277 passes BOTH –issues and –fixed, and repo-wide sweep found NO executab caller that breaks: the two real caller (that seam and

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					pre_build_verification.sh:549) both paths; the single-path hits are p evidence files plus a static-scan test fixture. So the defect was real and lat never live in this project. The correct claim is: any FUTURE single-path call would have been silently mis-told. PROVENANCE, twice corrected. A subagent first attributed the false-nu the no-paths form, which actually re correctly; the conductor re-measured relocated it to the partial read. Then fixing agent corrected the conductor impact. Both corrections are recorde neither wrong version propagates. F (uncommitted, constitution submodu fetched to upstream tip 7f16739 befo edit per 11.4.26). Design: refuse by de (11.4.201(4)); the narrow per-tracker comparison PRESERVED behind an explicit –partial-scope rather than de (deleting an existing documented capability would be an 11.4.122 silen removal), mirroring how –db-only preserved the no-Markdown shape. I on MEASURED DB content, never on presence — a DB with zero Fixed ro fully accounted for by –issues alone a still passes, so flag-keying would hav traded the false-null for an 11.4.201(false-positive refusal. Resulting prop “in sync” is reachable only when the printed counts account for each othe 4 fail/5 pass -> GREEN 9/9; paired 1.1 mutation is the fixs own revert, killin exactly the 4 defect-guarding tests wh the 5 preservation tests stay green. C now refuses naming “107 item(s) loca in Fixed (supply –fixed)”, the 107 confirmed against an independent sc count (107 Fixed + 78 Issues = 185).

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Incidentally closed an 11.4.238 gap: c As refusal had no test anywhere; TestDiffCmd_NoPathsStillRefuses now guards it. OPEN: –partial-scope is the agents naming choice, not an operator decision, and renaming is cheap now expensive after other consumers add Other consumers of this shared submodule were not swept. CLOSED 2026-08-26. Already fixed 2026-08-25 by constitution commit 5979128 (“fix(workable-items): diff claimed ‘in sync’ while 107 DB rows went uncompared”) - only this tracker row stale; no code work was owed. ROOT CAUSE, proven from pre-fix source (1 - fact, not inference): two individual reasonable pieces of sync.go. (a) sync.go:852-863, the reverse “absent Markdown” pass, carried if d.CurrentLocation == "Fixed" && *fixedPath == "" { continue } - its c comment declares the intent, suppre false positives for trackers the caller supplied, correct in isolation - but the continue ALSO dropped those rows c differences, and nothing compensat sync.go:894-897, the verdict, printed len(parsed) and len(dbItems) - the tw MISMATCHED numbers - then decide purely on differences. THE VERDICT PRINTED BOTH NUMBERS AND NEV COMPARED THEM. In one line: an 11.4.201(1) false-positive guard silent narrowed comparison SCOPE while t verdict stayed scope-unaware, so the for a false positive created its 11.4.20 mirror image. CLOSED ON BEHAVIOR EVIDENCE, not on reading the comm (11.4.226 evidence-class-at-closure): t shipped binary now REFUSES a parti

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					scope verdict instead of reporting “in sync” - “refusing to report a DB-vs-Markdown verdict that would silently exclude part of the DB - the supplied Markdown path(s) do not account for item(s) located in Fixed (supply –fixed exit 1; with opt-in –partial-scope it re “PARTIAL SCOPE - N difference(s) ... 201 DB item(s) were NOT compared” 1. The phrase “in sync” is structurally unreachable on a partial read. Regress suite sync_diff_partial_scope_test.go (tests) landed with the fix. INSTRUMENTED VALIDATED BOTH WAYS (11.4.201(7) negative control - regenerating Markdown from a copy DB yields “in sync (201 against 201)” exit 0, so the checker is stuck-on-FAIL. Needle A (flip BOB-000 status, Issues leg) detected exit 1. Needle (delete BOB-067 on the FIXED leg - the exact leg this defect was blind to) detected as “present in DB, absent in Markdown (200 vs 201), exit 1. Each needle byte-verified applied before running. HOMOGAP (11.4.6): UNKNOWN whether the shipped binaries are byte-reproducible from HEAD source - they were not reproducible. Both were proven to carry the guard which behave identically on the real corpus which is the behavioural evidence the closure rests on. No claim is made about classes diff does not compare (revision headers, *_Summary.md).
123	—	Fixed (→ Fixed.md)	Bug	—	BOB-190 — WHAT: ~/.local/lib/python site-packages contains binaries built the cpython-313 ABI while the interpreter is Python 3.14, so pydantic_core and fail to import and every test importing FastAPI dies at import time. CONFIRMED NOT OURS: an untouched test file failed

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
124	major	Fixed (→ Fixed.md)	Bug	—	identically, so this is environmental and pre-existing. WHY IT MATTERS: CLAUDE.md documents ‘python3 -m tests/unit/ -v --import-mode=importlib the canonical invocation and that documented command currently can run - docs and host disagree, the §11.4.238 misguidance class at the environment layer. scripts/run-tests.sh already side it by selecting .venv/bin/python, so a working path exists and simply is not what the docs tell a reader to type. IMPACT: anyone following CLAUDE.md literally concludes the suite is broken worse, an agent could chase green by rewriting tests. ACCEPTANCE: either repair the host site-packages so the documented command works, or correct CLAUDE.md + docs/TESTING.md to not the venv interpreter as canonical - do explicitly, not left to whoever hits it not Discovered out-of-band by the fail-op triage agent, so per §11.4.238 this also owes a coverage-escape note: no automated check asserts the documented test invocation actually runs. BOB-205 — WHAT: the §11.4.252 fail-closed scanner is driven per-root by invariant 39 at scripts/pre_build_verification.sh:1481-1544 a hand-maintained DANGER_ROOTS list cmd/boba-ctl/ — 4 files, 947 LOC — is in that list, so it is never scanned by an arm. It is the container orchestrator: shell-exec plus state-mutation surface precisely the §11.4.252 dangerous-combination class the gate exists for. DISTINCT FROM BOB-191: BOB-191 is a MATCHER hole (the root IS scanned; Go files inside it are structurally

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					unanalysable while counted as analysed — a false null that prints green). This SCOPE hole (the root is not scanned a Different failure shapes, different fix per §11.4.214 they are distinct-but-sim deliberately not merged. WHY BOTH EXIST: the root list is hand-maintaine a new first-party root joins the tree without joining the gate. §11.4.251 (r as-data-pack) points at the fix directi replace the hand-maintained list with declared manifest derived from the s source of truth the build uses, so a ro cannot exist without being enumerat ACCEPTANCE: (1) cmd/boba-ctl is sca — either by being added to DANGER_ROOTS or by the manifest replacing it; (2) whichever is chosen, RED fixture proves a planted fail-ope inside cmd/boba-ctl is SEEN pre-fix- absent / post-fix-present (§11.4.115); the manifest route is taken, a fixture proves a NEWLY-ADDED first-party r picked up without a hand edit — tha the invariant that stops this recurrin the honest-blindness path (§11.4.3 SK with-reason, which the gate already implements correctly for unenumerat extensions) is preserved, never conv into a silent PASS. DISCOVERY CHAN (§11.4.238): found by an agent auditin scanner’s own root list during the BC investigation, NOT by the automated regime — a coverage escape; BOB-19 carries the escape audit. === VERIFICATION COMPLETE 2026-08-2 CONFIRMED, with three corrections far larger gap === CONFIRMED: DANGER_ROOTS=(download-proxy/s plugins scripts qBitTorrent-go fronte src) at scripts/

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					pre_build_verification.sh:1511 (cond verified verbatim). Invariant 39 span :1481-1541, skips non-existent roots a :1514, calls the gate once per root at : and the gate is invoked from exactly place (:1507) — so a root absent from array is scanned by NO arm. cmd/bob re-measured: 4 tracked .go files, 947 — the filed numbers hold, no drift. CORRECTION 1 (§11.4.6): this item sa boba-ctl is a “shell-exec” surface. The NO exec.Command in main.go — exe one hop away via digital.vasic.contai pkg/compose (main.go:13). The §11.4 threshold is still met several times ov of 6 capabilities: mutation :34,36,95-105,121 · untrusted input :21,33,53,110,144,170,302,453-465 · credentials :432-440,496-509 · externa effect :239,323,430 · irreversible :36,1 but the specific word was wrong. CORRECTION 2 (§11.4.6): this item’s acceptance criterion (4) asserted the “already implements correctly” an h SKIP for unenumerated extensions. WRONG. That honest-skip path exists the PYTHON ARM’s degradations onl extension absent from the ext list is a SILENT false-null. Filed separately as LANGUAGE HOLE item. CORRECTION the gap is not one root. FULL ENUMERATION — 266 files in scope / OUT of scope = 66% of the gate-visibl first-party corpus never scanned. tes 324 (excluded-by-intent but UNDECLARED) · extension/ 108 · docs challenges/ 18 · cmd/boba-ctl 4 · front e2e+configs 5 · tools/ 1 (CONCEALS 3 HITS: plugin_update_automation.py:189,19 · repository ROOT 1 (CONCEALS 1 RE

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					HIT: webui-bridge.py:295). Filed separately as the ROOT-SCOPE item. boba-ctl IS a genuine §11.4.252 surface, but the hole around it is LATENT: main.go has <pre> _ = err, no empty if err != nil {}, silent return nil today (grep control-needle needed against qBitTorrent-go/interconfig/config.go). It hides nothing live, guarantees a future one lands unseen, real semantic finding WAS spotted by reading: authMethod()'s default branch, filed separately. BOB-205 != BOB-191, THEY COMPOUND — measured, one root, both needles: go-needle 0 hits, probe needle 1 hit. Go-blindness independent, reconfirmed (gate routes only *.py to AST arm). The real cmd/boba-ctl scanner DIRECTLY returns “PASS — no anti-patterns found” over 947 LOC it cannot analyse. THEREFORE: fixing BOB-205 ALONE moves the root from never-looked-at to LOOKED-AT-AND-FALSELY-GREPPED, the §11.4.201(6) FALSE-NULL, the WOULD-DO state, because it then counts as covered. Both must land, and the language holds with them. THE RED: tests/pre_build/test_bob205_danger_roots_scope.sh. Oracle (§11.4.245) = METAMORPHIC + INVARIANT with a control needle: two BYTE-IDENTICAL Python fail-open needles (sha equality asserted at runtime, 8d8bd909...), one in a root that IS in DANGER_ROOTS (control), one in cmd/boba-ctl (probe), scanner driven exact invariant 39 drives it. Identical input locations, must give identical verdicts, matcher/language/gate-version held constant so SCOPE is the only free variable. Independent of the code under test: the expectation comes from the relation, not from reading </pre>

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					DANGER_ROOTS. Shape (a) chosen; s (b) included as an explicitly-labelled WEAKER secondary (it would pass on typo'd list entry the [[-d]] guard skips). CONFOUND DELIBERATELY AVOIDED: the needle is PYTHON, not a Go needle would stay unseen post-1 and the RED would never go green, v is itself a §11.4.201(1) FAIL-bluff. Fixi BOB-191 will NOT turn this green; on widening scope will. BLIND-INSTRUM GUARD: control needle not found -> e ABORT, never RED. The test parses DANGER_ROOTS from the real driver flips with zero edits, and never runs pre_build_verification.sh. MEASURE RED exit 1 (evidence docs/qa/BOB-20. red_run_live_gate.log, gate sha256 c5752428...) — CONTROL 1 hit “instru PROVEN seeing”, PROBE 0 hits. GREEN polarity proof exit 0 against a SCRAT copy of the driver with the root appe (real driver git diff –stat empty). Determinism 3/3 RED exit 1, 3/3 GRE exit 0. FIX DIRECTION (assessed, not applied): §11.4.251 manifest feasible, the source of truth matters — docker compose.yml build contexts MISS plu frontend/src, cmd/boba-ctl, webui- bridge.py; language markers (go.mod package.json) MISS plugins/ and web bridge.py. ONLY derive-from-git-trac source-extensions minus a declared §11.4.224(E) exclusion fence reaches gap. The derivation must be built eitl way: if the operator keeps the hand l the omission-guard is the SAME computation — the only question is whether it drives the scan or audits t list. The tests/ question (324 files) is a operator §11.4.66 decision; productio

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
125	critical	Obsolete (→ Fixed.md)	Bug	—	only is defensible but currently UNDECLARED. BOB-206 — STATUS: UNCONFIRMED surfaced by the T041 review-scope preflight (docs/qa/T041/review_scope_map_20260826.md), w stated it as “factor 6 is unguarded as I could tell”. That hedge is preserved deliberately per §11.4.6: this item exists to DRIVE the verification, and MUST NOT be cited as a confirmed defect until a ru probe settles it either way. WHAT (the hypothesis to test): probe_location()’s verdict is a product of ≥ 7 independent terms — the §11.4.194(1) multi-factor shape where ANY degenerate term triggers the failure and verifying one while assuming the rest is the exact forbidden gap. Factor 6 is the filesystem’s ability to EXPRESS per-file ownership on a uid-flattening filesystem (vfat / exfat ntfs mounted with a uid= option) even if a file reports the MOUNT’s uid regardless of what any chown did or did not do. If probe_location() reads that uid and concludes ownership is correct, it returns ‘ok’ on a filesystem structurally incapable of holding the property being probed: §11.4.201(6) FALSE-NULL at the feature’s own core: the probe and a genuinely correct filesystem return the identical quiet success. WHY CRITICAL RATHER THAN THEORETICAL: the download is a HOST-SPECIFIC MOUNT. Whether it fires is a property of the operator’s actual mount table, not of our source — so it cannot be settled by reading code alone and a green probe on the developer’s btrfs proves nothing about an operator whose media lives on exfat or ntfs. T

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					precisely the class §11.4.108 layer-3 e for. ADJACENT UNGUARDED TERMS : same preflight surfaced (verify together they share the tri-state): the precondition has FOUR refusal triggers, of which F itself a THREE-WAY product (measure rootless AND non-root user-spec AND mounts-a-declared-location) that the source states has no second line of defence; R3 and R4 both consume detect_rootless()’s tri-state whose DO branch the source itself admits is documented-not-measured. VERIFICATION PLAN (§11.4.115 RED- §11.4.262 machine evidence): (1) enumerate the real mount table and record which declared locations sit on flattening filesystems — that measurement alone may confirm or dismiss the whole item; (2) construct loopback vfat/exfat image mounted with uid= option, point a declared location run probe_location() and capture the verdict — if it returns ok, that IS the (3) fix by detecting the filesystem’s ownership-expressiveness and refusing with-reason rather than reporting ok (§11.4.252 fail-closed: a probe that cannot resolve its condition refuses and says never passes); (4) golden-FALSE fixture ext4/btrfs proving the new guard does NOT refuse a healthy location (§11.4. — a false-positive refusal here would break every normal operator). BLAST RADIUS: this is the ownership feature own correctness core — the subject of 002-user-owned-downloads. A false one here means the feature reports success while the operator still has to chown on hand, which is the ORIGINAL reported problem the spec exists to solve.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					DISCOVERY CHANNEL (§11.4.238): fo by an agent mapping the T041 review scope, NOT by the automated QA reg — a coverage escape in its own right. escape audit owed: no existing check exercises a uid-flattening filesystem, automated surface could have caught NOTE ON THIS RECORD: the first wri this description was corrupted by sh backtick expansion (three terms silen emptied). This is the repaired text; th corruption is recorded here rather th quietly overwritten, per §11.4.6.