

Architecture Summary

System topology, data flow, and lifecycle diagrams for the Boba project.

Contents

- `container-topology.mmd` â€” Two-container + one host-process topology (qBittorrent + Jackett proxy/merge-service, host webui-bridge)
- `plugin-execution.mmd` â€” Nova3 plugin execution: subprocess (public trackers) vs aiohttp (private trackers)
- `private-tracker-bridge.mmd` â€” Authenticated download path via webui-bridge.py on :7188
- `request-lifecycle.mmd` â€” Full user-visible flow: search query â†’ merge â†’ stream â†’ download
- `search-lifecycle.mmd` â€” Detailed search: Angular â†’ FastAPI â†’ SearchOrchestrator â†’ subprocess/aiohttp
- `shutdown-sequence.mmd` â€” Graceful shutdown: SIGTERM/SIGINT â†’ signal handler â†’ uvicorn â†’ SearchOrchestrator

Status

- Domain: Architecture
- Docs count: 6 (Mermaid diagrams)
- Format: Mermaid .mmd (rendered in Markdown viewers with Mermaid support)
- Last reviewed: 2026-06-08

Diagram Overview

Diagram

container-topology
plugin-execution
private-tracker-bridge
request-lifecycle
search-lifecycle
shutdown-sequence

Scope

Physical deployment: containers, ports, host processes
Public vs private tracker execution model
Authenticated download proxy for private sites
End-to-end user request path
Internal fan-out, dedup, enrichment, streaming
Graceful shutdown and resource cleanup

Related

- [API Summary](#) â€” REST endpoints served by the merge service
- [Migration Summary](#) â€” Go backend parity