

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	78
Bug	Obsolete (→ Fixed.md)	1
Feature	Implemented (→ Fixed.md)	17
Task	Completed (→ Fixed.md)	28
Task	Fixed (→ Fixed.md)	4
Task	Implemented (→ Fixed.md)	17
TOTAL		145

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Fixed (→ Fixed.md)	Bug	—	BOB-001 — start.sh BSD-sed incompat aborted the boot
2	—	Fixed (→ Fixed.md)	Bug	—	BOB-002 — start.sh podman unshare in with macOS remote podman
3	—	Fixed (→ Fixed.md)	Bug	—	BOB-003 — macOS tunnel port detect (ports never forwarded)
4	—	Completed (→ Fixed.md)	Task	—	BOB-004 — Private-tracker credential securely + verified working
5	—	Fixed (→ Fixed.md)	Task	—	BOB-005 — Public-tracker plugins all unhandled exception (systemic)
6	—		Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			BOB-006 — NNMClub username/pass wired — NNMClub now uses the open NNMCLUB_USERNAME/NNMCLUB_PASSWORD (11.4.65)
7	—	Completed (→ Fixed.md)	Task	—	BOB-007 — RuTor documented as public tracker (auth) — RuTor is a public tracker with public endpoint; RUTOR_USERNAME/PASSWORD added
8	—	Completed (→ Fixed.md)	Task	—	BOB-009 — Containers submodule integrated with Go wrapper
9	—	Completed (→ Fixed.md)	Task	—	BOB-010 — Workable-items SQLite DB integrated + pre-build gate wired (\$11.4.65 → \$11.4.95)
					BOB-011 — DOCX export support added generate_markdown_exports. 11.4.65 Completed (→ Fixed.md) Task — Export-sync gate expanded to all docx (\$11.4.65) 12 — Fixed (→ Fixed.md) Bug — BOB-013 — torrentkitty_parse_sizereported 0 for KB/MB/GB/TB size 13 — Fixed (→ Fixed.md) Bug — BOB-014 — GogenerateID()collided under burst mode only) 14 — Fixed (→ Fixed.md) — BOB-015 — Remaining public-tracker failures are external / non-deterministic 15 — Fixed (→ Fixed.md) Task — BOB-016 — Jackett plugin crashed (when zero indexers are configured) Fixed (→ Fixed.md) Bug — BOB-017 — NNMClub plugin self-heal crashed on ICON 17 — Completed (→ Fixed.md) Task — BOB-018 — Jackett server updated to latest 18 — Completed (→ Fixed.md) Task — BOB-019 — Jackett added as a reference submodule (latest release) 19 — Completed (→ Fixed.md) Task — BOB-020 — CodeGraph integrated + wired (\$11.4.78/79/80) 20 — Completed (→ Fixed.md) Bug — BOB-021 — flaky test: KEY2 leak across test suite 21 — Fixed (→ Fixed.md) Bug —
10	—	Implemented (→ Fixed.md)	Feature	—	

#	Level	Status	Type	Fixed- In Tag(s)	One-line description
					B0B-022 – AsyncMock warning in sea coverage tests 22 – Implemented (→ Fixed.md) Feature – B0B-023 – gamestorrents plugin deep-coverage substring bug documented 23 – Implemented (→ Fixed.md) Bug – B0B-024 – gamestorrents_parse_sizeB-substring bug documented 24 – Implemented (→ Fixed.md) Feature – B0B-025 – eztv.py deep-coverage tests (54 tests) – 54 tests covering MyHtmlParser (size units, date patterns, defaults, special chars), 25 – Implemented (→ Fixed.md) Feature – B0B-026 – piratebay.py deep-coverage import-order bug documented 26 – Implemented (→ Fixed.md) Feature – B0B-027 – solidtorrents.py deep-coverage tests (37 tests) 27 – Implemented (→ Fixed.md) Feature – B0B-028 – limetorrents.py deep-coverage tests (28 tests) 28 – Implemented (→ Fixed.md) Feature – B0B-029 – torlock.py deep-coverage tests (55 tests) 29 – Implemented (→ Fixed.md) Feature – B0B-030 – nyaa.py deep-coverage tests missing import re bug documented 30 – Implemented (→ Fixed.md) Feature – B0B-031 – kickass.py deep-coverage comma-size gap documented 31 – Implemented (→ Fixed.md) Feature – B0B-032 – anilibra.py deep-coverage tests (32 tests) 32 – Fixed (→ Fixed.md) Bug – B0B-033 – kickass.py crash gap (B0B-015 defense-in-depth) 33 – Implemented (→ Fixed.md) Feature – B0B-034 – torrentgalaxy.py + yts.py deep-coverage (80 new tests) 34 – Fixed (→ Fixed.md) Bug – B0B-035 – nyaa.py missing import re fixed – download_torrent()calledre.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
35	—	Fixed (→ Fixed.md)	Bug	—	BOB-036 — kickass.py comma-separator regex fixed
36	—	Implemented (→ Fixed.md)	Feature	—	BOB-037 — rutor.py deep-coverage tests) — 83 tests covering date normalization, pagination math, config, proxy,
37	—	Implemented (→ Fixed.md)	Feature	—	BOB-038 — tokyotoshokan.py deep-coverage tests (60 tests)
38	—	Implemented (→ Fixed.md)	Feature	—	BOB-039 — snowfl.py deep-coverage tests)
39	—	Implemented (→ Fixed.md)	Feature	—	BOB-040 — torrentdownload.py deep-coverage tests (35 tests)
40	—	Implemented (→ Fixed.md)	Feature	—	BOB-041 — linuxtracker.py deep-coverage (30 tests)
41	—	Implemented (→ Fixed.md)	Task	—	BOB-042 — audiobookbay.py deep-coverage tests + missing import re fixed
42	—	Implemented (→ Fixed.md)	Task	—	BOB-043 — one337x.py deep-coverage substring fixed
43	—	Implemented (→ Fixed.md)	Task	—	BOB-044 — extratorrent.py deep-coverage + B-substring fixed
44	—	Implemented (→ Fixed.md)	Task	—	BOB-045 — torrentfunk.py deep-coverage B-substring fixed
45	—	Implemented (→ Fixed.md)	Task	—	BOB-046 — torrentproject.py deep-coverage tests — 36 tests covering MyHTMLParser (handle_starttag/endtag/data), feed, fetch_magnet.
46	—	Implemented (→ Fixed.md)	Task	—	BOB-047 — therarbg.py deep-coverage substring fixed
47	—	Implemented (→ Fixed.md)	Task	—	BOB-048 — academictorrents.py deep-coverage tests — 48 tests covering XML parsing concurrent.
48	—	Implemented (→ Fixed.md)	Task	—	BOB-049 — ali213.py deep-coverage tests covering threaded gamepage handling, retry loop (20 ceiling), magnet extraction
49	—	Implemented (→ Fixed.md)	Task	—	BOB-050 — yourbittorrent.py deep-coverage tests — 30 tests covering HTMLParser download_file, 7 categories.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
50	—	Implemented (→ Fixed.md)	Task	—	BOB-051 — glotorrents.py deep-coverage 40 tests covering pagination, 9 categories magnet extraction, sleep.
51	—	Implemented (→ Fixed.md)	Task	—	BOB-052 — pctorrent.py deep-coverage B-substring pre-fixed
52	—	Implemented (→ Fixed.md)	Task	—	BOB-053 — rockbox.py deep-coverage tests covering datetime, sleep(3) pagination mb/gb sizes.
53	—	Implemented (→ Fixed.md)	Task	—	BOB-054 — bitru.py deep-coverage tests substring fixed
54	—	Implemented (→ Fixed.md)	Task	—	BOB-055 — btsow.py deep-coverage tests Tests covering data-list card parsing, download_torrent.
55	—	Implemented (→ Fixed.md)	Task	—	BOB-056 — torrentscsv.py deep-coverage tests — 33 tests covering CSV parsing, search download_torrent.
56	—	Implemented (→ Fixed.md)	Task	—	BOB-057 — xfsb.py deep-coverage tests substring fixed
57	—	Implemented (→ Fixed.md)	Task	—	BOB-058 — yihua.py deep-coverage tests substring fixed
58	—	Fixed (→ Fixed.md)	Task	—	BOB-059 — bt4g.py tests fixed (was hanging) 3 tests had bugs: infinite loop from calling return_value (should use
59	Low	Fixed (→ Fixed.md)	Bug	—	BOB-060 — Public-tracker plugins crash/degenerate/empty upstream responses
60	High	Fixed (→ Fixed.md)	Bug	—	BOB-061 — Unit suite hang + order-dependent test-pollution (non-deterministic failures)
61	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-062 — Unbounded plugin pagination + unbounded network I/O (hang risk)
62	Low	Completed (→ Fixed.md)	Task	—	BOB-063 — pirateiro test-isolation: add conf test isolation + standing regression
63	—	Completed (→ Fixed.md)	Task	—	BOB-064 — Lava P1: Durable remote filesystem (systemd-linger helper)
64	—	Completed (→ Fixed.md)	Task	—	BOB-067 — Lava P4: Jackett cookie-logging hardening + behaviorally-equivalent fake

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
65	High	Fixed (→ Fixed.md)	Bug	—	BOB-070 — RD2-41: pre-build mutation scan carrier false-positive silently depre-build gate
66	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-071 — RD2-01: guard-forbidden-commands.sh hook has live reproduction substring carrier false-positive
67	High	Fixed (→ Fixed.md)	Bug	—	BOB-072 — RD2-03: workable_items.machine-caught SSoT integrity violation of closures have zero audit trail
68	High	Fixed (→ Fixed.md)	Bug	—	BOB-073 — RD2-04: workable_items.Issues.md/Fixed.md have drifted (BOB differs)
69	High	Completed (→ Fixed.md)	Task	—	BOB-075 — RD2-08: docs/features/Status docs/codegraph/Status.md are stale
70	Low	Completed (→ Fixed.md)	Task	—	BOB-076 — RD2-09: submodules/jack commit behind upstream (information)
71	Medium	Completed (→ Fixed.md)	Task	—	BOB-079 — RD2-12: Retroactive attrihistory notes for GA-18/21/22/25/26/27 (never rewrite published history)
72	High	Completed (→ Fixed.md)	Task	—	BOB-081 — RD2-14: Author CONTINUOUS Session 15 entry (currently 53 days / commits behind HEAD)
73	Medium	Completed (→ Fixed.md)	Task	—	BOB-083 — RD2-16: Regenerate browser_extension/features/codegraph/Status.md + Summary/HTML/PDF sidebar
74	High	Completed (→ Fixed.md)	Task	—	BOB-084 — RD2-17: Reconcile BOB-009 body drift via the workable-items tool
75	Medium	Completed (→ Fixed.md)	Task	—	BOB-086 — RD2-19: Fix BOB-009/BOB-008 evidence_path + backfill item_history silent closures
76	High	Completed (→ Fixed.md)	Task	—	BOB-087 — RD2-20: Wire docs_chain seam sync hook per §11.4.106(F) so D cannot land without MD mirror
77	High	Completed (→ Fixed.md)	Task	—	BOB-089 — RD2-24: RED-first tests for reload_python/reload_plugins/recreation (closes test-half of GA-27)
78	High		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			BOB-091 — RD2-26: Relocate mocked SearchOrchestrator tests to unit/ + au service replacements (closes GA-14/1
79	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-092 — RD2-27: Remove test_live_stack_evidence.py:265 nnm on-404 fallback + verify live 200 (clos
80	Medium	Completed (→ Fixed.md)	Task	—	BOB-096 — RD2-31: Extend qBitTorre jackett_db_test.go with real process-k resource-exhaustion fault injection
81	Medium	Completed (→ Fixed.md)	Task	—	BOB-098 — RD2-34: Parametrize 20 h Volumes/T7 paths in helixqa banks w PROJECT_ROOT (closes GA-23)
82	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-099 — RD2-36: Fix guard-forbide commands.sh substring-match false-y class + add const033-poweroff-signal carrier to EXCLUDE_PATHS
83	Medium	Completed (→ Fixed.md)	Task	—	BOB-103 — Incorporate Docs Chain s per §11.4.106/§11.4.28(C)
84	Medium	Completed (→ Fixed.md)	Task	—	BOB-105 — §11.4.238 followup: mech §11.4.227(B) anchor-block-integrity c
85	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-108 — constitution scripts/work export reverts docs/Issues.md + docs, revision counters
86	High	Fixed (→ Fixed.md)	Bug	—	BOB-112 — boba-jackett /healthz am under cold-start concurrent burst via Jackett.GetCatalog() call
87	Low	Completed (→ Fixed.md)	Task	—	BOB-113 — BOB-074 followup: add w tooling for DDoS/load challenges
88	High	Fixed (→ Fixed.md)	Bug	—	BOB-115 — Fix workable-items valid scoping to Updated-events (BOB-010 pattern)
89	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-116 — 2nd forced-logout incident user@1000.service SIGKILLed after r pressure cascade (perceived host sus
90	High	Fixed (→ Fixed.md)	Bug	—	BOB-117 — rutracker login diag still r forbidden §11.4.6 ‘likely’ vocabulary error_type (unfixed sibling of nnmchl

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
91	High	Fixed (→ Fixed.md)	Bug	—	BOB-118 — README.md python-tests claims 585 passing; pytest --collect-only measures 5235 (9x stale/wrong)
92	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-119 — docs/MERGE_SEARCH_DIAGNOSTICS.md s ENABLE_DEAD_TRACKERS default=1 code + compose default=0 (contradiction doc)
93	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-120 — 3rd forced-logout incident 2026-08-18 23:45:49 — SIGKILL user@ preventive-timer-inside-user-slice and gap
94	High	Fixed (→ Fixed.md)	Bug	—	BOB-122 — IPTorrents seed/leech parser reports 0/0 despite real swarm data - markup selectors in plugins/iptorrent download-proxy/src/merge_service/s
95	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-123 — 4th forced-logout incident 2026-08-19 00:37:11 — PAM/Linger contradiction breakthrough (retro-re used in 6 commits with no tracker ro
96	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-124 — 5th forced-logout 2026-08 15:28:22 — architectural install-gap: preventive gates never installed by o
97	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-125 — 6th forced-logout 2026-08 16:04:54 — RESOLVED via BOB-126 (it was pytest kill(-1,9))
98	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-126 — 7th forced-logout 2026-08 16:43:43 — REAL ROOT CAUSE: pytes via MagicMock.__int__==1; §11.4.263 boba defense-in-depth
99	Low	Fixed (→ Fixed.md)	Bug	—	BOB-127 — Task 8 audit: 2 tests fired getpgid on hardcoded PIDs (fixed 8be
100	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-128 — killpg-carrier collision between TEST-MOCK-PID-PATCHED-WHEN-RE and sibling CM-KILLPG-PGID-GUARD registered: id used in 3 commits with row)
101	Medium		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			BOB-129 — Potential production slow starlette defect flagged by Task 105 s
102	Low	Fixed (→ Fixed.md)	Bug	—	BOB-130 — Badge-test timeout determ synced_fixtures fixture 93s vs -timeo
103	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-131 — qbittorrent-proxy podma crash — pre-existing, surfaced during investigation
104	High	Fixed (→ Fixed.md)	Bug	—	BOB-132 — qbittorrent-proxy post-re unhealthy — connection refused to q sidecar on localhost:7185
105	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-133 — CRITICAL: fleet-wide con dead-but-healthy — podman stale-ca service outage
106	High	Completed (→ Fixed.md)	Task	—	BOB-136 — Closure seam does not bi tracker rows found stale in one swee workable-items diff is blind to body_
107	High	Fixed (→ Fixed.md)	Bug	—	BOB-138 — qbittorrent-proxy health probes only 7186, so a dead 7187 mer reports healthy forever
108	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-139 — SSE _client_gone() swallo exception into ‘client still connected’ raising disconnect probe streams for open)
109	Medium	Completed (→ Fixed.md)	Task	—	BOB-140 — Upstream the healthchec served-ports gate into constitution/sc and thin boba’s copy to a delegator (\$
110	High	Fixed (→ Fixed.md)	Bug	—	BOB-142 — SearchRequest fields wer unbounded, so one request could am 43-tracker fan-out carrying arbitrary
111	Low	Fixed (→ Fixed.md)	Bug	—	BOB-144 — /theme/stream calls the d probe unguarded — fail-closed but v uncaught traceback, inconsistent wit SSE generators
112	High	Fixed (→ Fixed.md)	Bug	—	BOB-145 — Fix the 7187 wedge: offlo memoise Deduplicator.merge_results regex work stops blocking the asynci loop

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
113	High	Fixed (→ Fixed.md)	Bug	—	BOB-146 — Constitution §11.4.252 de undercounts by 29% (30 vs 42 AST gr — 4 distinct blind spots make its outp not a census
114	Medium	Completed (→ Fixed.md)	Task	—	BOB-147 — Triage all 36 §11.4.252 fai 9 real defects fixed, 14 correct idioms vendored
115	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-148 — Standing red unit test not tracked: test_no_credentials asserts h False, gets True — real defect or non-test, undecided
116	Low	Fixed (→ Fixed.md)	Bug	—	BOB-149 — Managed-plugin count di 43/42/48 across constitution, CLAUDE the README badge; the badge is han maintained and unguarded
117	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-153 — Go profile cannot build: g requires go 1.26.2 but the Dockerfile golang:1.23-alpine
118	High	Fixed (→ Fixed.md)	Bug	—	BOB-155 — workable-items diff repo Markdown are in sync’ having opene Markdown files when –issues/–fixed
119	High	Fixed (→ Fixed.md)	Bug	—	BOB-157 — Our own BOB-137 stall w can segfault the merge service: faultl dump_traceback(all_threads=True) h unpatched CPython 3.12 defect
120	High	Fixed (→ Fixed.md)	Bug	—	BOB-158 — tests/conftest.py cannot r production interpreter: binds asyncio.events._get_event_loop_polic private API, while production is 3.12.
121	High	Fixed (→ Fixed.md)	Bug	—	BOB-165 — Reported-Via: §11.4.202 directive bug on 2026-08-21T20:00:08 Reported-By: surfaced while capturing evidence for BOB-092; diagnosed rather worked around What (the report, v This is a STALE-ABI-AFTER-INTERPRER UPGRADE defect, not a missing packa package is installed; its compiled hal the previous interpreter. That distinc

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					matters because ‘pip install rpds-py’ can appear to succeed while leaving artefact in place. WHY IT WAS NOT MENTIONED EARLIER, stated as fact: the paths that all avoid system python3. ci.sh selects interpreter through _select_python; the running suites in this session ran .venv python -m pytest and passed. So the a regime is green while the DOCUMENT operator command is broken – an 11 shaped gap, since the escape was found agent capturing evidence rather than regime. WORKAROUND (measured, not theorised): PYTEST_DISABLE_PLUGIN_AUTOLOAD the needed plugins passed explicitly (pytest_timeout ...) avoids the schema autoload that drags in jsonschema -> referencing -> rpds. That is a workaround the fix: it silences the import path rather repairing the install, and it will surprise next person who runs the document command verbatim. RELATED, and v deciding together rather than twice: wants .venv rebuilt on 3.12 to match container (which runs CPython 3.12. both system and venv run 3.14.6). Therefore THREE interpreters in play rebuilds the venv should confirm rps for the TARGET interpreter afterwards same class reappears one directory of HONEST BOUNDARY (11.4.6): this iteration NOT claim any test is wrong or any p code is broken. The product and the v suites are unaffected. What is broken documented entry point. Affected scope manifest: host user site-packages (~/.local/lib/python3/site-packages/rpds-CLAUDE.md-documented ‘python3 -r invocation; any tooling that uses system python3 rather than .venv/bin/python

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Reproduction / context: python3 -m tests/e2e/test_live_stack_evidence.py mode=importlib -> ModuleNotFoundError: module named 'rpds.rpds', raised during collection via the schemathesis plugin -> jsonschema -> referencing._core -> MEASURED root cause: system python3 but ~/.local/lib/python3/site-packages/rpds.cpython-313-x86_64-linux-gnu.so extension built for 3.13. rpds/init.py 'from .rpds import *', and a 313-tagged importable by 3.14, so the submodule does not exist for this interpreter. The CORRECT and unaffected: .venv/lib64/site-packages/rpds/ ships rpds.cpython313-x86_64-linux-gnu.so and '.venv/bin/python3 -m pytest tests/unit/ -v --importmode=importlib -- the command CLAUDE documents -- reaches collection with ModuleNotFoundError, OR CLAUDE corrected to document the supported explicitly. Either way the documented and the working command agree (11 guide that misleads is the documentation equivalent of a PASS-bluff). WORKAROUND SIDE EFFECTS MEASURED 2026-08-20 recipe is not free, and the item previously implied it was. PYTEST_DISABLE_PLUGIN_AUTOLOAD disables ALL plugin autoloading, not just the broken one, so anything the suite silently on must be re-enabled by hand: - It breaks pre-existing env-dependent tests in test_plugin_rutracker.py — TestConfig::test_default_mirrors, test_env_mirrors_override, test_get_env_with_default, test_get_mirrors_from_env_empty, test_get_mirrors_from_env_whitespaces which need an autoloading env plugin

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
122	High	Fixed (→ Fixed.md)	Bug	—	not caused by any in-flight change: run HEAD's OWN copy of that file under the flags produces the same 5 failures. - pytest-timeout=60 (set in pyproject.toml) and UNKNOWN ARGUMENT unless -p pytest_timeout is passed explicitly, so pytest.mark.timeout is silently inert and a naive recipe — a test believed to be time-bounded is not. - With autoload ON and schemathesis disabled (-p no:schemathesis) that same file is 96/96 green. CONSEQUENCE: FOR ANYONE USING THE WORKAROUND, no:schemathesis alone is strictly better than blanket autoload-disabling where it's used because it removes only the broken pieces. Where the blanket form IS used, -p pytest_timeout must be added or time is wasted, inert, and the 5 env-dependent failures are recognised as workaround artifacts and not filed as defects. That last point is the problem: the workaround manufactures failures that look exactly like product defects. This is not a change the root cause (the venv's rpython313 ABI tag CPython 3.14 can't import) or the fix (rebuild the venv — see the docs). It documents that the interim recipe is a radius, so nobody reads a workaround as a regression. BOB-166 — WHAT. §11.4.19 requires migration to be ATOMIC: a resolving migration to Fixed.md, DISAPPEARS from Issues_Summary (open-only) and APPEARS in Fixed_Summary (closed-only). Ten rows of all three properties right now — they're not in terminal status yet current_location=terminal, they render in docs/Issues.md and are not in docs/Issues_Summary.md with a status of open, literally reads '(→ Fixed.md)', while a status of closed times in Fixed_Summary.md. Any reader of the canonical open tracker is told these are

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					work. MANIFEST (measured 2026-08-08) BOB-087 (Completed), BOB-129, BOB-144, BOB-145, BOB-146, BOB-148, BOB-155, BOB-157 (all 'Fixed (→ Fixed)') Confirmed rendering: BOB-155/087/157 grep 1 in Issues.md, 0 in Fixed.md, 0 in Issues_Summary.md, 0 hits in Fixed_Summary.md. ROOT CAUSE (root cause at runtime, not inferred). 'close' performed atomic migration and REQUIRES –ev. 'update –status' sets any §11.4.15 closure value with NO evidence and NO migration and it knows the location, because it is On a COPY of the real DB: \$ workable update –id BOB-065 –db repro.db –status (→ Fixed.md)' update: BOB-065 update Issues (status=Fixed (→ Fixed.md), type sqlite3 repro.db 'SELECT atm_id,status,current_location ...' BOB-065 Fixed (→ Fixed.md) Issues So the search is supposed to be the ONLY closure path. evidence-gated per §11.4.146(D3)) has an unguarded path that reaches the same while skipping BOTH the evidence requirement and the migration. WHY NOTHING CLOSURE (§11.4.238 coverage-escape audit). The standing checks stay GREEN on a DB with a forbidden row, verified on the poison row from the repo root so no cwd artifact is involved: (1) 'validate' → 'OK — 164 invariants satisfied' (it has no status+location coherence invariant); (2) 'diff' → 'in sync and Markdown agree — on the WRO agreement is not correctness); (3) CM SEAM-BINDS CHECK A → PASS (it flags terminal rows whose id appears in a commit; these rows are terminal, so not outside its predicate by construction) found by reading a status tally, not by an automated regime — a §11.4.238 disclosure channel escape, which is itself a defect

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
123	Low	Fixed (→ Fixed.md)	Bug	—	standing to the mis-located rows. AC (a) ‘update’ REFUSES a terminal statu names ‘close’ as the correct path, wit §1.1 mutation proving the refusal (re guard must make the mutation pass) ‘validate’ grows a status↔location co invariant that FAILS on the forbidden with a golden-bad fixture and a nega (a legitimately terminal row in Fixed fire — §11.4.201(1)). (c) The 10 existin drained to Fixed with class-matched per row, or, where a row’s evidence o produced, honestly re-opened rather migrated on a bare assertion. (d) Hor boundary: this closes the update-patl the detection gap; it does not claim e historical status write was evidence-l NOT CLAIMED. No fix is implemented filing. The 10 rows are untouched; dr them is acceptance (c) and each need evidence, not a bulk UPDATE. BOB-171 — WHAT. Both rate limiters per-client bucket on the LEFTMOST e X-Forwarded-For when TRUST_FORWARDED_FOR is enabled download-proxy/src/api/rate_limit.py (:7187) and the new stdlib limiter in download_proxy.py (:7186), which w deliberately built to exact policy pari That element is CLIENT-SUPPLIED. A reverse proxy APPENDS the peer add RIGHT of whatever arrived, so the le entry is whatever the client sent — a controlled by construction, not by misconfiguration. Consequences with on: (1) rotating a forged leftmost valu unlimited sequence of fresh buckets, total bypass of the limit the flag is sup make MORE accurate; (2) it also defe LRU/idle-reap cap, since each forged

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					a distinct key — the bucket map is a growth surface bounded only by the the cap's eviction then discards the REAL clients to make room for forged EXPLOITABLE AS DEPLOYED TODAY, why this is Low, not High. TRUST_FORWARDED_FOR defaults O sites, and the deployed stack runs network_mode host with no reverse front (verified across all five compos so peer addresses are real client IPs a collapse occurs. The defect is latent: i moment someone puts a proxy in fro turns the flag on to recover real client which is exactly the situation the flag The failure mode is therefore ‘correct configuration change silently disable limiter’, not ‘currently broken’. PROV Raised as MINOR-3 by the independence reviewer of the BOB-111 rate-limiter independently confirmed by the imp agent, which noted it at BOTH source tracked follow-up rather than fixing change. Filed here because neither a write access to the tracker. WHY IT C BOTH PORTS. :7186's limiter was built deliberate policy parity with :7187's, this parsing. Fixing one and not the o leave the two surfaces disagreeing on identity — worse than the shared def because it becomes surface-dependent. untestable as a single invariant. ACCI (a) Replace leftmost-element parsing trust-aware resolution at BOTH sites: rightmost-minus-N-trusted-hops, or a proxy CIDR allowlist where only a pe the allowlist may assert XFF at all — is a deployment-topology decision an be recorded, not assumed. (b) A test t a rotating leftmost element and asse bucket key does NOT rotate, per site.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
124	High	Fixed (→ Fixed.md)	Bug	—	§1.1 mutation: restore leftmost parsing test must FAIL. (d) Negative control (§11.4.201(1)): with TRUST_FORWARDING OFF, the header must be ignored entirely; keying must fall back to the peer address guard that starts honouring XFF when it is off would be a worse defect than the bug being fixed. (e) Honest boundary: this header-forgery bypass; it does not make limiting fair behind NAT, where many legitimately share one address. NOT fixed. No change made. Both sites still parse the flag still defaults off. BOB-181 — WHAT: scripts/generate_markdown_exports.sh accepts arguments. It unconditionally scans PROJECT_ROOT/*.md, docs/ recursively scripts/ recursively (scan loops at line 105/111/116 as of 2026-08-23; they were when this was filed — line numbers changed with the BOB-169 fix, the substance is unchanged and was independently verified execution: invoking the generator with explicit path produced an out-of-scope file and NOT the requested one), and PROJECT_ROOT is derived from BASH_SOURCE (line 17). A caller who writes 'bash source generate_markdown_exports.sh docs/file.md' gets a WHOLE-TREE run with the argument silently discarded. WHY IT IS: the caller reasonably believes the run is scoped to one file. It was not. In a shared checkout with parallel work streams, regenerate any export whose .md is newer than its derived files anywhere in the tree, landing artifacts in other streams' scope with the BOB-068 auto-commit hazard, and another stream's commit. CLASS: a false affordance – the script's interface implies a capability it does not have (11.4.201:)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					interface must mean what it claims). DIRECTION: either accept optional path arguments and honour them (scoping to exactly those files), or REFUSE with a message when arguments are passed, or discarding them is the one option that remain. ACCEPTANCE: passing a path scopes the run to it, or exits non-zero on the unsupported argument. A RED call today's silent-discard behaviour first. LIVE INSTANCE, MEASURED 2026-08-01 (no longer hypothetical): During the E the conductor invoked the generator with explicit path to regenerate ONE document argument was discarded and the whole was scanned. It generated docs/qa/BOB-169 DESIGN_DECISION.{html,pdf,docx} as SIBLING STREAM's document, while stream's author was still editing the same (mtime 12:00). The exports were there on arrival, and additionally carried the BOB-169 charset defect. The sibling author independently reported them as stale on hand-off, having no idea another stream created them. SECOND-ORDER LESSON keeping with this item: the conductor failed to verify the blast radius ALSO failed silently. 'git status --porcelain grep -pdf)\$'" returned only its own files and clean -- but docs/qa/BOB-174/ is an UNDIRECTED DIRECTORY, which porcelain collapses to single line, so the grep was structurally incapable of seeing the files inside it (a): matched the wrong surface; the command read as absence). The instrument that it is 'find <dir> -newermt <t>'. Any further verification of 'which files did this run must not use porcelain output as the 125 High Fixed (→ Fixed.md) Bug BOB-183 — The compiled Angular bundle shipped at download-proxy/src/ui/dis

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					browser still carries the BOB-164 color contrast defect verbatim: scanned 20 reports 21 violation nodes on darcula 1 on darcula/light, while the same so to a scratch path report 0 across all 1 mode combinations. The fix is therefore at the SOURCE layer and absent at the layer, so §11.4.108 layer 2 is NOT closed; users still see the low-contrast dashboard; compounding facts make this silent not obvious: dist/ is gitignored, so the diff never shows in a diff; and scripts/ins asserts only that the directory EXISTS that it is newer than the sources it was from, so a stale bundle passes install unchallenged. Acceptance: install (or equivalent gate) FAILS on a bundle of its sources, the bundle is rebuilt, and BOB-164/axe_contrast_scan.py run against download-proxy/src/ui/dist/frontend/ exits 0 with zero violation nodes and blocking incomplete nodes. 126 (→ Fixed.md) Bug — BOB-186 — items diff returned exit 0 and the version and Markdown are in sync" on a PAF invoked with --issues but without --fix compared 77 Markdown items against items and called that in sync, printing mismatched counts in its own output; DB items were never compared against anything. Measured 2026-08-25: (A) no markdown paths -> correctly REFUSED (B) --db-only -> honest, "no Markdown compared"; (C) --issues alone -> exit 0 (compared 77 Markdown item(s) against item(s))". The 11.4.201(6) false-null: a blind instrument returned the same as a genuinely-synced corpus returns. I CORRECTED 2026-08-25, my original OVERSTATED this. I wrote that CHECK 11.4.106(F) commit seam was exposed

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					NOT. scripts/hooks/docs-sync-commit-seam.sh:277 passes BOTH --issues and a repo-wide sweep found NO explicit caller that breaks: the two real callers seam and pre_build_verification.sh:5 pass both paths; the single-path hits a evidence files plus a static-scan test for the defect was real and latent, never project. The corrected claim is: any F single-path caller would have been s told. PROVENANCE, twice corrected. first attributed the false-null to the n form, which actually refuses correctl conductor re-measured and relocated partial read. Then the fixing agent co conductor on impact. Both correction recorded so neither wrong version p FIXED (uncommitted, constitution su fetched to upstream tip 7f16739 before 11.4.26). Design: refuse by default (11 the narrow per-tracker comparison I behind an explicit --partial-scope ratl deleted (deleting an existing docume capability would be an 11.4.122 silen mirroring how --db-only preserved th Markdown shape. Keyed on MEASURE content, never on flag presence — a l zero Fixed rows IS fully accounted fo issues alone and still passes, so flag-k would have traded the false-null for 11.4.201(1) false-positive refusal. Res property: "in sync" is reachable only two printed counts account for each 4 fail/5 pass -> GREEN 9/9; paired 1.1 the fixs own revert, killing exactly th guarding tests while the 5 preservati stay green. Case C now refuses namin item(s) located in Fixed (supply --fixe confirmed against an independent sc (107 Fixed + 78 Issues = 185). Incident an 11.4.238 gap: case As refusal had n

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					anywhere; TestDiffCmd_NoPathsStill now guards it. OPEN: --partial-scope agents naming choice, not an operato and renaming is cheap now and exp other consumers adopt it. Other cons this shared submodule were not swe 2026-08-26. Already fixed 2026-08-25 constitution commit 5979128 ("fix(w items): diff claimed 'in sync' while 10 went uncomparred") - only this tracke stale; no code work was owed. ROOT proven from pre-fix source (11.4.6 - f inference): two individually-reasona of sync.go. (a) sync.go:852-863, the re "absent in Markdown" pass, carried `  d.CurrentLocation == "Fixed" && *fix  "" { continue }` - its own comment de intent, suppress false positives for tra caller never supplied, correct in isolat the continue ALSO dropped those row `differences`, and nothing compensat sync.go:894-897, the verdict, printed and len(dbItems) - the two MISMATCH numbers - then decided purely on `di THE VERDICT PRINTED BOTH NUMB NEVER COMPARED THEM. In one lin 11.4.201(1) false-positive guard silent narrowed comparison SCOPE while t stayed scope-unaware, so the fix for positive created its 11.4.201(6) mirror CLOSED ON BEHAVIOURAL EVIDENC reading the commit (11.4.226 eviden closure): the shipped binary now RE partial-scope verdict instead of repor sync" - "refusing to report a DB-vs-M verdict that would silently exclude p DB - the supplied Markdown path(s) account for 122 item(s) located in Fix --fixed)", exit 1; with opt-in --partial-s reports "PARTIAL SCOPE - N differen of 201 DB item(s) were NOT compare

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					The phrase "in sync" is structurally u on a partial read. Regression suite sync_diff_partial_scope_test.go (9 test with the fix. INSTRUMENT VALIDATE WAYS (11.4.201(7)(b)): negative contr regenerating Markdown from a copy "in sync (201 against 201)" exit 0, so t is not stuck-on-FAIL. Needle A (flip B status, Issues leg) detected exit 1. Nee (delete BOB-067 on the FIXED leg - th this defect was blind to) detected as " DB, absent in Markdown" (200 vs 201 Each needle byte-verified applied be running. HONEST GAP (11.4.6): UNKN whether the shipped binaries are byt reproducible from HEAD source - the rebuilt. Both were proven to carry th and behave identically on the real co which is the behavioural evidence th rests on. No claim is made about clas does not compare (revision headers, *_Summary.md). 127 — Fixed Fixed.md) Bug — BOB-190 — W ~/.local/lib/python3/site-packages cor binaries built for the cpython-313 AB interpreter is Python 3.14, so pydanti rpds fail to import and every test imp FastAPI dies at import time. CONFIRM OURS: an untouched test file fails ide this is environmental and pre-existin MATTERS: CLAUDE.md documents 'p pytest tests/unit/ -v --import-mode=in the canonical invocation and that do command currently cannot run - doc disagree, the §11.4.99 misguidance cl environment layer. scripts/run-tests.s sidesteps it by selecting .venv/bin/pyt working path exists and simply is no docs tell a reader to type. IMPACT: an following CLAUDE.md literally concl suite is broken; worse, an agent coul

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					green by rewriting tests. ACCEPTANCE repair the host site-packages so the d command works, or correct CLAUDE TESTING.md to name the venv interp canonical - decided explicitly, not left whoever hits it next. Discovered out- the fail-open triage agent, so per §11. also owes a coverage-escape note: no check asserts the documented test in actually runs. 128 — Fixed (→ Bug — BOB-193 — WHAT: in do proxy/src/api/streaming.py the dedup written BEFORE the yield — seen_has seen_hashes_local.add() execute at :3 ahead of emitting. If format_event ra result is never sent AND its hash is al recorded, so it is permanently dropp Independently verified by the §11.4.2 reviewer at both sites: mid-search th persists across subsequent polls so th never re-emits; at completion the str immediately after, so there is no later either. Results later in the SAME batc yet added and do re-emit on the next which is why the observed symptom loss rather than total. WHY IT IS FILE SEPARATELY: the §11.4.252 fail-open this loss OBSERVABLE by adding a lo which is the right first move — but observability is not repair. The under most-once semantics remain, and pe §11.4.226(5) a mitigation cannot close it mitigates. THE DECISION IS A REAL not an oversight to correct blindly: m add-after-successful-yield gives at-lea but a DETERMINISTIC serialization f would then retry the same result on forever — trading silent loss for a ho Options are (a) keep at-most-once an log line as the contract, (b) add-after- yield with a bounded per-hash retry

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					add-before-yield but remove the has failure so exactly one retry occurs. ACCEPTANCE: an explicit decision re implemented, and covered by a test t a raising emit and asserts the chosen — with a RED observed first per §11. Raised as MINOR-1 by the independence of the fail-open batch; filed rather than absorbed so the residual defect is not along with the logging that revealed — Fixed (→ Fixed.md) Bug — **OPERATOR DECISION (2026-08-26, REFUSE TO START LAN-BOUND** The gets a boot-time guard: bind loopback refuse to start. It does NOT get auth r in this cycle. Rationale carried with t decision: the profile is opt-in via --pro was not running when measured, and for development — so closing the exp costs a guard rather than a parity implementation. Options not chosen: middleware to parity with the Python (real work, and it would partially un BOB-101); document dev-only with n (rejected — nothing would enforce it next --profile go run on this network opens 22 routes). ACCEPTANCE: a bo check that resolves the listener's bind and refuses to start when it is not loc with a paired §1.1 mutation proving FAILs on a 0.0.0.0 bind, and a golden- proving a loopback bind is NOT refus (§11.4.201(1)). Scope reminder recor not lost: this is NOT covered by BOB- deferral, which was about ports; fold would be a §11.4.112(5) verdict leak. as consumer DATA per §11.4.35 — th stated choice, not an agent inference not chosen are named so a future rea not re-litigate a settled call. --- prior i follows --- MEASURED, conductor-ver

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					independently of the reporting subag qBitTorrent-go/cmd/qbittorrent-prox registers exactly three middlewares, 63 and 68: middleware.CORS, middleware.Logger, middleware.Gin. There is NO authentication middlewa per-route auth dependency. main.go: binds addr=":<port>" which is ALL in every route is LAN-reachable when t runs. SCOPE: 22 routes, of which the ones matter most - POST /api/v1/dow POST /api/v1/magnet, DELETE /api/v1 POST and DELETE /api/v1/schedules. peer can queue downloads and delet configuration with no credential. PA stated as fact: PUT /api/v1/theme is a the Python service and open in Go. T asymmetry holds for the download, l schedules mutations. Two implemen one advertised surface disagree abou it needs a credential. RELATIONSHIP BOB-101 (Go parity deferred past v1. operator decision 2026-08-26): that d covered PORT parity - the Go contain :7186 and :7188 as well as :7187. It di cover an authentication hole, and the was not asked about one, because the not been measured when the questio posed. Treating this as covered by th would be a 11.4.112(5) verdict leak: c bounded decision outside the scope i supports. This item stands separately severity is NOT settled by BOB-101. M FACT, so severity is not overstated: th profile is opt-in via --profile go and w running at measurement time (the co showed qbittorrent-proxy, the Python with no Go sibling). The exposure is l live. ACCEPTANCE: either auth middl landed in the Go service with parity Python route set, or an explicit opera

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					decision recording the Go profile as c that must refuse to start LAN-bound guard enforcing whichever is chosen Medium Fixed (→ Fixed.md) Bug BOB-201 — WHAT: scripts/ownership fences declared scope entries LEXICA normalisation + prefix/traversal refu lexical fence cannot see a symlink sit INTERMEDIATE path component. A s (already-present, no race required) s the middle of an otherwise-legal decl steers the recursive walk at a tree th never declared. Measured by the T02 independent reviewer as surviving m M5. WHY IT IS FILED SEPARATELY: t source honest-boundary note and Ca fixture assert this reach is 'tracked as It is NOT. VERIFIED 2026-08-26 by dir BOB-159's description is 4685 chars v occurrences of 'symlink' or 'intermed (control-needed - the body is readab the same query path), and no item in recorded this reach at all. A dangling citation means a real defect is record NOWHERE - the 11.4.214 lost-defect s where the pointer looks like coverage not. This item IS that record; the in-s must now cite THIS id. SCOPE / SEVE BOUNDS, stated honestly (11.4.6): the BOUNDED, not arbitrary. It requires or accident to have already placed a inside a declared scope path. It is NO from the shipped config/owned_path stands (shipped-scope control needle RC=0). It is a real widening of what a chown can touch, not a theoretical o reviewer measured it, no race neede THIS ITEM DOES NOT CLAIM: that th fence is broken. The fence does what refuses lexical escapes ('/', system tre climbs) and was verified doing so un

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					reviewer-authored mutations. This is documented LIMIT of lexical fencing recorded as a real item instead of a c an unrelated one. ACCEPTANCE: (1) c deliberately and record the decision components (realpath/-P semantics) a fence the resolved path, OR keep the fence and state the limit as an accept operator-owned risk; the choice is op owned per 11.4.66 because resolving fence depend on filesystem state at c which has its own failure modes; (2) resolution is chosen, a golden-FALSE legitimate symlinked-but-in-scope do roots still walk (11.4.201(1) - a fence t refuses is a FAIL-bluff of equal severi in-source note and the Case 24 fixtur item, not BOB-159; (4) paired 1.1 mut restore the un-resolved behaviour an fixture MUST fail. 131 Medium Fixed.md) Bug — BOB-202 — W scripts/ownership_repair.sh:493 read scope rows with 'while IFS=\$' read -r e_kind e_opt e_pres e_rec'. A scope er OMITS 'kind' emits the row ". TAB is WHITESPACE character in bash even is set to it explicitly, so a RUN of cons tabs collapses into ONE delimiter ins delimiting an empty field. Every field omission shifts left by one. MEASURE 2026-08-26 on GNU bash 5.2.37, contr (the with-field case was run FIRST an produced output, proving the instrun an earlier probe of mine returned no BOTH cases because printf lacked a t newline - an 11.4.201(7)(b) false-null rather than reported): kind PRESENT kind=[dir] opt=[1] pres=[0] rec=[1] ki path=[P] kind=[1] opt=[0] pres=[1] re CONSEQUENCE: 'optional' is read out 'preserve_mode's slot. An entry decla

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					'optional: true' is therefore treated as optional, so an absent path that should honestly instead becomes a hard failure. 'preserve_mode'/'recursive' are likewise from the wrong slots, with 'recursive' EMPTY. The shift is silent: no parse error diagnostic, no refusal. REACHABILITY: reachable from the shipped config/owned_paths.yaml - all six declared entries carry 'kind' (verified). This is a latent bug for the reader, not a live misbehaviour of the product today. PROVENANCE: surfaced by the T028 round-5 remediation while isolating an unrelated instrument and deliberately left unfixed and unfixed because (a) ownership_repair.sh had hash ae025b74602414ca for that round regress set, (b) it was outside that round NIT remit, and (c) it had not root-caused whether the repair belongs in the package consumer, or the schema. That judgement correct; this item is the filing it deferred. Independently re-measured by the consumer before filing - not accepted on report. COVERAGE-ESCAPE NOTE: no automated found this. It was found by a human-agent isolating a different problem. For the coverage gap is itself a defect of existing to the bug, and closing only the violation. ACCEPTANCE: (1) root-cause correct layer - parser (never emit a read empty field), consumer (read with a read that is not IFS-whitespace, or read pointer or schema (make 'kind' mandatory and an entry lacking it, consistent with the run refusal already landed for empty expansions); the choice is operator-oriented. 11.4.66 because it changes the scope-contract; (2) a fixture with an omitted 'optional: true' asserting the entry is OPTIONAL (or the row refused), RED

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					against current code; (3) a golden-FA proving a fully-specified row still par identically - 11.4.201(1), the reader m start refusing valid scopes; (4) paired mutation restoring the collapsing rea fixture FAILs; (5) an automated check would have caught it, per 11.4.238. P FOUND 2026-08-26 (surfaced by the T round-5 reviewer, independently ver recording): the SIBLING script scripts ownership_precondition.sh ALREADY documents this exact collapse class a 565-578 and already ships the repair split_tsv() at line 579 (used at 437, 69 in-source note carries a real forensic measurement dated 2026-08-21: the version of that script used the collapse and reported”no compose service mo location” for config/ and for the down WHILE FIVE SERVICES MOUNT THEM statement about what was checked, p by the instrument rather than the sys which its own comment classifies as 11.4.201(7)(c) ’the path is part of the i failure. It also records why the unit s not see it: the fixture scope has no co service at all, so only running the rea invocation against the real scope sur WHAT THAT CHANGES FOR THIS ITE acceptance-criterion (1) ’root-cause t layer’ now has a PRECEDENT rather open design question - the consumer split_tsv-style reader that does not us IFS; adopting the sibling’s existing fu preferable to inventing a second dial (11.4.251 - two answers to one questi two files that read the SAME scope ro exactly the divergence that produced round-1 ’two readers of one scope fil finding); (b) this is a RECURRENCE of already diagnosed and closed once in

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					codebase, not a novel discovery - the in one reader on 2026-08-21 and the reader kept the collapsing form, which 11.4.238 escape shape at the code layer lesson was captured in a comment in a check; (c) the 11.4.238 coverage-escape above is SHARPENED - the sibling's own comment already states that a fixture suite cannot see this class, so the request automated check must exercise a row genuinely empty middle field, not merely well-formed one.
132	critical	Fixed (→ Fixed.md)	Bug	—	BOB-204 — WHAT: internal/jackettap credentials.go:234-253 (boba-jackett, The DELETE credential handler checks delete, then discards the errors of BC envfile.Delete(...) (line 240) and _d.Jackett.DeleteIndexer(id) (line 24 returns an UNCONDITIONAL 204 No the .env delete fails, the plaintext credentials REMAIN ON DISK while the reports the credential deleted. Second same file: credentials.go:166-176 return error code env_write_failed_db_roll while the rollback's OWN error is discarded at :169 and :171) — the response body rollback that was never confirmed, as in the API contract itself. SCOPE: 4 code dangerous capabilities on one path (code access + filesystem mutation + external effect + irreversible delete) where §11.4.238 closed-on-dangerous-combination requires 2. Composes §11.4.10 (credentials must leak — a credential the operator believed deleted, still on disk, IS the leak class §11.4.252. REPRODUCTION: read the the discard is syntactic and unconditional runtime repro drives DELETE with the path made unwritable (chmod 0444 on directory-level deny) and observes 20

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the variable persists in .env. WHY IT CAUGHT: the CM-DANGEROUS-COMBINATION FAIL-CLOSED gate (constitution/script/cm_dangerous_combination_fail_close enumerates .go at line 243 but gates i analyser on .py at line 537, so Go falls matchers that key on catch — a keyw not have. All 106 .go files are structur unanalysable while being counted as c That blindness is BOB-191; this item is DEFECT it hid. ACCEPTANCE: (1) both sites either handle the error or the ha returns a non-2xx naming the unresol precondition per §11.4.252(2); (2) the env_write_failed_db_rolled_back code emitted when the rollback actually su else a distinct honest code; (3) a RED t the unwritable-.env path and observes 204, flips GREEN post-fix (§11.4.115); golden-FALSE fixture proves the new g not refuse the healthy path (§11.4.201 DISCOVERY CHANNEL (§11.4.238): fo agent reading source during the BOB- investigation, NOT by the automated — this is itself a coverage escape and carries the escape audit. === VERIFIC COMPLETE 2026-08-26 — BOTH DEF CONFIRMED, RED AUTHORED AND V FAIL === Line numbers re-derived, NO the filing: :234-237 DB delete checked error) · :240-244 envfile.Delete error L · :249 DeleteIndexer error DISCARDE unconditional 204. NOT AN OVERSIG GODOC BLESSES IT. :210-211 reads: “ Jackett deletes are best-effort ...; failur silently swallowed. The 204 status ref success.” Any fix MUST delete that ser will read as authorizing the defect (§1 the doc asserting the old behaviour is what must be reconciled). MEASURED STATE when the .env write fails: DB ro

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					plaintext RUTRACKER_USERNAME/ RUTRACKER_PASSWORD STILL ON D says 204. WORSE THAN THIS ITEM O FRAMED IT: the ENCRYPTED canonic destroyed while the PLAINTEXT copy UNMANAGED — the system’s own rec credential is gone, so nothing will ever up. DEFECT (2) IS WORSE THAN FILE CHECKING THE ERROR WOULD NOT LIE. The rollback calls Repo.Upsert(... ifSet(prior.Username), ...); ifSet(“”) ret repos/credentials.go Upsert maps nil t COALESCE(excluded.username_enc, username_enc) = LEAVE UNCHANGED the prior row had an empty field and request set one, the compensating Ups nil — it SUCCEEDS — and leaves the r place. The DB is not rolled back, there to check, and the API asserts a rollbac Verified live by the third RED case. The defect (2) is NOT one-line-ish: it needs surface to express”set this field back t (delete-and-reinsert the prior row, or c Upsert). Scope it separately from defe RED: qBitTorrent-go/internal/jacketta bob204_failclosed_test.go (297 lines, N gofmt clean, deliberately isolated from credentials_test.go so it cannot widen T042 diff). Failure injection is REAL, n envfile.mutate writes through .tmp, so pre-creates that path as a DIRECTORY os.OpenFile returns EISDIR (errno 21 envfile.Delete fails WHILE .env stays b identical with the credential in it. Cho chmod deliberately: opening a directo writing fails for root too, whereas a c mechanism would silently no-op unde turn the RED into a FALSE GREEN. A NEEDLE inside breakEnvWrites calls envfile.Delete and t.Fatal’s if it unexpe succeeds — a blind instrument cannot

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					conclusion. Measured: 3 FAIL (all three cases) + 1 PASS (the §11.4.201(1) gold proving the REDs are not tautological the fix must not refuse the healthy path Package-wide exactly 3 failures, all three zero skips. §11.4.10 honoured: no asset message prints a credential VALUE — booleans only, fixtures are fake-not-a-HONEST BOUNDARY (§11.4.6): the GR of the flip is OWED, NOT CLAIMED. T was forbidden from editing credential RED was watched, GREEN was not. T SCOPED (not applied): defect (1) IS on twice — replace the two _ = with che returning 5xx naming the unresolved precondition (env_delete_failed, jackson_cascade_delete_failed) and D :210-211 GoDoc sentence. Defect (2) is surface change, separate scope. ADJA FINDINGS: (a) credentials.go is stricter than its own sibling — indexers.go:20 handles the identical DeleteIndexer e least LOGS it; credentials.go:249 does log. Same package, same call, two sta Repo is a concrete *repos.Credentials interface, so a rollback-FAILURE path driven deterministically — relevant to §11.4.240/§11.4.241 if the fix wants the testable. (c) The .gitignore false-null to ate this deliverable is filed separately CHECKS of the discards this item call — BOTH CONFIRMED BENIGN: client _ = resp.Body.Close() closes a body being discarded before a retry; runs. _, _ = w.Write(...) is post-WriteHe class as credentials.go:274. Bonus: ru = json.Unmarshal(...) is benign but lossy — a corrupt ErrorsJSON silently error_count=0, documented as deliberate degradation in its GoDoc. Cosmetic u

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
133	major	Fixed (→ Fixed.md)	Bug	—	report, not an integrity issue; records not re-investigated. BOB-205 — WHAT: the §11.4.252 fail-scanner is driven per-root by invariants/scripts/pre_build_verification.sh:148: a hand-maintained DANGER_ROOTS boba-ctl/ — 4 files, 947 LOC — is NOT a list, so it is never scanned by any arm container orchestrator: a shell-exec permutation surface, precisely the §11.4.252 dangerous-combination class the gate DISTINCT FROM BOB-191: BOB-191 is a MATCHER hole (the root IS scanned; inside it are structurally unanalysable, counted as analysed — a false null the green). This is a SCOPE hole (the root is scanned at all). Different failure shapes, different fixes; per §11.4.214 they are different but-similar, deliberately not merged. BOTH EXIST: the root list is hand-maintained, a new first-party root joins the tree without joining the gate. §11.4.251 (role-as-daemon) points at the fix direction — replace the hand-maintained list with a declared manifest derived from the same source of truth. It uses, so a root cannot exist without being enumerated. ACCEPTANCE: (1) cmd/boba-ctl scanned — either by being added to DANGER_ROOTS or by the manifest route (2) whichever is chosen, a RED fixture is planted fail-open inside cmd/boba-ctl/pre-fix-absent / post-fix-present (§11.4.252) the manifest route is taken, a fixture NEWLY-ADDED first-party root is picked without a hand edit — that is the invariant stops this recurring; (4) the honest-by-path (§11.4.3 SKIP-with-reason, which already implements correctly for unenumerated extensions) is preserved converted into a silent PASS. DISCOVER

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					CHANNEL (§11.4.238): found by an audit, not by the scanner's own root list of BOB-191 investigation, NOT by the audit QA regime — a coverage escape; BOB-191 carries the escape audit. === VERIFICATION COMPLETE 2026-08-26 — CONFIRMED: three corrections and a far larger gap CONFIRMED: DANGER_ROOTS=(downstream proxy/src plugins scripts qBitTorrent frontend/src) at scripts/pre_build_verification.sh:1511 (condition verified verbatim). Invariant 39 spans :1481-1541, skips non-existent roots and calls the gate once per root at :1517, and the gate is invoked from exactly ONE place — so a root absent from that array is not by NO arm. cmd/boba-ctl re-measures tracked .go files, 947 LOC — the file holds, no drift. CORRECTION 1 (§11.4.6): said boba-ctl is a “shell-exec” surface, NO exec.Command in main.go — execution hop away via digital.vasic.containers.compose (main.go:13). The §11.4.252 is still met several times over (5 of 6 mutations :34,36,95-105,121 · untrusted :21,33,53,110,144,170,302,453-465 · crash :432-440,496-509 · external side effects :239,323,430 · irreversible :36,142) — specific word was wrong. CORRECTION 2 (§11.4.6): this item's acceptance criterion asserted the gate “already implemented correctly” an honest SKIP for unenumerated extensions. WRONG. That honest-skip exists for the PYTHON ARM's degradation. An extension absent from the ext list is SILENT false-null. Filed separately as LANGUAGE HOLE item. CORRECTION 3 is not one root. FULL ENUMERATION in scope / 512 OUT of scope = 66% of visible first-party corpus never scanned 324 (excluded-by-intent but UNDECLARED).

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					extension/ 108 · docs/ 51 · challenges/ boba-ctl 4 · frontend/e2e+configs 5 · t (CONCEALS 3 REAL HITS: plugin_update_automation.py:189,19 repository ROOT 1 (CONCEALS 1 REA webui-bridge.py:295). Filed separately ROOT-SCOPE item. boba-ctl IS a genu §11.4.252 surface, but the hole around LATENT: main.go has no _ = err, no err != nil {}), no silent return nil to control-neededled against qBitTorrent- config/config.go). It hides nothing live guarantees a future one lands unseen semantic finding WAS spotted by read authMethod()'s default branch — file separately. BOB-205 != BOB-191, AND COMPOUND — measured, one temp needles: go-needle 0 hits, py-needle 1 blindness independently reconfirmed routes only *.py to the AST arm). The boba-ctl scanned DIRECTLY returns “anti-patterns found” over 947 LOC it analyse. THEREFORE: fixing BOB-205 moves the root from never-looked-at LOOKED-AT-AND-FALSELY-GREEN — §11.4.201(6) FALSE-NULL, the WORSE because it then counts as covered. Bo land, and the language hole with the RED: tests/pre_build/ test_bob205_danger_roots_scope.sh. (§11.4.245) = METAMORPHIC + INVALID a control needle: two BYTE-IDENTICAL fail-open needles (sha equality assert runtime, 8d8bd909...), one in a root t DANGER_ROOTS (control), one in cm (probe), scanner driven exactly as in drives it. Identical input, two location give identical verdicts — matcher/lar gate-version held constant so SCOPE free variable. Independent of the cod test: the expectation comes from the

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					not from reading DANGER_ROOTS. S chosen; shape (b) included as an exp labelled WEAKER secondary (it would typo'd list entry the [[-d]] guard sile. CONFOUND DELIBERATELY AVOIDED needle is PYTHON, not Go — a Go needle stay unseen post-fix and the RED would go green, which is itself a §11.4.201(1 bluff. Fixing BOB-191 will NOT turn t only widening scope will. BLIND-INS GUARD: control needle not found -> e ABORT, never RED. The test parses DANGER_ROOTS from the real driver with zero edits, and never runs pre_build_verification.sh. MEASUREE 1 (evidence docs/qa/BOB-205/red_run_live_gate.log, gate sha256 c5 — CONTROL 1 hit “instrument PROV PROBE 0 hits. GREEN polarity proof e against a SCRATCH copy of the driver root appended (real driver git diff –st Determinism 3/3 RED exit 1, 3/3 GREEN FIX DIRECTION (assessed, not applied §11.4.251 manifest feasible, but the s truth matters — docker-compose.yml contexts MISS plugins/, frontend/src, ctl, webui-bridge.py; language marker package.json) MISS plugins/ and webui-bridge.py. ONLY derive-from-git-trace extensions minus a declared §11.4.22 exclusion fence reaches every gap. T derivation must be built either way: operator keeps the hand list, the omi is the SAME computation — the only whether it drives the scan or audits t tests/ question (324 files) is an operational decision; production-only is defensible currently UNDECLARED. BOB-206 — STATUS: UNCONFIRMED by the T041 review-scope preflight (d
134	critical	Obsolete (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					T041/review_scope_map_20260826.m stated it as “factor 6 is unguarded as could tell”. That hedge is preserved per §11.4.6: this item exists to DRIVE verification, and MUST NOT be cited confirmed defect until a runtime probe either way. WHAT (the hypothesis to probe_location()’s verdict is a product independent terms — the §11.4.194(1 factor shape where ANY degenerate triggers the failure and verifying one assuming the rest is the exact forbidden Factor 6 is the filesystem’s ability to B per-file ownership. On a uid-flattening filesystem (vfat / exfat / ntfs mounted uid= option) every file reports the M regardless of what any chown did or If probe_location() reads that uid and ownership is correct, it returns ‘ok’ or filesystem structurally incapable of h property being probed — a §11.4.201 NULL at the feature’s own core: the p genuinely-correct filesystem return t identical quiet success. WHY CRITICAL THAN THEORETICAL: the download HOST-SPECIFIC MOUNT. Whether this property of the operator’s actual mov not of our source — so it cannot be s reading code alone, and a green probe developer’s ext4/btrfs proves nothing operator whose media lives on exfat This is precisely the class §11.4.108 la exists for. ADJACENT UNGUARDED T same preflight surfaced (verify toget share the tri-state): the precondition refusal triggers, of which R4 is itself a WAY product (measured-rootless AN user-spec AND mounts-a-declared-lo the source states has no second line o R3 and R4 both consume detect_root state whose DOCKER branch the sour

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					admits is documented-not-measured VERIFICATION PLAN (§11.4.115 RED- §11.4.262 machine evidence): (1) enu real mount table and record which d locations sit on uid-flattening filesyst measurement alone may confirm or whole item; (2) construct a loopback image mounted with a uid= option, p declared location at it, run probe_loc capture the verdict — if it returns ok RED; (3) fix by detecting the filesystem ownership-expressiveness and refus reason rather than reporting ok (§11 closed: a probe that cannot resolve it refuses and says so, never passes); (4 FALSE fixture on ext4/btrfs proving t guard does NOT refuse a healthy loca (§11.4.201(1) — a false-positive refus would break every normal operator) RADIUS: this is the ownership featur correctness core — the subject of spe owned-downloads. A false ok here m feature reports success while the ope has to chown by hand, which is the C reported problem the spec exists to s DISCOVERY CHANNEL (§11.4.238): fo agent mapping the T041 review scop the automated QA regime — a covera in its own right. The escape audit ow existing check exercises a uid-flatten filesystem, so no automated surface c caught it. NOTE ON THIS RECORD: th write of this description was corrupt backtick expansion (three terms silen emptied). This is the repaired text; th corruption is recorded here rather th overwritten, per §11.4.6. BOB-207 — WHAT: scripts/lib/ ownership.sh:299-320 probe_location stat -c '%u' and compares against
135	critical	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					ownership_operator_uid (id -u). It NE ‘%g’. Meanwhile ownership_operator defined at scripts/lib/ownership.sh:5 consumed ONLY by scripts/ ownership_repair.sh:360 — so the RE establishes uid AND gid, while the PRECONDITION that verifies the repa checks uid ONLY. The precondition c therefore report ok while exactly hal property the repair exists to establish MEASURED, LIVE ON THIS HOST, UNPRIVILEGED (a setgid directory is — no loopback, no mount, no sudo): uid=1000 gid=10 mode=2755 (chgrp v chmod g+s, both unprivileged) real fi there: uid=1000 gid=10 probe_location ok rc=0 <- operator gid is 1000, file gi SEVERITY RATIONALE: this is the SA that BOB-206 alleged (a probe report while ownership is only partly held) axis that is LIVE rather than hypothe no unusual filesystem, and reproduc unprivileged commands. BOB-206 wa dismissed; this is the real defect that investigation surfaced underneath it ACCEPTANCE: (1) probe_location rea compares gid as well as uid, OR the a is deliberately justified in-source wit reason (if only uid matters to the use goal, say so and explain why the repa at all); (2) a RED fixture builds the se directory above, observes ok pre-fix, refusal post-fix (§11.4.115); (3) a gold fixture proves a correct uid+gid locat ok (§11.4.201(1)); (4) whichever way resolved, precondition and repair ag WHICH property they are talking abo disagreement is the primitive defect DISCOVERY CHANNEL (§11.4.238): fo BOB-206 verification stream, not by t automated QA regime. No existing te

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					a gid mismatch. === CONFIRMED 202 RED AUTHORED — AND THE FIX DIF THE OPPOSITE OF WHAT THIS ITEM === CONFIRMATION (re-derived again dirty tree; line numbers happen to m probe_location() at scripts/lib/ ownership.sh:299-320 reads stat ‘%u’ file branch, :314 dir branch), compar want at :301, and NEVER reads ‘%g’. ownership_operator_gid is defined a has EXACTLY ONE consumer — ownership_repair.sh:360 — verified a tracked AND untracked files, needle- (needle ownership_operator_uid -> 1 negative control -> 0; untracked swee 8 files, ownership_operator_gid -> 0); other hit is a docs/DB carrier or comm REPAIR SETS GID AT TWO SITES, not chown -h “OPUID:{OP_UID}:{OP_GID} both, and :963 find_args selects on (! -gid). FALSE ok REPRODUCED unpriv (chgrp to a group from id -G + chmod uid=1000 gid=10 mode=2755, a REAL inside lands uid=1000 gid=10, probe_ verdict = ok rc=0. Needle arm: an abs returns ‘absent’ rc=1 — the probe CA so the ok is real. DESIGN QUESTION ANSWERED: NARROW THE REPAIR NOT load-bearing. This item was file assuming the PROBE was deficient. M that is backwards. - With correct uid gid=10: edit, read, rename, move, chr delete are ALL PERMITTED — includ recovery from chmod 000 with NO el Owner-class bits are selected by uid n chmod is owner-only, so the operator always restore access. - Every FR-001 FR-003 / FR-010b is phrased as “owne account”. NO requirement mentions DECISIVE, conductor-verified in spec Constraints section blesses “Group-b

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
138	major	Fixed (→ Fixed.md)	Bug	—	workarounds (shared groups, permissions modes, access-control lists) are accepted implementation routes”, and Dependence makes “shared group plus inherited permissions” NECESSARY if the container platform cannot map the in-container user to the operator’s identity. => WIDENING PROBE would make FR-010 REFUSE TO RUN on a configuration the spec explicitly forbids — a §11.4.201(1) false-positive refusal failure class this project keeps finding and gates. => AND THE REPAIR IS ALREADY IN HARM: measured, after repair a new container inherits gid 1000 instead of 10 with the sticky bit still set and NO diagnostic. The repair silently dismantles a spec-sanctioned container group setup. THE RED: tests/unit/test_ownership_gid_agreement.sh (NOT 253 lines, bash -n clean). It deliberately does NOT assert “the probe must call stat (1)”. This is an implementation assertion that should be a cosmetic fix AND hard-wires one fix. The test asserts the user-observable invariant: probe_location(L) == ok IFF ownership_agreement(L) -dry-run selects ZERO items under L. The test: 4 passed / 1 failed / EXIT=1, the failure message: “the PRECONDITION certifies it (ok) vs. the REPAIR reports it broken (selects:2)”. THE FIX: VALIDATED AGAINST BOTH CANDIDATES: Golden-FIX from patched COPIES (production unpatched) · baseline FAIL(1) · narrow-the-repair Golden-FIX · widen-the-probe PASS(0). Golden-FIX is in all three, so neither direction can be proven by refusing everything. That is what makes the RED fix-direction-agnostic rather than THE FIX, NOT APPLIED — scripts/ownership_repair.sh:963: - find_args=("\${OP_UID}" -o ! -gid "\${OP_GID}") -priority BOB-210 — WHAT: scripts/ownership_precondition.sh:342-348

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the docker branch of detect_rootless documented-not-measured (accurate verbatim). The header then claims the built so that ‘an unverified reading can manufacture a refusal’. IT CAN. Line a CONFIDENT rootful verdict whenever info succeeds with non-empty output no name=rootless field. Only the FAILURE modes fall through to unknown (:387 PATH TO HARM: PUID=0 is declared in compose.yml:32 (and again for jacked deliberate per project policy). With a rootful verdict, that reaches the R3 root:517. So a genuinely ROOTLESS Docker whose docker info output SHAPE differs the documented one gets a FALSE RE produced by a branch the source itself was never measured — precisely the the header promises is impossible. THE PROBLEM (§11.4.245 independence): tests DO cover this path (tests/unit/test_ownership_rootless_detection.sh but the shim’s output shape was authentic the SAME documentation as the code and code share the unvalidated premise test cannot discover that the premise It confirms the code matches the doc has confirmed the doc matches Docker ACCEPTANCE: (1) either the header corrected to match :413’s real behavior is changed to yield unknown when the is unverified — the two must agree (the docker branch’s premise is validated REAL docker info output from a real daemon, or the branch is honestly measured at the point of USE, not header; (3) if validation is operator-g a rootless Docker host), record it as §11.4.21 rather than leaving the header promise standing. ALSO VERIFIED G recorded so it is not re-investigated: t

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
139	critical	Fixed (→ Fixed.md)	Bug	—	unknown branch is handled IDENTIC both consumers (R3 :519-531, R4 :832 both a named SKIP, both return 0, ne refuses), ROOTLESS_VERDICT is cach so both read ONE measurement, and carrier-trap golden-FALSE fixture EX (test_ownership_rootless_detection.s drives name=rootless-lookalike insid path and must NOT read rootless; str guard at :396-411 uses exact field equ substring). DISCOVERY CHANNEL (\$1 found by the BOB-206 verification str BOB-212 — WHAT: .gitignore:31 is a c glob <i>credentials</i>, followed by a HAND MAINTAINED per-file allowlist of ! ex (lines 34-50). Any NEW source file wh contains ‘credentials’ (or ‘creds’) is si ignored: git add refuses it and git star NOTHING. The author gets no signal file simply does not exist as far as the path is concerned. HOW IT SURFACE BOB-204 stream authored a RED test credentials_failclosed_test.go. It vani agent noticed only because it went lo the file it had just written. It renamed bob204_failclosed_test.go to escape b <i>credentials</i> and <i>creds</i>, and the file bec visible. A silent deliverable loss, caug rather than by any gate. INDEPENDE CONFIRMED BY THE CONDUCTOR, co needle proven: git check-ignore -v -n qBitTorrent-go/internal/jackettapi/ credentials_failclosed_test.go -> .gitignore:31:<i>credentials</i> (IGNORED ignore -v -no-index qBitTorrent-go/in jackettapi/zzz_probe_test.go -> no ma ignored) <- the needle: instrument p seeing, so the hit above is real git che -v -no-index frontend/e2e/credential -> .gitignore:31:<i>credentials</i> (IGNORED

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					–error-unmatch frontend/e2e/credentials.spec.ts is ma -> tracked SECOND, LATENT INSTAN frontend/e2e/credentials.spec.ts is ma the same rule and survives ONLY bec already tracked (git honours the inde over .gitignore for tracked paths). De add it — an ordinary refactor, a bran operation, a file move — and it disap silently. It is one routine operation av being lost. (For contrast, credential-e dialog.component.spec.ts is genuinel covered by the DIRECTORY rule !from app/jackett/credentials/ at line 43, no file entry.) WHY THIS IS A §11.4.201(NULL, NOT MERELY AN INCONVENI blind instrument and the clean tree r identical quiet zero. git status showing means BOTH ‘no new files’ AND ‘a ne exists but is invisible’. There is no sig distinguishes them. The commit path thing every other gate’s output event travel through — cannot see its own WHY IT IS NOT SIMPLY ‘ADD ANOTH that is the mechanism that produced A hand-maintained allowlist against glob has the §11.4.251/§11.4.205 shap future legitimate credential-named s needs a hand edit nobody will remem make, and the failure mode of forget SILENT. The same shape as BOB-205’ maintained DANGER_ROOTS: a list th edited in lockstep with the tree, with that notices when it was not. TENSIO RESOLVE HONESTLY (§11.4.10 vs §11 the glob exists for a real reason — §1 forbids credential material reaching broad deny-all is the conservative-sa Narrowing it carelessly would re-ope genuine leak channel. So the fix is NO the glob’. Candidate directions, opera decision (§11.4.66): (a) narrow the de

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					actually carries secrets — extensions directories (.env, secrets/, credentials.yml txt enc) rather than every path of the word; (b) keep the deny-all but add that FAILS when an untracked file matches ignore rule AND lives under a first-party root AND has a source extension, so that becomes loud instead of silent; (c) both closes the false-null even if the glob still as it is, and is the smaller change. ACC (1) a NEW credential-named source file first-party source root either commits or produces a LOUD refusal naming that blocked it and the remedy — never silent RED that creates such a file and asserts current silence, flipping to the loud path (§11.4.115); (3) a golden-FALSE proving secret material (a .env, a key) is STILL the §11.4.201(1) guard, because a fix to credentials to close a false-null is stricter than the defect; (4) frontend/e2e/credentials.spec.ts is made safe by rule than by the accident of already being DISCOVERY CHANNEL (§11.4.238): for BOB-204 stream when its own delivery disappeared — NOT by the automate and not by any gate. Nothing in the record that an authored file actually became git. Coverage-escape audit: no surface this class at all. === SCOPED AND ME 2026-08-26 — RECOMMENDATION (b) IS DISPROVEN NOT MERELY DISFAVOR TASK 1a — TRACKED FILES SURVIVED BY BEING TRACKED: 3, not 157. A random all 2795 tracked paths hit 157 ignore 154 of those are NEGATIONS (! lines i.e. explicitly re-included and safe BY H Reporting 157 as the blast radius would been a §11.4.201(1) false positive; the investigating stream caught this itself independent instruments (check-ignor

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					on non-negated patterns, and bare ch which emits only truly-excluded paths IDENTICAL sets. 1. frontend/e2e/ credentials.spec.ts — .gitignore:31 cre — HAZARD (the known one, 109-line spec) 2. tests/security/ test_jackett_autoconfig_secrets.py — .gitignore:51 secrets — HAZARD, N NAMED IN THIS ITEM WHEN FILE Conductor-verified: matched by :51, c tracked. It is a 113-line SECURITY / PE asserting no credential value reached body, traceback, or log. Losing it silen remove the test that guards §11.4.10 deny-all glob's own purpose. That is t sharpest instance available: the rule credentials is one refactor away from the test that proves credentials are p submodules/jackett — .gitignore:260 hazard: mode 160000 gitlink, and tha documented as deliberately inert for steers CodeGraph per §11.4.79). THE THAT DECIDES THE FIX: the director at :43 re-includes the DIRECTORY ON frontend/src/app/jackett/credentials/ credentials.guard.ts is STILL swallow because <i>credentials</i> contains no slash therefore BASENAME-scoped — the a directory buys nothing for new files. safe files, 124 are held by ONE robust negation (!docs/qa//.log) and 13 by f hand-maintained per-file entries (currently live, none stale — but ea future silent loss). TASK 1b — ALR SWALLOWED UNTRACKED FILES: . ignored+untracked paths. Two are losses (the tracker-credentials exp and the BOB-124 .txt evidence — fil own item); set_password.py is reco UNKNOWN: provenance and delib NOT called lost work; download-p

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					<i>qbittorrent_creds.json is the POSITIONAL ARGUMENT to the CONTROL — shape-inspected keys (never values) as [password, username] and is a genuinely credential-bearing, CORRUPTED and ignored. TASK 2 — MEASURED IN A TREE, 10 source paths x 15 secret paths x 15 baseline (full 316-line file) swallow 0 leaks 0 (a) EXACTLY AS THIS ITEM IS IT swallows 0 leaks 3 (a) repaired those 3 swallows 1 leaks 1 (b) deny unchanged + loud gate swallows 0 (a) LEAKS download-proxy/qbittorrent_creds.json — A REAL CREDENTIAL FILE SITTING IN THE TODAY — because credentials.json match “creds”. It also leaks my_password and service_credentials. Repairing leaves service_credentials: an extended scoped deny cannot cover EXTENSIVE secret files without collapsing back to deny-all it was meant to replace. So this item worded it is DISPROVEN, merely disfavoured — and I wrote the candidate list, which was wrong (b) NEWLY ALLOWS INTO GIT: NO the set is EMPTY. No pattern change §11.4.10-vs-§11.4.201(1) proof obligation discharges trivially. No variant of make that argument. TASK 3 — THE tests/security/test_gitignore_swallow_is_loud.sh verified not swallowed BEFORE work the joke this item is about). It asserts acceptance DISJUNCTION (commit OR refuses loudly), so it is FIX-DIRECT AGNOSTIC and leaves the direction operator decision. The load-bearing assertion is A3: git status is BYTE-1 with and without the file — world (authored) 330ceb52074cdbbe, world made) 330ceb52074cdbbe. That is t</i>

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					<i>null proven directly, not argued. P</i> <i>a tautology: RED_MODE=1 -> exit 0</i> <i>stand-in -> exit 0; narrowed glob -></i> <i>and the §1.1 mutation DELETING t</i> <i>exit 2 with 11 leaks caught, which i</i> <i>makes the golden-FALSE load-bear</i> <i>than decorative. Exit 2 is deliberat</i> <i>distinct from exit 1 so a blind harr</i> <i>never read it as “defect present”. E</i> <i>WHAT THIS ITEM FRAMED: it is no</i> <i>tials/creds* problem. secrets, _passv</i> <i>*_user* have EACH already swallowe</i> <i>something real.** *_user* is the broad</i> <i>will match any future *_user.txt / .js</i> <i>or fixture. The fix must be evaluated a</i> <i>whole rule set, not the one glob that s</i> <i>first. === SECOND LIVE TRAP HIT, SA</i> <i>SESSION (2026-08-26) === The BOB-20</i> <i>chose the natural filename tests/unit/</i> <i>test_ownership_user_owned_gid.sh fo</i> <i>Conductor-verified: that path is SWAL</i> <i>by .gitignore:60 _user. The stream che</i> <i>writing (having been warned) and ren</i> <i>test_ownership_gid_agreement.sh, wh</i> <i>That is the SECOND deliverable in one</i> <i>that the deny-all globs would have sile</i> <i>— the first (BOB-204’s</i> <i>credentials_failclosed_test.go) was ca</i> <i>after the fact. It also confirms this iter</i> <i>“beyond the item” warning empiricall</i> <i>the broadest of the four globs and it c</i> <i>file whose name contains no secret a</i> <i>credential — merely the word ‘user’</i> <i>‘user_owned’, which is the FEATURE</i> <i>NAME (spec 002-user-owned-downlo</i> <i>test named after this feature is a can</i> <i>silent loss. Two hits in one session, fr</i> <i>independent streams, is not a coincid</i> <i>— it is the defect operating normally.</i>

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			BOB-215 — WHAT: cmd/boba-ctl/main.go:498-509, authMethod(). Its default branch (:507) returns remote.AuthSS... deploy-registry entry whose auth: key is misspelled, empty, or set to an unrecognized value therefore resolves SILENTLY to authentication rather than refusing to. IT IS A §11.4.252 VIOLATION: this is a credential-selection decision on a path that performs remote mutation and external effects. §11.4.252 requires a path containing dangerous capabilities to FAIL CLOSURE every precondition, refuse when any is unverifiable, and name the unresolved precondition. Silently substituting a credential MECHANISM for an unrecognized declaration is the textbook fail-open operator's intent was not determined code proceeded anyway using a method may not have chosen. WHY NO GATE? IT: three independent reasons, each on its own — (a) cmd/boba-ctl is in no DANGER_ROOT (BOB-205); (b) even if files are structurally unanalysable by current gate (BOB-191); (c) this shape semantic default-branch decision, not two text patterns the non-Python arm was found by a human-equivalent reason is precisely the §11.4.238 escape class QUALIFICATION (§11.4.6): cmd/boba-ctl has NO _ = err, NO empty if err != nil and NO silent return nil today — grepping with a control needle against qBitTorrent internal/config/config.go. This finding is an exception, not one of many; the scope around boba-ctl is otherwise LATENTLY nothing else live, it guarantees a future lands unseen). ACCEPTANCE: (1) an unrecognized/empty auth: value REFUSED an error naming the offending key and declared value, never silently defaulting

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
141	critical	Fixed (→ Fixed.md)	Bug	—	driving a typo'd auth: and asserting t silent SSH-key resolution, flipping to post-fix; (3) golden-FALSE proving ev LEGITIMATE auth: value still resolve — a false refusal here would break r (\$11.4.201(1)). DISCOVERY CHANNEL (\$11.4.238): found by the BOB-205 ve stream while confirming boba-ctl qu \$11.4.252 surface. BOB-217 — WHAT: tools/ plugin_update_automation.py update combines three \$11.4.252 dangerous and is gated by nothing that could sto payload: - UNTRUSTED INPUT: 14 UR four GitHub repositories, THREE of w third-party PERSONAL repos, not the qbittorrent organisation. - MUTATION plugins/.py. - DEFERRED CODE EXECU qBittorrent EXECUTES those engine f bytes fetched over the network becom code on the operator's host. The ONL validation is compile(content, "", "ex tools/plugin_update_automation.py:2 conductor-verified as the sole compil is a SYNTAX check. A syntactically va exactly what a hostile payload is. The signature verification, NO pinned cor NO hash allowlist, NO provenance ch kind. \$11.4.252 requires a path comb dangerous capabilities to FAIL CLOS every precondition, refuse when any unverifiable. This path combines TH verifies none of them. \$11.4.246's sup clause is the direct counterpart: depe are either vendored hash-verified, pr attested, or mirrored through a hash registry — an unattested public sour integrity risk, and here the unatteste source becomes EXECUTED CODE. TH SHARPEST FACT ABOUT THIS FINDING

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					closed gate produced THREE FALSE P in this same file (:189, :198, :215 — al FALSE POSITIVE, see BOB-214's corre while MISSING this, the one genuine combination in it. That is the §11.4.20 directions failure — false-positive and negative — demonstrated inside a sim is the strongest available evidence th detector classifies by local syntactic s never consults semantic role (the §11 primitive named in BOB-191/BOB-21 REACHABILITY, STATED HONESTLY (the script is invoked by NOTHING — needle-proven (91 needle hits, 0 nega control) it is referenced only by its ov README, its own docstring, and a tra zero hits across .sh / .yaml / *.py / Make tools/. Its own README self-declares invoked by the normal start/stop flow functional commit 2026-04-12. So thi live in any automated path. It IS reac hand-run -update, which is exactly v tool exists for. Severity is Critical on t capability combination, bounded by reachability — not on an active explo path. ACCEPTANCE: (1) plugin source pinned (commit SHA or content hash verified before write; (2) an unverifi REFUSES and names which check fai (§11.4.252) rather than proceeding or pass; (3) the compile() call is docume source as a syntax check that is NOT gate, so nobody reads it as one; (4) a serving a syntactically-valid hostile p asserting it is REFUSED pre-fix-absen present; (5) golden-FALSE proving a l pinned update still succeeds (§11.4.2 DISCOVERY CHANNEL (§11.4.238): fo concealed-hits triage stream while es that the gate's four hits in this area w positives. Not by the automated QA r

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
142	minor	Fixed (→ Fixed.md)	Bug	—	and the regime that WAS pointed her the wrong three lines. BOB-220 — WHAT: scripts/ownership_repair.sh:891-895 runs ch intending to strip setuid/setgid bits. T the chmod RUNS and SUCCEEDS, yet stays 2755. Root cause measured — C with a 3-DIGIT symbolic-equivalent c PRESERVES the setgid bit on DIRECTO a 4-digit form (00755) or an explicit g The comment at :868-884 describes a does not occur for directories. EFEC today — the surviving setgid bit is no harmful, and no defect is known to f it. This is filed as a §11.4.6 accuracy d in-source comment asserting behavi code does not perform. That matters the next reader will trust it, and beca future security-relevant strip written the same pattern would silently fail t way. RELATION TO BOB-207: the sam measured that after repair a new file gid 1000 with THE SETGID BIT STILL two facts compound. If BOB-207 is re narrowing the repair (the recommen direction), the setgid survival becom that path but the misleading commen ACCEPTANCE: (1) either the strip is m (00755 or g-s) or the comment is corr state that directories retain setgid — comment must agree; (2) if made rea asserting mode 2755 -> 0755 on a dir since the current form silently no-op golden-FALSE proving a directory tha keep its mode is not gratuitously cha DISCOVERY CHANNEL (§11.4.238): fo BOB-207 stream while tracing an un behaviour. Not by the automated QA
143	critical	Fixed (→ Fixed.md)	Bug	—	BOB-221 — WHAT: scripts/pre_build_verification.sh invariant 3

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					BASH-UNIT-TESTS-EXECUTED) enum suites by FILESYSTEM GLOB (:1196) a fail() on any non-zero exit. It therefore untracked suites, and it has NO concern that is SUPPOSED to fail. MEASURED pre_build/test_bob205_danger_roots_ exits 1 — correctly, because it is a RED BOB-205, an unfixed defect. Invariant that as a gate failure. The predicted T is FAIL, and this is one of its three block causes. THE STRUCTURAL PROBLEM and §11.4.224 REQUIRE a RED author and OBSERVED TO FAIL before the fix. §11.4.135 requires the RED to persist a permanent regression guard. So the constitution mandates that failing tests exist in the space between authoring and fixing — and the blocking gate treats their existence as a failure. Following the constitution correctly means the gate refuse the commit. That is a §11.4.135 wrong-seam problem: the gate asserts “it fails” when the invariant it should assert is “suite fails UNEXPECTEDLY”. WHY IT HAPPENED NOW: this session authored FOUR REDS in parallel streams (BOB-204, BOB-205, BOB-212) — the first time the discipline was applied at this volume. Previously REDS flipped GREEN within the same round-trip window never spanned a gate run. This is not new; the exposure is. THE FORBIDDEN RESPONSES (§11.4.120): do NOT delete the RED to make the gate green; do NOT weaken invariant 30 to ignore failures; do NOT let the RED skipped without a tracked reason. The RED converts a real signal into silence. FLOW DIRECTION — this is §11.4.248’s quarantine mechanism, which the constitution author specifies and this project has not wired. The RED declares its expected-failing status as a tracked item (a header marker, a name, a convention, or a manifest), invariant

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					that declaration, and a declared-RED reported as EXPECTED (not a fail) when UNDECLARED failure still blocks. Crucially, a declaration must EXPIRE or be tracked. §11.4.248 pairs quarantine with a stale declaration deadline precisely so “expected to fail” becomes permanent cover. A RED whose gate closes must flip GREEN or the gate stays on the stale declaration. ACCEPTANCE: (1) a declared RED does not block; (2) an UNDECLARED failing suite still blocks. §11.4.201(1) guard — a fix that ignores failures is strictly worse than the default: a declared RED whose tracked item is 0 blocks, so declarations cannot rot; (4) §1.1 mutation removing the declaration makes the gate accept an undeclared gate FAILs. DISCOVERY CHANNEL (§11.4.201) found by the T042 readiness preflight at the endgame rather than during it. Not in the automated QA regime — the regime is the one that would have blocked. === CORRECTION 1 — 2026-08-26 — MY FIX DIRECTION IN §11.4.201 WAS WRONG, AND THE BLOCKER IS §11.4.201 (1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100) (101) (102) (103) (104) (105) (106) (107) (108) (109) (110) (111) (112) (113) (114) (115) (116) (117) (118) (119) (120) (121) (122) (123) (124) (125) (126) (127) (128) (129) (130) (131) (132) (133) (134) (135) (136) (137) (138) (139) (140) (141) (142) (143) (144) (145) (146) (147) (148) (149) (150) (151) (152) (153) (154) (155) (156) (157) (158) (159) (160) (161) (162) (163) (164) (165) (166) (167) (168) (169) (170) (171) (172) (173) (174) (175) (176) (177) (178) (179) (180) (181) (182) (183) (184) (185) (186) (187) (188) (189) (190) (191) (192) (193) (194) (195) (196) (197) (198) (199) (200) (201) (202) (203) (204) (205) (206) (207) (208) (209) (210) (211) (212) (213) (214) (215) (216) (217) (218) (219) (220) (221) (222) (223) (224) (225) (226) (227) (228) (229) (230) (231) (232) (233) (234) (235) (236) (237) (238) (239) (240) (241) (242) (243) (244) (245) (246) (247) (248) (249) (250) (251) (252) (253) (254) (255) (256) (257) (258) (259) (260) (261) (262) (263) (264) (265) (266) (267) (268) (269) (270) (271) (272) (273) (274) (275) (276) (277) (278) (279) (280) (281) (282) (283) (284) (285) (286) (287) (288) (289) (290) (291) (292) (293) (294) (295) (296) (297) (298) (299) (300) (301) (302) (303) (304) (305) (306) (307) (308) (309) (310) (311) (312) (313) (314) (315) (316) (317) (318) (319) (320) (321) (322) (323) (324) (325) (326) (327) (328) (329) (330) (331) (332) (333) (334) (335) (336) (337) (338) (339) (340) (341) (342) (343) (344) (345) (346) (347) (348) (349) (350) (351) (352) (353) (354) (355) (356) (357) (358) (359) (360) (361) (362) (363) (364) (365) (366) (367) (368) (369) (370) (371) (372) (373) (374) (375) (376) (377) (378) (379) (380) (381) (382) (383) (384) (385) (386) (387) (388) (389) (390) (391) (392) (393) (394) (395) (396) (397) (398) (399) (400) (401) (402) (403) (404) (405) (406) (407) (408) (409) (410) (411) (412) (413) (414) (415) (416) (417) (418) (419) (420) (421) (422) (423) (424) (425) (426) (427) (428) (429) (430) (431) (432) (433) (434) (435) (436) (437) (438) (439) (440) (441) (442) (443) (444) (445) (446) (447) (448) (449) (450) (451) (452) (453) (454) (455) (456) (457) (458) (459) (460) (461) (462) (463) (464) (465) (466) (467) (468) (469) (470) (471) (472) (473) (474) (475) (476) (477) (478) (479) (480) (481) (482) (483) (484) (485) (486) (487) (488) (489) (490) (491) (492) (493) (494) (495) (496) (497) (498) (499) (500) (501) (502) (503) (504) (505) (506) (507) (508) (509) (510) (511) (512) (513) (514) (515) (516) (517) (518) (519) (520) (521) (522) (523) (524) (525) (526) (527) (528) (529) (530) (531) (532) (533) (534) (535) (536) (537) (538) (539) (540) (541) (542) (543) (544) (545) (546) (547) (548) (549) (550) (551) (552) (553) (554) (555) (556) (557) (558) (559) (560) (561) (562) (563) (564) (565) (566) (567) (568) (569) (570) (571) (572) (573) (574) (575) (576) (577) (578) (579) (580) (581) (582) (583) (584) (585) (586) (587) (588) (589) (590) (591) (592) (593) (594) (595) (596) (597) (598) (599) (600) (601) (602) (603) (604) (605) (606) (607) (608) (609) (610) (611) (612) (613) (614) (615) (616) (617) (618) (619) (620) (621) (622) (623) (624) (625) (626) (627) (628) (629) (630) (631) (632) (633) (634) (635) (636) (637) (638) (639) (640) (641) (642) (643) (644) (645) (646) (647) (648) (649) (650) (651) (652) (653) (654) (655) (656) (657) (658) (659) (660) (661) (662) (663) (664) (665) (666) (667) (668) (669) (670) (671) (672) (673) (674) (675) (676) (677) (678) (679) (680) (681) (682) (683) (684) (685) (686) (687) (688) (689) (690) (691) (692) (693) (694) (695) (696) (697) (698) (699) (700) (701) (702) (703) (704) (705) (706) (707) (708) (709) (710) (711) (712) (713) (714) (715) (716) (717) (718) (719) (720) (721) (722) (723) (724) (725) (726) (727) (728) (729) (730) (731) (732) (733) (734) (735) (736) (737) (738) (739) (740) (741) (742) (743) (744) (745) (746) (747) (748) (749) (750) (751) (752) (753) (754) (755) (756) (757) (758) (759) (760) (761) (762) (763) (764) (765) (766) (767) (768) (769) (770) (771) (772) (773) (774) (775) (776) (777) (778) (779) (780) (781) (782) (783) (784) (785) (786) (787) (788) (789) (790) (791) (792) (793) (794) (795) (796) (797) (798) (799) (800) (801) (802) (803) (804) (805) (806) (807) (808) (809) (810) (811) (812) (813) (814) (815) (816) (817) (818) (819) (820) (821) (822) (823) (824) (825) (826) (827) (828) (829) (830) (831) (832) (833) (834) (835) (836) (837) (838) (839) (840) (841) (842) (843) (844) (845) (846) (847) (848) (849) (850) (851) (852) (853) (854) (855) (856) (857) (858) (859) (860) (861) (862) (863) (864) (865) (866) (867) (868) (869) (870) (871) (872) (873) (874) (875) (876) (877) (878) (879) (880) (881) (882) (883) (884) (885) (886) (887) (888) (889) (890) (891) (892) (893) (894) (895) (896) (897) (898) (899) (900) (901) (902) (903) (904) (905) (906) (907) (908) (909) (910) (911) (912) (913) (914) (915) (916) (917) (918) (919) (920) (921) (922) (923) (924) (925) (926) (927) (928) (929) (930) (931) (932) (933) (934) (935) (936) (937) (938) (939) (940) (941) (942) (943) (944) (945) (946) (947) (948) (949) (950) (951) (952) (953) (954) (955) (956) (957) (958) (959) (960) (961) (962) (963) (964) (965) (966) (967) (968) (969) (970) (971) (972) (973) (974) (975) (976) (977) (978) (979) (980) (981) (982) (983) (984) (985) (986) (987) (988) (989) (990) (991) (992) (993) (994) (995) (996) (997) (998) (999) (1000) (1001) (1002) (1003) (1004) (1005) (1006) (1007) (1008) (1009) (1010) (1011) (1012) (1013) (1014) (1015) (1016) (1017) (1018) (1019) (1020) (1021) (1022) (1023) (1024) (1025) (1026) (1027) (1028) (1029) (1030) (1031) (1032) (1033) (1034) (1035) (1036) (1037) (1038) (1039) (1040) (1041) (1042) (1043) (1044) (1045) (1046) (1047) (1048) (1049) (1050) (1051) (1052) (1053) (1054) (1055) (1056) (1057) (1058) (1059) (1060) (1061) (1062) (1063) (1064) (1065) (1066) (1067) (1068) (1069) (1070) (1071) (1072) (1073) (1074) (1075) (1076) (1077) (1078) (1079) (1080) (1081) (1082) (1083) (1084) (1085) (1086) (1087) (1088) (1089) (1090) (1091) (1092) (1093) (1094) (1095) (1096) (1097) (1098) (1099) (1100) (1101) (1102) (1103) (1104) (1105) (1106) (1107) (1108) (1109) (1110) (1111) (1112) (1113) (1114) (1115) (1116) (1117) (1118) (1119) (1120) (1121) (1122) (1123) (1124) (1125) (1126) (1127) (1128) (1129) (1130) (1131) (1132) (1133) (1134) (1135) (1136) (1137) (1138) (1139) (1140) (1141) (1142) (1143) (1144) (1145) (1146) (1147) (1148) (1149) (1150) (1151) (1152) (1153) (1154) (1155) (1156) (1157) (1158) (1159) (1160) (1161) (1162) (1163) (1164) (1165) (1166) (1167) (1168) (1169) (1170) (1171) (1172) (1173) (1174) (1175) (1176) (1177) (1178) (1179) (1180) (1181) (1182) (1183) (1184) (1185) (1186) (1187) (1188) (1189) (1190) (1191) (1192) (1193) (1194) (1195) (1196) (1197) (1198) (1199) (1200) (1201) (1202) (1203) (1204) (1205) (1206) (1207) (1208) (1209) (1210) (1211) (1212) (1213) (1214) (1215) (1216) (1217) (1218) (1219) (1220) (1221) (1222) (1223) (1224) (1225) (1226) (1227) (1228) (1229) (1230) (1231) (1232) (1233) (1234) (1235) (1236) (1237) (1238) (1239) (1240) (1241) (1242) (1243) (1244) (1245) (1246) (1247) (1248) (1249) (1250) (1251) (1252) (1253) (1254) (1255) (1256) (1257) (1258) (1259) (1260) (1261) (1262) (1263) (1264) (1265) (1266) (1267) (1268) (1269) (1270) (1271) (1272) (1273) (1274) (1275) (1276) (1277) (1278) (1279) (1280) (1281) (1282) (1283) (1284) (1285) (1286) (1287) (1288) (1289) (1290) (1291) (1292) (1293) (1294) (1295) (1296) (1297) (1298) (1299) (1300) (1301) (1302) (1303) (1304) (1305) (1306) (1307) (1308) (1309) (1310) (1311) (1312) (1313) (1314) (1315) (1316) (1317) (1318) (1319) (1320) (1321) (1322) (1323) (1324) (1325) (1326) (1327) (1328) (1329) (1330) (1331) (1332) (1333) (1334) (1335) (1336) (1337) (1338) (1339) (1340) (1341) (1342) (1343) (1344) (1345) (1346) (1347) (1348) (1349) (1350) (1351) (1352) (1353) (1354) (1355) (1356) (1357) (1358) (1359) (1360) (1361) (1362) (1363) (1364) (1365) (1366) (1367) (1368) (1369) (1370) (1371) (1372) (1373) (1374) (1375) (1376) (1377) (1378) (1379) (1380) (1381) (1382) (1383) (1384) (1385) (1386) (1387) (1388) (1389) (1390) (1391) (1392) (1393) (1394) (1395) (1396) (1397) (1398) (1399) (1400) (1401) (1402) (1403) (1404) (1405) (1406) (1407) (1408) (1409) (1410) (1411) (1412) (1413) (1414) (1415) (1416) (1417) (1418) (1419) (1420) (1421) (1422) (1423) (1424) (1425) (1426) (1427) (1428) (1429) (1430) (1431) (1432) (1433) (1434) (1435) (1436) (1437) (1438) (1439) (1440) (1441) (1442) (1443) (1444) (1445) (1446) (1447) (1448) (1449) (1450) (1451) (1452) (1453) (1454) (1455) (1456) (1457) (1458) (1459) (1460) (1461) (1462) (1463) (1464) (1465) (1466) (1467) (1468) (1469) (1470) (1471) (1472) (1473) (1474) (1475) (1476) (1477) (1478) (1479) (1480) (1481) (1482) (1483) (1484) (1485) (1486) (1487) (1488) (1489) (1490) (1491) (1492) (1493) (1494) (1495) (1496) (1497) (1498) (1499) (1500) (1501) (1502) (1503) (1504) (1505) (1506) (1507) (1508) (1509) (1510) (1511) (1512) (1513) (1514) (1515) (1516) (1517) (1518) (1519) (1520) (1521) (1522) (1523) (1524) (1525) (1526) (1527) (1528) (1529) (1530) (1531) (1532) (1533) (1534) (1535) (1536) (1537) (1538) (1539) (1540) (1541) (1542) (1543) (1544) (1545) (1546) (1547) (1548) (1549) (1550) (1551) (1552) (1553) (1554) (1555) (1556) (1557) (1558) (1559) (1560) (1561) (1562) (1563) (1564) (1565) (1566) (1567) (1568) (1569) (1570) (1571) (1572) (1573) (1574) (1575) (1576) (1577) (1578) (1579) (1580) (1581) (1582) (1583) (1584) (1585) (1586) (1587) (1588) (1589) (1590) (1591) (1592) (1593) (1594) (1595) (1596) (1597) (1598) (1599) (1600) (1601) (1602) (1603) (1604) (1605) (1606) (1607) (1608) (1609) (1610) (1611) (1612) (1613) (1614) (1615) (1616) (1617) (1618) (1619) (1620) (1621) (1622) (1623) (1624) (1625) (1626) (1627) (1628) (1629) (1630) (1631) (1632) (1633) (1634) (1635) (1636) (1637) (1638) (1639) (1640) (1641) (1642) (1643) (1644) (1645) (1646) (1647) (1648) (1649) (1650) (1651) (1652) (1653) (1654) (1655) (1656) (1657) (1658) (1659) (1660) (1661) (1662) (1663) (1664) (1665) (1666) (1667) (1668) (1669) (1670) (1671) (1672) (1673) (1674) (1675) (1676) (1677) (1678) (1679) (1680) (1681) (1682) (1683) (1684) (1685) (1686) (1687) (1688) (1689) (1690) (1691) (1692) (1693) (1694) (1695) (1696) (1697) (1698) (1699) (1700) (1701) (1702) (1703) (1704) (1705) (1706) (1707) (1708) (1709) (1710) (1711) (1712) (1713) (1714) (1715) (1716) (1717) (1718) (1719) (1720) (1721) (1722) (1723) (1724) (1725) (1726) (1727) (1728) (1729) (1730) (1731) (1732) (1733) (1734) (1735) (1736) (1737) (1738) (1739) (1740) (1741) (1742) (1743) (1744) (1745) (1746) (1747) (1748) (1749) (1750) (1751) (1752) (1753) (1754) (1755) (1756) (1757) (1758) (1759) (1760) (1761) (1762) (1763) (1764) (1765) (1766) (1767) (1768) (1769) (1770) (1771) (1772) (1773) (1774) (1775) (1776) (1777) (1778) (1779) (1780) (1781) (1782) (1783) (1784) (1785) (1786) (1787) (1788) (1789) (1790) (1791) (1792) (1793) (1794) (1795) (1796) (1797) (1798) (1799) (1800) (1801) (1802) (1803) (1804) (1805) (1806) (1807) (1808) (1809) (1810) (1811) (1812) (1813) (1814) (1815) (1816) (1817) (1818) (1819) (1820) (1821) (1822) (1823) (1824) (1825) (1826) (1827) (1828) (1829) (1830) (1831) (1832) (1833) (1834) (1835) (1836) (1837) (1838) (1839) (1840) (1841) (1842) (1843) (1844) (1845) (1846) (1847) (1848) (1849) (1850) (1851) (1852) (1853) (1854) (1855) (1856) (1857) (1858) (1859) (1860) (1861) (1862) (1863) (1864) (1865) (1866) (1867) (1868) (1869) (1870) (1871) (1872) (1873) (1874) (1875) (1876) (1877) (1878) (1879) (1880) (1881) (1882) (1883) (1884) (1885) (1886) (1887) (1888) (1889) (1890) (1891) (1892) (1893) (1894) (1895) (1896) (1897) (1898) (1899) (1900) (1901) (1902) (1903) (1904) (1905) (1906) (1907) (1908) (1909) (1910) (1911) (1912) (1913) (1914) (1915) (1916) (1917) (1918) (1919) (1920) (1921) (1922) (1923) (1924) (1925) (1926) (1927) (1928) (1929) (1930) (1931) (1932) (1933) (1934) (1935) (1936) (1937) (1938) (1939) (1940) (1941) (1942) (1943) (1944) (1945) (1946) (1947) (1948) (1949) (1950) (1951) (1952) (1953) (1954) (1955) (1956) (1957) (1958) (1959) (1960) (1961) (1962) (1963) (1964) (1965) (1966) (1967) (1968) (1969) (1970) (1971) (1972) (1973) (1974) (1975) (1976) (1977) (1978) (1979) (1980) (1981) (1982) (1983) (1984) (1985) (1986) (1987) (1988) (1989) (1990) (1991) (1992) (1993) (1994) (1995) (1996) (1997) (1998) (1999) (2000) (2001) (2002) (2003) (2004) (2005) (2006) (2007) (2008) (2009) (2010) (2011) (2012) (2013) (2014) (2015) (2016) (2017) (2018) (2019) (2020) (2021) (2022) (2023) (2024) (2025) (2026) (2027) (2028) (2029) (2030) (2031) (2032) (2033) (2034) (2035) (2036) (2037) (2038) (2039) (2040) (2041) (2042) (2043) (2044) (2045) (2046) (2047) (2048) (2049) (2050) (2051) (2052) (2053) (2054) (2055) (2056) (2057) (2058) (2059) (2060) (2061) (2062) (2063) (2064) (2065) (2066) (2067) (2068) (2069) (2070) (2071) (2072) (2073) (2074) (2075) (2076) (2077) (2078) (2079) (2080) (2081) (2082) (2083) (2084) (2085) (2086) (2087) (2088) (2089) (2090) (2091) (2092) (2093) (2094) (2095) (2096) (2097) (2098) (2099) (2100) (2101) (2102) (2103) (2104) (2105) (2106) (2107) (2108) (2109) (2110) (2111) (2112) (2113) (2114) (2115) (2116) (2117) (2118) (2119) (2120) (2121) (2122) (2123) (2124) (2125) (2126) (2127) (2128) (2129) (2130) (2131) (2132) (2133) (2134) (2135) (2136) (2137) (2138) (2139) (2140) (2141) (2142) (2143) (2144) (2145) (2146) (2147) (2148) (2149) (2150) (2151) (2152) (2153) (2154) (2155) (2156) (2157) (2158) (2159) (2160) (2161) (2162) (2163) (2164) (2165) (2166) (2167) (2168) (2169) (2170) (2171) (2172) (2173) (2174) (2175) (2176) (2177) (2178) (2179) (2180) (2181) (2182) (2183) (2184) (2185) (2186) (21

#	Level	Status	Type	Fixed- In Tag(s)	One-line description
					Excluding it destroys the very artifact discipline mandates. Merging the two also let a genuinely flaky suite hide b RED declaration and vice versa. What legitimately supplies, and what should INHERITED rather than re-invented (is the SHAPE: a by-name list + a track deadline + a must-only-shrink ratchet CORRECTION 2 — THIS IS A LANGUAGE GAP, NOT A DESIGN VACUUM. Conduct verified: the project ALREADY runs the mechanism on the PYTHON side. <code>pytest.mark.xfail(strict=True)</code> is used deliberately for OPEN defects at tests <code>test_scaling_envelope.py:907</code> (BOB-16 documented in tests/scaling/README and tests/stress/ <code>test_plugin_parsers_stress_chaos.py:5</code> own comments carry the ratchet disc verbatim (“it stays visible as xfailed i report”, “then remove this xfail”). So expected-failure, strict so an unexpected-fails” is ALREADY accepted policy in language. The BASH side has no equiv That is the real gap. CORRECTION 3 – IS NOT SUFFICIENT TO UNBLOCK TO replication of invariant 30 measured FAILED=4 SKIPPED=2: rc=124 300s <code>test_compute_badges_carrier_match</code>. HANG, not a RED. Blocks independence separately. rc=1 3s <code>test_ownership_gid_agreement.sh</code> <- RED (a SECOND in-glob RED; this iteration) rc=1 1s <code>test_bob205_danger_room</code> <- BOB-205’s RED rc=127 9s <code>test_check_cm_lan_routes_authentication</code> CONTAMINATED: a sibling stream with <code>lan_route_auth_analyzer.py</code> during a run (§11.4.119 — the surveying stream own that resource and correctly decide adjudicate). rc=127 is the §11.4.1 scri

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					FAIL-bluff signature, not a product v either way. Returned to its owning st ALSO: BOB-204's and BOB-212's REDS tests/security/test_gitignore_swallow which is OUTSIDE invariant 30's glob executed by NOTHING (BOB-222) — t block today, and widening the glob w immediately add another blocker. TH RECOMMENDED: two-place declarati expiry + strict semantics. THREE inde facts must agree before a failure is ex (1) the suite is listed in scripts/lib/ expected_red.sh, a file the PRODUCIN do not own; (2) the suite file itself can EXPECTED-RED: <ID> with the SAME id OPEN in docs/workable_items.db, FA on unreadable store or unknown id (Plus STRICT-XFAIL PARITY: a declare PASSES blocks, which mechanically f ratchet to shrink in the same commit EXIT-CODE CONVENTION REJECTED MEASURED EVIDENCE — and I had f promising. The non-{0,1} exit space i CLAIMED IN THIS REPO FOR THE OP MEANING: test_gitignore_swallow_is uses exit 2 = “INSTRUMENT BROKEN LEAK — verdict void”, and test_bob205_danger_roots_scope.sh u ABORT (instrument blind). Both were precisely so a blind harness can neve as a verdict. Overloading either for “ red” would make a genuinely BLIND INSTRUMENT INDISTINGUISHABLE I DECLARED RED — the gate would sw exactly the failure class those codes e make loud. It also fails acceptance (4 integer carries no item id) and (3) (no rot-check), and it puts the declaration PRODUCER, collapsing producer!=gat (§11.4.240/§11.4.249). HONEST BOUN THE DESIGN (§11.4.240): it achieves s

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					by LOCATION and MULTI-PLACE AGE not by true CAPABILITY, which §11.4 prefers. There is no PR/CODEOWNER here to enforce capability — CLAUDE Stop #1 removed all CI/PR gates, so the CODEOWNERS half of §11.4.248(B) is STRUCTURALLY UNENFORCEABLE in project. What the design buys is that failure requires a coherent three-plan visible in a diff, instead of one comment THE RED: tests/pre_build/test_bob221_expected_red_declarations extracts invariant 30's loop and its block predicate VERBATIM FROM THE LIVE CONTENT MARKER (never line number) RUNS them against a hermetic scratch PROJECT_ROOT — so the logic under the gate's own text, not a paraphrase (§11.4 anti-echo). Measured RED: 3 of 5 properties unmet, exit 1. P3 is asserted on the block REASON, not merely on “it blocked” - everything blocks, so a bare did-it-block would pass FOR THE WRONG REASON passing if the anti-rot half were never Polarity flip proven with the BYTE-ID test file against a sandbox carrying the exit 0, all five properties met. Four permutations each kill exactly ONE property to-one, no cross-talk. THE PATCH: 72 hunks + one new file scripts/lib/expected git apply --check clean, NOT APPLIED Operational note the landing commit miss: the table names test_bob205_danger_roots_scope.sh and test_ownership_gid_agreement.sh, but carries an # EXPECTED-RED: marker to (verified 0 in both) — without those two line additions the gate blocks them with “declared but the file carries no match marker”, which is the fail-closed design as intended, not a bug. SEQUENCING

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
144	critical	Fixed (→ Fixed.md)	Bug	—	RECOMMENDATION: (iii), a bounded (i) — land the mechanism declaring BOB-205, BOB-207 and this item's own the two missing markers, triage the r as its own item, return the rc=127 to THEN run T042. THE HONEST COST, NOT HIDDEN: this modifies the block BEFORE that gate has ever run clean mechanism's first full-gate exercise I run. The circularity is unavoidable a item (§11.4.120 — a gate whose prece produced by the work it gates): a clea is impossible while any RED exists, so the gate before changing it" cannot b Risk reduced as far as possible witho the gate (proven-applicable patch, pr polarity flip, four biting mutations, P undeclared-failures-still-block assert mutation-proven) but NOT eliminate (ii) fix-the-four-defects-first: all four a and genuinely deferred; BOB-212's fi is an explicitly unresolved §11.4.66 O decision whose own test was deliber written fix-direction-agnostic so as n prejudge it — choosing (ii) means ma decision on the operator's behalf, plu implementations and four reviews, a leaves the hang and the rc=127 block RECURSION NOTE: this item's own R glob and failing, so it is itself a 5th bl the mechanism lands — at which poi already-present marker and table ro The mechanism is its own first custom BOB-224 — WHAT: a replication of ir (same glob, same skip list, same BOBA_PREBUILD_NESTED=1, same ti measured RAN=38 FAILED=4 SKIPPE the four failures is tests/unit/ test_compute_badges_carrier_match. rc=124 after the FULL 300 seconds

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					not fail, it HANGS. WHY IT IS FILED SEPARATELY AND URGENTLY: it blocks invariant 30, and therefore T042, INDEPENDENTLY of BOB-221. The as in BOB-221 that landing an expected-mechanism unblocks T042 is FALSE and two of the four failures are REDs, one hang, one is contaminated. Landing the mechanism alone leaves T042 blocked suite. IT MUST NOT BE SILENCED BY DECLARATION. A hang is a §11.4.232 failure, not a verdict: a wedged op and progressing op both look like “not finished” and marking it expected-to-fail would be §11.4.201(6) false-null into permanent. That is exactly the abuse the expected design property (2) exists to prevent, be triaged as its own defect. INVESTIGATION DIRECTION (§11.4.102 first, no guesswork) is the timeout(1) signature. Determining if it wedges — a consumer blocked on a producer write-end is the documented here (§11.4.201(12) records that a background watchdog spawned inside a \$(...) command substitution inherits the pipe write-end and early disarm orphans its sleep grandchild; the substitution stalls for the FULL budget on every verdict and exit code stays COB. That signature — full budget, correct rc=124 matches rc=124 exactly and should be the hypothesis tested, not the last. The countermeasure is documented: redi watchdog subshell fds away from the pipe, or have the probe write to a file and assume that is the cause; it is the high hypothesis given the recorded precedents. ACCEPTANCE: (1) the wedge point is confirmed with captured evidence, not inferred; (2) the suite completes deterministically within budget; (3) a RED reproducing the hang regression cannot silently re-wedge (

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
145	Critical	Fixed (→ Fixed.md)	Bug	—	based assertion, since the failure IS t duration); (4) NOT closed by a declar raising the timeout — raising the buo it. FILE DATE: the suite is dated 2026 the hang predates this session. DISCO CHANNEL (§11.4.238): found by the E design stream while surveying invar more widely than its brief required – preflight had verified only 3 of 38 sui stated that boundary honestly, which prompted the wider survey. BOB-229 — Caught live by scripts/pre check_gitignore_swallow.sh (BOB-212 invariant 56), the very first real-repo was wired in. scripts/pre_build/ check_cm_qbittorrent_webui_creden tests/pre_build/ test_check_cm_qbittorrent_webui_cr existed on disk (executable, dated 20 and were in DAILY FUNCTIONAL USI pre_build_verification.sh invariant 5 QBITTORRENT-WEBUI-CREDENTIAL every run this session) yet were NEV by git: git ls-files returned nothing, gi –short returned nothing (the exact B false-null), git check-ignore confirmed .gitignore:31:credentials w blocking rule. Both files existed ONLY local checkout — a fresh clone, any o environment, or any disk loss would silently lost an entire gate implemen its self-validated paired-mutation me zero signal. FIX: added explicit ! nega for both exact paths to .gitignore (ma existing hand-maintained allowlist p lines 34-50), confirmed git status now them as untracked-and-visible, confir scripts/pre_build/check_gitignore_sw now reports OK, confirmed both files functional (bash -n clean, and the me

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					own 8-case paired-mutation self-check (8/8). This item exists to record the inclusion of this project's own §11.4.202 reporting discipline (every discovered defect labeled as a tracked item) even though it is being tracked in the same session it was found.