

closure_evidence_20260923

BOB-181 closure evidence — 2026-09-23

Status: fix already present, uncredited, on main since 2026-09-02

Independent investigation (subagent + coordinator, both confirmed independently) found `scripts/generate_markdown_exports.sh` **already** implements fix direction (a) from the item's own acceptance criteria: it accepts optional `.md` path arguments and, when given, scopes the run to exactly those files (hard-erroring on a non-existent/non-`.md` path), only falling back to the historical whole-tree sweep when invoked with zero arguments.

```
$ git log --oneline -1 60729c9 -- scripts/  
generate_markdown_exports.sh  
60729c9 fix(qbittorrent,start.sh): repair admin/admin WebUI login,  
boot abort, and untagged downloads
```

The argument-handling landed as an **uncredited side-effect** of that unrelated commit (2026-09-02) — its message never mentions BOB-181, and the tracker was never synced to this reality, leaving BOB-181 Queued against code that had already fixed it. This is exactly the doc/DB-vs-code drift class several other items closed this session were.

Independently verified this session (coordinator, re-running the

subagent's own work from a clean shell)

```
$ git status --short tests/unit/  
test_generate_markdown_exports_path_arg.sh scripts/
```

```
generate_markdown_exports.sh
```

```
?? tests/unit/test_generate_markdown_exports_path_arg.sh
```

(scripts/generate_markdown_exports.sh carries no diff — genuinely untouched.)

```
$ bash tests/unit/test_generate_markdown_exports_path_arg.sh
```

```
...
```

```
PASS: explicit-arg run: named target.md WAS converted (sanity – the run is not vacuous)
```

```
PASS: explicit-arg run: no decoy outside the requested scope was touched – run is correctly scoped
```

```
PASS: no-argument run: full-tree sweep behaviour is UNCHANGED (target + decoys all converted)
```

```
RESULT: 3 passed, 0 failed
```

```
$ bash tests/unit/test_generate_markdown_exports_path_arg.sh historical
```

```
...
```

```
PASS: explicit-arg run: named target.md WAS converted (sanity – the run is not vacuous)
```

```
FAIL: explicit-arg run: a decoy OUTSIDE the requested scope was touched – argument was silently discarded (BOB-181)
```

```
...
```

```
RESULT: 2 passed, 1 failed
```

(RED evidence against the true pre-fix commit content d61abdf, embedded hermetically in the test as a fixture — the real historical defect genuinely reproduces; the current script genuinely does not.)

What this session actually added

A permanent §11.4.135 regression guard, tests/unit/test_generate_markdown_exports_path_arg.sh, that: (1) proves the CURRENT script's argument-scoping behaviour against a fully isolated mktemp -d tree (never touches the real repo tree), (2) proves the no-argument default (full sweep) is unchanged, (3) carries the true historical pre-fix script content as an embedded fixture so the defect this guard protects against can be demonstrated on demand without a live git history lookup, and (4) is deterministic (3 consecutive identical runs).

Honest boundary

No source change was made — writing a fabricated “fix” onto code that already behaves correctly would itself have been a bluff (§11.4.115/§11.4.6). The genuine gap this session closes is the MISSING regression guard + the tracker/code attribution drift, not a code defect.

git diff –stat

```
tests/unit/test_generate_markdown_exports_path_arg.sh | new file,  
337 lines
```