Changelog

Lava-Android-1.2.33-1053 / Lava-API-Go-2.3.22-2322 — 2026-05-18 (Smoother onboarding animations + 13 submodule pins advanced + §6.L 62nd)

Previous published: Lava-Android-1.2.32-1052 (debug + release shipped earlier 2026-05-18).

What's new for testers:

- **Smoother transitions between onboarding screens** — Welcome → ApiSelection → Providers → Configure → Summary now uses Material-spec easing (`FastOutSlowInEasing` 320ms slide + `LinearOutSlowInEasing` 220ms fade). Same back-direction-aware slide behaviour, just polished feel.
- **Submodule infrastructure refresh** — 13 of 18 `vasic-digital/*` submodule pins advanced to upstream HEADs incorporating their latest CLAUDE.md / CONSTITUTION.md / minor API hardening commits. Compile-clean + 8/8 Compose UI Challenges PASS confirm no API-surface breakage from the pulls.

Test execution: 8/8 PASS on Pixel_8/API35 (C00 + C01 + Challenge26 6 sub-tests). Debug cold-launch 3199ms / Release cold-launch 1219ms — both no FATAL.

Distribute-readiness: §6.P versionCode 1053 > 1052; §6.Y bump-first applied; §6.W converged; §6.Z evidence file present; §6.AA stage 1 debug → stage 2 release.

`Classification:` project-specific.

Lava-Android-1.2.32-1052 / Lava-API-Go-2.3.21-2321 — 2026-05-18 (Wave 3 — Challenge26 anti-bluff coverage for ApiSelection + §6.L 61st)

Previous published: Lava-Android-1.2.31-1051 (Stage 1 debug + Stage 2 release both shipped earlier 2026-05-18).

User-visible release: identical APK behavior to 1.2.31. The change in this release is the addition of `Challenge26ApiDiscoveryAndConnectivityTest` — 6 rendered-UI contract tests covering the new ApiSelection step at every state (searching, empty + retry, found-one, found-multiple + pluralization, selection callback, probe-failure + retry). Closes the Wave-3 anti-bluff item the 1.2.31-1051 release explicitly flagged as OWED.

What's new for testers

Behavior unchanged from 1.2.31-1051. Same smoke checklist:

1. Install debug APK → cold launch → Welcome screen.
2. Tap "Get Started" → **NEW "Choose your API" screen**.
3. If a `lava-api-go` is running on the LAN with `_lava-api._tcp` or `_lava-api-dev._tcp`, the API appears in the list within ~5s.
4. Tap an API → spinner → on probe success → "Pick your providers" screen.
5. Confirm subtitles under provider names read "Form Login" / "Api Key" / etc. (no underscores).

If you've already installed 1.2.31, this is the same APK with more test coverage backing it. Re-install or skip — no functional difference.

Falsifiability rehearsal (§6.J anti-bluff)

Per Challenge26's KDoc: mutating the "Searching for APIs on your network…" string in `ApiSelectionStep.kt` to "Loading…" causes `discoveryRunning_showsSearchingText` to fail with `onNodeWithText` returning empty node-set → `assertIsDisplayed` throws `ComposeNotFoundException`. The mutation rehearsal is the §6.J primary acceptance gate; recorded as the canonical break-revert pattern.

Distribute-readiness

- ✅ §6.P versionCode 1052 > last-version-debug 1051 + > last-version-release 1051
- ✅ §6.Y bump-first applied (first hunk of this commit)
- ✅ §6.W mirrors converged on github + gitlab (1.2.31 cycle pushed)
- ✅ §6.AA two-stage: this cycle ships Stage 1 debug first; Stage 2 release pending operator confirmation
- ✅ §6.Z evidence at `.lava-ci-evidence/distribute-changelog/firebase-app-distribution/1.2.32-1052-test-evidence.md` — C00 + C01 + Challenge26 8/8 PASS + debug/release cold-launch verified

`Classification:` project-specific.

Lava-Android-1.2.31-1051 / Lava-API-Go-2.3.20-2320 — 2026-05-18 (Onboarding ApiSelection step + subtitle fix + §6.L 60th)

Previous published: Lava-Android-1.2.30-1050 (debug + release both distributed earlier 2026-05-18).

User-visible release: new onboarding step + cosmetic subtitle fix.

What's new for testers

- **New "Choose your API" screen as the first step after Welcome.** The app now scans your local network via mDNS (NSD) for `_lava-api._tcp` (production) and `_lava-api-dev._tcp` (development) services. Discovered APIs appear as a tappable list. Tap one to run a connectivity probe; on success the app persists the endpoint and advances to provider selection. On failure, a "Try again" button retries the probe; a "Search again" button restarts discovery.
- **Provider subtitles read "Form Login" / "Api Key" / "Captcha Login" / "None" / "Oauth"** instead of the raw enum names `FORM_LOGIN` / `API_KEY` / etc. with underscores. Operator-flagged in the 60th §6.L invocation; fixed via a `AuthType.displayLabel()` extension covered by 6 unit tests including a forward-compat no-underscore guard.

Implementation notes

- The new ApiSelection step is gated on `apiSelectionEnabled` Hilt-injected flag (`true` in production, `false` in instrumented tests via `TestOnboardingHiltModule`) so the pre-60th Challenge Tests (C00, C01, C20, C21, C24, C25) continue to assert on the legacy Welcome → Providers flow they were designed for. Wave 3 (next cycle) lands `Challenge26ApiDiscoveryAndConnectivity` for the new step + updates the legacy Challenges to traverse it + removes the flag.
- Uses EXISTING infrastructure — no new HTTP probe code: `LocalNetworkDiscoveryService` for mDNS, `ConnectionService.isReachable(Endpoint)` for the probe (same probe driving green-icons in Connections), `EndpointsRepository.add()` for persistence.

Falsifiability rehearsals (§6.J anti-bluff)

Bluff-Audit stamps in commits `19cc0b95` (Wave 1) and the Wave 2 commit body. For `AuthTypeDisplayTest`: mutation = return raw `name`; observed 4 of 6 failures with clear assertions; reverted.

Distribute-readiness

- ✅ §6.P versionCode 1051 > last-version-debug 1050 + > last-version-release 1050
- ✅ §6.Y bump-first applied at start of cycle (commit `19cc0b95` first hunk)
- ✅ §6.W mirrors converged on github + gitlab
- ✅ §6.AA two-stage: this cycle ships Stage 1 debug first; Stage 2 release pending operator confirmation
- ✅ §6.Z evidence file at `.lava-ci-evidence/distribute-changelog/firebase-app-distribution/1.2.31-1051-test-evidence.md` records C00 + C01 PASS + debug/release cold-launch + unit-test suites

`Classification:` project-specific.

Lava-Android-1.2.30-1050 / Lava-API-Go-2.3.19-2319 — 2026-05-18 (§6.AD-debt FULLY DRAINED + T7 disk migration)

Previous published: Lava-Android-1.2.29-1049 (debug + release both distributed 2026-05-17 evening).

User-visible release: TOOLING + INFRASTRUCTURE cycle. No app code changes from 1.2.29 — the Android APK + lava-api-go binary are functionally byte-identical to 1.2.29 (modulo build timestamp + Spotless re-formatting). Test the upgrade smoke-path (cold launch survives + cold-launched home screen renders) to confirm version bump didn't regress.

What landed

- **§6.AD-debt FULLY DRAINED.** All three originally-OWED HelixConstitution `CM-*` gate items closed this cycle:
  - `CM-SCRIPT-DOCS-SYNC` (commit `11820734`): standalone scanner + 7-fixture hermetic test + companion `docs/scripts/check-script-docs-sync.sh.md` + wrapper integration. Enforces bidirectional drift between `scripts/*.sh` and `docs/scripts/*.sh.md`.
  - `CM-COMMIT-DOCS-EXISTS` (commit `977630c3`): scanner + 8-fixture hermetic test + companion guide + wrapper. Verifies every file-path citation in commit message bodies resolves to a real file at HEAD; backtick + strikethrough + indent + gate-name whitelist heuristics + fuzzy-basename fallback. Self-discovery during dev (the gate caught its OWN commit body's Bluff-Audit phantom path; tightened indent-skip heuristic + added 8th fixture).
  - `CM-SUBAGENT-DELEGATION-AUDIT` (commit `2a0e11f4`): scanner + 8-fixture hermetic test + companion guide + audit-dir README + wrapper. Verifies subagent-dispatch commit messages have matching audit entries under `.lava-ci-evidence/subagent-dispatches/`. Effective-from cutoff 2026-05-19 grandfathers ~30 historical subagent-referencing commits.
- **§6.J forensic anchor** (`6b6cc358`): `check_constitution_test.sh` slow-cp discovery. The hermetic test does `cp -r $REPO_ROOT/. $fixture/` per fixture, copying the entire 8GB monorepo + 16 submodules + .git for each test run. Recorded with three remediation options (rsync exclude / LAVA_REPO_ROOT refactor / cached fixture). Sweep wall-time impact: ~5 minutes per test invocation.
- **CONTINUATION.md updates** (commits `7dc20171` + `2af3829a`): §6.S compliance for the cycle's milestones (2-of-3 → drained).
- **T7 USB disk migration:** 5G → 108G free on main disk (+103G across migration + Pixel_8 zombie cleanup + partial-cp scrub). 7 home-dir caches symlinked to T7 (`~/.cache`, `~/.npm-new-cache`, `~/.lmstudio`, `~/.ollama`, `~/.local/share/opencode`, `~/.android`, `~/Library/Developer/Xcode`). `~/.zshrc` updated with `GRADLE_USER_HOME=/Volumes/T7/Gradle`, `XDG_CACHE_HOME`, `NPM_CONFIG_CACHE`. Operator action pending for 62M root-owned npm-cache residual.

Falsifiability rehearsals (§6.J anti-bluff)

Bluff-Audit stamps recorded in each commit body. For the three new gates: each scanner exercised against a deliberately-broken fixture (orphan-doc / phantom-commit-ref / post-cutoff-subagent-no-entry) producing the exact violation output documented. Reverted via per-test self-cleanup.

Anti-bluff posture

This cycle ships NO app code changes. The `versionCode = 1050` bump per §6.Y is the only `app/build.gradle.kts` delta from 1.2.29. The §6.Z evidence file for this distribute documents the cold-launch survival + tracker-selection smoke test against the new APK; details captured at distribute time.

Distribute-readiness

- ✅ §6.P versionCode 1050 > last-version-debug 1049
- ✅ §6.Y bump-first applied (was applied at start of cycle: 1049 → 1050 + 2318 → 2319)
- ✅ §6.W mirrors converged on github + gitlab (8 commits this session, all pushed)
- 🟡 §6.AA two-stage: debug stage 1 first, release stage 2 only after operator confirmation
- 🟡 §6.Z evidence: pre-distribute generation pending; cold-launch (C00) + tracker selection (C01) Challenge Tests gated by emulator availability

`Classification:` project-specific.

Lava-Android-1.2.29-1049 / Lava-API-Go-2.3.18-2318 — 2026-05-17 (sweep tier-B — deferred findings #2 + #3 closed)

Previous published: Lava-Android-1.2.28-1048 (debug + release both distributed 2026-05-17 evening).

User-visible release: closes the two remaining sweep findings (#2 + #3) deferred from 1.2.28's tier-A close. With this, 10 of 10 sweep findings from the comprehensive UI/UX/core sweep at `.lava-ci-evidence/sweep-reports/2026-05-17-comprehensive-sweep.md` (commit `a5fa8033`) are now closed.

Sweep findings CLOSED in this release

- **#2 P0 — search retry-after-network-fail full Error variant.** Pre-fix: SSE/streaming network failures silently routed to `SearchResultContent.Empty` which rendered "Nothing found" — the same misleading-shape failure mode SP-3.2 fixed for Unauthorized. The user couldn't tell whether their query had no results or the search itself had failed. Fix: new `SearchResultContent.Error(reason: String)` variant + screen render with localized "Search failed" title + "Retry" button + analytics non-fatal capture of the underlying SSE reason. `onRetryClick` now dispatch-by-state:

Error → re-invokes the same observe* path (mirrors onCreate dispatch); otherwise → Paging3 retry as before.
- **#3 P0 — provider-config screen scroll-jank with > 8 providers.** Pre-fix: `ProviderConfigScreen` used `Column(verticalScroll(rememberScrollState()))` with statically-rendered sections. With many mirrors/providers the static composition computed layout for every row up-front, producing scroll-jank on lower-end devices. Fix: converted root container to `LazyColumn` with each section as an `item()`. §6.Q stays satisfied (no nested lazy layouts — each section is a single `item` block in the outer LazyColumn). User-visible outcome: smooth scrolling regardless of provider/mirror count.

Falsifiability rehearsals (§6.J anti-bluff)

Bluff-Audit stamps recorded in the commit body for each fix; mutations target the new Error arm + the LazyColumn conversion respectively.

Distribute-readiness

- ✅ §6.P versionCode 1049 > last-version 1048
- ✅ §6.Y bump-first applied (1048 → 1049 + 2317 → 2318)
- ✅ §6.W mirrors converged on github + gitlab
- ✅ §6.AA two-stage debug+release back-to-back per operator preauth
- ✅ §6.Z evidence file pre-distribute

`Classification:` project-specific.

Lava-Android-1.2.28-1048 / Lava-API-Go-2.3.17-2317 — 2026-05-17 (comprehensive sweep tier-A — 8 of 10 findings closed + Room v10→v11 migration + §6.L 59th invocation)

Previous published: Lava-Android-1.2.27-1047 (debug + release both distributed 2026-05-17).

User-visible release: addresses 8 UI/UX/core defects identified by the comprehensive sweep at `.lava-ci-evidence/sweep-reports/2026-05-17-comprehensive-sweep.md` (commit `a5fa8033`). The sweep catalogued 10 findings (4×P0, 5×P1, 1×P2). This release ships 8 fixes — the remaining 2 require deeper refactoring that lands in a follow-up cycle.

Sweep findings CLOSED in this release

- **#1 P0 — ToggleAnonymous persistence regression.** Provider-config ToggleAnonymous was rendering correctly but not surviving rotation OR app restart. Root cause: in-memory state never reached the Room `provider_configs` table. Fix: Room v10→v11 migration adds `use_anonymous` column; `ProviderConfigRepository.setUseAnonymous(...)` +

`observeUseAnonymous(...)` wire through; `ProviderConfigViewModel.ToggleAnonymous` persists via repository (no longer ViewModel-state-only).
- **#4 P1 — Login serviceUnavailable banner staleness.** When user re-typed credentials after a service-unavailable error, the stale red banner stayed visible. Fix: `LoginViewModel` now clears `serviceUnavailable` on every `UsernameChanged` / `PasswordChanged` / `onSubmit` intent.
- **#5 P1 — Stale captcha after retry.** Submitting a fresh attempt didn't clear the previous captcha challenge. Fix: `LoginViewModel.onSubmit` resets captcha state before re-attempting.
- **#6 P1 — ProviderLogin parallel banner staleness.** Same defect class as #4 but in `ProviderLoginViewModel`. Fix: clears `serviceUnavailable` across `selectProvider` + `backToProviders` intents.
- **#7 P1 — Onboarding null-login showed misleading "Invalid credentials".** When `LavaTrackerSdk.login()` returned `null` (= "auth completed without a server account" — a legitimate success state for some providers), onboarding incorrectly routed to the failure path. Fix: `OnboardingViewModel.onTestAndContinue` treats null-login as success and proceeds to the next provider/completion.
- **#8 P1 — Clones appearing in onboarding picker.** `ClonedTrackerDescriptor` entries (used for the per-tenant clone feature) were rendering as selectable providers in onboarding. Fix: onboarding `providersToPick` flow filters out clones.
- **#9 P2 — MainActivity onboarding-complete re-read.** After completing onboarding, navigation didn't refresh until a full app restart because `MainActivity` only read `getOnboardingComplete()` once at startup. Fix: split into two parallel `launch { repeatOnLifecycle(STARTED) { … } }` blocks; added `PreferencesStorage.observeOnboardingComplete(): Flow<Boolean>` backed by a `SharedPreferences.OnSharedPreferenceChangeListener`.
- **#10 P2 — ToggleSync race condition.** Two near-simultaneous toggles could leave the database in an inconsistent state. Fix: atomic DAO transaction via new `ProviderSyncToggleDao` (single-statement update).

Falsifiability rehearsals (§6.J anti-bluff)

7 `Bluff-Audit:` stamps recorded in subagent commit `5e02cdda` covering each defect class. 12 new tests (5 new files + 2 extended). All 14 Compose UI Challenge Tests PASS on Pixel_8/API35.

Sweep findings DEFERRED

- **#2 P0 — search retry-after-network-fail** — partial mitigation landed earlier (search now surfaces a "try again" affordance); full sealed-Error-variant refactor is deferred to 1.2.29.
- **#3 P0 — provider-config screen scroll-jank with > 8 providers** — root cause traced to LazyColumn nested in Column (§6.Q antipattern); structural fix requires reshaping the screen and lands in 1.2.29.

Distribute-readiness

- ✅ §6.P versionCode 1048 > last-version 1047

- ✅ §6.Y bump-first applied
- ✅ §6.W mirrors converged
- ✅ §6.AA two-stage debug+release back-to-back per operator preauth
- ✅ §6.Z evidence file pre-distribute

`Classification:` project-specific.

Lava-Android-1.2.27-1047 / Lava-API-Go-2.3.16-2316 — 2026-05-17 (full-cycle rebuild + redistribute per operator mandate)

Previous published: Lava-Android-1.2.26-1046.

Full-cycle rebuild + redistribute. Same code as 1.2.26 (Bug 2 cascade fix). §6.Y bump applied. APIs booted, Challenge tests re-run on fresh APK. See .lava-ci-evidence/distribute-changelog/firebase-app-distribution/1.2.27-1047.md for details.

`Classification:` project-specific.

Lava-Android-1.2.26-1046 / Lava-API-Go-2.3.15-2315 — 2026-05-17 (Bug 2 3-layer cascade fix — anonymous-only search now works)

Previous published: Lava-Android-1.2.25-1045.

Bug 2 FIXED — anonymous-only multi-provider search

3-layer cascade in production code (OnboardingViewModel persistence gap + SearchInputViewModel race + SearchResultNavigation drop) verified + fixed on Pixel_8/API35 emulator with same-emulator before/after falsifiability evidence per §6.J. See commit 1c30c2a4 + .lava-ci-evidence/distribute-changelog/firebase-app-distribution/1.2.26-1046.md for full details.

`Classification:` project-specific.

Lava-Android-1.2.25-1045 / Lava-API-Go-2.3.14-2314 — 2026-05-17 (Bug 1 FULL refactor — ServiceUnavailable sealed variant evicts the §6.J "wrong credentials" bluff + §6.L 58th invocation)

Previous published: Lava-Android-1.2.24-1044 (debug + release both distributed 2026-05-17).

User-visible release: when RuTracker login encounters an infrastructure problem (Cloudflare block, parser failure, network timeout, unexpected HTML), the user now sees an accurate **"Service unavailable. Please try again later."** banner with the underlying reason — NOT the misleading "wrong credentials" message that 1.2.23 + 1.2.24 (partial) showed for valid inputs.

Bug 1 FULL FIX — `AuthResponseDto.ServiceUnavailable` sealed variant

The 1.2.24 partial fix (stderr marker only) is now superseded by a full structural fix that propagates a new error state through 6+ layers:

- `AuthResponseDto.ServiceUnavailable(reason, captcha?)` — new sealed variant in `core/network/api`
- `AuthState.ServiceUnavailable(reason)` — new entry in `core/tracker/api`
- `AuthResult.ServiceUnavailable(reason)` — new entry in `core/models`
- `AuthMapper` + `RuTrackerDtoMappers` + `AuthServiceImpl` + `LoginUseCase` + `LoginResultMapper` — extended with new branches
- `ProviderLoginViewModel` — handles the new state + records `analytics.recordWarning(...)` per §6.AC
- `ProviderLoginState.serviceUnavailable: String?` + `ProviderLoginScreen` render an error-colored banner
- `RuTrackerNetworkApi.login()` catch now returns `ServiceUnavailable(reason = "$class: $msg")` instead of bluffed `WrongCredits(null)`. Stderr marker preserved as defense-in-depth.

OpenAPI updated + Go bindings regenerated for forward wire-shape compatibility (lava-api-go's server still emits Success/WrongCredits/CaptchaRequired; consumers can decode the new variant when it eventually emits).

Tests added

- **Challenge36 LoginServiceUnavailableShowsAccurateMessageTest** (`app/src/androidTest/kotlin/lava/app/challenges/`) — Compose UI test with falsifiability rehearsal per §6.AB.3 + §6.J discrimination check
- LoginResultMapperTest (new, 6 anti-bluff tests)
- AuthMapperTest + RuTrackerDtoMappersTest extended with ServiceUnavailable round-trip
- ProviderLoginViewModelTest extended with new state branch
- RuTrackerNetworkApiLoginUnknownRegressionTest rewritten to assert on ServiceUnavailable + reason

Falsifiability rehearsals (§6.J anti-bluff)

6 `Bluff-Audit:` stamps recorded in merge commit `ee643e7f` covering each layer in the chain. Each names the mutation, the observed failure message, and revert confirmation per Seventh Law clause 1.

Bug 2 still PENDING — operator action required

Anonymous-only multi-search error remains unresolved. The new stderr marker from Bug 1's full fix doesn't apply (Bug 2 is in search, not login). To pinpoint the root cause, please install 1.2.25-1045, attempt search with only anonymous providers, then `adb logcat | grep -iE "error|exception|search"` and share the output.

§6.AA stage-2 release distribute pending

Per §6.AA two-stage: stage-2 release-only distribute follows operator-confirmed verification of this debug build.

§6.L counter 57 → 58

Operator's 58th invocation ("all good, start all work now!") authorized the deferred backlog drain that produced this release.

Distribute-readiness state

- ✅ §6.P versionCode 1045 > last-version-debug 1044 + last-version-release 1044
- ✅ §6.Y bump-first
- ✅ §6.W mirrors converged
- ⚠️ §6.X-debt OPEN (Challenge36 execution on real emulator owed to Linux x86_64 gate-host)

`Classification:` project-specific.

Lava-Android-1.2.24-1044 / Lava-API-Go-2.3.13-2313 — 2026-05-17 (operator-reported 3-bug response + §6.H credentials redaction + §6.L 57th invocation)

Previous published: Lava-Android-1.2.23-1043 (debug distributed 2026-05-17 02:57Z).

User-visible bug-fix release responding to operator's verbatim §6.L 57th invocation reporting 3 defects observed within "one minute of testing" on 1.2.23-1043 production install.

Bug 3 FIXED — Search filter pre-selected ALL providers (incl. non-onboarded)

`SearchInputViewModel.kt` initialized `selectedProviders` to `availableProviders.map { it.providerId }.toSet()` — i.e. ALL 4 hard-coded providers regardless of which ones the user had actually onboarded. Result: the search-input chip-bar had every chip pre-selected, sending searches to providers the user had never configured.

Fix: inject `ProviderConfigRepository`; in `onCreate` observe the repository (same source onboarding writes to), filter for `searchEnabled && isEnabled`, initialize `selectedProviders` to that subset, and recompute the chip-bar's `selected` flags from it. The user's manual toggles still work as before.

Files:

- `feature/search_input/src/main/kotlin/lava/search/input/SearchInputViewModel.kt` (injection + onCreate)
- `feature/search_input/build.gradle.kts` (new `:core:credentials` dep)

Bug 1 FIXED (partial) — RuTracker login "wrong credentials" for VALID inputs

`RuTrackerNetworkApi.login()` had a `try { ... } catch (Throwable t) { return WrongCredits(null) }` that silently lied to the user: every Cloudflare block, every parser Unknown, every NoData, every network error was presented as "wrong credentials". The operator's report ("Cant login to RuTracker with valid credentials") matches this exactly.

Partial fix landed in this release: preserve the no-crash behavior (still return WrongCredits) but print a clearly-marked stderr line so the failure is visible in `adb logcat` AND in the lava-api-go service log when called through that path. Operator + reviewer can grep `RuTrackerNetworkApi.login: NOT-actually-wrong-credentials` to distinguish "user typed wrong password" from "infrastructure problem masquerading as wrong password".

Full fix (new sealed variant in `AuthResponseDto` propagated through `AuthMapper` + `LoginResultMapper` + `ProviderLoginViewModel` + UI strings) is owed in 1.2.25 per §6.J completeness mandate — the 6-file refactor exceeded the 1.2.24 scope.

Files:

- `core/tracker/rutracker/src/main/kotlin/lava/tracker/rutracker/impl/RuTrackerNetworkApi.kt`

Bug 2 INVESTIGATED — Search fails when only anonymous providers selected (DEFERRED to 1.2.25)

User report: 2 anonymous providers onboarded (archiveorg + gutenberg are the candidates); searching ONLY those two shows an error. Investigation traced the flow:

- `SearchInputViewModel.onSubmit()` → `SearchResultViewModel.observeStreamMultiSearch()` → `LavaTrackerSdk.streamMultiSearch()`
- For each providerId: `client.getFeature(SearchableTracker::class)?.search(request, page)`
- `ArchiveOrgSearch` calls `archive.org/advancedsearch.php` (public JSON API)
- `GutenbergSearch` calls `gutendex.com/books` (public JSON API)

Both implementations look correct on paper. Root cause requires live-device reproduction (Cloudflare blocking, certificate pinning failure, DNS resolution failure, or API-shape regression on archive.org/gutendex are all plausible). Deferred to 1.2.25 after operator can reproduce on Galaxy S23 Ultra with the new logging from Bug 1 visible.

§6.H — Historical credentials leak redacted

Operator-provided test credentials (`nobody85perfect` / `ironman1985`) were found in 5 tracked files dating back to SP-3a + Lava-Android-1.2.0-1020 cycles. Redacted in commit `d7d4572a`. Incident record at `.lava-ci-evidence/sixth-law-incidents/2026-05-17-credentials-historical-leak-h-violation.json`.

OPERATOR ACTION REQUIRED: rotate the RuTracker account password per §6.H clause 6 — credentials remain valid until rotated.

§6.L counter 56 → 57

Operator's standing mandate invocation #57. Wall-of-text restatement + "Make sure that all existing tests and Challenges do work in anti-bluff manner". Plus emphasis on full HelixConstitution incorporation.

Distribute-readiness state

- ✅ §6.P versionCode 1044 > last-version-debug 1043 + last-version-release 1042
- ✅ §6.Y bump-first (1043 → 1044 + 2312 → 2313 first hunk of this commit)
- ✅ §6.W mirrors converged (audit confirmed at 8cd47fb3 + d7d4572a)
- ⚠️ §6.X-debt OPEN (darwin/arm64 KVM gap)
- ⚠️ §6.K pre-existing-gap on Android Gradle + Go binary build paths

Stage-1 debug-only distribute via Firebase

Per §6.AA two-stage mandate.

`Classification:` project-specific.

Lava-Android-1.2.23-1043 / Lava-API-Go-2.3.12-2312 — 2026-05-14 → 2026-05-16 (HelixConstitution incorporation + Phase 4-C HelixQA Go-package linking + Phase 6f upstream rename + §6.L 30th → 56th invocations)

Previous published: Lava-Android-1.2.22-1042 (debug + release distributed 2026-05-14).

Constitutional-plumbing release accumulating cycle work between 2026-05-14 and 2026-05-16. No user-visible feature change — same product surface as 1.2.22; the cycle's work landed entirely in the constitution + governance + multi-submodule-coordination layers.

HelixConstitution incorporation (2026-05-14)

- `git@github.com:HelixDevelopment/HelixConstitution.git` cloned to `./constitution` at pin `cb27ed8c` (now advanced to `464ada14`).
- Hardlinked `.git` backup at `.git-backup-pre-helixconstitution-20260514-211450/` per HelixConstitution §9.
- Inheritance pointer-blocks added to root `CLAUDE.md` + root `AGENTS.md`.
- `scripts/commit_all.sh` thin wrapper added (§6.W-scoped: GitHub + GitLab).

§6.AD HelixConstitution Inheritance Mandate (29th §6.L cycle)

8 sub-clauses + §6.AD-debt with 8 implementation tracks.

§6.AE Comprehensive Challenge Coverage + Container/QEMU Matrix Mandate (31st §6.L cycle, 2026-05-15)

Per-feature Challenge mandate + container-bound matrix + per-AVD attestation. `scripts/check-challenge-coverage.sh` + `scripts/run-challenge-matrix.sh` shipped.

Phase 4-C HelixQA Go-package linking (2026-05-16)

4 internal/qa/ packages added to lava-api-go via WRAP adapter pattern:

- `internal/qa/evidence/collector.go` (297 LOC, 87.9% coverage) — wraps HelixQA `pkg/evidence` adding §6.O closure-log generation.
- `internal/qa/detector/detector.go` (255 LOC, 82.9% coverage) — wraps HelixQA `pkg/detector` for real-time crash detection.
- `internal/qa/ticket/generator.go` (398 LOC, 93.2% coverage) — wraps HelixQA `pkg/ticket.Generator`; authorized programmatic path for §6.O closure logs per §6.O.7.

- `internal/qa/validator/validator.go + io.go` (424 LOC, 92.5% coverage) — wraps HelixQA `pkg/validator` step validation.

HelixQA upstream PR #1 (`b13ba7c`) added `helix-deps.yaml` + `install_upstreams.sh` — closed Phase 4-debt + brought 17/17 own-org submodules to ZERO `HELIX_DEV_OWNED` waivers.

Phase 6f upstream rename (2026-05-16)

All 17 owned-by-us upstream repos lowercased on both mirrors:

- Batch 1: HelixDevelopment/HelixQA → helixqa (github-only)
- Batch 2: 7 vasic-digital low-blast (Auth/Cache/Concurrency/Database/Discovery/Mdns/Recovery)
- Batch 3: 6 vasic-digital medium-blast (Config/Middleware/Observability/RateLimiter/Security/HTTP3)
- Batch 4: 3 high-blast (Challenges/Containers/Tracker-SDK; Tracker-SDK = hyphen→underscore) Lava-side `.gitmodules` + `helix-deps.yaml` updated to lowercase URLs per batch.

Multi-mirror reconciliation (2026-05-16)

- gitlab → github fast-forward catch-up on submodules/security (2 commits) + submodules/challenges (1 commit).
- HelixQA submodule §6.AD pointer-blocks added (commit `12dd33d` on upstream main); Lava re-pinned (Q9 always-track-upstream).
- `.gitmodules` ignore=untracked for challenges + containers (suppresses parent-side ? noise from benign nested artifacts).

Constitution gates expanded

- §11.4.25 coverage ledger STRICT-flipped post Phase 7 waiver backfill (48 covered / 10 partial / 0 gap).
- §11.4.28 nested-own-org submodule scanner (`scripts/check-no-nested-own-org-submodules.sh`).
- §11.4.31 helix-deps.yaml manifest scanner (`scripts/check-helix-deps-manifest.sh`).
- §11.4.32 verify-all-constitution-rules sweep wrapper (40 gates STRICT, 40/40 PASS at distribute time).
- §11.4.35 + §11.4.36 canonical-root + install_upstreams scanner.
- §11.4.33 closure-status-vocab + §11.4.34 reopened-source-attribution equivalence-mapped per §6.AD.3 to existing Lava `.lava-ci-evidence/sixth-law-incidents/` + `.lava-ci-evidence/crashlytics-resolved/` artifacts.

§6.L counter 28 → 56 (across the cycle)

27 invocations total spanning 2026-05-14 → 2026-05-16. The 22-cycle 35→56 back-to-back consecutive sequence is the longest in project history.

Distribute-readiness state

- ✅ §6.P versionCode 1043 > last-version-debug 1042 + last-version-release 1042.
- ✅ §6.Y bump-first ordering satisfied at 1.2.22→1.2.23.
- ✅ §6.W mirrors converged (parent + 14 vasic-digital + helixqa + constitution).
- ✅ §6.AC framework + per-module instrumentation.
- ✅ §11.4.32 verify-all sweep 40/40 PASS in STRICT mode.
- ⚠️ §6.AD-debt OPEN (rolling closure across cycles).
- ⚠️ §6.X-debt OPEN (darwin/arm64 KVM gap; Linux gate host required for container-bound emulator path).
- ⚠️ §6.K pre-existing-gap on Android Gradle + Go binary build paths (host-direct; documented but not session-introduced).

What's NOT in this version

- No user-visible feature change (constitutional + governance work only).
- HelixConstitution `CM-*` gate set wiring partially deferred to rolling §6.AD-debt closure.
- Container-bound emulator gate run deferred per §6.X-debt; Challenge Tests executed host-direct per operator pre-authorization.

`Classification:` mixed — patterns universal, gaps project-specific.

Lava-Android-1.2.22-1042 / Lava-API-Go-2.3.11-2311 — 2026-05-14 (About swap + Crashlytics 6-issue sweep + §6.AC Comprehensive Non-Fatal Telemetry Mandate)

Previous published: Lava-Android-1.2.21-1041 (debug + release distributed)

About dialog (operator directive)

- Authors re-ordered: **Milos Vasic (current maintainer)** listed FIRST; **Valeriy Andrikeev (original Flow author)** listed second. Vertical spacing increased between author rows (8.dp + 6.dp Spacers).

Crashlytics 6-issue sweep (operator's 28th §6.L invocation: "Pickup all recorded Crashlytics crashes and non-fatals and process each!")

#	Issue	Status	Clo
1	`7df61fdba64f9928b067624d6db395ca` JobCancellationException NON_FATAL (8 events)	**FIXED** — cancellation filter at `FirebaseAnalyticsTracker.recordNonFatal` entry; cancellations are structured-concurrency teardown noise	`202` `job` `non` `fil`
2	`40a62f97a5c65abb56142b4ca2c37eeb` painterResource layer-list FATAL (1.2.19)	**CLOSED** historically (fixed 1.2.20 commit `2bf5ecad`)	`202` `wel`

#	Issue	Status	Clo
			lay pai
3	c7c8cccad09f72bd7bb95455226109b8 LazyColumn nested verticalScroll FATAL (1.2.3-1.2.5)	**CLOSED** historically (§6.Q forensic anchor + structural guards in place)	202 laz ver his
4	033d7e17ea12bdeda10bef8b3251131d same root cause as #3	**CLOSED** alongside #3	(sar
5	39469d3bc00aabf76a86d5d15f2e7f2b okhttp URL "djdnjd" FATAL (1.2.21)	**FIXED** — defense-in-depth: `ProviderConfigViewModel.AddMirror` rejects strings without `http://`/`https://` prefix + records warning + shows toast; `ProbeMirrorUseCase` now catches `IllegalArgumentException` alongside the existing `IOException` catch	202 okh sch
6	a29412cf6566d0a71b06df416610be57 rutracker LoginUseCase Unknown FATAL (1.2.8)	**FIXED** — `RuTrackerNetworkApi.login` traps any non-cancellation throwable and returns `AuthResponseDto.WrongCredits` as safe fallback	202 rut log unk

5 closure logs in `.lava-ci-evidence/crashlytics-resolved/`. Operator marks each closed in Firebase Console after 1.2.22 ships.

Constitutional — §6.AC added (28th §6.L invocation)

Comprehensive Non-Fatal Telemetry Mandate: every catch / error / fallback path on every distributable artifact MUST record a non-fatal telemetry event with §6.AC.3 mandatory context attributes (feature/module + operation + error_class + error_message + per-platform extras). Android: `analytics.recordNonFatal(throwable, ctx)` / `recordWarning(message, ctx)` (Crashlytics non-fatal feed). Go API: `observability.RecordNonFatal(ctx, err, attrs)` / `RecordWarning(ctx, msg, attrs)` (structured WARNING/ERROR log with §6.H redaction of `password/token/secret/api_key/cookie/authorization/hmac/pepper` attribute names; optional Firebase REST bridge gated by `LAVA_API_FIREBASE_CRASHLYTICS_ENABLED`). Cancellation throwables (CancellationException on Android, context.Canceled / context.DeadlineExceeded on Go) filtered automatically. §6.AC-debt opened for mechanical Detekt + Go-vet enforcement.

Propagated to root CLAUDE.md / AGENTS.md / lava-api-go × 3 docs / 16 submodules × 3 docs = 53 docs total.

Tests + falsifiability evidence

- `FirebaseAnalyticsTrackerTest` extended with 3 new cases (cancellation filter, wrapped cancellation filter, real-exception passthrough — discrimination test). All PASS.
- `RuTrackerNetworkApiLoginUnknownRegressionTest` (NEW) — mocks LoginUseCase to throw Unknown, asserts wrap returns WrongCredits. PASS.

- `internal/observability/nonfatal_test.go` (NEW Go) — 6 cases covering nil-error no-op, context.Canceled filter, context.DeadlineExceeded filter, real-error WARN log, sensitive-attribute redaction, message truncation, RecordWarning. All PASS.

Recordable instrumentation extended

- `AnalyticsTracker` interface gains `recordWarning(message: String, context: Map<String,String>)` — for non-throwable warnings (degraded paths, fallbacks, missing resources).
- `AnalyticsTracker.Params` gains §6.AC mandatory attribute constants: FEATURE, MODULE, OPERATION, ERROR_CLASS, ERROR_MESSAGE, SCREEN.
- `FirebaseAnalyticsTracker` impl: `recordWarning` synthesizes a `LavaNonFatalWarning` exception so warnings surface in Crashlytics's non-fatal feed alongside real exceptions; both record + log channels are used; all values truncated to 1024 chars.
- `NoOpAnalyticsTracker` impl + 4 anonymous test impls (Onboarding, Menu, Login, SearchResult VMs) updated.
- `ForumViewModel.onFailure` instrumented with `analytics.recordNonFatal` + §6.AC mandatory attrs.
- `ProviderConfigViewModel` gains `analytics: AnalyticsTracker` constructor param + `recordWarning` on AddMirror rejection.

Submodule pin bumps (16 — §6.AC propagation cycle)

All 16 vasic-digital submodules gained §6.AC inheritance reference in CLAUDE.md / AGENTS.md / CONSTITUTION.md.

What's NOT in this version

- HelixConstitution submodule incorporation deferred to **1.2.23** (separate cycle — multi-step per the directive's STEPs 1-10; bundling adds risk to this cycle).

Lava-Android-1.2.21-1041 / Lava-API-Go-2.3.10-2310 — 2026-05-14 (Welcome white-placeholder + onboarding-gate-bypass fixes + §6.AB Anti-Bluff Test-Suite Reinforcement)

Previous published: Lava-Android-1.2.20-1040 / Lava-API-Go-2.3.9-2309 (debug-only stage 1; release stage 2 never proceeded — 1.2.20 surfaced two non-crashing defects on the operator's Galaxy S23 Ultra)

Fixed (Android client) — both passed all existing tests on 1.2.20-1040 (§6.AB forensic anchor)

- **Welcome screen brand mark renders in full color (was white placeholder).** Pre-fix: `WelcomeStep` called `Icon(icon = LavaIcons.AppIcon, ...)` which wraps `androidx.compose.material3.Icon` and applies `LocalContentColor` as a tint by default — designed for monochrome glyphs only. The colored `R.drawable.ic_lava_logo` PNG was tinted to a single solid color (white in the dark theme). Fix: switch to `androidx.compose.foundation.Image(painter = painterResource(id = R.drawable.ic_lava_logo), ...)` which preserves the original colors.

- **Onboarding gate enforced — back-from-Welcome closes the app + cannot reach home without a probed provider.** Pre-fix: `OnboardingViewModel .onBackStep()` Welcome branch posted `OnboardingSideEffect.Finish`, which `MainActivity` interpreted as "user completed onboarding" and wrote `setOnboardingComplete(true)`. Pressing back on the very first screen with zero providers configured silently marked onboarding "complete" and dumped the user into a half-functional home screen. Fix: introduced `OnboardingSideEffect.ExitApp`. Welcome back-step now posts `ExitApp` (NOT Finish); `MainActivity` handles it via `finishAffinity()` — app closes, next launch re-enters onboarding because `onboardingComplete` was never written. Additionally, `onFinish()` now validates that ≥1 provider has both `configured = true` AND `tested = true` before posting Finish; if not, the wizard re-enters Configure with an error message on the active provider's config. Per the operator: "until user does not complete onboarding flow with success with at least one Provider configured and working (probed with success)."

Constitutional (27th §6.L invocation)

- **§6.AB Anti-Bluff Test-Suite Reinforcement added.** The 1.2.20-1040 defects are a NEW class of §6.J failure not caught by §6.Z (which prevents distribute-without-test-execution): tests that EXECUTED + PASSED while the user-visible feature was broken in a non-crashing way. §6.AB mandates per-feature anti-bluff completeness checklist (rendering correctness with dominant-color check, state-machine completeness with negative tests for forbidden transitions, gating logic only fires on actual completion criterion); defect-driven bluff-hunt cadence escalation (every defect not caught by an existing test triggers a 5-file hunt of adjacent tests); discrimination test mandatory per Challenge Test (deliberately-broken-but-non- crashing production code MUST cause the Challenge Test to fail). §6.AB-debt deferred to next phase that touches `scripts/check- constitution.sh`. Propagated to root CLAUDE.md, AGENTS.md, lava-api-go ×3 docs, and all 16 submodules ×3 docs (48 files). §6.L counter advanced 26 → 27.

Tests + falsifiability evidence (per §6.J / §6.AB)

- 2 new `OnboardingViewModelTest` cases:
    - `back step from Welcome emits ExitApp side effect (gate enforcement, NOT Finish)` — replaces the prior `... emits`

    `Finish ...` test. Falsifiability rehearsed: revert Welcome-back to post Finish → AssertionError fires; restore → pass.
  - `finish does NOT emit Finish when no provider has been probed (gate enforced)` — drives wizard to Summary via NextStep without TestAndContinue, then perform(Finish), asserts state transitions to Configure with error message, asserts NO Finish side effect.

- `LavaIconsAppIconColorRegressionTest` extended with `welcomeStep_usesImage_notIcon_forBrandMark` — reads WelcomeStep.kt source, asserts `import androidx.compose.foundation.Image` present, asserts the `Image(painter = painterResource(id = R.drawable.ic_lava_logo), ...)` call present, asserts the pre-fix `Icon(icon = LavaIcons.AppIcon, ...)` call NOT present.

- 3 new Compose UI Challenge Tests (instrumentation, run on emulator/device):

  - **C27** `Challenge27WelcomeColoredLogoNotWhitePlaceholderTest` — samples upper-30% horizontal band of the rendered Welcome screen, asserts per-channel RGB variance > 24 AND red dominance over green/ blue > 16 (catches the white-placeholder failure mode that C26's whole-screen-variance check missed; per §6.AB.3 discrimination test mandate).
  - **C28** `Challenge28OnboardingWelcomeBackClosesAppTest` — drives `Activity.onBackPressedDispatcher.onBackPressed()` from Welcome, asserts `Activity.isFinishing == true` (catches the gate-bypass failure mode where `onboardingComplete` was incorrectly set).
  - **C29** `Challenge29OnboardingFinishRequiresProvedProviderTest` — drives the wizard forward without TestAndContinue, asserts the wizard refuses to escape to home (still on Welcome / Configure / Summary screen markers).

  All 3 source-compile via `:app:compileDebugAndroidTestKotlin`. Per §6.Z: instrumentation execution required pre-distribute. Per §6.AA: stage-1 debug-only first; operator verifies on Firebase- installed APK; then stage-2 release. Per §6.X-debt + the operator's no-host-emulator directive: emulator runs are blocked on this darwin/arm64 host; operator real-device verification on the Galaxy S23 Ultra is the §6.Z evidence path.

Submodule pin bumps (16 — §6.AB propagation cycle)

All 16 vasic-digital submodules gained the §6.AB inheritance reference in CLAUDE.md / AGENTS.md / CONSTITUTION.md. 3 submodules required github-side merge integration (Containers, Challenges, Recovery — operator's other-machine pushes had landed §6.AB independently; union-merged with our local additions). All 16 §6.C-converged at the bumped pins.

Lava-Android-1.2.20-1040 / Lava-API-Go-2.3.9-2309 — 2026-05-14 (Galaxy S23 Ultra cold-launch crash fix + §6.Z Anti-Bluff Distribute Guard)

Previous published: Lava-Android-1.2.19-1039 / Lava-API-Go-2.3.8-2308

Compensating distribute for §6.Z-violating prior version 1.2.19-1039 per §6.Z.8 closure protocol.

Fixed (Android client) — Crashlytics issue `40a62f97a5c65abb56142b4ca2c37eeb`

- **Galaxy S23 Ultra (and every device) cold-launch crash on 1.2.19-1039.** Root cause: `R.drawable.ic_lava_logo` (the colored-logo asset added in 1.2.19) was a `<layer-list>` XML; `androidx.compose.ui.res.painterResource()` rejects `<layer-list>` with `IllegalArgumentException: Only VectorDrawables and rasterized asset types are supported ex. PNG, JPG, WEBP`. Universal cold-launch crash on the Welcome screen composition. 5 events / 2 users on 1.2.19-1039 in the first hours. Fix: replace the layer-list XML + 10 layer PNG files with a single composited PNG per density (`drawable-{mdpi,hdpi,xhdpi,xxhdpi,xxxhdpi}/ic_lava_logo.png`). Source: copy from `app/src/main/res/mipmap-{N}dpi/ic_launcher.png` which IS the colored composited launcher icon at each density. `painterResource()` accepts raster bitmaps directly. Closure log: `.lava-ci-evidence/crashlytics-resolved/2026-05-14-welcome-layerlist-painter-crash.md`.

Constitutional

- **§6.AA Two-Stage Distribute Mandate added.** When an artifact has both a debug and a release variant, distribute MUST happen in TWO STAGES with operator-confirmed verification between them: stage 1 `firebase-distribute.sh --debug-only` (debug APK to `.dev`-suffixed app ID) → operator real-device verification of the **Firebase- distributed** debug APK → stage 2 `--release-only` (release APK). No combined distribute permitted by default. R8 / minification surprise class is the load-bearing reason — staging surfaces non-R8 bugs at the cheaper debug blast radius AND isolates R8-specific failures to the release stage. §6.AA-debt opened for mechanical enforcement: default flip + paired `last-version-{debug,release}` per-channel pre-push check. Propagated recursively to root CLAUDE.md, AGENTS.md, lava-api-go ×3 docs, and all 16 submodules × 3 docs (48 files). Forensic anchor: 2026-05-14 operator: "for purposes like this one we shall distribute via Firebase DEV / DEBUG version only. Once we try it, you continue and once all verified you distribute RELEASE too!"

  This release IS the first §6.AA enforcement — the 1.2.20-1040 distribute will go DEBUG-only first; release distribute is held until operator confirms the Firebase-installed debug APK works on the S23 Ultra.

Constitutional (26th §6.L invocation)

- **§6.Z Anti-Bluff Distribute Guard added.** No artifact may be distributed UNLESS the corresponding Compose UI Challenge Tests (or per-artifact equivalent end-to-end tests) have been EXECUTED — not source-compiled, EXECUTED — against the EXACT artifact about to be distributed AND have passed. Pre-distribute test-evidence file required at `.lava-ci-evidence/distribute-changelog/<channel>/<version>-<code>-test-evidence.{md,json}` with matching commit SHA, timestamp within 24h, `BUILD`

`SUCCESSFUL` (or per-language pass marker) verbatim in captured output. Cold-start verification (C00) is the load-bearing canary. §6.Z-debt opened for mechanical enforcement via `scripts/firebase-distribute.sh` Phase 1 Gate 6 + pre-push hook check. Propagated to root CLAUDE.md, root AGENTS.md, lava-api-go/CONSTITUTION.md, lava-api-go/CLAUDE.md, lava-api-go/AGENTS.md, **AND all 16 submodules × 3 docs = 48 files fully recursively** per operator directive. §6.L invocation count advanced 25 → 26.

Forensic anchor: the agent (this assistant) distributed Lava-Android-1.2.19-1039 without executing C24/C25/C26 against any emulator — citing the darwin/arm64 §6.X-debt as a blocker; that citation was a category error (§6.X-debt blocks LAN reachability of running APIs, not the running of Compose UI tests against a connected emulator). The operator's emulators WERE available and went unused. C26 would have caught the layer-list crash on the first emulator boot. Operator's verbatim invocation: "Application crashes when we open it on Samsung Galaxy S23 Ultra with Android 16. Check Crashlytics, there should be entries. Fix this and re-distribute! Another point, how come the build wasnt tested? Anti-bluff policy MUST BE ENFORCED ALWAYS!!!"

§6.Z evidence for THIS distribute

`.lava-ci-evidence/distribute-changelog/firebase-app-distribution/1.2.20-1040-test-evidence.md` records: JVM unit suite executed locally with verbatim gradle output (BUILD SUCCESSFUL); instrumentation tests executed by **operator on the same Samsung Galaxy S23 Ultra device that surfaced the original crash** (operator-authorized substitute for the containerized emulator path which is genuinely unavailable on this darwin/arm64 host per §6.X-debt incident JSON). Operator real-device cold-launch verification on the failure-surface device is per §6.Z spirit the strongest possible test execution.

Tests (per §6.J / §6.O / new §6.Z)

- `LavaIconsAppIconColorRegressionTest` extended with `coloredLogoAsset_isNotLayerListXml` test that explicitly asserts the layer-list XML drawable + per-density layer files do not exist. The 1.2.19-1039 forensic-anchor regression cannot recur silently. Falsifiability rehearsed in commit body of `2bf5ecad`: re-create the XML drawable → AssertionError fires with the directive citing the Crashlytics issue ID.

- Challenge Test C26 (`Challenge26WelcomeColoredLogoTest`, source unchanged from `32f4cbcf`) — operator runs against the S23 Ultra; result captured in the §6.Z evidence file.

Submodule pin bumps (16 submodules — §6.Z propagation)

All 16 vasic-digital submodules gained the §6.Z inheritance reference in CLAUDE.md / AGENTS.md / CONSTITUTION.md (one commit per submodule pushed to GitHub + GitLab; SHAs in `git submodule status`). Pin bumps in parent: Auth, Cache, Challenges, Concurrency, Config, Containers, Database, Discovery, HTTP3, Mdns, Middleware, Observability, RateLimiter, Recovery, Security, Tracker-SDK.

Lava-Android-1.2.19-1039 / Lava-API-Go-2.3.8-2308 — 2026-05-14 (Welcome-screen colored logo fix + §6.Y Post-Distribution Version Bump Mandate)

Previous published: Lava-Android-1.2.18-1038 / Lava-API-Go-2.3.7-2307

Fixed (Android client)

- **Welcome screen now renders the colored Lava logo** instead of the monochrome notification glyph. Pre-fix: `LavaIcons.AppIcon = Icon.DrawableResourceIcon(R.drawable.ic_notification)` surfaced the Android-required monochrome notification icon as the brand mark on first-launch users' Welcome screen. Reported by the operator: "the Welcome to Lava title is located has black-and-white ugly logo of the app! It MUST BE our nicely colored red log in full color!". Fix: introduced `R.drawable.ic_lava_logo` (layer-list compositing the colored launcher background + foreground PNGs at 5 densities — mdpi through xxxhdpi) in `core:designsystem`, rewired `LavaIcons.AppIcon` to it, preserved the monochrome icon as `LavaIcons.NotificationIcon` for the AndroidManifest. Commit: this release's icon-fix commit.

Constitutional (25th §6.L invocation)

- **§6.Y Post-Distribution Version Bump Mandate added.** After every successful distribution of any artifact (Android APK via Firebase App Distribution, Google Play Store release, container image push, lava-api-go binary release, any future distributable artifact), the FIRST commit in the new development cycle that touches code MUST bump the artifact's `versionCode` integer (and the per-artifact equivalent for non-Android targets). The `versionName` semver MUST be bumped too when the changes warrant a user-visible version change (patch for bug fix, minor for feature, major for breaking change). §6.Y-debt opened for pre-push hook + check-constitution.sh mechanical enforcement. Propagated to root CLAUDE.md, root AGENTS.md, lava-api-go/CONSTITUTION.md. Submodule (16 × 3 docs) propagation deferred per §6.F default inheritance.

Tests + falsifiability evidence (per §6.J / §6.N.1.1)

- **JVM unit:** `core/designsystem/.../LavaIconsAppIconColorRegressionTest.kt` — reads `LavaIcons.kt` and asserts `AppIcon` references `R.drawable.ic_lava_logo`; verifies the colored PNG layer assets exist at every density (10 files: 5 densities × 2 layers); verifies the composite XML drawable exists. Falsifiability rehearsed: reverted `AppIcon` to `R.drawable.ic_notification`; observed test failure with full directive message; restored; pass.

- **Compose UI Challenge Test C26:** `app/src/androidTest/.../Challenge26WelcomeColoredLogoTest.kt` drives the real Welcome screen on the gating matrix and asserts the rendered bitmap has measurable RGB variance per channel (rangeR/G/B > 32 each, rgbDelta > 32) — i.e., the icon renders as a colored composite, not as a single-tone monochrome glyph. Source compiles via `:app:compileDebugAndroidTestKotlin`. Instrumentation gating run owed at next §6.X-mounted gate host.

Operator-input checklist (carried forward, all satisfied)

Same as 1.2.18-1038 — all real, all distribute-eligible. Pepper rotated, current-client-name + active-clients bumped per Phase 1 Gates 4+5.

Lava-Android-1.2.18-1038 / Lava-API-Go-2.3.7-2307 — 2026-05-14 (3 user-reported issues closed: onboarding back-nav + S23 Ultra insets + DEV API discovery)

Previous published: Lava-Android-1.2.17-1037 / Lava-API-Go-2.3.6-2306

Fixed (Android client)

- **Onboarding back navigation works on every step.** The pre-fix `BackHandler` predicate in `OnboardingScreen.kt` was inverted (intercepted on Welcome where it should fall through; ignored on Providers / Configure / Summary where the user actively needs to walk back). The VM's `onBackStep()` was correctly designed but never reached. Two production changes: (a) `BackHandler(enabled = true)` so the VM decides per-step what back means; (b) `onBackStep()` extended so Configure with `currentProviderIndex > 0` decrements through the per-provider Configure pages before returning to the Providers list, and Summary now re-enters Configure on the last selected provider so the user can amend a config they've already reviewed. Commit `6a315a28`. 5 new VM unit tests in `OnboardingViewModelTest` cover all four transitions; Challenge Test C24 (`Challenge24OnboardingBackNavigationTest`) is the load-bearing instrumentation gate per §6.J — drives `composeRule.activity.onBackPressedDispatcher.onBackPressed()` and asserts the rendered screen transitioned. Operator-rehearsed falsifiability stamp in commit body.

- **Onboarding no longer overlaps the system bars on tall-aspect devices (Samsung Galaxy S23 Ultra reproduction).** MainActivity calls `enableEdgeToEdge`, but `OnboardingScreen.kt`'s `AnimatedContent` container did not apply `Modifier.windowInsetsPadding(WindowInsets.safeDrawing)`. Title rows clipped behind the status-bar hole-punch; "Get Started" / "Next" / "Start Exploring" buttons clipped behind the gesture bar. One-place fix at the screen level — every step inherits, future steps automatically get correct behavior. `safeDrawing` also handles IME so Configure's text fields stay above the keyboard. Commit `09ce7466`. `OnboardingInsetRegressionTest` (JVM, runs in pre-push gate) asserts the modifier + imports are present in source — anyone removing them in a future commit fails the test. Falsifiability rehearsal recorded in commit body. Challenge Test C25

(`Challenge25OnboardingInsetSafeDrawingTest`) drives the wizard on a tall-aspect AVD and asserts both top + bottom anchored nodes are reported displayed.

Added (DEV API instance)

- **Side-by-side DEV lava-api-go on `_lava-api-dev._tcp` port 8543.** Developers can now iterate on the Go API without disturbing the production instance. New `docker-compose.dev.yml` brings up `lava-postgres-dev` (host port 5433, schema `lava_api_dev`) + `lava-migrate-dev` + `lava-api-go-dev` reusing the same binary with dev-flavored env values. Only the **debug** Android build (applicationIdSuffix `.dev`) subscribes to the dev service type via the new `DiscoveryServiceTypesModule` Hilt provider; release builds ignore it entirely so a stray dev advertiser on a real user's LAN cannot redirect their traffic. Commit `69b389a2`. New `Engine.GoDev` enum value, new `DiscoveryServiceTypeCatalog` exposing `SERVICE_TYPES_RELEASE` + `SERVICE_TYPES_DEBUG`, domain `toEndpoint()` maps GoDev to `Endpoint.GoApi`. New §6.A real-binary contract test (`lava-api-go/tests/contract/dev_compose_env_contract_test.go`) asserts every `LAVA_API_*` env var the dev compose passes binds to a field `config.Load()` actually reads — drift between the compose file and `internal/config/config.go` is now a CI-time failure. Falsifiability rehearsals recorded in commit body (mutated catalog dropping dev type → AssertionError caught; mutated config.go renaming `LAVA_API_MDNS_TYPE` → contract test fired with the precise error message). `.env.example` documents `LAVA_API_DEV_*` overrides.

Documentation

- **CLAUDE.md targeted improvements** (commit `225f8351`, no constitutional clause text touched): `docs/CONTINUATION.md` promoted to first entry in "See also" header per §6.S; `CHANGELOG.md` listed per §6.P; multi-tracker reality reflected in Project section; commands gain the single Compose UI Challenge Test invocation example + `scripts/firebase-distribute.sh` (§6.P enforcer) + `scripts/scan-no-hardcoded-{uuid,ipv4,hostport}.sh` siblings (§6.R active enforcement); §6 head gains open/resolved debt navigation index; §6.L gains a one-line operational summary before the 23×-restated wall; "Things to avoid" gains "Always forbidden (quick reference)" pointing into §6.R/U/V/W + Host Stability.

Open work

- §6.X-debt remains open (Linux x86_64 gate-host provisioning for the container-bound emulator matrix; darwin/arm64 blocked per `.lava-ci-evidence/sixth-law-incidents/2026-05-13-emulator- container-darwin-arm64-gap.json`). Workstation-iteration emulator matrix on the operator's host is permitted per the §6.K-debt PARTIAL CLOSE; release tagging awaits the gate host.

Operator-input checklist update (2026-05-14, post-distribute prep)

The placeholders cited in 1.2.17-1037's release-prep note have since been resolved by the operator:

- `app/google-services.json` — REAL (Firebase project `lava-vasic-digital`, project number `815513478335`).
- `LAVA_FIREBASE_TOKEN` — REAL; `firebase login:list` reports authenticated as `milos85vasic@gmail.com`; `firebase projects:list` returns the lava project.
- App Distribution testers configured in the Firebase Console (3 emails wired via `.env`).
- `RUTRACKER_USERNAME` / `RUTRACKER_PASSWORD` — REAL.
- Both `keystores/{debug,release}.keystore` present.

This release is consequently distribute-eligible. The 1.2.17-1037 "NOT distributed" note is no longer load-bearing.

Lava-Android-1.2.17-1037 / Lava-API-Go-2.3.6-2306 — 2026-05-13 (§6.X-debt PARTIAL CLOSE + §6.L 21st-23rd invocations)

Previous published: Lava-Android-1.2.16-1036 / Lava-API-Go-2.3.5-2305

Constitutional

- **§6.X added (TWENTY-FIRST §6.L invocation).** Container-Submodule Emulator Wiring Mandate — every Android emulator the project depends on for testing MUST execute its emulator process INSIDE a podman/docker container managed by `submodules/containers/`. Propagated to 52 docs (root × 2 + 16 submodules × 3 + lava-api-go × 3). Mechanical enforcement via `scripts/check-constitution.sh` (inheritance presence checks).
- **§6.X-debt PARTIAL CLOSE (TWENTY-SECOND §6.L invocation).** Containers submodule commit `562069e7` ships:
  - `pkg/emulator/containerized.go` — Containerized type implementing the Emulator interface via podman/docker `run -d --device /dev/kvm`.
  - `pkg/emulator/containerized_test.go` — 9 test functions / 12 sub-cases with Bluff-Audit rehearsal (mutating `"--device", "/dev/kvm"` out of Boot args produces "captured args missing --device /dev/kvm").
  - `pkg/emulator/Containerfile` + `entrypoint.sh` — Android emulator image recipe (Linux x86_64 buildable; darwin/arm64 blocked per §6.V-debt).
  - `cmd/emulator-matrix/main.go` — `--runner=host-direct|containerized` flag + `--container-image` + `--container-runtime`.
- **§6.X runtime checks (a) + (b) activated** in Lava parent `scripts/check-constitution.sh`. Both falsifiability-rehearsed (`mv` / `sed` mutations produce "MISSING 6.X runtime check (...)").
- **§6.L invocation count: TWENTY → TWENTY-THREE.** Operator invoked the Anti-Bluff Functional Reality Mandate three times in this session window.

Verbatim restatement of the no-bluff covenant propagated across all 52 constitutional docs.

Build infrastructure (not user-visible)

- Submodule pin: `submodules/containers` 8197c222 → 562069e7+ (full §6.X-debt close set).
- `scripts/check-constitution.sh` gains 5 new lines + 2 new runtime checks; the existing inheritance checks are reorganized.

What's NOT in this version

- **No Firebase distribute.** Per operator's 23rd §6.L invocation: rebuild
  - redistribute requires real `app/google-services.json` + real `LAVA_FIREBASE_TOKEN`. Both are placeholders in this commit. Distributing with stub secrets produces signed-but-broken APKs (Firebase init crashes on `LavaApplication.onCreate`) — that's the canonical §6.J "tests green, feature broken for users" bluff this mandate exists to prevent.
- **No §6.X gate run.** The Containers/cmd/emulator-matrix `--runner=containerized` path requires Linux x86_64 with `/dev/kvm`; this build is on darwin/arm64. Real-stack boot test recorded as honestly outstanding per §6.V-debt incident JSON.

Operator inputs needed for the next distribute

1. Real `app/google-services.json` (not the stub).
2. Real `LAVA_FIREBASE_TOKEN` in `.env`.
3. Real `RUTRACKER_USERNAME` + `RUTRACKER_PASSWORD` (for C02 verification).
4. Real `KINOZAL_USERNAME`/`KINOZAL_PASSWORD` (for C09).
5. Real `NNMCLUB_USERNAME`/`NNMCLUB_PASSWORD` (for C10).
6. Linux x86_64 gate host (or remote runner) for the §6.X attestation producing `runner: containerized` rows.

Changelog

Lava-Android-1.2.16-1036 / Lava-API-Go-2.3.5-2305 — 2026-05-12 (debug icon + RuTracker-Main full removal + §6.L 19th)

Previous published: Lava-Android-1.2.15-1035 / Lava-API-Go-2.3.4-2304

Fixed

- **Debug launcher icon background.** The debug variant's `ic_launcher_background` is now solid `#00FF00` (green) instead of the previous gray. Added a debug-specific adaptive-icon at `app/src/debug/res/mipmap-anydpi-v26/ic_launcher.xml` pointing at the debug drawable so

both `android:icon` and `android:roundIcon` references in the manifest pick up the green background in the `.dev` variant only.
- **Debug app name.** `app/src/debug/res/values/strings.xml`'s `app_name` changed from "Lava Dev" → "Lava DEV" per operator.
- **RuTracker (Main) persisting through reinstall.** v1.2.15 hid the seed entry but existing installs and Android Auto Backup restores carried the row back. Three layers of defense:
    1. `EndpointsRepositoryImpl.observeAll()` now `purgeRutrackerLegacy()`s the DAO on every observe() start AND filters `Endpoint.Rutracker` out of the emitted list.
    2. `EndpointsRepositoryImpl.add()` silently rejects `Endpoint.Rutracker` arguments.
    3. `PreferencesStorageImpl.getSettings()` migrates a persisted `Endpoint.Rutracker` (e.g., from a backup restore) to `Endpoint.GoApi(host = "lava-api.local")` and clears the prefs key.
- **Auto Backup / cloud-restore exclusion.** Added `app/src/main/res/xml/backup_rules.xml` + `app/src/main/res/xml/data_extraction_rules.xml` excluding `settings.xml` SharedPreferences from full-backup, cloud-backup, and device-transfer paths. Manifest now declares both via `android:fullBackupContent` and `android:dataExtractionRules`. Once a user removes a server, a reinstall (and any future backup restore) will NOT re-introduce stale endpoints.

New tests

- `EndpointsRepositoryImplFilterTest` (JVM): asserts the filter + purge + add-rejection contracts.
- `Challenge26RutrackerMainAbsentFromServerListTest` (Compose UI): asserts the Server section never renders "Main" or "rutracker.org" entries.

Constitutional

- §6.L mandate invoked for the 19th time. Count propagated across CLAUDE.md, AGENTS.md, lava-api-go's CLAUDE/CONSTITUTION/AGENTS, and all 48 docs across the 16 vasic-digital submodules.

Changed

- Go API version → 2.3.5-2305
- Android version → 1.2.16-1036

Lava-Android-1.2.15-1035 / Lava-API-Go-2.3.4-2304 — 2026-05-12 (operator-reported UX issues)

Previous published: Lava-Android-1.2.14-1034 / Lava-API-Go-2.3.3-2303

Fixed

- **Onboarding wizard not shown on clean install.** MainActivity's `showOnboarding` defaulted to `false` and was loaded asynchronously, while `setKeepOnScreenCondition` only waited for theme — not for onboarding-status. Fresh-install users could see MainScreen before the onboarding flag was loaded → wizard never appeared. Fixed by making `showOnboarding` nullable and extending the splash-keep condition to wait for both theme AND onboarding-status to load.
- **Menu provider color-dot spacing.** Provider rows in the Menu screen had a `small` spacer between the color dot and the provider name — too tight visually. Bumped to `medium`.
- **Theme change required app restart.** `MainActivity` collected only the `first()` emission of `viewModel.theme` and never observed subsequent changes. Theme picker writes to preferences (reactive Flow) but the Activity didn't recompose. Fixed by switching to `viewModel.theme.collect { ... }` so each emission updates the composition immediately.
- **Server section: RuTracker (Main) removed from seeded list.** Per the operator's directive "communication is now strictly through the Lava API", the historical direct rutracker.org seed entry (`Endpoint.Rutracker`) is no longer surfaced to the user. The `defaultEndpoints` seed in `EndpointsRepositoryImpl` is now empty; discovery + manual-add populate the list. The `Endpoint.Rutracker` type remains as a fallback constant for now; full type deletion is documented as a follow-up SP because of its ~15 cascading call-site touches.
- **Server section: trash icon + confirmation dialog for offline endpoints.** Each `Mirror` / `GoApi` row in the Connections list that is `removable && !selected && status != Active` now shows a red trash (Delete) icon directly (no need to toggle edit mode). Tapping it shows a confirmation `Dialog` ("Remove server? — Remove %s from the server list? This cannot be undone."). Confirm → removal; Cancel → no-op. The edit-mode Remove icon was also updated to use the trash icon and now routes through the same confirmation dialog.

Live-emulator verification

- 9-Challenge sweep on CZ_API34_Phone API 34 (post-fix re-run): PASS.
- New Compose UI Challenge: `Challenge25OnboardingFreshInstallTest` verifies the splash + onboarding-wizard rendering on clean prefs.

Changed

- Go API version → 2.3.4-2304
- Android version → 1.2.15-1035

Lava-Android-1.2.14-1034 / Lava-API-Go-2.3.3-2303 — 2026-05-12 (§6.L 16th+17th invocation: C03 fix + Cloudflare anti-bot + anti-bluff audit)

Previous published: Lava-Android-1.2.13-1033 / Lava-API-Go-2.3.2-2302

Fixed

- **C03 RuTor anonymous onboarding** — Onboarding flow stuck on Configure screen for users picking RuTor with the Anonymous Access toggle on. Root cause: `OnboardingViewModel.onTestAndContinue()` called `sdk.checkAuth()` on the anonymous branch and treated `AuthState.Unauthenticated` as failure — but Unauthenticated IS the user's chosen state for anonymous. Fixed by skipping `checkAuth` on the anonymous branch entirely. (Commit `4d27c07`)

- **Credential-leak-in-logs (§6.H)** — `OnboardingViewModel.perform()` logged actions via `logger.d { "Perform $action" }` which printed the operator's real RuTracker username + password in plain text via the sealed-class auto-`toString` of `UsernameChanged(value=…)` / `PasswordChanged(value=…)`. Discovered during the C03 investigation. Fixed by printing only `action::class.simpleName`. (Commit `4d27c07`)

- **C02 RuTracker login — Cloudflare anti-bot stall** — POST to `/forum/login.php` was silently stalled by Cloudflare's anti-bot (TLS+TCP succeeded, request body written, no response data ever returned). Mitigation: HttpCookies plugin + browser-class headers (Accept, Accept-Language, Accept-Encoding) + real Chrome 124 UA + pre-flight `GET /forum/index.php` so the POST carries Cloudflare clearance cookies. POST now returns 302→200. (Commit `f7d0a62`)

- **rutracker cookie selection bug** — `RuTrackerInnerApiImpl.login()` picked the wrong cookie as the rutracker session token when Cloudflare added `cf_clearance` to Set-Cookie headers. Tightened selection to match by NAME prefix (bb_data/bb_session/bb_login) instead of fragile "not bb_ssl" negation. (Commit `f7d0a62`)

- **HTTP timeouts** — Main + LAN OkHttp clients had no explicit timeouts (OkHttp default 10s — too tight for slow networks). Set explicit 30s connect/read/write. Rutracker Ktor client gets HttpTimeout plugin (60s request, 30s connect, 60s socket). (Commit `4d27c07`)

- **Challenge16 stale-assumption bluff** — Test asserted "Internet Archive must NOT appear in onboarding list" while Phase 2b had flipped `apiSupported=true` on archiveorg. The test passed only because its `waitUntil` accepted the Welcome screen (where no provider list renders). Rewritten to navigate to "Pick your providers" and assert that all 4 verified+apiSupported providers actually render. (Commit `4b0dd55`)

- **GetCurrentProfileUseCase brittle parser** — Single-selector Jsoup approach (`#logged-in-username`) failed after Cloudflare mitigation changed the served page. Added 4-selector fallback chain. (Commit `4b0dd55`)

- **FirebaseAnalyticsTracker verify-only test** — Two tests used `verify { mock.foo() }` as their sole assertion (§6.L clause 4 Forbidden Test Pattern). Refactored to `mockk slot` captures with `assertEquals` on captured values. (Commit `4b0dd55`)

Constitutional

- §6.L mandate invoked for the 16th + 17th times. Count propagated across CLAUDE.md, AGENTS.md, lava-api-go's CLAUDE/CONSTITUTION/AGENTS, and all 48 docs across the 16 vasic-digital submodules. (Commits `4b0dd55`, `d8b90ab`, this commit)

Live-emulator Challenge Test verification (CZ_API34_Phone API 34)

- **PASS** (14 of 24): C00, C01, C03, C04, C05, C06, C07, C08, C09, C10, C11, C12, C13, C14, C15, C16 (rewritten), C20, C21, C22 (in isolation), C23, C24.
- **PARTIAL** (1): C02 — Cloudflare mitigation portion verified; blocked at `parseUserId` post-login (none of 4 selectors match today's rutracker HTML — needs scraper archaeology or operator credential verification).
- **HONEST SHALLOW SCOPE** (C04-C08): test classes named after deep features (DownloadTorrentFile, ViewTopicDetail, CrossTrackerFallback) but only assert "tab is visible" per their KDocs (gap forensic in `.lava-ci-evidence/sp3a-challenges/C4-2026-05-04-redesign.json`). Deep tests owed.

Unit-test suite

- 421 unit tests across all modules, 0 failures, 0 errors.

Verified bluff-pattern audit (across all `*Test.kt` files)

- 0 mock-the-SUT bluffs.
- 0 `@Ignore` without issue link.
- 1 verify-only test (FirebaseAnalyticsTrackerTest) — fixed.
- 1 stale-assumption test (Challenge16ApiSupportedFilterTest) — rewritten.

Changed

- Go API version → 2.3.3
- Android version → 1.2.14

Lava-Android-1.2.13-1033 / Lava-API-Go-2.3.2-2302 — 2026-05-08 (Yole+Boba 8-palette theme system)

Yole semantic color foundation with 8 distinct palettes from Boba project accents.

Lava-Android-1.2.12-1032 / Lava-API-Go-2.3.2-2302 — 2026-05-08 (Release build)

Previous published: Lava-Android-1.2.11-1031 / Lava-API-Go-2.3.2-2302

First production release build with full signing + ProGuard optimization. Includes all fixes from 1.2.9+1.2.10.

Lava-Android-1.2.11-1031 / Lava-API-Go-2.3.2-2302 — 2026-05-08

Previous published: Lava-Android-1.2.10-1030 / Lava-API-Go-2.3.1-2301

(incremental release — see git log for details)

Lava-Android-1.2.10-1030 / Lava-API-Go-2.3.1-2301 — 2026-05-08 (Docker auth fix)

Previous published: Lava-Android-1.2.9-1029 / Lava-API-Go-2.3.0-2300

Fixed

- docker-compose.yml: pass LAVA_AUTH_FIELD_NAME, LAVA_AUTH_HMAC_SECRET, LAVA_AUTH_ACTIVE_CLIENTS, LAVA_AUTH_RETIRED_CLIENTS, LAVA_AUTH_TRUSTED_PROXIES to lava-api-go container (was crashing on startup)

Changed

- Go API version → 2.3.1

Lava-Android-1.2.9-1029 / Lava-API-Go-2.3.0-2300 — 2026-05-08 (Theme fix + anti-bluff onboarding)

Previous published: Lava-Android-1.2.8-1028 / Lava-API-Go-2.2.0-2200

Fixed — Theme readability (critical)

- LavaTheme now wires MaterialTheme.colorScheme from AppColors, fixing dark-mode text being unreadable (MaterialTheme.colorScheme returned light-theme defaults even in dark mode)
- AppColors extended with secondary, tertiary, surfaceVariant, onSurfaceVariant, error roles
- All custom themes (Ocean/Forest/Sunset) updated with full Material3 color roles

Fixed — Onboarding wizard

- WelcomeStep shows provider count ("6 providers available") per design spec
- ConfigureStep back press now goes to Providers per spec (was going to previous provider)
- SummaryStep hardcoded colors replaced with AppTheme accents (§6.R No-Hardcoding fix)
- All onboarding steps use AppTheme.colors/typography/shapes instead of MaterialTheme defaults
- Anonymous provider TestAndContinue no longer erroneously calls checkAuth for health validation

Added — Anti-bluff tests

- 16 OnboardingViewModel unit tests (all passing): step transitions, provider toggling, back press, anon/auth TestAndContinue, credential saving, Finish signaling, filtering
- 3 Challenge Tests (C20-C22) for onboarding wizard — compile, need emulator to execute

Changed — Constitution

- §6.J/§6.L/§6.Q added to core/, feature/, app/ CLAUDE.md + AGENTS.md (6 files)
- Lava constitution inheritance added to Panoptic submodule (CLAUDE/AGENTS/CONSTITUTION)
- FakeTrackerClient now exposes `authState` property for testability
- Duplicate include(":feature:onboarding") removed from settings.gradle.kts

Changed — Go API

- version.Name → 2.3.0, Code → 2300

Lava-Android-1.2.8-1028 / Lava-API-Go-2.2.0-2200 — 2026-05-07 (Phases 2-6)

Previous published: Lava-Android-1.2.7-1027 / Lava-API-Go-2.1.0-2100

Added — Multi-provider streaming search (Phase 2)

- `GET /v1/search?q=...&providers=...` SSE endpoint fans out to all registered providers
- `SseClient` (OkHttp-based SSE parser), `ProviderChipBar` multi-select filter
- Provider label chips on search result cards
- `apiSupported=true` on all 6 providers (rutracker, rutor, nnmclub, kinozal, archiveorg, gutenberg)
- Provider result filtering chips on search results screen

Added — Onboarding wizard (Phase 3)

- New `:feature:onboarding` module with 4-step wizard: Welcome → Pick Providers → Configure → Summary
- AnimatedContent sliding transitions
- Connection auto-test on credential submit, closes app on back press at Welcome

Added — Sync expansion (Phase 4)

- Device identity UUID generated on first launch
- Sync Now buttons on Favorites and Bookmarks screens
- History and Credentials sync categories with WorkManager workers
- Menu sync settings expanded from 2 to 4 categories

Changed — UI/UX polish (Phase 5)

- Menu multi-provider header showing all signed-in providers with sign-out
- Ocean/Forest/Sunset color themes alongside SYSTEM/LIGHT/DARK
- About dialog shows versionCode: "Version: 1.2.8 (1028)"
- Credentials screen modern redesign with ProviderColors, nav-bar FAB fix
- Nav-bar overlap audit: `navigationBarsPadding` added at Scaffold level

Added — Crashlytics (Phase 6)

- Non-fatal `recordException` tracking in 8 ViewModels across all error paths

Fixed

- Hardcoded `thinker.local:8443` → config-driven via `ObserveSettingsUseCase`
- Credentials FAB no longer overlaps 3-button navigation bar

All notable changes to **Lava** (the Android client and the lava-api-go service) are documented in this file.

Per constitutional clause **§6.P (Distribution Versioning + Changelog Mandate)**, every distributed build MUST appear here BEFORE `scripts/firebase-distribute.sh` is run. The script refuses to operate without a matching entry.

The format follows Keep a Changelog loosely, adapted to a multi-artifact repository. Each release tag lives on the four-mirror set (GitHub, GitLab, GitFlic, GitVerse).

Tag formats:

- `Lava-Android-<version>-<code>` — Android client.
- `Lava-API-Go-<version>-<code>` — Go API service (`lava-api-go`).
- `Lava-API-<version>-<code>` — legacy Ktor proxy (`:proxy`).

The `<code>` suffix is the integer version code (Android `versionCode`, api-go `version.Code`).

Per-version distribution snapshots (the exact text shipped as App Distribution release-notes) live under `.lava-ci-evidence/distribute-changelog/<channel>/<version>-<code>.md`.

Lava-API-Go-2.1.0-2100 — 2026-05-06 (Phase 1)

Channel: container registry / remote distribution to thinker.local **Previous published:** Lava-API-Go-2.0.16-2016 (2026-05-06)

Added — API auth + transport (Phase 1 of `docs/todos/Lava_TODOs_001.md`)

- **UUID-based client allowlist** enforced via the `Lava-Auth` header (name itself config-driven via `LAVA_AUTH_FIELD_NAME` per §6.R). Active vs retired separation: retired UUIDs return `426 Upgrade Required` with min-version JSON instead of advancing the backoff counter.
- **Per-IP fixed-ladder backoff** (`2s,5s,10s,30s,1m,1h` configurable via `LAVA_AUTH_BACKOFF_STEPS`) shipped as the `pkg/ladder` primitive upstream-contributed to `submodules/ratelimiter`.
- **HTTP/3 preferred** with HTTP/2 fallback + `Alt-Svc` advertisement.
- **Brotli response compression** when the client sends `Accept-Encoding: br`.
- **Prometheus protocol metric** — `lava_api_request_protocol_total{protocol,status}`.
- **Constitutional clause §6.R** — No-Hardcoding Mandate (added to root + 16 submodules + AGENTS.md).

Tests (§6.G real-stack + §6.A contract + §6.N rehearsals)

- 8 integration tests under `lava-api-go/tests/integration/` (active, retired, unknown, ladder, reset, brotli, alt-svc, metric).
- 1 contract test asserting `LAVA_AUTH_FIELD_NAME` does NOT appear as a literal in production source.
- All Bluff-Audit stamps recorded with crisp failure messages from deliberate-mutation rehearsals.

Submodule pin

- `submodules/ratelimiter` pinned at `3faf7a51` (introduces `pkg/ladder/`).

Versions in this build

- lava-api-go: 2.1.0 (2100)
- Android: 1.2.7 (1027) — paired with this API release

Lava-Android-1.2.7-1027 — 2026-05-06 (Phase 1)

Channel: Firebase App Distribution **Previous published:** Lava-Android-1.2.6-1026 (2026-05-05)

Added — client-side auth foundation

- **`AuthInterceptor`** — OkHttp interceptor decrypts the per-build encrypted UUID, injects it into the `Lava-Auth` header, zeroizes the plaintext bytes in `finally`. Auth UUID memory hygiene per `core/CLAUDE.md` (added in this release).
- **Build-time encryption (Phase 11)** — Gradle task `generateLavaAuthClass{Debug,Release}` reads `.env` + the variant keystore and emits `lava.auth.LavaAuthGenerated` containing the AES-GCM-encrypted UUID + nonce + pepper bytes. Generated dir is gitignored.
- **L2 client-side obfuscation** — AES-256-GCM keyed by `HKDF-SHA256(salt = SHA256(signing-cert)[:16], ikm = pepper)`. A re-signed APK has a different cert hash → different derived key → decrypt fails closed.
- **α-hotfix: TrackerDescriptor.apiSupported** filter — the user-facing provider list now hides Internet Archive (and other providers without lava-api-go routes) until Phase 2 ships per-provider routing. Closes the alice-bug class.
- **C15 + C16 Compose UI Challenge Tests** — boot-with-AuthInterceptor + apiSupported-filter rendering assertions.

Tests

- HKDFTest (RFC 5869 §A.1 vector), AesGcmTest (round-trip + tamper detection), SigningCertProviderTest (digest math), AuthInterceptorTest (header injection + empty-blob skip + re-signed-APK fail-closed).

Versions in this build

- Android: 1.2.7 (1027)
- lava-api-go: 2.1.0 (2100) — required for full auth flow

Lava-API-Go-2.0.16-2016 — 2026-05-06

Channel: container registry / remote distribution to thinker.local **Previous published:** Lava-API-Go-2.0.15-2015 (2026-05-06)

Fix (post-Ktor cleanup, §6.J bluff in `lava-containers` CLI)

The `lava-containers` workstation CLI had three commands (`build`, `status`, `logs`) that silently targeted dead surfaces post-Ktor-:proxy-removal:

- **`-cmd=build`** — `Manager.BuildImage()` shelled `<runtime> build -t digital.vasic.lava.api:latest ./proxy`. The `./proxy` directory was deleted in 2.0.12 (commit `a00b28f`), so this command would fail at runtime.

- **`-cmd=status`** — `Manager.isHealthy()` probed `http://localhost:8080/`. The api-go service listens on `https://localhost:8443/health`. Status would always report `Healthy: false` even when api-go was running locally.
- **`-cmd=logs`** — `Manager.Logs()` called `<runtime> logs lava-proxy`. The `lava-proxy` service was removed from `docker-compose.yml` in 2.0.12; the active service is `lava-api-go`.
- **`internal/runtime.Runtime.IsHealthy()`** + **`ContainerIP()`** — both filtered on `name=lava-proxy`. Now `LavaContainerName = "lava-api-go"`.

That's a textbook §6.J bluff: the tool reports outcomes from probing nothing.

Changes

- `internal/orchestrator/manager.go` — full rewrite of broken paths:
  - `ServiceName = "lava-api-go"` (was `"lava-proxy"`)
  - `DefaultPort = "8443"` (was `"8080"`)
  - `BuildImage()` now invokes `<runtime> compose --profile api-go build` — uses the `build:` directive in `docker-compose.yml`'s `lava-api-go` service entry (context: `.`, dockerfile: `lava-api-go/docker/Dockerfile`, target: `runtime`).
  - `isHealthy()` probes `https://localhost:8443/health` with `InsecureSkipVerify: true` (LAN cert is self-signed; this is a local-dev liveness probe, not a security gate).
  - `Status()` prints "Lava API Container Status" instead of "Lava Proxy"; URL line shows the HTTPS health endpoint.
  - Dead methods deleted: `Start()`, `Stop()`, `printStatus()` — never called from `main.go` post-2.0.13 (the Orchestrator type owns compose-up/down).
  - Package doc comment rewritten — was still describing the removed Ktor proxy.
- `internal/runtime/runtime.go` — `IsHealthy()` and `ContainerIP()` now reference `LavaContainerName = "lava-api-go"` constant (was hardcoded `"lava-proxy"`).
- `internal/orchestrator/orchestrator.go` — doc comment updated; `Profile` field doc narrowed to `"api-go"` (was `"api-go" | "legacy" | "both"`).
- `internal/orchestrator/orchestrator_test.go` — three tests retargeted from legacy/both profile names to realistic `api-go + observability + dev-docs` compositions (the Orchestrator type passes profile names through opaquely, but tests should reflect the validated set).

New §6.A real-binary contract test

- `internal/orchestrator/manager_test.go` — `TestManagerConstantsMatchCompose` asserts `ServiceName + DefaultPort` match `docker-compose.yml`'s `container_name:` and `LAVA_API_LISTEN:` entries. `TestManagerConstantsAreNonLegacy` is a regression guard against the legacy `"lava-proxy"`/`"8080"` values.
- Falsifiability rehearsal recorded in commit body (Bluff-Audit stamp). Both mutations produce crisp failure messages with explicit forensic context.

Verification

- `go vet ./...` in `tools/lava-containers`: green.
- `go test ./...` in `tools/lava-containers`: 9 tests across 2 packages PASS (was 7).
- All 31 hermetic bash test suites: green.
- thinker.local API (the running 2.0.13 binary, unchanged): `{"status":"alive"}`, `{"status":"ready"}`.

Versions in this build

- lava-api-go: 2.0.16 (2016) — workstation-CLI cleanup; the api-go binary on thinker.local is unchanged from 2.0.13.
- Android: 1.2.6 (1026) — unchanged.

Lava-API-Go-2.0.15-2015 — 2026-05-06

Channel: container registry / remote distribution to thinker.local **Previous published:** Lava-API-Go-2.0.14-2014 (2026-05-06)

Refactor (post-Ktor naming cleanup)

- **`tools/lava-containers/internal/proxy` → `internal/orchestrator`** — renamed the Go package (the "proxy" name was orchestrator-meaning, confusing post-Ktor-removal). `proxy.go` → `manager.go` (the file holds the `Manager` type for compose lifecycle). Imports + call sites updated in `cmd/lava-containers/main.go`. `git mv` preserves file history.
- **`Manager.BuildJar()` removed** — it ran `./gradlew :proxy:buildFatJar` which would fail at runtime since the `:proxy` module is gone. `os/exec` import removed (was only used by `BuildJar`). `Manager.BuildImage()` retained for the api-go image build.
- All `go test ./...` in `tools/lava-containers` PASS post-rename (3 packages).

Versions bumped

Component	Old	New
lava-api-go	2.0.14 (2014)	**2.0.15 (2015)**

Lava-API-Go-2.0.14-2014 — 2026-05-06

Channel: container registry / remote distribution to thinker.local **Previous published:** Lava-API-Go-2.0.13-2013 (2026-05-06)

Removed (post-Ktor cleanup, second pass)

- **`tools/lava-containers/cmd/lava-containers/main.go`** — dropped the `legacy` and `both` profile branches. `validateProfile` now accepts only `api-go`. `runStart` no longer carries the `BuildJar` + `BuildImage` fall-through for the deleted Ktor proxy. `mgr.BuildJar()` removed from the `build` command. `autoDetectProjectDir` no longer probes for the deleted `proxy/` directory.
- **`main_test.go`** — `TestValidateProfile_Accepts` reduced to `api-go` only; `legacy` + `both` moved to the rejection table.
- KDoc + comment refresh: header references to "legacy Ktor proxy and/or the new Go API service" reduced to "the lava-api-go service".

Versions bumped

Component	Old	New
lava-api-go	2.0.13 (2013)	**2.0.14 (2014)**

(api-go version bumped per §6.P even though the changes are workstation-side; the bump keeps the distribute pipeline's gate cleanly happy and the per-version snapshot maintains the chain.)

Lava-API-Go-2.0.13-2013 — 2026-05-06

Channel: container registry / remote distribution to thinker.local **Previous published:** Lava-API-Go-2.0.12-2012 (2026-05-06)

Fixed (mDNS not reaching the LAN)

- **deployment/thinker/thinker-up.sh: lava-api-go now uses `--network host`** instead of a podman bridge network. The previous bridge-network setup confined JmDNS / mDNS broadcasts to the bridge subnet, so Android testers running Lava could NOT auto-discover thinker.local's API via `_lava-api._tcp`. Matches the local docker-compose.yml pattern where lava-api-go uses `network_mode: host` for the same reason.
- Postgres still uses a bridge network with `127.0.0.1:${POSTGRES_PORT}` published on the host; api-go connects via `127.0.0.1:5432` (host-namespace local).
- Verified: `podman logs lava-api-go-thinker` now shows `mDNS announced port=8443 type=_lava-api._tcp`. Cross-host curl succeeds: `curl https://thinker.local:8443/health` returns `{"status":"alive"}` from the workstation.

Versions bumped

Component	Old	New
lava-api-go	2.0.12 (2012)	**2.0.13 (2013)**

Lava-API-Go-2.0.12-2012 — 2026-05-06

Channel: container registry / remote distribution to thinker.local **Previous published:** Lava-API-Go-2.0.11-2011 (2026-05-06)

Removed

- **Legacy Ktor proxy** removed from the codebase. Going forward, lava-api-go (Go) is the only API. Files removed: `proxy/` (entire module), `:proxy` Gradle include, `proxy/build.gradle.kts` parsing in `build_and_release.sh` + `scripts/tag.sh`, `lava-proxy` service in `docker-compose.yml`, `--legacy` / `--both` profiles from `start.sh` + `stop.sh`. The Android client was already using the lava-api-go endpoint by default.

Versions bumped

Component	Old	New
lava-api-go	2.0.11 (2011)	**2.0.12 (2012)**

Lava-API-Go-2.0.11-2011 — 2026-05-06

Channel: container registry / remote distribution to thinker.local **Previous published:** Lava-API-Go-2.0.10-2010 (2026-05-05)

Added

- **scripts/distribute-api-remote.sh** — ships the lava-api-go OCI image tarball + boot script + TLS material to a remote host via passwordless SSH and brings the stack up under rootless Podman. Default target: `thinker.local`. Verifies `/health` end-to-end from the local host before reporting success. `--tear-down` mode tears containers + image down on the remote.
- **deployment/thinker/{thinker.local.env, thinker-up.sh}** — operator-customizable boot config + script that runs on the remote host. Idempotent. Pinned to rootless Podman.
- **docs/REMOTE-DISTRIBUTION.md** — runbook covering initial SSH setup, distribute, verify, tear-down.
- **`.env.example`** documents `LAVA_API_GO_REMOTE_HOST` (default `thinker.local`) + `LAVA_REMOTE_HOST_USER` (default `milosvasic`).

Operational

- Lava-api-go now runs on the LAN host `thinker.local`. The local workstation tears down its containers + image at end-of-distribute and only builds going forward. Android clients reach the API via mDNS discovery (no client-side change needed).

Versions bumped this cycle

Component	Old	New
lava-api-go	2.0.10 (2010)	**2.0.11 (2011)**
Android `:app`	1.2.6 (1026)	(unchanged)
Ktor proxy	1.0.5 (1005)	(unchanged)

Constitutional bindings

- §6.J — distribute script propagates failures
- §6.B — `/health` end-to-end probe, not just `podman ps`
- §6.K — image produced via the container build path
- §6.M — rootless Podman; no host power-management
- §6.P — this entry IS the §6.P-mandated changelog; per-version snapshot at `.lava-ci-evidence/distribute-changelog/container-registry/2.0.11-2011.md`

Lava-Android-1.2.6-1026 — 2026-05-05

Channels: Firebase App Distribution (debug + release) **Previous published:** Lava-Android-1.2.5-1025 (2026-05-05 23:43 UTC)

Fixed (Crashlytics-driven, §6.O closure-log mandate)

- **fix(tracker-settings): Trackers-from-Settings crash (nested LazyColumn inside Column(verticalScroll))** — operator-reported via Crashlytics. Closure log at `.lava-ci-evidence/crashlytics-resolved/2026-05-05-tracker-settings-nested-scroll.md`. Replaced `LazyColumn` with plain `Column` in `TrackerSelectorList` since the tracker list is bounded (≤ 6 entries). Validation: 2 structural tests in `feature/tracker_settings/src/test/.../TrackerSelectorListLazyColumnRegressionTest.kt`. Challenge: `app/src/androidTest/.../Challenge14TrackerSettingsOpenTest.kt`. Falsifiability rehearsal recorded.

Added

- **§6.Q Compose Layout Antipattern Guard** — root constitution forbids nesting vertically-scrolling lazy layouts (LazyColumn, etc.) inside parents giving unbounded vertical space (verticalScroll, etc.). Per-feature structural tests + Challenge Tests on the §6.I matrix are the gates. Propagated to AGENTS.md.

Versions bumped this cycle

Component	Old	New
Android `:app`	1.2.5 (1025)	**1.2.6 (1026)**
Ktor proxy	1.0.5 (1005)	(unchanged)

Component	Old	New
lava-api-go	2.0.10 (2010)	(unchanged)

The 1.2.6 cycle is Android-only — proxy + lava-api-go did not require new fixes.

Lava-Android-1.2.5-1025 — 2026-05-05

Channels: Firebase App Distribution (debug + release) **Previous published:** Lava-Android-1.2.4-1024 (2026-05-05 23:25 UTC)

Fixed (preemptive Hilt-graph hardening)

- **fix(firebase): Hilt @Provides for Firebase SDKs now tolerates getInstance() throwing.** Pre-1.2.5, a feature ViewModel that injects `AnalyticsTracker` (Login, ProviderLogin, Search, Topic) would crash on construction if `FirebaseAnalytics.getInstance(context)` / `FirebaseCrashlytics.getInstance()` / `FirebasePerformance.getInstance()` threw. The 1.2.3 → 1.2.4 fix only hardened the LavaApplication path, not the Hilt graph. 1.2.5 closes that gap:
  - `FirebaseProvidesModule` wraps each SDK accessor in `runCatching { ... }.getOrNull()` and provides nullable types.
  - `FirebaseAnalyticsTracker` accepts nullable SDKs and `runCatching`-guards every per-call SDK invocation.
  - New `NoOpAnalyticsTracker` is selected by the AnalyticsTracker `@Provides` when both Crashlytics and Analytics are unavailable.
  - Validation: `app/src/test/.../FirebaseAnalyticsTrackerTest.kt` (4 tests covering null SDKs, throwing SDK, present SDK forwarding).

Added

- §6.P enforcement extended to `scripts/tag.sh` — refuses tags lacking CHANGELOG.md entry or per-version distribute-changelog snapshot, for android + api + api-go.
- Bluff-hunt evidence record at `.lava-ci-evidence/bluff-hunt/2026-05-05-firebase-and-distribute-mandates.json` covering 5 falsifiability rehearsals + 2 production-code targets per §6.N.2.
- Per-version distribute-changelog snapshots for the proxy (1.0.5-1005) and api-go (2.0.10-2010) channels.

Versions bumped this cycle

Component	Old	New
Android `:app`	1.2.4 (1024)	**1.2.5 (1025)**
Ktor proxy	1.0.5 (1005)	(unchanged)
lava-api-go	2.0.10 (2010)	(unchanged)

The 1.2.5 cycle is Android-only — proxy + lava-api-go did not require new fixes; their 1.2.4-cycle versions stay current.

Lava-Android-1.2.4-1024 — 2026-05-05

Channels: Firebase App Distribution (debug + release) **Previous published:** Lava-Android-1.2.3-1023 (2026-05-05 22:33 UTC)

Fixed

- **fix(firebase): harden Firebase init against the 2 Crashlytics crashes recorded against 1.2.3 (1023)** — closure log at `.lava-ci-evidence/crashlytics-resolved/2026-05-05-firebase-init-hardening.md`. Removed redundant `FirebaseApp.initializeApp(this)` (FirebaseInitProvider auto-init covers it; the explicit call raced with StrictMode in some launches). Extracted Firebase init into testable `FirebaseInitializer` with per-SDK `runCatching` guards. Added Firebase keep rules to `app/proguard-rules.pro` since the BOM consumer rules don't fully cover R8 stripping of reflective entry points. Validation test: `app/src/test/.../FirebaseInitializerTest.kt` (5 tests). Challenge Test: `app/src/androidTest/.../Challenge13FirebaseColdStartResilienceTest.kt`. Falsifiability rehearsal recorded in commit body. Commit: `6758b73`.

Added

- **AnalyticsTracker wired into real user paths** — `LoginViewModel`, `SearchViewModel`, `TopicViewModel`, `ProviderLoginViewModel` emit canonical events (`lava_login_submit`, `lava_login_success`, `lava_login_failure`, `lava_search_submit`, `lava_view_topic`, `lava_download_torrent`, `lava_download_torrent_failure`) via the Hilt-injectable `AnalyticsTracker` interface. Implementation lives in `:app` (`FirebaseAnalyticsTracker`) so feature modules remain reusable per the Decoupled Reusable Architecture rule. Commits: `6758b73`, follow-up.
- **lava-api-go FirebaseTelemetry middleware** at `internal/middleware/firebase.go` — Gin middleware that records 5xx + recovered panics as Firebase non-fatals; 4xx + 2xx logged as events. Wired into `cmd/lava-api-go/main.go` `buildRouter`. 6 unit tests with falsifiability rehearsal. Honest no-op fallback when no service-account key configured.

Constitution / Process

- **§6.O Crashlytics-Resolved Issue Coverage Mandate** — every Crashlytics-resolved issue requires (a) validation test, (b) Challenge Test, (c) closure log under `.lava-ci-evidence/crashlytics-resolved/`. Propagated to all 16 vasic-digital submodules + lava-api-go's three doc files. Constitution checker hard-fails on missing §6.O reference in any of the 21+ doc trios. Commits: `6758b73`, `017da23`.
- **§6.P Distribution Versioning + Changelog Mandate** — every distribute action requires strictly increasing versionCode + matching CHANGELOG.md entry +

per-version snapshot. `scripts/firebase-distribute.sh` enforces both gates. **This entry is the inaugural application of §6.P.**

Versions bumped this cycle

Component	Old	New
Android `:app`	1.2.3 (1023)	**1.2.4 (1024)**
Ktor proxy	1.0.4 (1004)	**1.0.5 (1005)**
Proxy `ServiceAdvertisement.API_VERSION`	1.0.4	**1.0.5**
lava-api-go	2.0.9 (2009)	**2.0.10 (2010)**

Lava-Android-1.2.3-1023 — 2026-05-05 22:33 UTC

Channel: Firebase App Distribution (inaugural) **Previous published:** N/A (first Firebase-instrumented build)

Added (inaugural Firebase integration)

- Crashlytics + Analytics + Performance Monitoring wired in `LavaApplication.kt`.
- App Distribution replaces local `releases/` flow as canonical operator delivery channel.
- 5 distribution scripts under `scripts/`: `firebase-env.sh`, `firebase-setup.sh`, `firebase-distribute.sh`, `firebase-stats.sh`, `distribute.sh`.
- Tester roster loaded from `.env` (`LAVA_FIREBASE_TESTERS_*`).
- 2 anti-bluff bash regression tests under `tests/firebase/` (no WARN-swallow + gitignore-coverage).
- `lava-api-go/internal/firebase/` server-side skeleton with no-op fallback when service-account key absent.

Commit: `e9de508`.

Versions bumped this cycle

Component	Old	New
Android `:app`	1.2.2 (1022)	1.2.3 (1023)
Ktor proxy	1.0.3 (1003)	1.0.4 (1004)
Proxy `ServiceAdvertisement.API_VERSION`	1.0.1 (3 versions stale!)	1.0.4
lava-api-go	2.0.8 (2008)	2.0.9 (2009)

Lava-Android-1.2.0-1020 — 2026-05-01

First release of the **multi-tracker SDK foundation** (SP-3a). The Android client now supports two trackers — RuTracker (existing) and RuTor (new) — with user-selectable active tracker, custom mirrors, mirror health tracking, and an explicit cross-tracker fallback flow.

Added

- **RuTor (rutor.info / rutor.is) tracker support** — anonymous-by- default per decision 7b-ii; capabilities `SEARCH + TOPIC + DOWNLOAD`.
- **Tracker selection UI in Settings → Trackers** — list of registered trackers, single-tap to switch the active tracker, per-tracker health summary.
- **Custom mirror entry per tracker** — operators can add mirrors beyond the bundled defaults; persisted in Room (`tracker_mirror_user`).
- **Mirror health tracking** — periodic `MirrorHealthCheckWorker` (15-min interval) probes each registered mirror; status `HEALTHY` / `DEGRADED` / `UNHEALTHY` persisted in `tracker_mirror_health`.
- **Cross-tracker fallback modal** — when all mirrors of the active tracker hit `UNHEALTHY`, the SDK emits `CrossTrackerFallbackProposed`; the UI presents a modal offering the alternative tracker. Accept → re-issues the call on the alt tracker; dismiss → explicit failure UI (snackbar). No silent fallback.
- **`docs/sdk-developer-guide.md` (partial draft)** — 7-step recipe for adding a third tracker, paper-traced through the existing RuTor module.
- **8 Compose UI Challenge Tests** under `app/src/androidTest/kotlin/lava/app/challenges/` (C1-C8) — each with a documented falsifiability rehearsal protocol.

Changed

- **Internal: RuTracker implementation now fully decoupled behind the multi-tracker SDK.** `core/network/rutracker` git-moved to `core/tracker/rutracker`. `RuTrackerClient` implements `TrackerClient` + applicable feature interfaces (Searchable, Browsable, Topic, Comments, Favorites, Authenticatable, Downloadable). `SwitchingNetworkApi` now delegates to `LavaTrackerSdk` rather than to a single hard-wired client.
- **New `vasic-digital/Tracker-SDK` submodule mounted at `submodules/tracker_sdk/`.** Generic primitives (registry, mirror-config store, test scaffolding). Pin is **frozen by default** per the Decoupled Reusable Architecture rule. Mirrored to GitHub + GitLab (2-upstream scope per 2026-04-30 spec deviation).

Constitutional

- **Added clauses 6.D (Behavioral Coverage Contract), 6.E (Capability Honesty), 6.F (Anti-Bluff Submodule Inheritance) to root `CLAUDE.md`** and cascaded to `core/CLAUDE.md`, `feature/CLAUDE.md`, `lava-api-go/{CLAUDE,AGENTS}.md`, `submodules/tracker_sdk/{CLAUDE,CONSTITUTION,AGENTS}.md`, and root `AGENTS.md`.
- **Added the Seventh Law (Anti-Bluff Enforcement, all 7 clauses)** with mechanical pre-push hook enforcement at `.githooks/pre-push`: Bluff-Audit commit-message stamp on every test commit, mock-the- SUT pattern rejection,

hosted-CI config rejection. The Seventh Law is binding on every test commit and on every release tag — `scripts/tag.sh` refuses to operate without `.lava-ci-evidence/<TAG>/real-device-verification.md` at status `VERIFIED` and per-Challenge-Test attestation files.
- **Local-Only CI/CD apparatus** materialized as `scripts/ci.sh` (single entry point, three modes — `--changed-only`, `--full`, `--smoke`), `scripts/check-fixture-freshness.sh`, `scripts/check-constitution.sh`, `scripts/bluff-hunt.sh` (Seventh Law clause 5 recurring hunt driver). Pre-push hook runs `scripts/ci.sh --changed-only`. Tag script enforces an Android evidence-pack gate at `.lava-ci-evidence/Lava-Android-<version>/`.

Phases (commit summary)

The SP-3a development arc spans 6 phases (Phase 0 audit + Phases 1–5 implementation). Approximate per-phase commit counts:

Phase	Scope	Commits
0	Pre-implementation audit, ledger seeding, equivalence test scaffolding	5
1	Foundation — `core/tracker/api`, registry, mirror, testing modules	12
2	RuTracker decoupling — git-mv, `RuTrackerClient`, parser refit	40
3	RuTor implementation — descriptor, parsers, feature impls, fixtures	41
4	Mirror health, cross-tracker fallback, `tracker_settings` UI	20
5	Constitution updates, 8 Challenge Tests, scripts/ci.sh, tag gate	26
—	Misc (Seventh Law, JVM-17 hardening, bluff audit, phase wraps)	4
—	Documentation polish (this release)	5
SP-3a total		**153**

Phase 5 closes the implementation arc. Real-device verification (Task 5.22) is the operator-required gate before tagging — see "Known limitations" below.

Known limitations (operator-required gates)

These are NOT bugs; they are explicit acceptance gates the operator MUST satisfy before tagging Lava-Android-1.2.0-1020:

- **Task 5.22 — real-device Challenge Test attestation.** The 8 Compose UI Challenge Tests (`app/src/androidTest/kotlin/lava/app/challenges/`) cannot be run from the agent environment. The operator MUST run each on a real Android device (API 26+, internet-connected), capture the user-visible state per the test's primary assertion, perform the falsifiability mutation listed in the test header, and update each `.lava-ci-evidence/Lava-`

Android-1.2.0-1020/challenges/C<n>.json from PENDING_OPERATOR to VERIFIED. scripts/tag.sh refuses to operate without all 8 at VERIFIED.

- **Task 5.25 — connectedAndroidTest runner not yet wired into :app/build.gradle.kts.** Until the androidx.test runner deps and the connectedDebugAndroidTest task are wired, the operator's C1–C8 verification is performed by manually exercising each scenario on the device rather than by the gradle task. This is constitutional debt tracked in feature/CLAUDE.md.
- **Task 4.20 — Phase 4 integration smoke on real device.** Phase 4 shipped the cross-tracker fallback modal end-to-end; Task 4.20 is the integration smoke (mirror probe loop + fallback on real rutracker / rutor mirrors). The smoke commit landed (80975e0 sp3a-4.20) but the real-device replay falls under the same Task 5.22 gate above.

Latent findings (open + resolved)

Tracked in docs/superpowers/specs/2026-04-30-sp3a-coverage-exemptions.md:

- **LF-1** — MenuViewModelTest holds TestBookmarksRepository without exercising it. **OPEN** — tripwire fires when first MenuAction.ClearBookmarks test path is added.
- **LF-2** — TestHealthcheckContract is currently a future-facing tripwire (lava-api-go has no healthcheck block at HEAD). **OPEN** — tripwire fires the moment a healthcheck is re-introduced.
- **LF-3** — Tracker chain compiles to JVM 21 while Android targets JVM 17. **RESOLVED in Phase 2 Section E wrap-up** (Tracker-SDK pin b779fda enforces JVM 17 on every SDK subproject).
- **LF-5** — RuTrackerDescriptor declares UPLOAD and USER_PROFILE without backing feature interfaces. **OPEN** — letter-of-the-law clause 6.E is satisfied (no caller can ask), but the descriptor makes a forward-looking claim with no impl. Triggers before any phase that depends on those capabilities (cross-tracker fallback ranking, SP-3a-bridge).
- **LF-6** — TorrentItem.sizeBytes is permanently null for rutracker (the legacy scraper discards the byte count and keeps only the formatted display string in metadata["rutracker.size_text"]). **OPEN** — triggers before any cross-tracker comparison logic that needs numeric size.

Fixed

- (none — this release is feature-additive)

Lava-API-1.0.2-1002 — 2026-05-01

Maintenance release of the legacy Ktor proxy. Routine patch bump after a clean re-build + re-test cycle — no behavioral changes vs Lava-API-1.0.1-1001.

Operational

- Container image rebuilt against the current submodules/containers pin and pushed to `localhost/lava-proxy:dev` via `./build_and_push_docker_image.sh` / `./build_and_release.sh`.
- Boot verified: `./start.sh --both` brings the proxy up alongside lava-api-go; `lava-containers status` reports `Healthy: true`, LAN IP advertised via mDNS service-type `_lava._tcp.local.` with symmetric TXT records (engine, version, protocols, compression, tls).
- Real-network smoke: `GET http://localhost:8080/` returns `200 OK` after ~1.7s warmup; `GET /forum` returns 142 KB of legacy Ktor scrape output.

Constitutional

- Inherits the new **Seventh Law (Anti-Bluff Enforcement)** added to root `CLAUDE.md` on 2026-04-30. The pre-push hook's Bluff-Audit-stamp gate + forbidden-test-pattern gate apply to all future proxy commits.

Tests

- All 18 `lava-api-go` Go test packages green at HEAD; the proxy's Kotlin-side tests inherit the project-wide Spotless / ktlint / unit-test gate run by `scripts/ci.sh --changed-only`.

Lava-API-Go-2.0.7-2007 — 2026-05-01

Maintenance release of the Go API service. Re-anchors the version to the post-SP-3a HEAD with all consumer-side constitutional infrastructure (submodule mirrors, Seventh Law inheritance, integration-test podman runs) verified against real backends.

Verified — pretag (Sixth Law clause 5 + SP-2 Phase 13.1)

- `lava-api-go/scripts/pretag-verify.sh` exercised the running api-go on `https://localhost:8443` with all 5 scripted black-box probes:
  - `GET /` → `200` (5B, 745ms)
  - `GET /forum` → `200` (142 KB, 920ms)
  - `GET /search?query=test` → `401` (auth gate honored)
  - `GET /torrent/1` → `404` (known empty topic)
  - `GET /favorites` → `401` (auth gate honored)
- Evidence at `.lava-ci-evidence/1f7f3c0610a353048ef1c3d9daffd41f5aa7f7b1.json`.

Verified — integration tests against real podman containers

- **Phase 4.3 cache integration:** 7 tests PASS (1.13s) against `docker.io/postgres:16-alpine` via `scripts/run-test-pg.sh`. Real key generation + Set/Get/Invalidate cycle exercised.

- **Phase 10.2 e2e:** 6 tests PASS (16.49s). Real Gin engine, real auth middleware, real handlers; no mocks below the SUT.
- Evidence at `.lava-ci-evidence/sp2-podman-tests-2026-04-30/integration-evidence.json`.

Constitutional

- Inherits the new **Seventh Law (Anti-Bluff Enforcement)** with seven mechanically-enforced clauses. `lava-api-go/CLAUDE.md` and `lava-api-go/AGENTS.md` reference the Seventh Law's text in the parent Lava `CLAUDE.md`. Bluff-Audit stamps now mandatory on every Go test commit (`*_test.go`).
- All 16 vasic-digital submodules consumed by `lava-api-go` (Auth, Cache, Challenges, Concurrency, Config, Containers, Database, Discovery, HTTP3, Mdns, Middleware, Observability, RateLimiter, Recovery, Security, Tracker-SDK) carry the Seventh Law inheritance pointer.

Mirror status

- Submodule pin lava-pin/2026-04-30-seventh-law-anchor pushed to GitHub
  - GitLab for all 13 affected submodules; per-mirror SHA convergence verified via `git ls-remote` per Sixth Law clause 6.C.

Lava-API-Go-2.0.6-2006 — 2026-04-29

Critical bugfix release. **Upgrade strongly recommended** for any 2.0.x deployment — every prior 2.0.x build had at least one of the four root causes below silently breaking authenticated endpoints.

Fixed

- **SP-3.5 — login 502 (three independent root causes in `internal/rutracker.Client`):**
  1. **IPv6 silent drop on Cloudflare's rutracker edge.** Go's `net.Dialer` preferred AAAA records; TLS handshake completed; request body uploaded; response was silently dropped. Fixed by `Transport.DialContext` rewriting `tcp` / `tcp6` → `tcp4` for the rutracker upstream client only.
  2. **Default redirect-following discarded the `bb_session` cookie.** Login response is `HTTP 302 + Location:/forum/index.php + Set-Cookie:bb_session=…`; the auth token is on the 302, not on `/index.php`. Default `http.Client.CheckRedirect` followed the 302 silently and the scraper saw the unauthenticated login form. Fixed by `CheckRedirect = http.ErrUseLastResponse`.
  3. **`charset.NewReader` on an empty body returned EOF.** The 302 carries `content-type: text/html; charset=cp1251` AND a zero-length body; first Read returned EOF; auth headers we needed were never inspected. Fixed by reading raw bytes first and short-circuiting on `len==0`.
- **SP-3.5b — search/favorites/etc. all returning empty for valid sessions.** `auth.UpstreamCookie` unconditionally prepended `bb_session=` to the `Auth-Token` header value; the Android client (and the legacy Ktor proxy) store the

raw upstream Set-Cookie line at login, so the upstream request landed with `Cookie: bb_session=bb_session=…` — a doubly-prefixed cookie that rutracker parsed as anonymous. Fixed by forwarding tokens that already contain = verbatim.

Diagnostics

- `internal/handlers/login.go` now logs the raw scraper error (err.Error() only — credentials are never in err) so a future 502 is debuggable from `podman logs` alone.

Tests (Sixth Law)

- `TestNewClient_TransportForcesIPv4` — pins the IPv4 rewrite.
- `TestNewClient_DoesNotFollowRedirects` — pins `CheckRedirect = ErrUseLastResponse`.
- `TestUpstreamCookieForwardsCookieLineVerbatim` — pins the verbatim-forward branch with the real-world Set-Cookie shape.
- `TestUpstreamCookie_TokenWithEqualsForwardsVerbatim` — defensive guard that any `name=value` pair forwards as-is.

Each test is a Sixth-Law Challenge with a documented MUTATION rehearsal in the test KDoc.

Verified

- Operator's own credentials, real LAN, real device:
  - `POST /login` → `200 + Success`.
  - `GET /search?query=ps4` → `{"page":1,"pages":10,"torrents":[… 50 hits…]}` (first hit "Eternights").
- Pretag-verify (Sixth Law clause 5 mechanical gate): all 5 black-box probes green.

Lava-Android-1.1.3-1013 — 2026-04-29

Real-device verified on Samsung Galaxy S23 Ultra (SM-S918B / Android 16). This release fixes every issue surfaced by the operator's real-device testing on 2026-04-29 against the lava-api-go LAN service.

Fixed

- **SP-3.4 — mDNS service-type cross-match.** The `_lava._tcp` listener was cross-matching `_lava-api._tcp` services because `"lava-api".contains("lava")` is true. A discovered lava-api-go service ended up classified as the legacy Ktor proxy (`Endpoint.Mirror`), routing to the wrong port (8080) instead of the Go API's port (8443). Fixed by replacing the substring filter with strict prefix-with-dot matching (`matchesServiceType`).

- **SP-3.3 — Connections list cleanup, port-aware reachability, route-clean LAN Mirror:**
  - Database migration v5→v6 deletes legacy `type='Proxy'` rows (collapses the duplicate "Main" entry) and `Mirror` rows whose host contains `:` (legacy `ip:port` shape).
  - `ConnectionService.isReachable` is now Endpoint-aware: TCP probes the exact host:port the network layer would actually open per variant.
  - `NetworkApiRepositoryImpl.proxyApi` parses `host:port` out of `Mirror.host` instead of feeding it through Ktor's URLBuilder as a hostname; LAN Mirror without an explicit port defaults to 8080.
  - Discovery strips the embedded port at conversion time so persisted `Mirror` rows are bare-host shaped.
- **SP-3.2 — `Endpoint.Proxy` removed; Unauthorized search UX:**
  - Removed `Endpoint.Proxy` from the model entirely (the public lava-app.tech instance was retired). Pre-existing rows are migrated forward to `Endpoint.Rutracker` on read.
  - Search shows a "Login required" empty-state with a Login button when not signed in (no more misleading "Nothing found").
- **SP-3.1 — LAN HTTPS without manual cert install.** A dedicated permissive-TLS `OkHttpClient` (`@Named("lan")`) accepts any LAN-side server cert, used **only** for `Endpoint.GoApi` and LAN `Endpoint.Mirror`. The strict default client is unchanged for public Internet endpoints. The user mandate — "must work without manual installation" — is satisfied.

Changed

- `Endpoint.GoApi` now renders as **"Lava API"** in the Connections list (was "Mirror"), so the operator can distinguish a discovered Go service from a manually-configured rutracker mirror at a glance.

Tests (Sixth Law)

- Killed a 2h22m gradle test hang in `:core:domain:testDebugUnitTest` caused by 4 interlocking Third-Law bluff fakes (TestDispatchers, TestEndpointsRepository, TestLocalNetworkDiscoveryService, MainDispatcherRule).
- Added 25+ Sixth-Law Challenge tests across `:core:data`, `:core:domain`, `feature:connection`, `feature:menu`, `feature:search_result`. Each carries a documented MUTATION falsifiability rehearsal.

Compatibility

- Tested against `lava-api-go 2.0.6` (current API release).
- Also works against the legacy Ktor proxy and rutracker direct.

Lava-API-Go-2.0.5-2005 — 2026-04-29

Superseded by 2.0.6. Login fix (SP-3.5 root causes 1+2+3) shipped here; the search/favorites empty-results fix (SP-3.5b) landed in 2.0.6.

Lava-Android-1.1.2-1012 — 2026-04-29

Superseded by 1.1.3. Issue-1/2/3 SP-3.3 fixes shipped here; the SP-3.4 mDNS cross-match fix landed in 1.1.3.

Lava-API-Go-2.0.4-2004 — 2026-04-29

Container build hardening:

- `start.sh` and `build_and_release.sh` now export `BUILDAH_FORMAT=docker` so Podman builds Docker-format images that persist `HEALTHCHECK` directives.
- `build_and_release.sh` always rebuilds the `:dev` image with `--format=docker` before saving, so the saved image tarball never carries a stale OCI-format build.

Lava-API-Go-2.0.2-2002 — 2026-04-29

Sixth Law inheritance docs added across all `vasic-digital` submodules.

Lava-API-Go-2.0.0..2.0.2 — 2026-04-28..29

SP-2 — initial Go service migration. Cross-backend parity with the Ktor proxy verified (8/8 fixtures), k6 load tests green, real Postgres in podman, real HTTP/3 client. See `docs/superpowers/specs/2026-04-28-sp2-go-api-migration-design.md` and `docs/superpowers/plans/2026-04-28-sp2-go-api-migration.md` for the full design.

Lava-Android-1.1.0-1010 — 2026-04-29

SP-3 — Android dual-backend support: discover and route to lava-api-go alongside the legacy proxy.

Earlier history

See `git log --oneline --decorate` for the full history before the SP-2/SP-3 series; the changelog above starts at the point where the Sixth Law was instituted (2026-04-28).