Spec — "Choose your API" two-section onboarding (operator request 2026-05-31)

`Classification:` project-specific.

Goal

The onboarding "Choose your API" step (`feature/onboarding/.../steps/ApiSelectionStep.kt`) gets TWO sections:

1. **On your network** (existing) — mDNS-discovered local `Endpoint.GoApi` instances.
2. **Cloud / remote server** (NEW):
   - a manual entry field: address + port → user adds a remote API,
   - a list of pre-installed default options; we have none yet, so ONE placeholder: `https://lava.app:7777`.

- Titles/descriptions updated for the two-section layout.
- UX: user continues with exactly ONE chosen API (local OR cloud), one selected instance.

Established contracts (researched 2026-05-31)

- `Endpoint` (core/models `lava.models.settings.Endpoint`):
  - `data class GoApi(host: String, port: Int = 8443)` — HTTPS host:port. **Cloud uses this.**
  - `data class Mirror(host: String)` — rutracker mirror (NOT for cloud API).
- Selection flow (OnboardingViewModel):
  - `OnboardingAction.SelectApi(endpoint)` → `onSelectApi`: `connectionService.isReachable(endpoint)` → on success `endpointsRepository.add(endpoint)` then `step = Providers`; on fail `apiConnectivity = Failure(reason)`. **Cloud reuses this verbatim — no new persist/probe.**
  - `RetryApiProbe` re-probes `state.selectedApi`.
  - Screen call site: `OnboardingScreen.kt` lines ~92-100 wires `ApiSelectionStep(...)`.
- §6.R: `lava.app` + `7777` must NOT be source literals. Pattern = `.env` → `buildConfigField` (see app/build.gradle.kts lines 47-52). Add:
  - `.env.example`: `LAVA_DEFAULT_CLOUD_API=https://lava.app:7777` (placeholder, committed).

    - `app/build.gradle.kts`: `buildConfigField("String","DEFAULT_CLOUD_API","\"${env["LAVA_DEFAULT_CLOUD_API"].orEmpty()}\"")`.
    - A small parser maps `https://host:port` → `Endpoint.GoApi(host,port)` (strip scheme, split host:port; default port 8443 if absent). Lives in a testable pure function (e.g. `CloudApiDefaults.parse`).

Implementation steps

Stream A — core feature (SINGLE-WRITER; one coherent change)

Files (all `feature/onboarding/src/main/kotlin/lava/onboarding/`):

1. `OnboardingState.kt`: add cloud-section UI state: `val cloudAddressInput: String = ""`, `val cloudDefaults: List<Endpoint> = emptyList()`, `val cloudAddressError: String? = null`.
2. `OnboardingAction.kt`: add `data class CloudAddressChanged(val value: String)`, `data object AddCloudApi` (parse cloudAddressInput → Endpoint.GoApi → SelectApi path), (default-option tap reuses existing `SelectApi(endpoint)`).
3. `OnboardingViewModel.kt`:
    - inject the default-cloud config (a provider reading BuildConfig.DEFAULT_CLOUD_API; provide via Hilt so tests can fake it). Populate `cloudDefaults` on entry (parse the configured default; empty list if blank).
    - handle `CloudAddressChanged` (reduce input + clear error).
    - handle `AddCloudApi`: parse input; on parse-fail set `cloudAddressError`; on success call `onSelectApi(parsed)`.
4. `steps/ApiSelectionStep.kt`: render two titled sections. Section 1 = existing discovered list (title "On your network"). Section 2 = "Cloud / remote server": a text field bound to `cloudAddressInput` + "Add" button (→ AddCloudApi) + the `cloudDefaults` rendered as ApiRow tappable (→ onSelect). Update headline/subtitle copy. Keep §6.Q (no LazyColumn in verticalScroll). Add contentDescription tags: "api-cloud-input", "api-cloud-add", "api-cloud-default", "api-cloud-error".
5. `OnboardingScreen.kt`: wire the new state + callbacks into `ApiSelectionStep(...)`.
6. `OnboardingHiltModule.kt`: bind the default-cloud-config provider.

Stream B — §6.R wiring (independent-ish; touches .env.example + app/build.gradle.kts + a parser)

- `.env.example` line + `app/build.gradle.kts` buildConfigField + `CloudApiDefaults` parser (pure, unit-tested).

Stream C — tests (after A+B compile)

- `feature/onboarding/src/test/.../OnboardingViewModelTest.kt`: add cases — CloudAddressChanged updates input; AddCloudApi with valid

`https://h:port` → probe→persist→Providers (real VM + fakes); AddCloudApi with garbage → cloudAddressError set, no advance; default-option tap → same success path. Falsifiability rehearsal recorded.
- `CloudApiDefaults` parser unit test (host/port extraction, default port, reject malformed).
- New Compose Challenge `app/src/androidTest/.../ChallengeNNCloudApiSelectionTest.kt`: drives the cloud section on a real emulator — types an address, taps Add (fake probe success) → asserts advance; taps the default option → asserts advance; asserts the two section titles render. KDoc FALSIFIABILITY REHEARSAL block. Pattern: copy Challenge26ApiDiscoveryAndConnectivityTest.kt harness (TestOnboarding Hilt fakes).

Stream D — build + §6.Z execute + distribute (serial, after C green)

- §6.Y bump 1.2.34-1054 → 1.2.35-1055 (app/build.gradle.kts) + lava-api-go 2.3.23 → 2.3.24 if touched.
- Auth rotation for new versionCode: fresh pepper + `android-1.2.35-1055` client + UUID in .env (§6.AA). NOTE Gate-4 is now version-aware (commit 010c9ecc) — debug+release of 1055 share one pepper.
- build_and_release.sh (T7-backed; .containerignore now excludes .git-backup*+releases/).
- §6.Z EXECUTE on Pixel_8/API35 host-direct+HVF: C00 + C01 + the new Cloud Challenge + Challenge26 (existing discovery still works). Real attestations.
- §6.AA two-stage Firebase: --debug-only → --release-only. CHANGELOG 1.2.35-1055 entry + snapshot + evidence.
- Commit + push all (submodules + main) to github+gitlab; converge.

Parallelism balance (honest)

Stream A is single-writer (5 interdependent files). B's parser + C's tests + the Challenge are the genuinely-parallel pieces once A's public shape (actions/state names) is fixed. Recommended: land A's state+action shape first, then fan out B (parser+buildConfig) and C (3 test files) to subagents.

Channel caveat

Bash channel garbles/cancels large parallel batches on this host; the `sync` alias fires the push hook. Work in small single calls; route output to /tmp; verify HEAD + last-version via `git ls-remote`. Restore byte-churn before commits: `git checkout -- '*.pdf' '*.html' docs/workable_items.db constitution ; rm -rf constitution/scripts/workable-items/bin`.