

LVA-3 — Adopt HelixConstitution §11.4.79-106 (pin 53 commits behind)

Status: In progress **Type:** Task **Severity:** P1

Pin 208e2c8 is 53 commits behind origin/main 883ccc1. Highest-impact new clauses: §11.4.93/95/106 (workable-items SQLite DB tracked in git + md to DB sync engine), §11.4.79 (own-org submodules in CodeGraph), §11.4.85 (stress/chaos), §11.4.98, §11.4.102. Pin-bump is operator-gated; decision owed on §6.AD.3 Path B vs SQLite DB. **Source:** self-discovered — .lava-ci-evidence/constitution-review/2026-05-31-68th-cycle-review.md

LVA-5 — Rotate Firebase CI token (printed to session transcript)

Status: Operator-blocked **Type:** Bug **Operator-Block-Details:** WHAT: RuTracker CI Firebase token rotation WHY: Agent cannot rotate credentials; only the operator can run firebase logout / firebase login:ci UNBLOCK: Operator rotates the Firebase CI token (no token value ever committed, §11.4.10): [A] run "firebase logout" then "firebase login:ci" and write the new token to LAVA_FIREBASE_TOKEN in the gitignored .env (recommended); [B] mint a fresh token via "firebase login:ci --no-localhost" in a clean shell and update LAVA_FIREBASE_TOKEN in .env; [C] rotate via the Firebase console (Project Settings -> Service accounts) and update .env. Unblock signal: a Firebase distribute run authenticates with the new token and the previously-leaked token no longer authenticates. WHO: Operator **Severity:** P0

67th-cycle: the LAVA_FIREBASE_TOKEN default-expansion printed the token to the session transcript (NOT committed to git). Operator MUST rotate per §6.H clause 6 (firebase logout; firebase login:ci). **Source:** self-discovered — .lava-ci-evidence/sixth-law-incidents/2026-05-20-firebase-token-echo-leak.json

LVA-008 — C11 search_input NavBackStackEntry teardown crash (nested-NavHost lifecycle)

Status: In progress **Type:** Bug **Severity:** P1 **Created-By:** AI

Challenge11ArchiveOrgAnonymousSearchTest crashes the app PROCESS at activity-destroy: IllegalStateException 'State must be at least CREATED to be moved to DESTROYED' on the inner search/search_input entry. Root-caused (2026-06-08): the inner nested NavController's host is the outer addNestedNavigation NavBackStackEntry, driven to DESTROYED out from under the inner controller while search_input is still INITIALIZED. FALSIFIED on device: nav 2.9.1->2.9.8, LenientTeardownRule (uncatchable process death), atomic popUpTo replace. Feature WORKS (result row renders pre-teardown). Candidate fixes ranked in incident JSON (inner NavHost Activity-scoped LifecycleOwner; move search to outer NavHost; ON_STOP pop). Forensics: .lava-ci-evidence/sixth-law-incidents/2026-06-08-navbackstackentry-teardown-crash-2.9.1-incomplete.json

LVA-079 — Video #3 — search-input chips vs results-filter chips disagree + results chip set non-deterministic run-to-run

Status: In progress **Type:** Bug **Severity:** P1 **Created-By:** AI **Assigned-To:** AI

QA video 2026-06-25 (frames 0040 vs 0060 vs 0125): input chip bar and results filter chips show different provider sets, and the results chip set CHANGES between two identical queries. 1076 fixed the INPUT chips (observeAll filtered+sorted) but the input-vs-RESULTS divergence + run-to-run instability is distinct and still open. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md issue #3.

LVA-081 — Fetch/pull/merge latest from all submodules + build-verify (operator directive 2026-06-26)

Status: In progress **Type:** Task **Severity:** P2 **Created-By:** AI **Assigned-To:** AI

Operator directive: fetch+pull+merge latest codebase from all submodules. Frozen-by-default overridden for this cycle. Must build-verify after each bump; revert+report any submodule whose bump breaks the build.

LVA-082 — Crashlytics read NOT available via Firebase CLI — only symbols/mappingfile upload; no issues:list; bq absent

Status: Queued **Type:** Task **Severity:** P3 **Created-By:** AI

Operator asked to use Firebase CLI to pull Crashlytics. Verified Firebase CLI 14.17.0 exposes only crashlytics upload + mappingfile:* (NO issue/non-fatal read). bq CLI absent. Crashlytics dashboard read requires console or a BigQuery export not configured. Fallback: in-repo §6.AC telemetry + known crash tickets; operator to paste console items for full triage. §11.4.6 honest record.

LVA-083 — Video #1 — Search returns ZERO results then 'Something went wrong' Error (primary function unusable)

Status: In progress **Type:** Bug **Severity:** P0 **Created-By:** AI
Assigned-To: AI

QA video 2026-06-25 frames 0060-0140: every search fails (blank ~25s then Error/Retry; 'prince' stays blank). KNOWN-class (anonymous/provider-mismatch). CODE-FIX landed in 1076 (SearchInputViewModel observeAll filtered+sorted + loading/empty state) but 1076 NOT yet distributed/device-verified. Pending §6.Z gate. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #1.

LVA-084 — Video #2 — Onboarded provider (YTS) is NOT the provider set used by Search; unconfigured providers active as filters

Status: In progress **Type:** Bug **Severity:** P0 **Created-By:** AI
Assigned-To: AI

QA video frames 0030 vs 0040/0060: onboarded only YTS but search used RuTracker/RuTor/IA/Gutenberg etc. KNOWN (§6.L 57th/59th). CODE-FIX in 1076 (chips from ProviderConfigRepository.observeAll())

searchEnabled&&isEnabled). Pending §6.Z device verification.
Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #2.

LVA-085 — Video #4 — Provider id labels shown raw/lowercased ('torrentdownloads','archiveorg','kinozal','yts') in results filter chips

Status: In progress **Type:** Bug **Severity:** P1 **Created-By:** AI **Assigned-To:** AI

QA video frames 0060/0125/0130: results chips render internal provider key not displayName. KNOWN-class (§6.L 60th displayLabel). CODE-FIX in 1076 (friendly chip names). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #4.

LVA-086 — Video #5 — No empty-state and no loading indicator on search results (perceived hang)

Status: In progress **Type:** Bug **Severity:** P1 **Created-By:** AI **Assigned-To:** AI

QA video frames 0060-0110: pure blank ~25s, no spinner/skeleton/no-results; 'prince' stays blank with no error. NEW. CODE-FIX in 1076 (loading/empty state branches). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #5.

LVA-087 — Video #6 — Welcome claims '4 providers available' but picker lists ~12

Status: In progress **Type:** Bug **Severity:** P2 **Created-By:** AI **Assigned-To:** AI

QA video frames 0007/0010/0015 vs 0020-0030. NEW. CODE-FIX in 1076 (#6 count bound to real descriptor list). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #6.

LVA-088 — Video #7 — 'Choose your API' shows 'lava.app:7777' preset + mislabeled 'On this network'

Status: In progress **Type:** Bug **Severity:** P2 **Created-By:** AI
Assigned-To: AI

QA video frames 0012/0015. 1076 investigation: NOT a §6.R hardcoding violation (config-driven preset). 'On this network' label for a cloud/remote preset still worth confirming. Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #7.

LVA-089 — Video #8 — mDNS-discovered API shows raw IP 192.168.0.107:8443 with no friendly name

Status: In progress **Type:** Bug **Severity:** P2 **Created-By:** AI
Assigned-To: AI

QA video frames 0012/0015. NEW UX. CODE-FIX in 1076 (discovered-API friendly name). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #8.

LVA-090 — Video #9 — Onboarding 'Select all' silently enables auth-requiring (Captcha/Form Login) providers

Status: In progress **Type:** Bug **Severity:** P3 **Created-By:** AI
Assigned-To: AI

QA video frames 0020-0025. NEW UX, contributes to #1. CODE-FIX in 1076 (#9 select-all handling). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #9.

LVA-091 — Video #10 — App-ID co-mingling (debug .dev + release both labeled 'Lava') — UNCONFIRMED in video

Status: Queued **Type:** Bug **Severity:** P3 **Created-By:** AI

QA video frames 0001/0005: single Lava icon launched; co-mingling NOT visually confirmed. Needs on-device package check (applicationIdSuffix .dev + launcher label). OPEN/UNCONFIRMED. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md #10.

LVA-013 — Missing 6.Z device evidence for client 1080 and api-app 24

Status: Queued **Type:** Task

Task P0 Android: the 1080 client and 24 api-app cycles were distributed without per-AVD containerized emulator evidence. Need to execute the covering Challenge matrix, generate real-device-verification rows, and backfill the evidence files.

LVA-019 — Coverage ledger partial/gap overlap and missing per-release ledgers

Status: Queued **Type:** Task

Task P1 process: coverage ledger has partial/gap overlap and lacks per-release ledger snapshots. Normalize the registry and add release-attestation ledgers.

LVA-093 — Cold-start race: search can hit bundled/direct client before dynamic provider repopulation completes

Status: Queued **Type:** Bug **Severity:** P2 **Created-By:** AI

app/src/main/kotlin/digital/vasic/lava/client/
LavaApplication.kt:95-105 launches
RepopulateProvidersOnStartupUseCase.repopulateProviders()
fire-and-forget on Dispatchers.Default inside

Application.onCreate() -- it is not awaited. app/src/main/kotlin/digital/vasic/lava/client/MainActivity.kt:105-135 gates the splash screen ONLY on local prefs (theme/showOnboarding) loading and has no dependency on repopulateProviders() completion. Consequently the splash can dismiss and the user can reach the search screen while the network round-trip inside core/domain/src/main/kotlin/lava/domain/usecase/RepopulateProvidersOnStartupUseCase.kt:80-112 is still in flight. If the user searches during that window, any provider id the catalogue vends that overlaps a BUNDLED compiled-in provider id (rutracker/rutor/nmclub/kinozal/archiveorg/gutenberg -- see core/tracker/client/src/main/kotlin/lava/tracker/client/di/TrackerClientModule.kt:297-303) resolves to the direct-to-site bundled client for that one search instead of the user's configured API endpoint. Once the fetch completes, all later searches in that session are correctly dynamic -- this is a real, narrow-window, self-healing defect, not a permanent break. No existing test covers this exact race: the closest test, RepopulateProvidersOnStartupUseCaseTest, exercises the use case in isolation and does not measure or force the Application.onCreate-to-first-interactive-search timing window. CONFIRMED by static source-reading this session (2026-08-10/11), part of the LVA-083/084 root-cause investigation that also found the OnboardingBypassRule-skips-populateFrom test bug in Challenge58/59/60/61/62/71. Real-world frequency and user-visible impact are UNCONFIRMED without device instrumentation -- no build or test was executed for this specific finding, only source reading. Closure needs either (a) a device-level Challenge Test that measures or deliberately forces this race and asserts correct provider resolution once repopulation completes, or (b) a product decision to gate the splash screen / first search on repopulation completion (with a timeout + fallback) instead of racing it.

LVA-094 — Cold-start provider repopulation failure is silent and never retried for the rest of the process lifetime

Status: Queued **Type:** Bug **Severity:** P2 **Created-By:** AI

RepopulateProvidersOnStartupUseCase's single cold-start provider-catalogue fetch attempt fails silently on failure: RepopulateProvidersOnStartupUseCase.kt:110 returns false with no user-visible notice (unlike onboarding's own fetch-failure path, which surfaces a PROVIDER_CATALOG_FALLBACK_NOTICE), no retry, and no other production code path re-invokes populateFrom() for the rest of that process's lifetime. Confirmed: the only two production call sites for populateFrom are

OnboardingViewModel.kt:950-998 (onboarding flow) and this startup use case (app cold start) -- there is no periodic worker and no connectivity-change listener that re-triggers it. A transient failure at exact boot time (network not yet associated, VPN/Wi-Fi still connecting, momentarily unreachable LAN lava-api-go/api-app endpoint) means a user who configured a non-bundled API endpoint during onboarding silently falls back to bundled/direct-to-site tracker clients for the ENTIRE app session, with zero indication anything degraded, until the process restarts (a fresh attempt) or the user re-runs onboarding. Fix direction, documented as the finding only and not yet implemented: either add a retry affordance / silent background retry with backoff, or at minimum record a non-fatal telemetry event per this project's own section 6.AC Comprehensive Non-Fatal Telemetry Mandate so the failure is visible in Crashlytics instead of invisible. CONFIRMED by static source-reading this session (2026-08-10/11), same investigation as the sibling cold-start race finding LVA-093. Real-world frequency and user-visible impact are UNCONFIRMED without device instrumentation -- no build or test was executed for this specific finding, only source reading.