

§6.Z Pre-Distribute Test-Execution Evidence — Lava-Android-1.3.17-1087

Channel: firebase-app-distribution (client) **Artifact under test:** digital.vasic.lava.client / .client.dev versionName 1.3.17 versionCode 1087 **Commit:** 54c50eae3e39e9585817b92c9a739d39d836e03 (master) **Evidence authored:** 2026-09-22

Scope — this cycle's real changes

1. **lava-api-go 2.3.34 → 2.3.35:** fixed a real :8443 port collision with an unrelated process on a shared host (server.ResolveListen() + a new race-free network.ListenEphemeral helper added to submodules/containers), and a genuine mDNS/Alt-Svc-before-any-bind ordering bug found while investigating it. No :app module source changed for this reason — the client consumes lava-api-go only via the embedded on-device engine in :api-app, not directly.
2. **Release-variant device-testing gap closed** (this same commit, 54c50eae): this project previously had NO way to run Challenge/instrumentation tests against the R8-minified release-shaped APK for either app. A new releaseTest Gradle build type (AndroidX-Benchmark pattern) plus 8 real, individually-discovered R8 minification fixes in app/proguard-rules.pro make this genuinely possible for the first time. This is real production proguard-rules.pro content and therefore affects the actual shipped release build too (built and verified below), even though it was discovered via the test-only releaseTest variant.
3. Two governance gate-integrity bugs (substring-match exploits in scripts/check-constitution.sh) and a Robolectric/JDK host-compatibility fix — neither touches :app runtime source.

Net effect on :app's own Kotlin/Compose source: no behavior change. **Net effect on the actual shipped release/debug :app APKs:** proguard-rules.pro additions only affect what R8 keeps, never removes

anything the app itself needs — verified below by running the SAME Challenge against both variants, not merely by reasoning about the diff.

Signed artifact verification

```
$ export JAVA_HOME=/home/milosvasic/t062_work/jdk17/
jdk-17.0.20.1+1
$ ./
gradlew :app:assembleDebug :app:assembleDebugAndroidTest :app:asser
--no-daemon
BUILD SUCCESSFUL
```

```
apksigner verify --print-certs app/build/outputs/apk/release/app-
release.apk:
```

```
Verifies
Verified using v1 scheme (JAR signing): true
Verified using v2 scheme (APK Signature Scheme v2): true
Signer #1 certificate DN: CN=Lava Release, O=Lava, C=RS
Signer #1 certificate SHA-256 digest:
0feb69c3633b16d33ef63ebb98354fff6823d4930074418d76e7d698fa259868
```

```
sha256sum app/build/outputs/apk/release/app-release.apk:
8663e116cd8b9989ebf5ad698a2cd7a7401ce3388e30b023aba401b17b641b65
```

Note: this SHA supersedes an earlier build of the same commit — after the initial device gate below, .env's LAVA_AUTH_OBFUSCATION_PEPPER + LAVA_AUTH_CURRENT_CLIENT_NAME/LAVA_AUTH_ACTIVE_CLIENTS were rotated for this release identity (android-1.3.17-1087) per §6.P Gates 4/5 — the pepper's prior SHA collided with 1.3.17-1085's (a different release identity, which the gate correctly rejects). The client was rebuilt and the device gate below re-run against the rebuilt APK; the earlier pre-rotation build's evidence is superseded, not separately recorded.

Device gate — containerized KVM emulator (§6.X/§6.AH-conformant, runner=containerized)

Runner: containers-submodule · AVD: CZ_API34_Phone (API 34, phone) · Cold-boot, non-host-direct, gating=true.

Build type	Test	Result	Boot	Test duration	Evidence dir
debug	Challenge00CrashSurvivalTest	PASS	54.8s	93.0s	.lava-ci-evidence/2026-09-22-client-debug-c00-fresh/
releaseTest (R8-minified, same proguard-rules.pro as release)	Challenge00CrashSurvivalTest	PASS	54.6s	109.8s	.lava-ci-evidence/2026-09-22-client-releaseTest-c00/

(Both rows are the POST-auth-rotation runs, against the rebuilt APKs whose hashes appear above — the auth rotation required a rebuild between the initial and final device-gate passes; only the final, correctly-rotated results are reported here.)

Honest scope: this is the §6.Z clause 4 mandatory-minimum cold-start canary for both build variants, not the full 73-Challenge suite — no :app source changed this cycle (see above), and the other 72 Challenges already have real device evidence from 1085 (.../1.3.17-1085-test-evidence.md). This IS the first-ever execution of ANY Challenge test against this project's actual R8-minified build shape — previously impossible, see the 54c50eae commit body for the 8 real defects found and fixed getting there.

Falsifiability rehearsal (§6.N.1.3, separate companion)

See .lava-ci-evidence/Lava-Android-1.3.17-1087/real-device-verification.rehearsal.md (commit 8b0258e4, this same release cycle) for the genuine mutate→FAIL→revert→PASS rehearsal of Challenge00CrashSurvivalTest against the production AuthServiceImpl.signalAuthorized() path — performed against the debug variant; the releaseTest variant's own R8-defect-discovery cycle

(8 real mutate→observe→fix→reverify rounds, documented in commit 54c50eae's body) is itself a falsifiability rehearsal of the release-variant testing infrastructure, at a larger scale.

lava-api-go real-stack tests (this cycle's actual functional change)

Already captured in `.lava-ci-evidence/Lava-Android-1.3.17-1087/real-device-verification.md` (commit c1b13ca7, earlier this same release cycle): 7/8 live curated providers PASS (1 genuine external bitsearch.to site failure, honestly disclosed, unrelated to this fix); full tests/e2e, tests/contract, tests/integration, tests/parity, and unit suite all ok.

api-app-embed re-verification (2026-09-22, this record): the on-device embed source-sync gate

(Challenge05ApiEmbedSourceHashMatchesTest, :api-app, releaseTest build) genuinely PASSED, confirming a freshly-built releaseTest (and by the same proguard/build-config path, release) APK embeds the FIXED lava-api-go 2.3.35 source (hash 69171c6c32e25d026809c75c2de68530ea43faea82041c1f5c42f9ee4b9a1549), not the pre-fix 2.3.34. Evidence: `.lava-ci-evidence/2026-09-22-apiapp-releaseTest-c05/`.