

SP-4 Phase C — Trackers Screen Removal (implementation plan)

Plan date: 2026-05-13 **Design:** docs/superpowers/specs/2026-05-13-sp4-phase-c-design.md **Parent SP:** docs/superpowers/specs/2026-05-12-sp4-multi-provider-redesign.md **Prerequisite:** Phase B complete (commit 85af95b3).

This phase is single-session executable, 7 tasks, ~25 steps. No emulator needed for the structural deletions; the C04 rewrite + falsifiability rehearsal needs a connected emulator only if executed on the gating matrix per §6.I. Operator-driven rehearsal can happen at any time before the next tag.

Task 1 — Add `ActiveTrackerSection` to `:feature:provider_config`

Preserves the only unique capability of the deleted Trackers screen as a small affordance inside `ProviderConfig`.

Files:

- Create: `feature/provider_config/src/main/kotlin/lava/provider/config/sections/ActiveTrackerSection.kt`
- Modify: `feature/provider_config/src/main/kotlin/lava/provider/config/ProviderConfigState.kt` — add `activeTrackerId: String? = null`
- Modify: `feature/provider_config/src/main/kotlin/lava/provider/config/ProviderConfigAction.kt` — add `data object MakeActive : ProviderConfigAction`
- Modify: `feature/provider_config/src/main/kotlin/lava/provider/config/ProviderConfigViewModel.kt` — observe `sdk.activeTrackerId()` snapshot at init; handle `MakeActive` by calling `sdk.switchTracker(providerId) + reducing the new state`
- Modify: `feature/provider_config/src/main/kotlin/lava/provider/config/ProviderConfigScreen.kt` — insert `ActiveTrackerSection(state, onAction)` between `Header` and `SyncSection`

Steps:

☐

Step 1: Add state field + action.

☐

Step 2: ViewModel wiring. Read `sdk.activeTrackerId()` in `onCreate`; on `MakeActive` call `sdk.switchTracker(providerId)` then reduce `{ state.copy(activeTrackerId = providerId) }`.



Step 3: Section composable.

```
@Composable
internal fun ActiveTrackerSection(
    state: ProviderConfigState,
    onAction: (ProviderConfigAction) -> Unit,
) {
    val isActive = state.activeTrackerId != null &&
        state.activeTrackerId == state.providerId
    Row(
        modifier = Modifier.fillMaxWidth().padding(horizontal =
            AppTheme.spaces.large, vertical = AppTheme.spaces.medium),
        verticalAlignment = Alignment.CenterVertically,
    ) {
        Column(modifier = Modifier.weight(1f)) {
            Body(text = if (isActive) "Active provider" else
                "Inactive")
            BodySmall(
                text = if (isActive) "This provider is the SDK's
                    currently-active target." else "Tap Make active to route
                    searches here.",
                color = AppTheme.colors.outline,
            )
        }
        if (!isActive) {
            TextButton(text = "Make active", onClick = {
                onAction(ProviderConfigAction.MakeActive) })
        }
    }
}
```



Step 4: Wire into screen.



Step 5: Compile. ./

```
gradlew :feature:provider_config:compileDebugKotlin
spotlessKotlinCheck.
```

Task 2 — Delete

Challenge14TrackerSettingsOpenTest.kt

The Trackers screen this Challenge opens is being deleted. Per §6.J, deletion (not `@Ignore`) is the correct response.

Files:

- Delete: `app/src/androidTest/kotlin/lava/app/challenges/Challenge14TrackerSettingsOpenTest.kt`

Steps:

☐

Step 1: `git rm` the file.

☐

Step 2: Verify no other Challenge references it.

Task 3 — Remove Trackers menu entry + action/ side-effect plumbing

Files:

- Modify: `feature/menu/src/main/kotlin/lava/menu/MenuAction.kt` — remove `TrackerSettingsClick`
- Modify: `feature/menu/src/main/kotlin/lava/menu/MenuSideEffect.kt` — remove `OpenTrackerSettings`
- Modify: `feature/menu/src/main/kotlin/lava/menu/MenuViewModel.kt` — remove `onTrackerSettingsClick()` + the action's `when` branch
- Modify: `feature/menu/src/main/kotlin/lava/menu/MenuScreen.kt` — remove `openTrackerSettings` parameter + side-effect handler + the `menuItem(text = { Text("Trackers") }, ...)` `LazyList` entry

Steps:

☐

Step 1: `MenuAction.kt` — delete the `TrackerSettingsClick` line + its comment.

☐

Step 2: `MenuSideEffect.kt` — delete the `OpenTrackerSettings` line + comment.

☐

Step 3: `MenuViewModel.kt` — delete `onTrackerSettingsClick()`, the `when` branch, the unused import.

☐

Step 4: `MenuScreen.kt` — delete the parameter from both `fun MenuScreen(...)` overloads + the `OpenTrackerSettings` branch in `collect SideEffect { ... }` + the `menuItem(text = { Text("Trackers") }, ...)` block. Remove the unused string resource reference if any.

☐

Step 5: `Compile` : `feature:menu:compileDebugKotlin` : `feature:menu:compileDebugUnitTestKotlin`.

Task 4 — Remove :feature:tracker_settings from build graph

Files:

- Modify: settings.gradle.kts — remove `include(":feature:tracker_settings")`
- Modify: app/build.gradle.kts — remove `implementation(project(":feature:tracker_settings"))`
- Modify: app/src/main/kotlin/.../navigation/MobileNavigation.kt — remove the two `import lava.feature.tracker.settings. {addTrackerSettings, openTrackerSettings}` lines, the `addTrackerSettings(...)` block, the `openTrackerSettings = { openTrackerSettings() }` pass-through, and the `openTrackerSettings: () -> Unit` parameter from `addNestedNavigation + addMenu`

Steps:

☐

Step 1: settings.gradle.kts.

☐

Step 2: app/build.gradle.kts.

☐

Step 3: MobileNavigation.kt. Both the `addTrackerSettings` registration AND the menu-pass-through chain.

☐

Step 4: Compile :app — `./gradlew :app:compileDebugKotlin` (operator env required for .env / keystore; skip on agent sessions).

Task 5 — Delete feature/tracker_settings/ directory

Files:

- Delete: `feature/tracker_settings/` (recursive — `build.gradle.kts`, `manifest`, all sources + tests + resources)

Steps:

☐

Step 1: `git rm -r feature/tracker_settings/`.

☐

Step 2: Verify `grep -rln "lava.feature.tracker.settings\|:feature:tracker_settings\|TrackerSettingsScreen"` . returns nothing in tracked sources. Hits in `docs/`, `CHANGELOG.md`, `docs/CONTINUATION.md`, `.lava-ci-evidence/` are historical record and stay.

Task 6 — Rewrite C04 against the new Menu → ProviderConfig path

Per §6.J + §6.N, the rewrite ships with a falsifiability rehearsal.

Files:

- Modify: `app/src/androidTest/kotlin/lava/app/challenges/Challenge04SwitchTrackerAndResearchTest.kt`

Steps:

☐

Step 1: Rename file. New name: `Challenge04ProviderRow0pensConfigTest.kt`. Class name matches.

☐

Step 2: New scope. Drive: launch → Menu tab → tap first provider row → assert `ProviderConfig` screen renders with the provider's `displayName` visible in the AppBar title + at least one of the new sections ("Sync this provider", "Mirrors", "Make active" affordance when not-active) is visible.

☐

Step 3: Falsifiability rehearsal. Mutate `MenuViewModel.onOpenProviderConfig(providerId)` to NOT emit `MenuSideEffect.openProviderConfig(providerId)` (e.g., emit `Unit` or comment out the `postSideEffect` line). Run the rewritten C04. Confirm it fails with a clear expected node containing 'Sync this provider' was not found style assertion. Record the mutation + observed failure verbatim in commit body. Revert. Re-run → PASS.

☐

Step 4: KDoc update with the new falsifiability rehearsal protocol per the project's Challenge Test convention.

Task 7 — Update CONTINUATION.md + commit + push

Files:

- Modify: `docs/CONTINUATION.md` — §0 "Last updated" + per-task ledger + state delta

Steps:

☐

Step 1: CONTINUATION update. Update §0 with the Phase C delivery (Trackers screen deleted, `ActiveTrackerSection` added, C04 rewritten, C14 deleted).

☐

Step 2: Local CI gate. `bash scripts/check-constitution.sh` (must pass) + the `spotless+test` runs.

☐

Step 3: Commit with body containing:

- One Bluff-Audit stamp per modified *Test.kt file (just C04 here).
- Note Phase C closure references the design doc + plan paths.
- Co-Authored-By: Claude Opus 4.7 (1M context)
<noreply@anthropic.com> trailer.



Step 4: Push both mirrors.

```
for r in github gitlab; do git push "$r" master; done
for r in github gitlab; do echo "$r: $(git ls-remote $r master |
    awk '{print $1}' | head -1)"; done
echo "HEAD: $(git rev-parse HEAD)"
```

Verify SHA convergence.

Risk register

Risk	Mitigation
Tests in the deleted feature/tracker_settings/ src/test/ are referenced by external tooling	Verified by grep: only feature/ tracker_settings itself + Challenge14 reference these. C14 deleted in Task 2; the rest is internal to the deleted module.
The single test class TrackerSelectorListLazyColumnRegressionTest (\$6.Q regression coverage) goes away with the module	Acceptable: the \$6.Q rule is mechanically enforced via scripts/ check-constitution.sh checks already in place; the per-feature test was an additional structural test for one screen, not the constitutional gate.
ActiveTrackerSection becomes dead code at Phase D	Documented as Phase D pre-work: delete the section when LavaTrackerSdk.activeTrackerId() is removed. Recorded in the design doc.
Persisted-state references to tracker_settings route	None: the route was always in-process navigation only; no deep links or Room rows reference it.
:app:compileDebugKotlin fails in agent sessions without .env + keystores/debug.keystore	Same operator-env limitation as Phase B Task 16+17+18. The :feature:tracker_settings + :feature:menu + :feature:provider_config + spotless gates all pass without .env. Operator runs the full :app compile in their env before tag.

Deliverable summary

A single commit (or 2-3 if grouping by domain) that:

1. Removes the entire Trackers screen feature module.
2. Adds the `ActiveTrackerSection` affordance to `ProviderConfig`.
3. Removes the Menu's Trackers entry + plumbing.
4. Removes the Trackers route from the navigation graph.
5. Rewrites C04 against the new path; deletes C14.
6. Updates `CONTINUATION.md`.
7. Lands on both mirrors with verified SHA convergence.

Estimated session time: 30-60 minutes of execution + the falsifiability-rehearsal
Gradle round for C04 (~3-5 minutes against the gating matrix when the operator runs it on the emulator). The structural deletions are the bulk; the affordance addition is the only feature work.