

Phase 3 — First-Run Onboarding Wizard Design

Date: 2026-05-07 **Status:** Approved (post-brainstorm) **Parent decomposition:** Phase 3 of 6 (see docs/CONTINUATION.md §4.2) **Constitutional bindings:** §6.J, §6.L, §6.R, §6.Q, §6.S, §7

1. Problem Statement


The current onboarding is a single flat screen (OnboardingScreen wrapping ProviderLoginScreen). Users pick one provider, configure it, and proceed. There is no multi-step wizard, no connection testing per provider, and no summary step. The operator's TODO says: "Leaving wizard without configured providers should close the app" and "user MUST execute connection tests with provided credentials with success."


Phase 3 builds a proper multi-step onboarding wizard: welcome → pick providers → configure each → summary.

2. Design Decisions (from brainstorm)

Decision	Choice	Rationale
Wizard layout	Single screen with phased content	One ViewModel, AnimatedContent transitions. Cleaner for repeated per-provider config steps.
Provider requirement	Close app on back press	finish() at welcome step. Operator spec: "Leaving wizard without configured providers should close the app."
Connection test	Auto-test on credential submit	Spinner + auto-advance on success, error + retry on failure. No separate test step.

3. Wizard Step Flow





Step 1: Welcome

- Brief intro: "Welcome to Lava. Let's set up your content providers."
- Shows provider count: "6 providers available"
- Single "Get Started" button → advances to Providers

Step 2: Pick Providers

- Checklist of all `apiSupported` && verified providers (6 today)
- Each item: provider name, auth type badge (Form Login / Anonymous), color dot
- Multi-select: user can pick any combination
- "Next" enabled when ≥ 1 provider selected
- Pre-selected: all 6 providers checked by default

Step 3: Configure Provider (repeated per selected provider)

- **Anonymous path** (`AuthType.NONE`): shows provider name + "Continue as Anonymous" button. Tapping it runs health check, on success advances. No credential form.
- **Auth path**: username + password fields (reuse `LoginScreenCommon` components). "Test & Continue" button.
- **Auto-test**: button tap triggers `sdk.checkAuth()` or `sdk.healthCheck()`. Shows spinner "Testing connection to RuTracker...". On success auto-advances. On failure shows error + retry.

Step 4: Summary

- "All set!" header
- List of connected providers with green checkmarks
- "Start Exploring" button → writes `onboardingComplete = true`, signals auth for each provider, exits to main screen

4. State Model

```

data class OnboardingState(
    val step: OnboardingStep = OnboardingStep.Welcome,
    val availableProviders: List<ProviderOnboardingItem> =
        emptyList(),
    val selectedProviderIds: Set<String> = emptySet(),
    val currentProviderIndex: Int = 0,

```

```

    val providerConfigs: Map<String, ProviderConfigState> =
        emptyMap(),
    val connectionTestRunning: Boolean = false,
    val connectionTestError: String? = null,
)

```

Where:

- OnboardingStep: enum Welcome, Providers, Configure, Summary
 - ProviderOnboardingItem: wraps TrackerDescriptor with selection state
 - ProviderConfigState: per-provider auth fields + test status
-

5. Architecture

New module: feature:onboarding

```

feature/onboarding/
├── src/main/kotlin/lava/onboarding/
│   ├── OnboardingScreen.kt          # Main composable with
│   │   AnimatedContent
│   │   ├── OnboardingViewModel.kt    # @HiltViewModel, Orbit MVI
│   │   ├── OnboardingState.kt        # State + step enum
│   │   └── OnboardingAction.kt       # Actions: NextStep, BackStep,
│   │       SelectProvider, ...
│   │   └── OnboardingSideEffect.kt   # Side effects: Finish,
│   │       ShowError
│   │   ├── steps/
│   │   │   ├── WelcomeStep.kt        # Welcome screen composable
│   │   │   ├── ProvidersStep.kt      # Provider selection list
│   │   │   ├── ConfigureStep.kt      # Per-provider credential form
│   │   │   └── SummaryStep.kt        # Completion summary
│   │   └── navigation/
│   │       └── OnboardingNavigation.kt # Navigation extension for
│   │           MainActivity

```

Changes to existing modules:

- **:app**: Replace OnboardingScreen usage in MainActivity.kt with new feature:onboarding composable
- **:feature:login**: Deprecate OnboardingScreen.kt (thin wrapper, no longer needed)
- **settings.gradle.kts**: Register :feature:onboarding

No changes needed:

- ProviderLoginViewModel + ProviderLoginScreen — kept for Settings → Credentials flow (post-onboarding credential editing)
 - core/preferences — isOnboardingComplete() flag reused
 - core/auth — signalAuthorized() reused for each provider
-

6. Connection Test Logic

For `AuthType.NONE` providers:

1. Call `provider.HealthCheck()` via Go API
2. `200` → advance. Error → show "Cannot reach Archive.org. Check your network."

For auth-requiring providers:

1. Call `sdk.login(providerId, username, password)`
 2. Success → save credentials → advance
 3. Wrong credentials → "Invalid username or password. Try again."
 4. Network error → "Cannot reach NNM-Club. Check your network and try again."
-

7. Back Press Behavior

Current step	Back press action
Welcome	<code>finish()</code> — close the app
Providers	Go back to Welcome (which then closes on next back)
Configure	Go back to Providers (deselect current provider if config not committed)
Summary	Ignored — user must tap "Start Exploring"

8. Files Affected

New files:

File	Responsibility
<code>feature/onboarding/build.gradle.kts</code>	Module config
<code>feature/onboarding/src/main/.../OnboardingScreen.kt</code>	Main wizard composable
<code>feature/onboarding/src/main/.../OnboardingViewModel.kt</code>	Step orchestration, connection testing
<code>feature/onboarding/src/main/.../OnboardingState.kt</code>	State + step enum
<code>feature/onboarding/src/main/.../OnboardingAction.kt</code>	User actions
<code>feature/onboarding/src/main/.../OnboardingSideEffect.kt</code>	One-time effects
	Welcome UI

File	Responsibility
feature/onboarding/src/main/.../steps/WelcomeStep.kt	
feature/onboarding/src/main/.../steps/ProvidersStep.kt	Provider picker
feature/onboarding/src/main/.../steps/ConfigureStep.kt	Credential form
feature/onboarding/src/main/.../steps/SummaryStep.kt	Completion summary

Modified files:

File	Change
settings.gradle.kts	Add :feature:onboarding
app/.../MainActivity.kt	Replace OnboardingScreen with new wizard
feature/onboarding/src/main/AndroidManifest.xml	Standard manifest

9. Testing Strategy

Test	Type	Location
OnboardingViewModelTest	Unit	feature/onboarding/src/test/ — step transitions, provider selection, back press behavior
OnboardingStepsTest	Structure	feature/onboarding/src/test/ — Compose layout regressions per §6.Q
Challenge C20	Compose UI	app/src/androidTest/ — full wizard flow: Welcome → pick providers → configure → finish → verify main screen appears
Challenge C21	Compose UI	app/src/androidTest/ — back press at Welcome closes app
Challenge C22	Compose UI	app/src/androidTest/ — anonymous provider: pick Archive.org → Continue → auto-advances

10. Visual Style

- **Welcome step:** Centered logo/text, large "Get Started" button

- **Providers step:** Cards with checkbox, colored provider dot, auth type badge (AssistChip), Anonymous toggle if supported
- **Configure step:** Clean form with provider color header, LoginScreenCommon fields, full-width "Test & Continue" button with built-in spinner
- **Summary step:** Green checkmark list, "Start Exploring" CTA button
- **Transitions:** AnimatedContent with fadeIn + slideInHorizontally / fadeOut + slideOutHorizontally

All visual decisions auto-approved per operator directive.