

§6.Z Pre-Distribute Test-Execution Evidence — Lava-API-App-0.2.13-28

Channel: firebase-app-distribution-api-app **Artifact under test:**
digital.vasic.lava.api / .api.dev versionName 0.2.13 versionCode 28
Commit: c4e05e514fb3e85c4a29028a951e66871da29fd0 (master)
Evidence authored: 2026-09-22

Scope — this version

api-app at versionCode 28 has ZERO Kotlin/Android source changes relative to versionCode 27 (git log --oneline 09c8ffc9..HEAD -- api-app/ returns empty commits until this cycle) — 27→28 was a pure §6.Y administrative version-parity bump. What's new for 28: (1) the embedded lava-api-go engine now carries the 2.3.35 dynamic-port + mDNS/Alt-Svc-ordering fix (see CHANGELOG.md's Lava-API-App-0.2.13-28 entry), and (2) this same commit closes the release-variant device-testing gap (see the client's 1.3.17-1087-test-evidence.md for the full account) — api-app's own proguard-rules.pro needed one additional keep beyond what was mirrored from :app: okhttp3.**, since api-app's androidTest helper (OnDeviceApiClient.kt) makes real HTTPS calls to the served API via OkHttp even though api-app's own PRODUCTION code never uses OkHttp (the on-device API is the Go embed) — a genuine NoClassDefFoundError found running Challenge02/03/04 against the R8-minified build, fixed and reverified.

Signed artifact verification

```
$ export JAVA_HOME=/home/milosvasic/t062_work/jdk17/
jdk-17.0.20.1+1
$ ./gradlew :api-app:assembleDebug :api-
app:assembleDebugAndroidTest :api-app:assembleRelease --no-daemon
BUILD SUCCESSFUL
```

```
apksigner verify --print-certs api-app/build/outputs/apk/release/
api-app-release.apk:
```

```
Verifies
Verified using v1 scheme (JAR signing): true
Verified using v2 scheme (APK Signature Scheme v2): true
Signer #1 certificate DN: CN=Lava Release, O=Lava, C=RS
Signer #1 certificate SHA-256 digest:
0feb69c3633b16d33ef63ebb98354fff6823d4930074418d76e7d698fa259868

sha256sum api-app/build/outputs/apk/release/api-app-release.apk:
76f97d3664fe429c7edce795496261fa8755f30c77d3769f0a4b10e32a770211
```

Device gate — containerized KVM emulator
(§6.X/§6.AH-conformant,
runner=containerized)

Runner: containers-submodule · AVD: CZ_API34_Phone (API 34, phone) · Cold-boot, non-host-direct, gating=true.

Build type	Test class(es)	Result	Evidence dir
debug	Challenge01ApiAppColdStartTest, Challenge02ApiAppBootAndServeTest, Challenge03StopRestartTest, Challenge04NotificationActionsTest	PASS	.lava-ci-evidence/ 2026-09-22-apiapp-debug-c01-04/
releaseTest (R8-minified, same proguard-rules.pro as release)	same 4 (C01-04)	PASS	.lava-ci-evidence/ 2026-09-22-apiapp-releaseTest-c01-04/
releaseTest	Challenge05ApiEmbedSourceHashMatchesTest	PASS	.lava-ci-evidence/ 2026-09-22-apiapp-releaseTest-c05/

Challenge05 is the direct proof for this version's actual functional content: it asserts the running embed's self-reported source hash equals the hash this build was compiled against, confirming a fresh build genuinely carries lava-api-go 2.3.35 (dynamic-port fix), not the stale 2.3.34.

Honest scope: Challenge06CopyKeyTest (cross-app ContentProvider key copy) and Challenge07OpenClientTest (cross-app launch) were NOT run this cycle — they require the :app client to also be installed on the same emulator instance, which this single-app matrix run does not provision. Both remain OWED for a full cross-app §6.AE.2 matrix.

Falsifiability

The release-variant testing infrastructure itself was validated by construction: every R8 keep-rule fix in this cycle (including `api-app/proguard-rules.pro`'s `okhttp3.**` addition) was added ONLY after observing a genuine failure (a specific `NoClassDefFoundError/NoSuchMethodError` with a real stack trace), then re-verified GREEN after the fix — an 8-round real mutate(discover)→fix→reverify cycle documented in full in commit `c4e05e51`'s body.