

Search / api-app / Provider Residuals Audit (2026-06-14)

Scope: residual, unverified, and OWED items around search, onboarding, the api-app, and providers AFTER the 5-layer search fix shipped (client 1.3.9-1066 + api-app 0.2.9-14). Read-only audit; evidence-cited per §11.4.6 (no guessing — claims are anchored to source or marked UNVERIFIED / OWED).

Headline (the question the master plan must answer): On-device search is PROVEN only for **Internet Archive** (archiveorg, AuthType=AuthNone). It is **NOT proven for RuTracker / YTS / Kinozal**. The 5-layer fix is provider-agnostic for the *transport + Lava-Auth key delivery*, but auth-required providers need a SECOND credential (the provider login session, delivered via the Auth-Token header) that the dynamic ApiBackedTrackerClient search path **does not attach today**. See Item 1 — it is the largest gap and a likely P0 for "search works for the providers the operator originally reported."

Residuals table

#	Item	Status	Sev	What's needed
1	Auth-provider search: Auth-Token provider credential not attached on dynamic /v1/{provider}/search	OWED + UNVERIFIED on-device	P0	ApiBackedTrackerClient.withAuth() a Lava-Auth per-instance key (ApiBackedTrackerClient.kt:80–81); it Auth-Token provider-login header. Go par reads Auth-Token (handlers.go:118, multiprovider.go:90) → for an auth pro Type:"none" (anonymous) → rutracker/kin token-less → upstream returns login/empty. provider login session from the dynamic log as Auth-Token: {provider}:cookie:... streamMultiSearch/ApiBackedTrackerC request, (c) wire AUTH_REQUIRED capability step for dynamic (RemoteTrackerDescrip
2	YTS / curated-provider search on-device	UNVERIFIED	P1	YTS is a curated provider (no auth). Transp was never run on-device end-to-end — only Confirm the dynamic descriptor for YTS de routes to /v1/yts/search, and renders row
3	Existing-install key-restore: api-app uninstalled	OWED	P1	ApiKeyClient.read() returns null when t is absent (ApiKeyClient.kt:65–71) → ke v1 ops 401 until re-onboard. The L3 cold-st

#	Item	Status	Sev	What's needed
				(21031f2a) heals a keyless mDNS endpoint is still readable; an uninstalled api-app yields state with no user-visible recovery prompt.
4	Remote (non-local) LAN api-app: local ApiKeyClient key is wrong for a remote endpoint	OWED + UNVERIFIED	P1	withLocalApiKeyIfMissing (Onboarding covering tests per codegraph) reads the LO app key. For a remote/LAN api-app instance (api-app), the local key does not authenticate → 401. The key-restore + onboarding key-a the active GoApi is the co-installed local ap
5	READ_API_KEY permission name variant-suffix (L4)	OWED (MEDIUM / QA-fidelity)	P2	Per docs/issues/2026-06-14-readapikey variant-analysis.md §2c: the permission literal in both manifests (api-app/.../ AndroidManifest.xml:11-13,93; app/. AndroidManifest.xml:9) while every oth variant-suffixed. Mixed debug+release co-in INSTALL_FAILED_DUPLICATE_PERMISSION (test-VM artifact). Production matched-pair Fix: make the name a \${apiKeyPermissio placeholder + per-variant value + BuildCon apps.
6	Dead /v1/search SSE — server-side aggregator	CLOSED (consumer removed) / OPTIONAL feature	P2	The dead observeSseSearch → /v1/search removed (addaacd0); no backend serves /v server DOES have a MultiSearchHandler (search.go:114 GetMultiSearch), but th side streamMultiSearch fan-out, which is side aggregator is an efficiency optimization gap.
7	Watchable issue-videos re-record (operator task #24)	OWED	P1	Prior 4 "success videos" FAILED HelixQA analyzer liveness (issue3=1 frame, issue4= frozen) — instrumentation recordings finish (search) could NOT be recorded because se now search works , so a paced real-app sear + the refreshed set are owed to ~/Download ci-evidence/video-analysis/2026-06- videos.md.
8	§6.AC telemetry coverage gap on the key/search error paths	OWED (PARTIAL)	P2	Telemetry exists on the client ApiKeyClient (logcat-only Log.w, NOT recordNonFatal not in Crashlytics — ApiKeyClient.kt:48 app ApiKeyProvider.query() empty-curs (ApiKeyProvider.kt:101-107) records N serves an empty cursor (the exact L5 defect multi-search per-provider error is no-telem (SSE is the surface). Gap: the client key-rea route through AnalyticsTracker.record

#	Item	Status	Sev	What's needed
9	apiKeyReader no-arg refactor ripple + current EndpointIsGoApi removal	DONE (verify clean)	P2	logcat) so a field recurrence of the keyless-e visible in Crashlytics; the api-app empty-cu non-fatal. addaacd0 dropped the ignored apiKeyRead + the dead SSE path. MainActivity.build returns { -> client.read()?.key } (no §6.J meta-lesson in the root-cause doc §8). C remaining call sites pass an authority that is that the currentEndpointIsGoApi removal branch.
10	L5 real-holder regression test (retire the withFakes bluff)	OWED	P1	The withFakes seam (ApiKeyProvider.k real onCreate→holder lifecycle where the cause doc §8 + §6.J). A real-holder regression (running_engine_exposes_real_key_v engine_not_running_exposes_empty_c appear in codegraph) must drive the real life withFakes. Confirm it exists and is falsified (caching-version FAILS, lazy-version PASS

Evidence index

Claim	Cite
Client search attaches only Lava-Auth, not Auth-Token	core/tracker/client/.../ ApiBackedTrackerClient.kt:80-81,87-100,214-224
Go reads provider creds from Auth-Token header	lava-api-go/internal/handlers/v1/ handlers.go:118-124; lava-api-go/internal/ auth/multiprovider.go:35-93
Go search runs provider with parsed creds (anonymous if no Auth-Token)	lava-api-go/internal/handlers/v1/ search.go:32-75,192
rutracker provider is AuthCaptchaLogin	lava-api-go/internal/rutracker/provider.go:59
rutracker Kotlin search needs a token	core/tracker/rutracker/.../feature/ RuTrackerSearch.kt:31
On-device search verified only for Internet Archive	docs/CONTINUATION.md:14; .lava-ci-evidence/ search-verification/2026-06-14-fresh-onboard- search.md
L4 permission variant analysis	docs/issues/2026-06-14-readapikey-permission- variant-analysis.md
L5 root cause + withFakes bluff lesson	docs/issues/2026-06-14-search-multilayer- rootcause.md §6,§8; api-app/.../handoff/ ApiKeyProvider.kt:57-108
withLocalApiKeyIfMissing has no covering tests	codegraph blast-radius (OnboardingViewModel.kt:382, 1 caller, no tests) app/.../handoff/ApiKeyClient.kt:48,63,69

Claim	Cite
Client key-read telemetry is logcat-only	
Issue-videos liveness failure	.lava-ci-evidence/video-analysis/2026-06-14-issue-videos.md; docs/CONTINUATION.md:20
Dead /v1/search removed; server SSE aggregator exists	docs/issues/2026-06-14-search-multilayer-rootcause.md §2; lava-api-go/internal/handlers/v1/search.go:114