

lava-api-go — Go coverage baseline — 2026-06-04

Completeness program Phase 2B. Captured via `make cover` (`GOMAXPROCS=2 go test ./... -coverprofile=coverage.out -covermode=atomic`).

Host: darwin/arm64, Go 1.26.2.

Scope of this rollup

This is the **default (no-external-deps) rollup**: unit + contract + e2e + parity tests that run against the host toolchain. The real-Postgres integration tests (`tests/integration`, gated behind `-Pintegration / podman`) are **excluded** from this number — they require a live Postgres container and are not part of the default `go test ./...` surface. The real coverage of DB-touching paths is higher than the headline once integration runs.

Headline

Overall: 44.5% of statements.

The overall number is dragged down by `cmd/*` and the generated `internal/gen/*` packages (0% — they are `oapi-codegen` output / thin main-package entrypoints exercised only by e2e binaries). The Lava-domain `internal/*` business packages sit substantially higher (see per-package below).

Per-package (statements)

Package	Coverage
<code>internal/provider</code>	100.0%
<code>internal/config</code>	93.9%
<code>internal/auth</code>	93.3%
<code>internal/qa/ticket</code>	93.2%
<code>internal/handlers</code>	93.1%
	92.5%

Package	Coverage
internal/qa/validator	
internal/ratelimit	90.0%
internal/server	90.1%
internal/qa/evidence	87.9%
internal/firebase	83.3%
internal/qa/detector	82.9%
internal/gutenberg	82.4%
internal/mobile	82.2%
internal/archiveorg	81.9%
internal/observability	81.7%
internal/rutacker	76.8%
internal/cache	69.7%
internal/storage	65.7%
internal/discovery	57.1%
internal/handlers/v1	53.5%
internal/nmclub	49.5%
internal/kinozal	48.9%
cmd/healthprobe	42.9%
internal/middleware	33.9%
cmd/lava-api-go	0.0% (entrypoint; covered via e2e binary, not unit)
internal/gen/client	0.0% (generated)
internal/gen/server	0.0% (generated)
internal/router	0.0% (wiring; exercised by e2e)

Notable lows worth raising in a later cycle

- internal/middleware (33.9%) and internal/handlers/v1 (53.5%) are Lava-domain request-path code; the lowest business-logic coverage in the module.
- internal/kinozal (48.9%) and internal/nmclub (49.5%) — tracker scrapers whose deeper paths need real-tracker (-PrealTrackers) runs.

Two pre-existing test failures during the rollup

The rollup completed and wrote coverage.out, but two packages were RED. Both reproduce on the clean baseline (verified by stashing the Phase 2B change) — they are pre-existing, not regressions:

- tests/contract → TestAuthFieldName_NoLiteralInProductionGoSource (a §6.R literal "Lava-Auth" in internal/mobile/mobile.go).
- internal/qa/detector → TestCheckGoProcessByPID_Alive (fakeRunner bypassed).

See docs/security/2026-06-04-golangci-triage.md for detail.

Evidence

- .lava-ci-evidence/completeness-program/coverage/go-baseline-2026-06-04/coverage.out
- .lava-ci-evidence/completeness-program/coverage/go-baseline-2026-06-04/coverage-func.txt
- .lava-ci-evidence/completeness-program/coverage/go-baseline-2026-06-04/test-run.log
- .lava-ci-evidence/completeness-program/coverage/go-baseline-2026-06-04/staticcheck-baseline.txt