

scripts/build-stats-report.sh — User Guide

Last verified: 2026-05-14 (1.2.23 cycle) **Inheritance:**
HelixConstitution §11.4.18 (script documentation mandate) +
§11.4.24 (build-resource stats tracking)

Overview

Reads the build-stats registry at `.lava-ci-evidence/build-stats/registry.tsv` and emits a derived Markdown report at `docs/build-stats/Stats.md`. Companion to `scripts/build-stats-sample.sh`.

Per HelixConstitution §11.4.24 the registry is the canonical source of truth; the Markdown report is derived (and HTML/PDF exports are derived from the Markdown via the §11.4.22 lightweight commit path's pipeline — TODO when pandoc + wkhtmltopdf are wired). Top of the report surfaces ever-values (min/max/mean across all tracked builds); per-build entries sorted most-recent-first.

Usage

```
bash scripts/build-stats-report.sh
```

Idempotent — re-runs produce the same report (modulo the "Last regenerated" timestamp).

Inputs

None (reads `.lava-ci-evidence/build-stats/registry.tsv` from the repo root).

Outputs

- `docs/build-stats/Stats.md` — overwritten each run (canonical Markdown)

- docs/build-stats/Stats.html — derived via `pandoc -f gfm -t html5 --standalone` if `pandoc` is in `PATH`; skipped silently otherwise
- docs/build-stats/Stats.pdf — derived via `wkhtmltopdf` (preferred) OR `weasyprint` (fallback), whichever is in `PATH`; both absent → skipped silently

The HTML and PDF derivations were added 2026-05-15 (1.2.23 closure-cycle, task #64) per HelixConstitution §11.4.12 (auto-generated docs sync — every regeneration of the source MUST regenerate every derived format).

Side-effects

- Creates docs/build-stats/ if missing
- Overwrites the report file

Empty / sparse registry

- If `registry.tsv` does not exist: emits a "No builds tracked yet" report with a hint about `build-stats-sample.sh wrap`
- If `registry.tsv` exists but contains 0 data rows: emits a "0 build rows" report

Sort order

Per-build rows are reverse-sorted (most-recent timestamp first) via portable `awk` indexing (BSD/GNU compatible — `tac` is GNU-only and avoided here).

Cross-references

- docs/scripts/build-stats-sample.sh.md (the sampler that produces the registry)
- docs/helix-constitution-gates.md (the gate inventory; this script's existence helps close CM-BUILD-RESOURCE-STATS-TRACKER)
- HelixConstitution Constitution.md §11.4.24