

# scripts/firebase-distribute.sh — User Guide

**Last verified:** 2026-06-26 (\$6.AK Phase-1 Gate 7 wiring)

**Inheritance:** HelixConstitution §11.4.18 (script documentation mandate)

## Overview

Stub doc generated from the script's in-source header comment. See scripts/firebase-distribute.sh for canonical behavior. This stub exists so the CM-SCRIPT-DOCS-SYNC pre-push gate (.github.com/pre-push Check 9) starts gating modifications to this script.

The script's own header documentation (verbatim):

```
scripts/firebase-distribute.sh – upload built artifacts to
Firebase App
Distribution and invite testers loaded from .env.
```

```
Replaces the local releases/ delivery flow as the canonical
operator
distribution channel (operator directive 2026-05-05).
```

Usage:

```
./scripts/firebase-distribute.sh                # debug +
release APKs
./scripts/firebase-distribute.sh --debug-only    # only debug
APK
./scripts/firebase-distribute.sh --release-only  # only
release APK
./scripts/firebase-distribute.sh --release-notes "<text>"  #
custom notes
```

Inputs:

```
.env (gitignored) – LAVA_FIREBASE_TOKEN, project + app IDs,
tester emails
releases/<version>/android-debug/*.apk
releases/<version>/android-release/*.apk
```

Outputs:

```
App Distribution release at the Firebase Console under
project $LAVA_FIREBASE_PROJECT_ID, app
```

`$LAVA_FIREBASE_ANDROID_APP_ID.`

3 testers receive an email invite (per `.env`  
`LAVA_FIREBASE_TESTERS_*`).

Constitutional bindings:

§6.H Credential Security – tokens read from `.env`, never echoed

§6.J Anti-Bluff – propagates real failures via `set -euo`

`pipefail`; no `WARN` swallow

§6.G End-to-end provider operational verification – distribute  
step is the

hand-off the operator's manual real-device pass exercises  
against.

## Usage

See the script's in-source comment block (above) for canonical  
usage examples.

## Phase 1 Gate 7 (§6.AK cycle-coverage) — added 2026-06-26

Closes the firebase-distribute portion of §6.AK-debt. After the §6.P/  
§6.AA/§6.Z Phase-1 gates, the script invokes `scripts/check-cycle-coverage.sh` for the version+channel being distributed (`--evidence-dir="$CHANGELOG_DIR", --strict`) and **refuses the distribute** unless EVERY CHANGELOG-claimed user-visible fix has an EXECUTED+PASSED covering device Challenge in the §6.Z evidence file for the SAME commit SHA. This is the gate that would have caught the 1076 incident (627a0d58: a C00-only device gate while the CHANGELOG claimed search / provider-selection / onboarding fixes). Exit mapping: 0 PASS · 1 an uncovered claim · 2 evidence/map missing/stale/wrong-SHA. The `|| ak_rc=$?` idiom keeps `set -e` from aborting before the §6.AK FATAL directive prints. Gates BOTH apps (client + api-app) via the app-resolved `$CHANGELOG_DIR`. Companion hermetic test: `tests/cycle-coverage/test_wiring.sh` (5/5, mutation-rehearsal proven); the gate's own test is `tests/cycle-coverage/test_cycle_coverage.sh` (7/7). The cycle author must write `<vname>-<code>-test-evidence.{md,json}` (with the cycle-coverage: header + per-Challenge challenge: rows) and `<vname>-<code>-cycle-coverage-map.yaml` under the channel dir for this gate to pass on a real distribute.

# Maintenance

When this script is modified, update this document in the same commit (CM-SCRIPT-DOCS-SYNC requires it). Per §11.4.18, the documentation MUST stay in sync with the codebase — no doc may be out of sync with its script.

## Cross-references

- `scripts/firebase-distribute.sh` — the script itself
- `docs/helix-constitution-gates.md` — gate inventory
- `HelixConstitution Constitution.md` §11.4.18 (the mandate)
- `Lava CLAUDE.md` §6.AD (HelixConstitution Inheritance)