

scripts/scan-no-hardcoded-uuid.sh — User Guide

Last verified: 2026-05-15 (1.2.23 closure-cycle, §6.AD-debt task #61 backfill) **Inheritance:** HelixConstitution §11.4.18 (script documentation mandate)

Overview

Stub doc generated from the script's in-source header comment. See scripts/scan-no-hardcoded-uuid.sh for canonical behavior. This stub exists so the CM-SCRIPT-DOCS-SYNC pre-push gate (.github/hooks/pre-push Check 9) starts gating modifications to this script.

The script's own header documentation (verbatim):

scripts/scan-no-hardcoded-uuid.sh – standalone §6.R UUID scanner.

Purpose: enforce the §6.R No-Hardcoding Mandate clause that no 36-char

UUIDs appear in tracked source outside the exemption set.

Extracted as

a standalone script so the hermetic test suite can invoke ONLY this

rule (without piggy-backing on the broader check-constitution.sh and

its silent-PASS fall-through bluff). The main checker delegates here;

tests/check-constitution/test_no_hardcoded_uuid.sh delegates here.

Exit codes:

0 – no UUID violations

1 – UUID violation(s) found (paths printed to stderr)

Exemptions (kept in lockstep with the §6.R clause body):

.env.example – placeholder file

.lava-ci-evidence/sixth-law-incidents/ – forensic anchors

docs/superpowers/specs/*.md – design docs

docs/superpowers/plans/*.md – implementation

plans

*_test.go, *Test.kt, *Tests.kt, *Test.java – synthetic test

fixtures

Usage

See the script's in-source comment block (above) for canonical usage examples.

Maintenance

When this script is modified, update this document in the same commit (CM-SCRIPT-DOCS-SYNC requires it). Per §11.4.18, the documentation **MUST** stay in sync with the codebase — no doc may be out of sync with its script.

Cross-references

- `scripts/scan-no-hardcoded-uuid.sh` — the script itself
- `docs/helix-constitution-gates.md` — gate inventory
- HelixConstitution Constitution.md §11.4.18 (the mandate)
- Lava CLAUDE.md §6.AD (HelixConstitution Inheritance)