

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Completed (→ Fixed.md)	2
Bug	Fixed (→ Fixed.md)	81
Feature	Implemented (→ Fixed.md)	3
Task	Completed (→ Fixed.md)	39
Task	Fixed (→ Fixed.md)	9
Task	Implemented (→ Fixed.md)	1
Task	Obsolete (→ Fixed.md)	1
TOTAL		136

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	P2	Fixed (→ Fixed.md)	Bug	—	LVA-009 — After the 3-layer class (aef46e5d), the HelixQA autonomously drives the Lava app on the Geny VM, takes screenshots and decides actions based on the rationale ‘Current screen is the home screen, launching the Lava client app’). The ‘launch’ action dispatch returns ‘not found’ (not found) — visionnav step 2 dispatches digital.vasic.lava.client.dev’. The HelixQA ‘shell monkey -p digital.vasic.lava.client.dev’ appears to run it without the ‘adb’ command) OR adb is not on the path. Fix in helixqa pkg actor/bridge Axiom: visionnav reached vision+navigation, 1 EL dispatch 127, NOT bridge

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
2	P2	Fixed (→ Fixed.md)	Bug	—	LVA-010 — internal/router/router_v1/:provider route group without middleware, so those handlers p production instead of resolving new router_test.go (W4) which the routes resolve but to a 500, dispatch. Confirm whether prod elsewhere (real server bootstrap Evidence: router_test.go note +
3	P3	Completed (→ Fixed.md)	Task	—	LVA-011 — core/testing TestEnd an Endpoint.Rutracker and can it, but the real EndpointsReposi for Rutracker (if (endpoint is En never stores it. A future test ass no-op' would pass against the fa behavior than production — a la Fix: add the Rutracker no-op br Flagged by the W6 core/domain
4	P2	Completed (→ Fixed.md)	Task	—	LVA-012 — core/testing TestVisi TestFavoritesRepository, TestBo observe/contains/add/etc metho implemented') (throw). They are wiring — feature ViewModel tes work around them with local in- Law these shared fakes should L the real repos so tests can use t rating+visited VM-test agent (2 the stubs as real in-memory fake contracts + add equivalence tes
5	—	Obsolete (→ Fixed.md)	Task	—	LVA-013 — Task P0 Android: the cycles were distributed without emulator evidence. Need to exe matrix, generate real-device-ver evidence files.
6	—	Completed (→ Fixed.md)	Task	—	LVA-014 — core/testing TestSuggestsRepository.observe TODO(); clear() no-op. Real Sug newest-first (timestamp DESC) (id=lowercase().hashCode(), RE Unusable stub = Third-Law bluf
7	—	Completed (→ Fixed.md)	Task	—	LVA-015 — core/testing TestSea used positional id (it.size) + alw insertion order, while real Search content-derived Filter.id() + @I ORDER BY timestamp DESC. TH

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
8	—	Fixed (→ Fixed.md)	Bug	—	TestSearchHistoryRepositoryTest behavior (ids [0,2], oldest-first) LVA-016 — feature/rating Rating RealObserveRatingRequestUse ObserveRatingRequestUseCase condition (engagement: pinned: OR bookmarks>2). The test ‘Show when conditions are met’ seeds Show, but the REAL use case was state. Second-Law/§6.J bluff: re-logic + asserts an outcome produced. Fix: wire the real ObserveRating tree: ObserveSearchHistory/Vis Bookmarks use cases over shared usable post LVA-012/015) + see test. Source: parallel fake-audit
9	—	Completed (→ Fixed.md)	Task	—	LVA-017 — feature/favorites InMemoryFavoritesRepository.add FakeFavoritesRepository.add FavoritesRepositoryImpl/Favorites REPLACE (id PK). LATENT: no test unexercised. Tighten add() to re with LVA-011..015. Source: para
10	—	Completed (→ Fixed.md)	Task	—	LVA-018 — PreferencesStorage.getCredentialsSyncPeriod() (int production call sites; sync-period getSettings() instead. Orphaned Favorites/Bookmarks counterpart Source: parallel dead-code audit otherwise clean: 0 shipped TOD effect methods).
11	—	Completed (→ Fixed.md)	Task	—	LVA-019 — Task P1 process: coverage overlap and lacks per-release ledger registry and add release-attestation
12	—	Fixed (→ Fixed.md)	Bug	—	LVA-020 — internal/archiveorg s decoded creator/title/year/date returns these as JSON arrays for json.Unmarshal fails the ENTIRE one row. Found by parallel Go b
13	—	Fixed (→ Fixed.md)	Bug	—	LVA-021 — internal/observability underlyingTypeName returned Name() or the 2 context sentinels fs.PathError/net.OpError/*url.E type triage defeated. Existing no bluff (only tested Name()-implemen
14	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			LVA-022 — internal/gutenberg/u pickBestFormatURL exact-match plain) but Gutendex always suff charset=utf-8) → blank Format l ordering for text-only books.
15	—	Fixed (→ Fixed.md)	Bug	—	LVA-023 — internal/rutracker/pr ProviderAdapter.Login returned data-uid) as AuthToken; the rea Login ‘succeeds’ but every auth add-comment/download) sends e2e login test existed (why it sh
16	—	Fixed (→ Fixed.md)	Bug	—	LVA-024 — internal/rutracker/pr wedged the size string into a sy screen shows one nonsense ‘Size The existing TestFromTopicPage (bluff).
17	—	Fixed (→ Fixed.md)	Bug	—	LVA-025 — internal/handlers/v1 CaptchaCode (used as the answer CaptchaCode=dynamic-field-NA CaptchaValue=answer. The ada (self-acknowledged TODO provi + OpenAPI model change (Capt Found by parallel Go bug-hunt.
18	—	Implemented (→ Fixed.md)	Task	—	LVA-026 — internal/handlers/v1 image/png, ...) but rutracker.Fet Content-Type, dropped by the a on provider.CaptchalImage). Mir Found by parallel Go bug-hunt.
19	—	Fixed (→ Fixed.md)	Bug	—	LVA-027 — KinozalSearchParser local var then emitted sizeBytes dropped size (size sort/filter + c Found by parallel Kotlin tracker
20	—	Fixed (→ Fixed.md)	Bug	—	LVA-028 — NnmclubSearchPars never maps cells[4] (ISO yyyy-M TorrentItem.publishDate → Nnm Found by parallel Kotlin tracker UNCONFIRMED: nnmclub/kino may miss Cyrillic units in real H handles both as of LVA-027.)
21	—	Fixed (→ Fixed.md)	Bug	—	LVA-029 — core/models HostUti fc00::/7 unique-local check (star 0xfc00..0xfdff) on ANY host stri literal, so a DNS host like fcba.e routed as LAN (http://host:8080 → no green dot, every request fa

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					before the hex parse. Found by hunt.
22	—	Completed (→ Fixed.md)	Task	—	LVA-030 — doc_processor/helixqa/llm_provider/llms_verifier/vision_§6.R No-Hardcoding inheritance constitution.sh full-run exits 1 on 5-dep + helixqa adoption; orthogonality bump. Each needs a parent pin bump (helixqa is always). Surfaced by full check-constitution bump cycle.
23	P2	Fixed (→ Fixed.md)	Bug	—	LVA-031 — scan-no-hardcoded-uuids NavBackStackEntry UUIDs in 1 evidence files → check-constitution e767b701 precedent.
24	P1	Fixed (→ Fixed.md)	Bug	—	LVA-032 — fromCategoryPage/following AsForumTopicDtoTorrent ignoring Topic variants render as empty AsForumTopicDtoTorrentCheck
25	P2	Fixed (→ Fixed.md)	Bug	—	LVA-033 — RuTorTopicParser doesn't despite the fixture carrying it. As shape to RuTorDateParser.
26	P1	Fixed (→ Fixed.md)	Bug	—	LVA-034 — host:port-only packing key → list-selected on-device Lambda (withKeyOverride dead). Fixed with packing.
27	P2	Completed (→ Fixed.md)	Task	—	LVA-035 — Added PagingDataLifecycle off-by-one + refresh-error regression identical.
28	P2	Fixed (→ Fixed.md)	Task	—	LVA-036 — github/master and g2d2a2151 with unique non-doc git commit landed gitlab+working-FF. Needs a content-merge decision force-push per §6.T.3).
29	P2	Fixed (→ Fixed.md)	Bug	—	LVA-037 — scan-no-hardcoded-host not top-level tests/ → flagged test test_no_hardcoded_hostport.sh pre-push blocked. Added ^tests
30	P2	Fixed (→ Fixed.md)	Bug	—	LVA-038 — Wave-3 parallel-fleet falsifiability-proven; main-stream
31	P2	Fixed (→ Fixed.md)	Bug	—	LVA-039 — Wave-3 parallel-fleet falsifiability-proven; main-stream
32	P1	Fixed (→ Fixed.md)	Bug	—	LVA-040 — Wave-3 parallel-fleet falsifiability-proven; main-stream

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
33	P2	Fixed (→ Fixed.md)	Bug	—	LVA-041 — Wave-3 parallel-fleet falsifiability-proven; main-stream
34	P2	Completed (→ Fixed.md)	Task	—	LVA-042 — Wave-3 parallel-fleet falsifiability-proven; main-stream
35	P2	Completed (→ Fixed.md)	Task	—	LVA-043 — Wave-3 parallel-fleet falsifiability-proven; main-stream
36	P3	Implemented (→ Fixed.md)	Feature	—	LVA-044 — archiveorg/gutenberg impl that is deliberately not exp unreachable. Not a bluff (§6.E h Needs a new capability + featur
37	P2	Completed (→ Fixed.md)	Task	—	LVA-045 — Wave-3 parallel-fleet falsifiability-proven; main-stream
38	P2	Fixed (→ Fixed.md)	Bug	—	LVA-046 — AsAuthResponseDto WrongCredits union into non-po Login returns Success:true Auth every authed call 401s. LVA-032 AsAuthResponseDtoSuccessChe
39	P2	Fixed (→ Fixed.md)	Bug	—	LVA-047 — case-sensitive starts xt=urn:BTIH.; fixed to regionMa
40	P2	Fixed (→ Fixed.md)	Bug	—	LVA-048 — SearchInputNavigat filter.author?.name under Autho AuthorNameKey. Flagged by wa scope). Needs fix + roundtrip te
41	P3	Fixed (→ Fixed.md)	Task	—	LVA-049 — appendOptionalPara with &/? corrupts the route. Add roundtrip test.
42	P3	Fixed (→ Fixed.md)	Task	—	LVA-050 — All 4 test bodies pas teardown RuntimeException ma Quarantine/fix the teardown.
43	P2	Completed (→ Fixed.md)	Task	—	LVA-051 — scripts/record-device test landed; device-bound captu live device.
44	P3	Implemented (→ Fixed.md)	Feature	—	LVA-052 — HTTP_DOWNLOAD branch worktree-agent-ad69508 c8951eee) but it re-derived LVA master's landed LVA-044; needs LVA-052 net-new files (HttpDown DownloadHttpFileUseCase/ DownloadService.downloadHttp on top of master. Topic-screen C through nav) still OWED.
45	P1	Fixed (→ Fixed.md)	Bug	—	LVA-053 — Kotlin removeLast() java.util.List.removeLast (JDK21

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					on Android <35 → a PostBr follow screen. Fixed to removeAt(lastIndex) on Android <35 → a PostBr follow screen. Fixed to removeAt(lastIndex)
46	P1	Completed (→ Fixed.md)	Task	—	LVA-054 — LVA-053 class: Kotlin java.util.* methods absent below add a lint/detekt guard.
47	P3	Completed (→ Fixed.md)	Task	—	LVA-055 — scripts/run-test-pg.s + ./tests/integration; add ./integration tests legs run in the canonical harness
48	P2	Fixed (→ Fixed.md)	Bug	—	LVA-056 — scan-no-hardcoded-ip tests/ → flagged tests/device-rec 127.0.0.1:6555 → check-constitution Added ^tests/.
49	P2	Fixed (→ Fixed.md)	Bug	—	LVA-057 — GetMultiSearch count providers= id with no provider_id counter, while total_providers still requested provider vanished with emits provider_error + counts for
50	P2	Fixed (→ Fixed.md)	Bug	—	LVA-058 — The ipv4/hostport/uuid scanned the tracked binary SQL workable_items.db, which store UUID literals, producing a Binary Added .db exemption to all three
51	P3	Fixed (→ Fixed.md)	Task	—	LVA-059 — multi-search auto-discovery non-deterministic map order (correct)
52	P1	Fixed (→ Fixed.md)	Bug	—	LVA-060 — FavoriteTopicEntity/reconstructed Torrent vs BaseTopic magnetLink, so a magnet-only file read back as BaseTopic and become getTorrents() filtered it out entirely discriminator.
53	P3	Fixed (→ Fixed.md)	Task	—	LVA-061 — self-signed cert reuse checking IP-SAN; LAN IP change
54	P3	Completed (→ Fixed.md)	Task	—	LVA-062 — wave-6 §6.N.2 found SYNC clause-3 was uncovered; add
55	P3	Completed (→ Fixed.md)	Task	—	LVA-063 — Added 9 falsifiable to SubmitDialog flows, §6.G verified credentials_manager FirstTimeScreen DismissEdit lifecycle.
56	P3	Fixed (→ Fixed.md)	Task	—	LVA-064 — The TLS reuse gate is not certificate expiry, so a persistent silently reused; add an expiry check test.
57	P3	Completed (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
58	P2	Completed (→ Fixed.md)	Task	—	LVA-065 — SearchViewModel w loop; audit its error and paging- falsifiable coverage where real LVA-066 — Operator flagged a m lscr.io/linuxserver/jackett v0.24. loopback topology: api_key boot endpoint served valid XML at th IPTorrentsJackettApi uses; JVM validated digest in .env.example
59	P3	Completed (→ Fixed.md)	Task	—	LVA-067 — LVA-052 scoped favo to the active-tracker default bec rows store no provider id; add a migration so an archiveorg/gute HTTP_DOWNLOAD.
60	P3	Fixed (→ Fixed.md)	Task	—	LVA-068 — tls.go only re-checks month-running embed could sen a restart. Add a periodic re-min
61	P3	Completed (→ Fixed.md)	Task	—	LVA-069 — handleSseEvent raw results/provider_done/provider_ state re-dispatch are untested p
62	P3	Completed (→ Fixed.md)	Task	—	LVA-070 — LVA-067 laid the pro complete it by threading provid ToggleFavoriteUseCase/AddLoc GetTopicUseCase + the Topic/T TopicModel + favorites/visited s openTopic(id,providerId) (read),
63	P3	Completed (→ Fixed.md)	Task	—	LVA-071 — observeSseSearch in SseClient with a hardcoded http SSE error to Error to retry path against a MockWebServer.
64	P3	Fixed (→ Fixed.md)	Task	—	LVA-072 — LVA-068 rotates the the swap is silent; emit a Recor feature/operation/old+new Not secrets per §6.H). A wave-10 att its falsifiability rehearsal was in SourceHash contract failed; red the actual rotation-path Record
65	P1	Completed (→ Fixed.md)	Task	—	LVA-073 — Per operator accept- NavTeardownCrashReporter (ch the known upstream androidx m attributable §6.AC Crashlytics c dies, so it surfaces as a known/t JVM tests; wired into LavaAppli
66	P2	Fixed (→ Fixed.md)	Task	—	LVA-074 — A sleeping VM scree causing SurfaceFlinger commit

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					compose-hierarchies Challenge wakes and keeps the screen on, going green after the wake.
67	medium	Completed (→ Fixed.md)	Bug	—	LVA-076 — Gradle validation BU process JavaRes consumed build declared edge; D8 OOM on 2g h plus bumped heap to 4g.
68	medium	Completed (→ Fixed.md)	Task	—	LVA-077 — App has no connecte testBuildType is debug; added s validate the exact R8 release AF Genymotion VM per clause 6.Z.
69	medium	Completed (→ Fixed.md)	Bug	—	LVA-078 — Root containerignore submodules but go.mod replace container go build failed on mis Excluded only nested git and bu
70	P1	Fixed (→ Fixed.md)	Bug	—	LVA-079 — QA video 2026-06-25 0125): input chip bar and result provider sets, and the results ch identical queries. 1076 fixed the filtered+sorted) but the input-vs to-run instability is distinct and evidence/video-analysis/2026-06 #3.
71	P1	Completed (→ Fixed.md)	Task	—	LVA-080 — 1076 built but never distributed=1075). Operator dir distribute all 4 variants. Infra co thinker+nezha reachable, T7 w podman5.8.2 present.
72	P2	Completed (→ Fixed.md)	Task	—	LVA-081 — Operator directive: f codebase from all submodules. for this cycle. Must build-verify revert+report any submodule w
73	P3	Completed (→ Fixed.md)	Task	—	LVA-082 — Operator asked to us Crashlytics. Verified Firebase C crashlytics:symbols:upload + m fatal read). bq CLI absent. Cras requires console or a BigQuery Fallback: in-repo §6.AC telemetr operator to paste console items record.
74	P0	Fixed (→ Fixed.md)	Bug	—	LVA-083 — QA video 2026-06-25 search fails (blank ~25s then E blank). KNOWN-class (anonymo CODE-FIX landed in 1076 (Sear filtered+sorted + loading/empty distributed/device-verified. Pend

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					ci-evidence/video-analysis/2026-06-25-lava-issues-video.md#1.
75	P0	Fixed (→ Fixed.md)	Bug	—	LVA-084 — QA video frames 003 only YTS but search used RuTra KNOWN (§6.L 57th/59th). CODE ProviderConfigRepository.observeSearchEnabled&&isEnabled). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md
76	P1	Fixed (→ Fixed.md)	Bug	—	LVA-085 — QA video frames 006 render internal provider key not known (§6.L 60th displayLabel). CODE names). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md
77	P1	Fixed (→ Fixed.md)	Bug	—	LVA-086 — QA video frames 006 spinner/skeleton/no-results; ‘priority’ label. CODE-FIX in 1076 (loading). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md
78	P2	Fixed (→ Fixed.md)	Bug	—	LVA-087 — QA video frames 000 NEW. CODE-FIX in 1076 (#6 code list). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md
79	P2	Fixed (→ Fixed.md)	Bug	—	LVA-088 — QA video frames 001 NOT a §6.R hardcoding violation of ‘this network’ label for a cloud/remote confirming. Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md
80	P2	Fixed (→ Fixed.md)	Bug	—	LVA-089 — QA video frames 001 in 1076 (discovered-API friendly). Pending §6.Z verification. Source: .lava-ci-evidence/video-analysis/2026-06-25-lava-issues-video.md
81	P3	Fixed (→ Fixed.md)	Bug	—	LVA-090 — QA video frames 002 to #1. CODE-FIX in 1076 (#9 see OnboardingViewModel.onToggleRequiresNoCredentials() correct only providers, cited to Issue #9 VERIFIED 2026-08-12 (this cycle). OnboardingViewModel.VideoFix no-credential providers’ PASS, for 2026-08-12T21:07, not cached). Evidence at .lava-ci-evidence/generated/{RED,GREEN}-20260626/ (proper falsifiability pair, Challenge66SelectAllDoesNotE days / ~7 versions stale per SS6

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
82	P3	Fixed (→ Fixed.md)	Bug	—	occupied by a parallel LVA-087 v could not re-run. Source: .lava-c 2026-06-25-lava-issues-video.m LVA-091 — QA video frames 000 launched; co-mingling NOT visu device package check (applicati label). OPEN/UNCONFIRMED. video-analysis/2026-06-25-lava-i
83	P3	Completed (→ Fixed.md)	Task	—	LVA-092 — QA video 0001-0155 brand logo renders red. LVA-000 toggle crash + \$6.AB white-icon screen here (remain open under Informational record. Source: .l 2026-06-25-lava-issues-video.m
84	P2	Fixed (→ Fixed.md)	Bug	—	LVA-093 — app/src/main/kotlin/LavaApplication.kt:95-105 launc RepopulateProvidersOnStartup fire-and-forget on Dispatchers.D Application.onCreate() - it is no digital/vasic/lava/client/MainAct splash screen ONLY on local pre loading and has no dependency completion. Consequently the s can reach the search screen wh inside core/domain/src/main/kot RepopulateProvidersOnStartup flight. If the user searches durin id the catalogue vends that over provider id (rutracker/rutor/nnn gutenbergr - see core/tracker/cli tracker/client/di/TrackerClientM the direct-to-site bundled client the user's configured API endpo all later searches in that session is a real, narrow-window, self-he break. No existing test covers tl RepopulateProvidersOnStartup use case in isolation and does n Application.onCreate-to-first-int window. CONFIRMED by static (2026-08-10/11), part of the LVA investigation that also found the skips-populateFrom test bug in Real-world frequency and user-v UNCONFIRMED without device test was executed for this specifi reading. Closure needs either (a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
85	P2	Fixed (→ Fixed.md)	Bug	—	Test that measures or deliberately fails correct provider resolution once (b) a product decision to gate the on repopulation completion (with instead of racing it. LVA-094 — RepopulateProviders cold-start provider-catalogue fetch failure: RepopulateProvidersOn returns false with no user-visible own fetch-failure path, which su PROVIDER_CATALOG_FALLBACK other production code path re-in rest of that process's lifetime. C production call sites for populat OnboardingViewModel.kt:950-9 startup use case (app cold start, and no connectivity-change liste transient failure at exact boot ti associated, VPN/Wi-Fi still conn unreachable LAN lava-api-go/ap who configured a non-bundled A onboarding silently falls back to clients for the ENTIRE app sess anything degraded, until the pro attempt) or the user re-runs onk documented as the finding only either add a retry affordance / s backoff, or at minimum record a this project's own section 6.AC Telemetry Mandate so the failur instead of invisible. CONFIRME session (2026-08-10/11), same i cold-start race finding LVA-093. user-visible impact are UNCON instrumentation - no build or te specific finding, only source rea LVA-095 — OnboardingViewMod 'selecting a keyless on-device A api key for search auth' FAILS: app key MUST be read + persis selected endpoint (was GoApi(h port=42873, platform=null, stor Discovered 2026-08-12 while ru after merging 4 parallel LVA-08 confirmed genuinely pre-existin those 4 changes (git log shows t commit b3cb6de2, predating th merged branches touch onboar
86	P1	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					git diff -name-only). Not yet root test run, feature/onboarding/build/testDebugUnitTest/.
87	P1	Fixed (→ Fixed.md)	Bug	—	LVA-096 — WHAT: init_run_report.sh seeded report.json evidence and nothing ever updated it. ph identical counters locally and pr only. finalize_run_report gates o evidence_summary.rejected_by_ permanently stuck at 0 turned t model.md Validation rule into a Evidence Records had been REJ PASS. DEMONSTRATED (verba 'PASS', expected FAIL - a run co Evidence Record reported succe recompute_evidence_summary(report.sh derives every count fr Records on disk instead of a cou to increment; the orchestrator c exit path including interrupt. BL aggregator REJECTED* match t reproduced the original bluff ex green with zero regressions acr pipeline suites. Found during TC truth: specs/002-build-test-distr and specs/002-build-test-distrib LVA-097 — WHAT: git status -po untracked directory to a single c cut diagnosis for the “pipeline d matched nothing at all when the one untracked directory. FIX: us verified against a fixture repo w removed, which then correctly e DIAGNOSIS block naming both T038. Severity low. Source of tr distribute-pipeline/progress.yml distribute-pipeline/tasks.md. LVA-098 — WHAT: a companion scripts/.sh.md for a script living the CM-SCRIPT-DOCS-SYNC ga The gate matches find scripts -n <i>find docs/scripts -maxdepth 1 -n</i> an ORPHAN with no depth-1 scr DEMONSTRATED mechanically matching scripts/: docs/scripts/p entry.sh.md”. FIX: pipeline phas docs/scripts/pipeline/, following
88	P3	Fixed (→ Fixed.md)	Bug	—	
89	P2	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
90	P2	Fixed (→ Fixed.md)	Bug	—	{hooks,lava-api-go,autonomous-... outside the maxdepth-1 scan. G... afterwards (68 scripts to 68 doc... T044/T045. Severity medium. S... build-test-distribute-pipeline/pr... build-test-distribute-pipeline/tas... LVA-099 — WHAT: while rehear... orchestrator “-skip precondition... refusing, so the run fell through... live_verify and began a REAL G... repository, which had to be kille... guard-regression test that can s... checkout when the guard regres... every Group A guard invocation... test_pipeline_orchestrator.sh is... fixture repo and executed from... regression fails fast and harmle... Severity medium. Source of trut... distribute-pipeline/progress.yml... distribute-pipeline/tasks.md.
91	P1	Fixed (→ Fixed.md)	Bug	—	LVA-1 — 67th-cycle full-suite fla... vs Room Flow .first() off the Sta... in the 68th cycle (Commit 1) via... selectedProvider loop; falsifiabi... discovered — .lava-ci-evidence/s... 2026-05-20-flaky-credentialsvie... LVA-100 — WHAT: scripts/pipeli... constitutional-gate-sweep.sh wa... functional but had NO _dispatch... phase-02-test.sh, which carried... for this category. The constituti... therefore silently absent from e... reason, just missing - while the... complete. The tolerate-absence... header did NOT cover it: that pa... _dispatch line exists but whose... with no _dispatch line at all is in... GATE_SWEEP_WRAPPER plus i... (non-Gradle) parallel group, PR... run through the file own PHASE... override against a marker-writin... documented argument order re... during T028. Severity high. Sou... test-distribute-pipeline/progress... distribute-pipeline/tasks.md.
92	P1	Fixed (→ Fixed.md)	Bug	—	LVA-100 — WHAT: scripts/pipeli... constitutional-gate-sweep.sh wa... functional but had NO _dispatch... phase-02-test.sh, which carried... for this category. The constituti... therefore silently absent from e... reason, just missing - while the... complete. The tolerate-absence... header did NOT cover it: that pa... _dispatch line exists but whose... with no _dispatch line at all is in... GATE_SWEEP_WRAPPER plus i... (non-Gradle) parallel group, PR... run through the file own PHASE... override against a marker-writin... documented argument order re... during T028. Severity high. Sou... test-distribute-pipeline/progress... distribute-pipeline/tasks.md.
93	P2	Fixed (→ Fixed.md)	Bug	—	LVA-101 — WHAT: jq -r ‘.all_pas... not only on null/missing but also...

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
94	P1	Fixed (→ Fixed.md)	Bug	—	Containers attestation saying “a in every Evidence Record as “un all-pass signal on exactly the ru explicit has(...) and != null form genuinely-absent from present-a mappings false to false, true to unknown. The sibling // uses on unaffected (jq treats 0 as truthy assumed). Found during T028. S recurs as S-D in the wave-4 wra the standing static guard. Sourc test-distribute-pipeline/progress distribute-pipeline/tasks.md. LVA-102 — WHAT: the phase-02 conditions (no wrapper exited n no record was REJECTED) and VACUOUSLY by a run in which exit 0 without writing anything. reported “PASSED - all 1 dispat Evidence Records scanned, 0 FA report carried it forward as a pa header already states the gover phase proves nothing”) but enfor WRAPPERS case, not the zero-E reaches the aggregator. DEMON “FAIL: zero Evidence Records -> scanned no evidence at all repo PASS condition requiring at least scanned, plus an explanatory fa suite tests/pipeline/test_phase_0 drives the real aggregator throu PHASE02_*_WRAPPER override Case 1 (honest wrapper, one rea (zero wrappers, pre-existing ref so the fix is not a blanket fail-ev follow-up. Severity high. Source distribute-pipeline/progress.yml distribute-pipeline/tasks.md. LVA-103 — WHAT: tests/firebase repro_ file is outside its reach. E test-hermetic.sh enumerates AL -mindepth 2 -maxdepth 2 -name tests/firebase/repro_mode_both suite. Because that harness exit REPRODUCES a defect, the pip PASS Evidence Record whose re still broken”. That is strictly wor aggregator case the wrapper he
95	P2	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
96	P0	Fixed (→ Fixed.md)	Bug	—	that one over-counts real coverage manufacture coverage out of a h rule 3 in the hermetic wrapper, pipeline/phase-02-test-hermetic reasoning documented alongside Proven by the enumeration count while the wrapper still enumerates hermetic test passes and tests/f Found while adding the reproduce distribute combined-mode finding of truth: specs/002-build-test-dist and specs/002-build-test-distrib LVA-104 — WHAT: the deepest c one of the four rules in scripts/p validate.sh was satisfied by a re all. An empty assertion_summary bluff phrases. An empty raw_out {record_dir}/ - the record OWN dir]] and [[-s dir]] are TRUE fo non-zero size), so rules 2 and 3 category is not "real-device-cha On top of that, jq -r '.x // empty' so the rule-0 guard never fired c reject records missing required shape: rule 4 is selected by exact typo "real-device-challenges" sk falsifiability-marker check entire THE PRODUCTION WRITER, no any wrapper passing its raw DII captured-output file produced v evidence. WHY IT MATTERS: the FR-004 relies on to catch a test bluffable anti-bluff validator ma "validated" stamp in the pipeline (every schema-required field pr checked BEFORE any rule an er 0d (category must be one of the tightened from -e to -f with a dis directory case. New suite tests/ test_anti_bluff_missing_evidence 3 over-correction guards). Indep directory-valued raw_output ref raw_output_ref 'raw' is a directo an absent field yields "REJECTE empty: assertion_summary (a re points at nothing is not evidence validator suite still passes. Four PASS audit; task T012. Severity

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					specs/002-build-test-distribute-p specs/002-build-test-distribute-p Fixed (→ Fixed.md) Bug — _phase01_build_android_report with its exit status UNCHECKED printed ARTIFACT : and returne build.sh believed that line, reco build_artifacts[] and incremente checking the _record_build_arti (android_rc==0 && go_rc==0 & satisfied entirely by the ABSEN have caught it. DEMONSTRATE read-only destination: “cp: cann Permission denied” immediately debug: ...”, then “5 of 5 expecte “all 5 Build Artifacts produced a - while the recorded path DOES downstream: scripts/pipeline/ph release-canary APK out of exact DIFFERENT-CLASS DEFECT in _record_build_artifact read the build.gradle.kts and the commit REPO_ROOT, while the sub-buil override, so an artifact built fro recorded as 1.3.17/1086 - recor describe the recorded artifact. I post-copy -f/-s verification; each and non-empty before recording counted with unverified ones fo read from the same path the bu pipeline/test_phase_01_artifact_ including an all-real build still p still failing). Task T020. Severity 002-build-test-distribute-pipelin build-test-distribute-pipeline/tas Fixed.md) Bug — LVA-106 — pipeline/phase-04-live-verify-api service genuinely answers REAL requests with REAL, meaningfu that its process/container lifecyc The per-request verdict was cor and a 2xx match ONLY; the body chars, interpolated into assertio asserted on. DOUBLY VACUOUS (raw_output_ref must be non-en scaffolding lines THIS SCRIPT I present whether or not the serv DEMONSTRATED against a rea

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					with a zero-byte body on every p 3 records anti_bluff_status=valid PHASE EXIT=0, with the summ 200 with response body: " - notk whitespace-stripped empty body specific reason. Over-correction endpoint real bodies, read from observability/health.go and inte than invented. New suite tests/p test_phase_04_live_verify_respo T036. Severity high. Source of t distribute-pipeline/progress.yml distribute-pipeline/tasks.md. Bug — LVA-107 — WHAT: scr go.sh captured the real go test c never compared it. A package w fails AS A PACKAGE - a TestMai which is exactly how the lava-ap written - reported "go test exite PASSED" with wrapper exit 0. F synthetic FAIL record quoting th Part of the T021-T027 post-impl confirmed swallowed-failure def GREEN. No real suite was run - through its own documented [re against synthetic fixtures (stub stress.sh, stub run-release-cana with the Go fixtures captured ve go1.26.2 toolchain and every Go afterwards. Each new suite carr fail-everything fix would not pas truth: specs/002-build-test-distr and specs/002-build-test-distrib P2 Fixed (→ Fixed.md) Bug - pipeline/phase-02-test-go.sh rep Evidence Records when zero pe The header promised exit 3 for guard only tested whether the J stray build tag excluding every test files]", exit 0. FIX: the wrap Part of the T021-T027 post-impl confirmed swallowed-failure def GREEN. No real suite was run - through its own documented [re against synthetic fixtures (stub stress.sh, stub run-release-cana with the Go fixtures captured ve go1.26.2 toolchain and every Go

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					afterwards. Each new suite carried a fail-everything fix would not pass truth: specs/002-build-test-distribution and specs/002-build-test-distribution P1 Fixed (→ Fixed.md) Bug pipeline/phase-02-test-kotlin.sh GRADLE_EXIT_CODE and never wrapper correctly passes --cont failures that produce NO JUnit X compile error being the everyday "reference" compile failure report FIX: the captured Gradle exit code drives the verdict. Part of the TC wrapper audit: 11 confirmed sw fixed RED-then-GREEN. No real was driven through its own doc [dir] seam against synthetic fixtures chaos-stress.sh, stub run-release go), with the Go fixtures captured go1.26.2 toolchain and every Go afterwards. Each new suite carried a fail-everything fix would not pass truth: specs/002-build-test-distribution and specs/002-build-test-distribution P2 Fixed (→ Fixed.md) Bug pipeline/phase-02-test-kotlin.sh report files. A truncated JUnit XML contained a real <failure> produced parse ... unclosed token" and the A JUnit XML is truncated precisely died, so this is the highest-signal one FAIL record per unreadable error and the file real first bytes implementation wrapper audit: failure defects, all fixed RED-then run - each wrapper was driven to [repo-path] [phase-dir] seam against gradlew, stub run-chaos-stress.sh a PATH-level stub go), with the from this host real go1.26.2 tool verified against it afterwards. E cases so a blanket fail-everything medium. Source of truth: specs/pipeline/progress.yml and specs/pipeline/tasks.md. 103 P2 LVA-111 — WHAT: scripts/pipeline exited 0 with zero Evidence Record present but zero <testcase> element

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					scanned-nothing run reported a testcases is now a failure rather than the T021-T027 post-implementation confirmed swallowed-failure definition GREEN. No real suite was run - through its own documented [release] against synthetic fixtures (stub run-stress.sh, stub run-release-candidate with the Go fixtures captured via go1.26.2 toolchain and every Go afterwards. Each new suite carried fail-everything fix would not pass truth: specs/002-build-test-distribution and specs/002-build-test-distribution P2 Fixed (→ Fixed.md) Bug Suite enumeration in scripts/pipeline/hermetic.sh matched nothing run "0 suite(s) to run ... WRAPPER R zero Evidence Records. (The real candidates / 11 excluded / 65 run in production.) FIX: an empty enumeration Part of the T021-T027 post-implementation confirmed swallowed-failure definition GREEN. No real suite was run - through its own documented [release] against synthetic fixtures (stub run-stress.sh, stub run-release-candidate with the Go fixtures captured via go1.26.2 toolchain and every Go afterwards. Each new suite carried fail-everything fix would not pass truth: specs/002-build-test-distribution and specs/002-build-test-distribution P2 Fixed (→ Fixed.md) Bug Suite enumeration in scripts/pipeline/phase-02-test-helpers skips are "never silently omitted" a console line that never reached suite was invisible at rest. FIX: console per excluded suite, quoting the reason. Part of the T021-T027 post-audit: 11 confirmed swallowed-failure then-GREEN. No real suite was run - through its own documented [release] against synthetic fixtures (stub run-stress.sh, stub run-release-candidate with the Go fixtures captured via go1.26.2 toolchain and every Go afterwards. Each new suite carried

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					fail-everything fix would not pass truth: specs/002-build-test-distribution and specs/002-build-test-distribution P2 Fixed (→ Fixed.md) Bug pipeline/phase-02-test-stress-chaos exit 0 on an empty or unreadable when the truncated JSON own r "verdict":"FAIL". FIX: an empty array is now a failure rather than T027 post-implementation wrapper swallowed-failure defects, all fix suite was run - each wrapper was documented [repo-path] [phase- fixtures (stub gradlew, stub run-release-canary.sh, a PATH-level captured verbatim from this host every Go fix re-verified against i carries positive cases so a blank not pass. Severity medium. Source test-distribute-pipeline/progress distribute-pipeline/tasks.md. Bug — LVA-115 — WHAT: script stress-chaos.sh captured RUN I PASS dimensions plus a harness although the wrapper own head additionally asserts no goroutine the harness exit code is now correct Part of the T021-T027 post-impl confirmed swallowed-failure defects GREEN. No real suite was run - through its own documented [repo against synthetic fixtures (stub stress.sh, stub run-release-canary with the Go fixtures captured ver go1.26.2 toolchain and every Go afterwards. Each new suite carries fail-everything fix would not pass truth: specs/002-build-test-distribution and specs/002-build-test-distribution P2 Fixed (→ Fixed.md) Bug pipeline/phase-02-test-stress-chaos and compared it to "true", which (null), so an unrecognized dime to a non-blocking operator-gate printed "S1 sustained: null" and PASSED. This is precisely the .a class found in the gate-sweep w disguise, and is Check B of the s

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					flag is now read and compared i absent from present-and-false. I implementation wrapper audit. failure defects, all fixed RED-the run - each wrapper was driven t [repo-path] [phase-dir] seam ag gradlew, stub run-chaos-stress.s a PATH-level stub go), with the from this host real go1.26.2 too verified against it afterwards. E cases so a blanket fail-everythin medium. Source of truth: specs/ pipeline/progress.yml and specs/ pipeline/tasks.md. 109 P1 LVA-117 — WHAT: scripts/run-r exits 0/1/2 and runs under set -e yields 127 and a kill yields 137. release-canary.sh reported BOT execute: ... (real host/config pre defect)" with result SKIPPED an cause it cannot know. Since SKI phase, a dead canary harness si constitution 6.Z cold-start gate. 2 maps to SKIPPED; any other r T021-T027 post-implementation swallowed-failure defects, all fix suite was run - each wrapper wa documented [repo-path] [phase- fixtures (stub gradlew, stub run- release-canary.sh, a PATH-level captured verbatim from this hos every Go fix re-verified against i carries positive cases so a blank not pass. Severity high. Source distribute-pipeline/progress.yml distribute-pipeline/tasks.md. Bug — LVA-118 — WHAT: scr submodules.sh defaulted to "eve LAVA_ADVANCE_SUBMODULE contained ZERO mention of the CLAUDE.md states: "The ./cons remains pinned + advanced onl pipeline." An unattended closur auto-advanced the project own document set that defines what do at all. Found by VERIFYING T048/T049 constitutional-amenc relaying it, and found BEFORE t

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					against a real submodule. DEMO fixture whose submodule is named upstream commit available, the outcome=ADVANCED, parent_p genuinely moved. FIX: a GOVERNANCE list checked FIRST in the loop - comparing commits (scripts/advance 193 onward). Deliberately NOT LAVA_ADVANCE_SUBMODULE convenience for narrowing a run must not be able to turn off a goal on the path final component so that submodules/constitution are covered repo real git submodule status check still gets a Submodule Advance REFUSED_GOVERNANCE_DENIED contract schema, because a governance evidence is invisible at rest; old both the current pin, since no change looked up. SECOND BUG SURFACE carried its own internal outcome schema, which rejected the new "invalid outcome", so both had to Source of truth: specs/002-build progress.yml and specs/002-build tasks.md. 111 P2 Complete LVA-119 — WHAT: nineteen-plus 002 were overwhelmingly the success pass", a gate whose success condition ABSENCE of the thing it is supposed individual bugs is not the same recurring shapes were turned in over scripts/pipeline/** and the test_no_vacuous_pass_patterns. captured into a variable and the production in phase-02-test-go.sh GRADLE_EXIT_CODE, phase-02 RUN_RC). CHECK B: a jq // fallback meaningful value can be falsy (scripts/constitutional-gate-sweep.sh and chaos.sh). CHECK C: -e or -s status must be a regular file (seen in a HATCH: an inline "# vacuous-pass on the same line, which requires down rather than allowing a silent cases were annotated this way not importantly the phase-03 HEAL the return code is itself the load

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(constitution 6.B: the status bin "Healthy: false", proven for real FALSIFIABILITY PROVEN: all the re-introducing a real historical c detection - the jq // bug (Check (Check C), and a stripped vacuo HEALTH_RC (Check A); each re scanner returned to green. SCA AND FIXED: on its first real run explanatory COMMENT in the g quotes the very bug it fixed; a s documentation of a fixed bug as generator, so it now skips comm recorded rather than glossed: th proof. It cannot catch every vac "recorded an artifact that is not it - and it is a cheap net for thre already reached production her behavioural suites alongside it. build-test-distribute-pipeline/pr build-test-distribute-pipeline/tas Fixed.md) Bug — LVA-120 — the real script this session, line firebase-distribute.sh line 56 - " MODE=\"both\"; shift". Line 204 staging gate is guarded on [["\$ LAST_VERSION_DEBUG_FILE" NEVER EVALUATES. Lines 322- release) AK_CHANNEL="releas AK_CHANNEL="debug" ;; esac cycle-coverage gate (which also presence, commit-SHA match a pointed at the DEBUG channel. RELEASE APK is version-assert whenever MODE is release OR combined distribute ships the R while the only device-evidence g channel evidence. That is mecha 1.2.19-1039 incident (the consti which a release APK crashed on release-variant behaviour was n this is a property of scripts/fireb introduced by feature 002. REP repro_mode_both_channel_gap. firebase-distribute.sh (that woul upload); it greps the four real d evaluates that extracted logic p lines ever stop existing rather th

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
113	P1	Completed (→ Fixed.md)	Task	—	copy. Its exit semantics are inverse to the REPRODUCED (expected today) semantics. The harness should be converted into a format that means extraction failed and it cannot be read as “fixed”. REPRODUCED is never read as “fixed”. REPRODUCED debug - release APK sent no, 6.AA staging gate no; mode release - channel release, 6.AA staging gate no; APK sent YES, 6.AK channel DEB. The release row is the control threshold for the alarm: -release-only DOES evaluate the channel. The gap is specific to the mode an unattended pipeline. FEATURE 002: task T043 was s -debug-and-release and would h amendment authorizing an unat would authorize exactly this. So test-distribute-pipeline/progress distribute-pipeline/tasks.md. LVA-124 — WHAT: feature 002 t CONSTITUTIONAL AMENDME would amend root CLAUDE.md (Mandate) and the Seventh Law (Attestation) per research.md R-clause under which a Pipeline R commit SHA and versionCode s then-release confirmation, scop this pipeline itself produces. It n a migration plan and a version-l constitution own Amendment pr is a RELAXATION of an existing forensic anchor is the 1.2.19-10 also interacts directly with the c combined-mode finding filed al an unattended combined distrib the debug-evidence-gates-a-rele DRAFT text for this amendment distribute-pipeline/constitutiona (with .html and .pdf siblings). T CLAUDE.md and .specify/memo identical to their pre-feature ba phase 5 (US3 distribute), specif truth: specs/002-build-test-distr and specs/002-build-test-distrib
114	P1	Completed (→ Fixed.md)	Task	—	LVA-125 — WHAT: feature 002 t memory/constitution.md to mat a MAJOR version bump 1.1.0 to

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
115	P1	Completed (→ Fixed.md)	Task	—	Versioning policy - MAJOR became an existing principle, not an add-on. Impact Report header accordingly lands alone. Review-ready DRAFT at specs/002-build-test-distribute-amendments-proposal.md (with draft is NOT applied: CLAUDE.m constitution.md are byte-identical baselines. BLOCKS: feature 002 specifically task T043. Source of distribute-pipeline/progress.yml distribute-pipeline/tasks.md. LVA-126 — WHAT: feature 002 to CONSTITUTIONAL AMENDMENT Architecture rule in root CLAUDE pipeline automated submodule-j explicit, documented exception EXPLICIT operator action, never 16-plus submodule upstreams w advancement. The wave-5 defect the concrete demonstration of v careful scoping: the implementing submodule and would have auto governance submodule itself un added. Review-ready DRAFT text specs/002-build-test-distribute-p amendments-proposal.md (with draft is NOT applied: CLAUDE.m constitution.md are byte-identical baselines. BLOCKS: feature 002 closure), specifically task T055. build-test-distribute-pipeline/pr build-test-distribute-pipeline/tas LVA-127 — WHAT: feature 002 to memory/constitution.md to match same MAJOR version bump as T follow-up MAJOR if landed separate text for this amendment is at sp pipeline/constitutional-amendm and .pdf siblings). The draft is N and .specify/memory/constitution their pre-feature baselines. BLOC (US4 repository closure), specific truth: specs/002-build-test-distr and specs/002-build-test-distrib LVA-130 — WHAT: finalize_run_ run-report.sh decides the run ou
116	P1	Completed (→ Fixed.md)	Task	—	
117	P0	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
118	P2	Fixed (→ Fixed.md)	Bug	—	length) > 0 and (.phases \ all(branch) and the identical len(ph all(p.get("result") == "PASS" . branch. That predicate closes th NOT the TRUNCATED-PREFIX (early phase has a non-empty ph recorded entry is PASS, so it sat finalizes PASS. EVIDENCE, mea evidence/pipeline-runs/2026-08 carries outcome: "PASS" with exa PASS), an empty build_artifacts evidence_summary (total 0, pas rejected_by_anti_bluff 0). A run nothing reports the same outcom run, which is the \$6.J shape: not nothing failed. STATUS: under a this session; tests/pipeline/ test_interrupted_run_never_pas working tree as the accompanyi CLOSURE CRITERIA: outcome INTERRUPTED token) whenever sequence is a proper prefix of th requested, with the regression t truncated report rather than a s LVA-134 — WHAT: scripts/check credential scan (block 6) match private[[:space:]]+object[[:space: z_]*Bridge[[:space:]]*{\ against fixed exclusion list (.env.exempl evidence/, the scanner itself, do and lava-api-go governance doc test_credential_scan_corpus.sh that exclusion list, and its line 9 printf 'private object CredsBrid \$leak" — the very string the test scanner still catches a real viola flags the test that verifies the so directly: sweeping the pattern a corpus minus the exclusion list is tests/check-constitution/test_ 95. IMPACT: this is the sole bloo scripts/ci.sh --changed-only exi distribute-pipeline. It is NOT ca feature's own 45 files produce z CLOSURE CRITERIA: the fixtur is assembled at runtime rather t hermetic-fixture path is added t

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
119	P0	Fixed (→ Fixed.md)	Bug	—	with a comment naming why, and a violation elsewhere is still caught. LVA-135 — WHAT: .githooks/pre-commit (line 34) and then evaluate the shape git diff-tree --no-commit-id --format=patch grep -q.... grep -q exits at its first non-zero exit code. The SIGPIPE producer is then killed by SIGPIPE. This promotes 141 to the pipeline state, therefore evaluates FALSE on exit. EVIDENCE, measured directly: f1a2c3627e443dd4d2c16da59e7... 97783 bytes of -name-only output. 141 with PIPESTATUS=(141 0), without pipefail returns 0; across match 0 times and missed it 20 times. the flip at the 65536-byte pipe block producer cannot finish writing block is blind on every trial. AFFECTED (Check 1, Local-Only CI/CD host) line 135 and line 137 (Check 6, 167 (Check 7, §6.Z distribute test 210 (Check 10, §6.AK cycle-cover form, where the SIGPIPE status commit entirely). WHY EXISTING hermetic fixtures under tests/pre-commits whose path listing stays the SIGPIPE path is never entered evidence/bluff-hunt/2026-08-23-scripts.json finding F1. LVA-136 — WHAT: scripts/check_propagation_targets (lines 241-242) (CLAUDE.md, AGENTS.md, and governance docs) and then extends submodules/*/CLAUDE.md guarded submodules are uninitialised the submodule doc, and the §6.N / §6.O propagation loops that consume 5 — while the identical propagation submodules ARE initialised. The checkout state rather than of the EVIDENCE, measured directly: files are present in this checkout so an uninitialised tree silently covers percent) with nothing to detect NOT A PROJECT-WIDE CONVENTION already carries the zero-floor path lines 149-152, refusing a §6.H c zero tracked files, and scripts/v
120	P2	Fixed (→ Fixed.md)	Bug	—	LVA-136 — WHAT: scripts/check_propagation_targets (lines 241-242) (CLAUDE.md, AGENTS.md, and governance docs) and then extends submodules/*/CLAUDE.md guarded submodules are uninitialised the submodule doc, and the §6.N / §6.O propagation loops that consume 5 — while the identical propagation submodules ARE initialised. The checkout state rather than of the EVIDENCE, measured directly: files are present in this checkout so an uninitialised tree silently covers percent) with nothing to detect NOT A PROJECT-WIDE CONVENTION already carries the zero-floor path lines 149-152, refusing a §6.H c zero tracked files, and scripts/v

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
121	P1	Completed (→ Fixed.md)	Task	—	carries the same floor for the sv 287-290. The propagation block record: .lava-ci-evidence/bluff-h shaping-scripts.json finding F3. LVA-138 — WHAT: scripts/advance GOVERNANCE_DENY=("constitution") The repository declares 25 submodules. CLAUDE.md's Decoupled-Reusable (the pins-frozen paragraph, at line working-tree file) names 16 of the challenges, concurrency, configuration, discovery, http3, mdns, middleware, recovery, security, tracker_sdk - whose bumps require deliberate authorization. The same paragraph waiver for helixqa (always-track constitution through the CONSTITUTION computed directly from .gitmodules 25 submodules total; 16 require 18 are named by SOME operator by NO operator decision at all - llm_orchestrator, llm_provider, llm_superspec, vision_engine. IMPACT policy and the governance documents agree about 16 submodules, and anything about the remaining 7. radius is not bounded by anything authorized. CLOSURE CRITERIA equivalent per-submodule policy of the 25 with an explicit stance gain a recorded operator decision script's policy table and the governance entry for entry. LVA-139 — WHAT: The phase result build-test-distribute.sh marks error result flag and the orchestrator script that exits non-zero BEFORE append_phase_result call append marker was correctly cleared, but and so the run was not interrupted all-PASS rule was then satisfied did report. EVIDENCE: outcome printed in the SAME summary before test phase. The multi-script variant script appends a PASS, the second phases[] comes out FULL-LENGTH indistinguishable from a complete TO LVA-130, stated so this is not
122	P0	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
123	P1	Fixed (→ Fixed.md)	Bug	—	is the INTERRUPTED case, which is not interrupted. This defect sits one level above cover it, because the marker's v executing right now" and a scrip not interrupted. The gap was ne trusting a script to have recorded by direct inspection of the work phase_nonpass_count function a report.sh line 687 reports how r named phase actually recorded, it at lines 557 and 588 and appe count is zero. Deliberately NOT append, which would duplicate FAIL, and no default folded into "the report could not be read" a failure" the same answer. An un zero on purpose, which appends Regression coverage: tests/pipe test_phase_failure_always_recor LVA-140 — WHAT: append_inter scripts/pipeline/lib/run-report.sh CONTENTS as the interruption EXISTENCE is. Any marker the took a return-zero path that eve was not interrupted", and the ru truncated all-PASS phases[]. ME unusable marker shapes exercis empty marker, a whitespace-onl marker, a marker naming a pha marker naming two phases, and place. That is the vacuous-pass marker block exists to close, rea error handling. FIX, verified by working tree: the marker's exist contents only NAME the phase. marker exists but neither it nor names a known phase, and it le the interruption is not lost; its d states that a non-zero return is that callers MUST compare it. T interruption the marker's existe manufacture one, so with no ma changes nothing. Separately, m through a temporary file, reads place atomically, so a failed or p an EMPTY marker behind: the n phase, or it is not there at all. R pipeline/test_run_report_library

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
124	P1	Fixed (→ Fixed.md)	Bug	—	LVA-141 — WHAT: the <code>_close_re</code> pipeline-build-test-distribute.sh <code>append_interrupted_phase_if</code> which discarded the library's re phase was in flight and its inter recorded" indistinguishable from point where the distinction mat library's return-code contract fr same failed-measurement-reads function itself was fixed for, one demonstrated with a fixture in v failure and the orchestrator thro verified by direct inspection of t pipeline-build-test-distribute.sh code is captured into a local var zero return sets an untrustwort. explicit operator-visible warning that its interruption could not b not finish, and that <code>report.json</code> r The successful case still prints v and that it was recorded as FAIL LVA-142 — WHAT: <code>recompute_e</code> pipeline/lib/run-report.sh assign bare command substitution. A b command's exit status, and this callers to run under <code>set -e</code> with malformed Evidence Record abo evidence_summary was never w the all-zeros value <code>init_run_repo</code> anti-bluff counter is exactly the reads to allow PASS, so a run w been REJECTED could still final OF THE DEFECT, and the more own doc-comment stated that a interpreted "counts as FAILED, documented rule was FALSE. It happened to invoke the function list, where <code>set -e</code> is suppressed. does not hold is worse than an a stops looking. FIX, verified by d tree: every field substitution nov annotated in place as load-beari the scan completes over every r counts-as-FAILED rule actually tests/pipeline/test_run_report_e
125	P1	Fixed (→ Fixed.md)	Bug	—	
126	P2	Fixed (→ Fixed.md)	Bug	—	LVA-143 — WHAT: <code>recompute_e</code> pipeline/lib/run-report.sh select

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
127	P2	Fixed (→ Fixed.md)	Bug	—	per-phase-directory depth-two f comment justified that depth by raw-output companions “always the category’s raw directory, an HALVES OF THAT CLAIM WERE constitutional-gate-sweep.sh wr AS json files, where the depth fi count; and nothing stopped a w into a raw directory placed dire which IS at depth two and was t Evidence Record, inflating both counters with a file that is not a inflated failed counter is a false pass, so this is the milder direct run’s outcome rule and a summ direction is not evidence. It also the console SUMMARY could di obviously wrong. FIX, verified b working tree: the selector now c any path under a raw directory, excluded because of WHERE it assumption about its file extens replaced by a dated correction i that states plainly which half of LVA-144 — WHAT: tests/pipeline test_no_vacuous_pass_patterns. flags vacuous-pass shapes across of its checks were narrower tha CHECK A flags an exit code cap never compared; its matcher re unquoted capture with an echo- forms escaped it: a QUOTED ca standing in for echo as the cons other than zero, and the declare with-readonly-flag declarator pr export in the same family. CHEC right-hand side of a pipe under the long spelling of the quiet fla the consumer sits on the next pi bearing intervening flag such as before the quiet flag. NET EFFE clean sweep over code that cont names, so the guard itself was t earlier echo-only narrowing of C fix rather than a complete one. I inspection of the working tree: C candidate matcher both accept the quoted form and any PIPES

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
128	P1	Fixed (→ Fixed.md)	Bug	—	continued lines before matching spelling and digit-bearing intervals ARE LEFT OPEN DELIBERATELY recorded in the guard's own knowledge than silently: CHECK C on a variable reference-style suffix, for which is available today, and CHECK B at a place where correct line joining needs. F's cheap join has no safe analog. A positive was withdrawn before it. A flagged line does consume its stack in the embedded parser; the check was an argument from a variable embedded in annotating a file outside the guard's coverage: tests/pipeline/test_vacuous_pass_guard_discrimination LVA-145 — WHAT: CASE 3 of test_interrupted_run_never_passes. The marker is per-run and never leaves the premise that an earlier run was interrupted, and that premise was appended_interrupted_phase_if_any. The marker, because removing the marker made idempotent, and CASE 2 of CASE 3 ran there was no marker. The assertion had nothing to discriminate ZERO items. MEASURED, not in the helper deliberately changed to a marker which is a real cross-run leak, though, and the whole suite still exited (though examined zero items is precisely the file exists to close, so the file closure is the subject. FIX, verified by direct inspection. A fourth run identifier now stands for that is still in flight, its marker is not consumed across the closing run. The test asserts the foreign marker is gone before proceeding, failing loudly with an assumption-broken message if it is not. The marker path that mark_phase_invariant reconstructs it, so a change to the test was caught here too. LVA-146 — WHAT: tests/check-covenant_114_propagation. The test is fixed by removing one covenant anchor from CLAUDE.md, running the real guard, and restoring the file from a backup. A RETURN trap fires when the
129	P1	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
130	P2	Fixed (→ Fixed.md)	Bug	—	not fire when the process is killed. 120-second timeout, exceeded the mid-probe, and left the covenant replaced by a placeholder string CLAUDE.md. CONSEQUENCE: constitution.sh run reported a cause so the test broke the very gate initially MISATTRIBUTED to a separate cause was found, and a separate independently reported the same direction. A test that damages the damage is then blamed on some the coverage it buys. FIX, in two inspection of the working tree. from RETURN alone to RETURN TERM. That first attempt introduced handler referenced the function is out of scope when an EXIT trap aborted with an unbound-variable. Corrected by moving the handler function at line 78 that reads a through a default-value expansion safe to run before the backup expansion VERIFIED at the time of filing: the carries the 11.4.134 anchor and occurrences, and scripts/check-completion with exit 0. LVA-147 — RESOLVED 2026-08 amending the schema (operator real: clause 8 condition (A) required against pipeline-run-report.schema additionalProperties false and default property, while condition (H) made no run could qualify. Measured emitted the field 0 times and 0 condition so (H) failed for the simpler real SAFE. RESOLUTION: the \$6.AA withdrew former condition (D) and (H); the residual-gap condition is through build_artifacts[].build condition schema already defines AND list report.schema.json, build_artifacts.items.properties. residual-gap field is emitted and schema is written, so the report condition (A). The alternative condition distributions[].evidence_ref was distributions[] is empty at gate-

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
131	P1	Fixed (→ Fixed.md)	Bug	—	gate runs before any upload, so would be unevaluable at the only evaluated. VERIFIED against the distribute.sh CONDITION_IDS=tests/pipeline/test_phase_05_distribute test_phase_05_distribute_gate_v PASSED exit 0 (41 assertions). LVA-150 — WHAT: scripts/check WORKABLE-ITEMS-SYNC gate sync by invoking the canonical exactly two document argument fixed "\$FIXED". The four generated Issues.md, Fixed.md, Issues_Summary.md, Fixed_Summary.md. The gate then The two Summary documents - Type-by-Status tally and the second are regenerated by the binary's NEVER compared by the gate. (mutation performed without a summary Issues_Summary.md and Fixed_PREVIOUS generation's item tally generation's tallies, while the gate OK line naming the DB as validated PASS is truthful about the two documents silent about the two it does not, has no way to tell those apart. During the LVA-008 correction error status and description had been reflected the change, and Issues present LVA-008 as Operator-blame description - with the gate green Summary documents are the stale tally, so a stale Summary is produced reads for a number and does not while an artifact it is understood section 6.J class: the green sign never measured. NOTE ON THE EXPORT PATH: the binary's export directory to the REPOSITORY R tracks BOTH a root-level and a documents, so a regeneration then leaves the other pair stale in the CRITERIA: the gate compares a regenerates them into a temporary equality against the tracked copy locations), with a hermetic fixture regenerates only Issues.md and gate FAILS - which it does not c

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
132	P1	Completed (→ Fixed.md)	Task	—	LVA-2 — Per-OS emulator acceleration (6aff7ea8): macOS gate runner by C00 cold-start canary + full Pixel_8/API35 (43 pass / 3 credits) 2026-05-20. Source: self-discovered — law-incidents/2026-05-13-emulator-gap.json
133	P1	Completed (→ Fixed.md)	Task	—	LVA-3 — Pin 208e2c8 is 53 commits 883ccc1. Highest-impact new change (workable-items SQLite DB trace engine), §11.4.79 (own-org subproject §11.4.85 (stress/chaos), §11.4.90 operator-gated; decision owed to DB. Source: self-discovered — review/2026-05-31-68th-cycle-review
134	P1	Implemented (→ Fixed.md)	Feature	—	LVA-4 — HelixConstitution §11.4.79 Go CLI (modernc.org/sqlite, no close/reopen/gen/verify/import/...) 68th invocation, key prefix LVA. the canonical constitution binary TO-CANONICAL.md). Source: tickets/DESIGN.md
135	P2	Completed (→ Fixed.md)	Task	—	LVA-6 — §11.4.79 (new) requires codegraph index; Lava currently docs/CODEGRAPH.md + 63rd-cycle Reconcile .codegraph config + c Source: self-discovered — .lava review/2026-05-31-68th-cycle-review
136	P2	Completed (→ Fixed.md)	Task	—	LVA-7 — §11.4.85 (new universal chaos test class. Lava has no chaos + scaffold when pin is bumped. — .lava-ci-evidence/constitution cycle-review.md