

Background-Work Queue

Durable record of BACKGROUND ::-prefixed operator requests, per §11.4.140 and the durability composition (§11.4.87 / §11.4.94 / §11.4.97 / §11.4.103 / §11.4.126).

A request recorded here **MUST** reach a terminal state (done or operator-cancelled). Silently dropping one, or deferring-and-forgetting it, is forbidden. A request that is **BLOCKED** stays **QUEUED** with its blocker named, is re-attempted at the next opportunity — including in a fresh session — and is re-surfaced to the operator every session until terminal.

id	received	status	request	blocker
BG-001	2026-08-27	done	Go through all operator-blocked items, blockers and show-stoppers; put them to the operator as interactive questions with options so everything can be unblocked.	none — executed the same turn it was received

BG-001 — detail

Received: 2026-08-27, mid-session, while three subagents were clearing pre-push blockers and the parent repo sat committed-but-unpushed at 38986527.

Scope as executed: every item the workable-items tracker records as Operator-blocked (4), plus every P0 in Queued / In progress that cannot advance without an operator decision, plus the live push blockers discovered by the pre-push hook. Compiled from the tracker DB directly rather than from memory, so nothing recorded could be omitted by recall.

Terminal state: the questions were put to the operator in the same turn the request arrived. Answers and their consequences are recorded against the individual LVA items, not here — this file records only that the request existed and was discharged.