

Phase 3 — First-Run Onboarding Wizard Design

Date: 2026-05-07 **Status:** Approved (post-brainstorm) **Parent decomposition:** Phase 3 of 6 (see docs/CONTINUATION.md §4.2) **Constitutional bindings:** §6.J, §6.L, §6.R, §6.Q, §6.S, §7

1. Problem Statement

The current onboarding is a single flat screen (OnboardingScreen wrapping ProviderLoginScreen). Users pick one provider, configure it, and proceed. There is no multi-step wizard, no connection testing per provider, and no summary step. The operator's TODO says: "Leaving wizard without configured providers should close the app" and "user MUST execute connection tests with provided credentials with success."


Phase 3 builds a proper multi-step onboarding wizard: welcome → pick providers → configure each → summary.

2. Design Decisions (from brainstorm)

Decision	Choice	Rationale
Wizard layout	Single screen with phased content	One ViewModel, AnimatedContent transitions. Cleaner for repeated per-provider config steps.
Provider requirement	Close app on back press	finish() at welcome step. Operator spec: "Leaving wizard without configured providers should close the app."
Connection test		

Decision	Choice	Rationale
	Auto-test on credential submit	Spinner + auto-advance on success, error + retry on failure. No separate test step.

3. Wizard Step Flow



Step 1: Welcome

- Brief intro: "Welcome to Lava. Let's set up your content providers."
- Shows provider count: "6 providers available"
- Single "Get Started" button → advances to Providers

Step 2: Pick Providers

- Checklist of all `apiSupported` & verified providers (6 today)
- Each item: provider name, auth type badge (Form Login / Anonymous), color dot
- Multi-select: user can pick any combination
- "Next" enabled when ≥ 1 provider selected
- Pre-selected: all 6 providers checked by default

Step 3: Configure Provider (repeated per selected provider)

- **Anonymous path** (`AuthType.NONE`): shows provider name + "Continue as Anonymous" button. Tapping it runs health check, on success advances. No credential form.
- **Auth path**: username + password fields (reuse `LoginScreenCommon` components). "Test & Continue" button.

- **Auto-test:** button tap triggers `sdk.checkAuth()` or `sdk.healthCheck()`. Shows spinner "Testing connection to RuTracker..". On success auto-advances. On failure shows error + retry.

Step 4: Summary

- "All set!" header
 - List of connected providers with green checkmarks
 - "Start Exploring" button → writes `onboardingComplete = true`, signals auth for each provider, exits to main screen
-

4. State Model

```
data class OnboardingState(
    val step: OnboardingStep = OnboardingStep.Welcome,
    val availableProviders: List<ProviderOnboardingItem> =
        emptyList(),
    val selectedProviderIds: Set<String> = emptySet(),
    val currentProviderIndex: Int = 0,
    val providerConfigs: Map<String, ProviderConfigState> =
        emptyMap(),
    val connectionTestRunning: Boolean = false,
    val connectionTestError: String? = null,
)
```

Where:

- `OnboardingStep`: enum `Welcome`, `Providers`, `Configure`, `Summary`
 - `ProviderOnboardingItem`: wraps `TrackerDescriptor` with selection state
 - `ProviderConfigState`: per-provider auth fields + test status
-

5. Architecture

New module: `feature:onboarding`

```
feature/onboarding/
├─ src/main/kotlin/lava/onboarding/
│   └─ OnboardingScreen.kt           # Main composable with
AnimatedContent
│   └─ OnboardingViewModel.kt       # @HiltViewModel, Orbit MVI
│   └─ OnboardingState.kt          # State + step enum
```

```

|   |— OnboardingAction.kt          # Actions: NextStep, BackStep,
SelectProvider, ...
|   |— OnboardingSideEffect.kt      # Side effects: Finish,
ShowError
|   |— steps/
|   |   |— WelcomeStep.kt          # Welcome screen composable
|   |   |— ProvidersStep.kt        # Provider selection list
|   |   |— ConfigureStep.kt        # Per-provider credential form
|   |   |— SummaryStep.kt          # Completion summary
|   |— navigation/
|   |   |— OnboardingNavigation.kt # Navigation extension for
MainActivity

```

Changes to existing modules:

- **:app**: Replace `OnboardingScreen` usage in `MainActivity.kt` with new `feature:onboarding` composable
- **:feature:login**: Deprecate `OnboardingScreen.kt` (thin wrapper, no longer needed)
- **settings.gradle.kts**: Register `:feature:onboarding`

No changes needed:

- `ProviderLoginViewModel` + `ProviderLoginScreen` — kept for Settings → Credentials flow (post-onboarding credential editing)
 - `core/preferences` — `isOnboardingComplete()` flag reused
 - `core/auth` — `signalAuthorized()` reused for each provider
-

6. Connection Test Logic

For `AuthType.NONE` providers:

1. Call `provider.HealthCheck()` via Go API
2. 200 → advance. Error → show "Cannot reach Archive.org. Check your network."

For auth-requiring providers:

1. Call `sdk.login(providerId, username, password)`
 2. Success → save credentials → advance
 3. Wrong credentials → "Invalid username or password. Try again."
 4. Network error → "Cannot reach NNM-Club. Check your network and try again."
-

7. Back Press Behavior

Current step	Back press action
Welcome	<code>finish()</code> — close the app
Providers	Go back to Welcome (which then closes on next back)
Configure	Go back to Providers (deselect current provider if config not committed)
Summary	Ignored — user must tap "Start Exploring"

8. Files Affected

New files:

File	Responsibility
<code>feature/onboarding/build.gradle.kts</code>	Module config
<code>feature/onboarding/src/main/.../OnboardingScreen.kt</code>	Main wizard composable
<code>feature/onboarding/src/main/.../OnboardingViewModel.kt</code>	Step orchestration, connection testing
<code>feature/onboarding/src/main/.../OnboardingState.kt</code>	State + step enum
<code>feature/onboarding/src/main/.../OnboardingAction.kt</code>	User actions
<code>feature/onboarding/src/main/.../OnboardingSideEffect.kt</code>	One-time effects
<code>feature/onboarding/src/main/.../steps/WelcomeStep.kt</code>	Welcome UI
<code>feature/onboarding/src/main/.../steps/ProvidersStep.kt</code>	Provider picker
<code>feature/onboarding/src/main/.../steps/ConfigureStep.kt</code>	Credential form
<code>feature/onboarding/src/main/.../steps/SummaryStep.kt</code>	Completion summary

Modified files:

File	Change
settings.gradle.kts	Add :feature:onboarding
app/.../MainActivity.kt	Replace OnboardingScreen with new wizard
feature/onboarding/src/main/AndroidManifest.xml	Standard manifest

9. Testing Strategy

Test	Type	Location
OnboardingViewModelTest	Unit	feature/onboarding/src/test/ — step transitions, provider selection, back press behavior
OnboardingStepsTest	Structure	feature/onboarding/src/test/ — Compose layout regressions per §6.Q
Challenge C20	Compose UI	app/src/androidTest/ — full wizard flow: Welcome → pick providers → configure → finish → verify main screen appears
Challenge C21	Compose UI	app/src/androidTest/ — back press at Welcome closes app
Challenge C22	Compose UI	app/src/androidTest/ — anonymous provider: pick Archive.org → Continue → auto-advances

10. Visual Style

- **Welcome step:** Centered logo/text, large "Get Started" button
- **Providers step:** Cards with checkbox, colored provider dot, auth type badge (AssistChip), Anonymous toggle if supported

- **Configure step:** Clean form with provider color header, LoginScreenCommon fields, full-width "Test & Continue" button with built-in spinner
- **Summary step:** Green checkmark list, "Start Exploring" CTA button
- **Transitions:** AnimatedContent with
fadeIn + slideInHorizontally / fadeOut + slideOutHorizontally

All visual decisions auto-approved per operator directive.