YT-DLP

Run YT-DLP inside the Docker container with the VPN support.

How to Use

Create an .env file (optional but recommended) in the same directory as your docker-compose.yml:

Replace the placeholders with your actual values. This file should be kept secure and not shared.

Then, run the container:

```
./start
```

Quick commands

• Download single video:

```
docker exec yt-dlp yt-dlp 'https://www.youtube.com/watch?v=VIDEO_ID'
```

Download from batch file:

```
docker exec yt-dlp yt-dlp --batch-file /config/urls.txt
```

• Check container logs:

```
docker-compose logs -f yt-dlp
```

• Misc:

```
# Start yt-dlp with its own VPN
docker-compose --profile vpn up -d
# Check both VPN connections
echo "JDownloader VPN:"
docker exec openvpn wget -q0- ifconfig.me
echo -e "\nyt-dlp VPN:"
docker exec openvpn-yt-dlp wget -q0- ifconfig.me
# Download with yt-dlp
docker exec yt-dlp yt-dlp "https://www.youtube.com/watch?v=VIDEO_ID"
# View logs for yt-dlp VPN
docker logs -f openvpn-yt-dlp
# Stop only yt-dlp (leaves JDownloader running)
./cleanup ytdlp
# More:
# Direct download
docker exec yt-dlp yt-dlp "https://www.youtube.com/watch?v=VIDEO_ID"
# Batch download
echo "https://www.youtube.com/watch?v=VIDE01" >> ./yt-
dlp/config/urls.txt
docker exec yt-dlp /scripts/process-urls.sh
# Process subscribed channels
docker exec yt-dlp /scripts/process-channels.sh
# Enable service mode (automatic processing)
# Set SERVICE_MODE=true in .env and restart
```

Download script

```
./download 'https://www.youtube.com/watch?v=VIDEO_ID'
```

with flags provided:

```
./download --batch-file /config/urls.txt
./download --channels /config/channels.txt
```

Port Summary

With this setup, we will have (with jDownloader running in parallel):

- Port 8086 → YoutubeDL-Material Web Interface (yt-dlp)
- Port 8081 → YoutubeDL-Material API
- Port 3130 → yt-dlp VPN
- Port 8085 → qBittorrent (already in use)
- Port 5800 → JDownloader Web UI
- Port 5900 → JDownloader VNC
- Port 3129 → JDownloader VPN

Access URLs

- yt-dlp Web Interface: http://amber.local:8086
- JDownloader: http://amber.local:5800
- qBittorrent: http://amber.local:8085

This configuration allows both services to run simultaneously with their own VPN connections without any conflicts.

Note: The amber local address represents imaginary machine in the network, update it according to your network configuration.