

maintenance

Genome maintenance — how this genome stays honest

meta/ did not exist at genome init (the 15 manifest sections are 4 vision + 3 strategies + 6 knowledge + 2 milestones). This directory and file were added to hold the maintenance contract. It is **not** listed in manifest.json, so it is not part of retrieval routing — treat it as a contract for humans and agents editing the genome, not as routing context.

The one rule that outranks the rest

This repository’s governing principle is §11.4.6: **do not report a state you have not verified**. The genome is subject to it. A genome section that states something no file supports is a bluff with a nicer filename.

Concretely: - Every non-obvious claim carries the file it came from — path plus line range where the line is stable. - Anything not stated in the repository is labelled **(inferred)** inline. - A template section with no honest content **stays a template**. Padding it with plausible prose is worse than leaving it empty.

Where each kind of fact belongs

Fact	Section
Why the project exists	vision/north-star.md
Why the layout is shaped this way	vision/architecture.md (intent)
Scanned file/extension inventory	knowledge/architecture.md (auto-populated — do not hand-duplicate)
Enforced rules, with enforcement point	vision/principles.md

Fact	Section
Concrete failures + explicit prohibitions	vision/anti-patterns.md
How to build / test / deploy / commit	strategies/active.md
In-flight, self-labelled-unfinished work	strategies/experiments.md
Something tried and abandoned, with the post-mortem	strategies/graveyard.md
A decision and its consequences	knowledge/decisions.md (append only)
A surprising, verified fact	knowledge/discoveries.md
Toolchains, packages, hosting contract	knowledge/dependencies.md
Repo identity + remote fan-out	knowledge/workspace.md
Style/layout/commit conventions	knowledge/conventions.md
Open work, with evidence	milestones/current.md, milestones/backlog.md
Shipped, tagged work	milestones/completed/

Triggers to refresh

Refresh the named section when one of these lands:

- **git remote -v changes anywhere** → knowledge/workspace.md.
The milosvasic.ru fetch/push asymmetry and the monetization (4) / submodules/constitution (6) fan-outs are the volatile parts.
- **.gitmodules gains or loses an entry** → knowledge/workspace.md + knowledge/decisions.md if ownership changes.
- **A gap in Constitution.md's table flips CLOSED/OPEN, or an OC resolves** → milestones/current.md and milestones/backlog.md. Copy the repository's own state word; do not re-adjudicate.
- **A new tag** → milestones/completed/releases.md.
- **A gate is added, removed, or reclassified in _tests/GATES.md / _tests/TEST-TYPES.md** → strategies/active.md.
- **.github/workflows/ci.yml or _tools/deploy-langs.sh changes** → strategies/active.md. *(The old sub-clause on this trigger — "and knowledge/discoveries.md if the hardcoded absolute paths are finally fixed" — has **fired and been executed** on 2026-08-27: the paths are derived, discoveries.md, vision/anti-patterns.md, both architecture.md files and milestones/backlog.md item 11 were updated to match, and scripts/audit-hardcoded-*

paths.sh now guards the invariant as CI Gate 0. It is retired, not pending.)

- **scripts/audit-hardcoded-paths.sh or .hardcoded-paths-allow changes** → vision/anti-patterns.md (the “what prevents a relapse” clause) and strategies/active.md.
- **.lumenignore or the embedding model changes** → knowledge/dependencies.md + knowledge/decisions.md (ADR-0007).

Boundaries

- **The genome never edits the repository.** It is derived context. If the genome and a source file disagree, the source file wins and the genome is the thing to fix.
- **Precedence when sources disagree:** submodules/constitution > root Constitution.md > the four agent carriers > README.md > everything else (CLAUDE.md:10, Constitution.md §101). Where two roots contradict each other today, record the contradiction rather than picking a winner.
- **knowledge/architecture.md and knowledge/workspace.md have auto-populated headers.** Extend below them; a re-scan may overwrite the scanned portion.
- **knowledge/decisions.md is append-only** — its own header says so.
- Do not run `lumen index / lumen purge / codegraph index` as part of a genome refresh. Use `scripts/lumen-reindex.sh` and `scripts/lumen-index-doctor.sh`, and `codegraph sync` for the graph.

Mechanics

- `.ashlr/ashlr/genome/manifest.json` indexes the 15 original sections with per-section tokens and `updatedAt`. **Hand edits to section files do not update it.** After a substantial hand edit, refresh it with the ashlr genome tooling rather than editing the counts by hand.
- `proposals.jsonl` collects agent-proposed additions (section, operation, content, rationale, `contentHash`) awaiting consolidation. Use `ashlr__genome_propose` to add and `ashlr__genome_consolidate` to merge; `ashlr__genome_status` reports state.
- `.git/hooks/post-commit` backgrounds `scripts/genome-commit-watcher.ts` via `bun` (best-effort, never blocks a commit). It is an ashlr hook, **not** a §11.4.75 governance layer — do not count it toward gap G5.
- `evolution/` is empty at generation 1.