


architecture

Architecture (intent)

This file records *why* the layout is what it is. The scanned file/extension snapshot lives in knowledge/architecture.md — do not duplicate it here.

The one-way pipeline



Sources: README.md “What’s in here” table; _tools/deploy-langs.sh; design-system/README.md “How each surface consumes it”.

Boundaries that matter

- **The generator is the only writer of site pages.** Both site submodules are *outputs*. _tools/gen/ renders into them; deploy-

langs.sh commits inside them. Editing generated HTML in a site submodule by hand loses on the next regeneration.

- **The two sites differ only in accent ramp.** Both brand stylesheets share an identical foundation — type scale, spacing, radius, shadow, motion, z-index, container width and the same .od-* component set — and diverge *only* in the accent colour and its dark value (design-system/README.md, “Architecture — shared foundation + two brand themes”).
- **_tests/evidence/ is tracked output, not source.** 4,526 tracked files (1,353 json, 1,167 txt, 1,142 png, 515 log) against 95 real source files in all of _tests/ (.lumenignore header). .gitignore even carries an explicit !_tests/evidence/ negation to keep it tracked. It is excluded from semantic indexing only.
- **Governance is inherited by reference, never copied.** submodules/constitution holds the corpus; the five root carriers (CLAUDE.md, AGENTS.md, QWEN.md, GEMINI.md, Constitution.md) are pointers. Constitution.md §101 forbids restating any anchor at this layer.

Why submodules and not directories

The two sites are separately deployable GitHub Pages repositories with their own release tags (v1.8.0 is on milosvasic.ru and vasic.digital only — Constitution.md gap G10). ai_interviewing, monetization and design-toolkit are independent bodies of work that happen to be checked out here; see knowledge/workspace.md.

Known structural hazards

Recorded in full in knowledge/discoveries.md: a recursive submodule checkout of this umbrella **fails**.

Resolved: two build scripts once hardcoded an absolute macOS root from the author’s machine. Both now derive their root from their own file location (_tools/deploy-langs.sh:14, _tests/playwright.config.js:7), the CI symlink that worked around them is gone, and scripts/audit-hardcoded-paths.sh blocks a relapse as CI Gate 0. Every path in the pipeline above is derived, so the whole chain reproduces from a clean clone at any location.