

README


Superpowers Bridge for Spec-Kit

Specification-Driven Development with Superpowers

Superpowers Bridge is a spec-kit extension that integrates obra/superpowers agent capabilities into the spec-kit development workflow. It works with any spec-kit compatible coding agent, including Claude Code, Codex CLI and others.

Spec-kit provides the document structure and governance (constitution, specifications, plans, tasks). Superpowers provides deep clarification (brainstorming), intelligent task decomposition (writing-plans), and engineering execution discipline (TDD, subagent-driven development, code review).

Architecture



AI-Powered: End-to-End Development Workflow (SDD)

The workflow orchestrates 6 phases — from project definition through engineering implementation — with spec-kit handling governance artifacts and superpowers providing intelligent clarification, decomposition, and execution capabilities.

Installation

Via Spec-Kit CLI (Recommended)

```
specify extension add superspec
```

From Source

```
# Clone the repository  
git clone https://github.com/WangX0111/superspec.git
```

```
# Install via spec-kit from local path  
specify extension add ./superspec --dev
```

As an Agent Skill

If you're using a coding CLI agent (Claude Code, Codex CLI, etc.) and want to use this as a skill rather than a spec-kit extension, symlink it:

```
# Claude Code  
ln -sf "$(pwd)/superspec" ~/.claude/skills/superspec  
# Codex CLI  
ln -sf "$(pwd)/superspec" ~/.codex/skills/superspec  
# Other agents (common convention)  
ln -sf "$(pwd)/superspec" ~/.agents/skills/superspec
```

Optional: Install Superpowers

Superpowers Bridge works standalone, but for enhanced capabilities install superpowers skills:

```
# Install obra/superpowers (see their repo for latest instructions)  
# Skills should be placed in ~/.agents/skills/ or .agents/skills/
```

Commands

Command	Description
/speckit.superspec.status	Show current progress and suggest next step

Command	Description
/	Deep-dive edge cases and refine a spec document
/speckit.superspec.tasks	Generate phased task breakdown with execution markers
/speckit.superspec.execute	Orchestrate implementation with TDD + subagents
/speckit.superspec.review	Run code review against spec requirements

Note: This extension adds 5 commands on top of the core spec-kit commands (/speckit.constitution, /speckit.specify, /speckit.plan, /speckit.tasks, /speckit.checklist). The core commands are provided by spec-kit itself.

Resumable by Design

All project state is persisted as plain-text markdown and YAML files — under .specify/memory/ for governance (constitution.md) and under specs/NNN-*/ for per-feature state (spec.md, plan.md, tasks.md, progress.yml). When a session is interrupted — agent timeout, user leaves, CLI crash — no progress is lost. Run /speckit.superspec.status in a new session to see exactly where you left off:

```
Superspec Project Status
=====
Constitution: Done
Features:
  001-user-auth    [####-----] execute (Phase 5/6) – 11/19 tasks
done
  002-photo-upload [##-----] brainstorm (Phase 2/6) – 2 open
questions
```

Suggested next step: /speckit.superspec.execute 001

Each command automatically detects previous progress and resumes from the interruption point — skipping completed work, continuing from open questions or unchecked tasks.

Getting Started

1. Initialize Project Governance

```
/speckit.constitution MyProject
```

This creates the `.specify/` directory structure and interviews you about core principles, technology stack, and quality gates.

2. Write Your First Spec

```
/speckit.specify "User authentication with email and password"
```

This creates a feature specification at `specs/001-user-authentication/spec.md` with user stories, requirements, and success criteria.

3. Brainstorm Edge Cases

```
/speckit.superspec.brainstorm specs/001-user-authentication/spec.md
```

The agent asks probing questions one at a time to discover boundary conditions, error scenarios, security concerns, and UX pitfalls you may not have considered.

4. Plan and Execute

<code>/speckit.plan</code>	<code># Create technical</code>
<code>implementation plan</code>	
<code>/speckit.superspec.tasks</code>	<code># Generate task breakdown</code>
<code>with execution markers</code>	
<code>/speckit.superspec.execute</code>	<code># Implement with TDD</code>
<code>discipline and checkpoints</code>	
<code>/speckit.superspec.review</code>	<code># Verify implementation</code>
<code>against spec</code>	

Real-World Example

To see what spec-kit + superspec actually produces after a complete run, browse the [examples/static-landing-page/](#) snapshot — the verbatim disk output from a real Claude Code session driven through all 7 stages (constitution → specify → brainstorm → plan → tasks → execute → review).


Open [examples/static-landing-page/web/index.html](#) in any browser to view the AI-generated landing page directly. The accompanying [snapshot README](#) explains how the artifacts were produced and how to reproduce them via [scripts/e2e-agent-claude.sh](#).

Project Structure

After initialization, your project will contain two top-level directories created by spec-kit — `.specify/` for tool metadata and `specs/` for feature artifacts:

```
your-project/
├── .specify/
│   ├── memory/
│   │   └── constitution.md      # Project governance principles
│   └── superpowers.yml        # Superpowers detection status
├── (auto-managed)
│   └── templates/             # Document templates
├── specs/
│   └── 001-feature-name/
│       ├── spec.md            # Feature specification
│       ├── plan.md            # Implementation plan
│       ├── tasks.md           # Task breakdown
│       └── progress.yml       # Phase progress tracker (auto-
managed)
└── └── checklist-*.md         # Generated checklists
    └── ... (your source code)
```

Workflow



Each phase has an explicit gate — prerequisites are verified before proceeding. Human checkpoints ensure you control when to advance.

Superpowers Integration

When obra/superpowers skills are installed, superspec automatically detects and uses them:

Superspec Command	Enhanced By	Fallback
brainstorm	brainstorming skill	Built-in questioning protocol
tasks	writing-plans skill	Template-based decomposition
execute		

Superspec Command	Enhanced By	Fallback
	executing-plans + subagent-driven- development + test-driven- development	Sequential execution with manual confirmation
review	requesting-code- review skill	Built-in review checklist

See [superpowers-bridge.md](#) for full integration details.

Contributing to the Spec-Kit Extension Registry

To submit this extension to the [spec-kit community catalog](#):

1. **Fork** the github/spec-kit repository
2. **Add an entry** to extensions/catalog.community.json:

```
{
  "id": "superpowers",
  "name": "Superpowers Bridge",
  "version": "1.0.0",
  "description": "Bridges spec-kit with obra/superpowers
    capabilities (brainstorming, writing-plans, TDD, subagent-
    driven-development, code-review)",
  "author": "Superspec Contributors",
  "repository": "https://github.com/WangX0111/superspec",
  "verified": false,
  "tags": ["superpowers", "brainstorming", "tdd", "code-review",
    "subagent", "workflow"]
}
```

1. **Add a row** to the Community Extensions table in the spec-kit README.md
2. **Submit a Pull Request** using the extension submission template
3. Allow 3-7 business days for automated checks and manual review

See the full [Extension Publishing Guide](#) for details.

License

MIT


Superpowers Bridge（中文说明）

规格驱动开发 + 超级能力

Superpowers Bridge 是一个 spec-kit 扩展，将 obra/superpowers 代理能力集成到 spec-kit 开发工作流中。它兼容所有支持 spec-kit 的编程代理，包括 Claude Code、Codex CLI 等。

Spec-kit 提供文档结构和治理（宪章、规格、计划、任务）。
Superpowers 提供深度澄清（头脑风暴）、智能任务拆解（计划编写）和工程执行纪律（TDD、子代理驱动开发、代码审查）。

架构概览



AI助力：端到端开发工作流（SDD）

工作流编排 6 个阶段——从项目定义到工程实现——spec-kit 负责治理文档，superpowers 提供智能澄清、任务拆解和执行能力。

安装

通过 Spec-Kit CLI（推荐）

```
specify extension add superspec
```

从源码安装

克隆仓库

```
git clone https://github.com/WangX0111/superspec.git
```

```
# 从本地路径安装
specify extension add ./superspec --dev
```

作为代理技能安装

如果你使用 Claude Code、Codex CLI 等，希望将其作为技能而非 spec-kit 扩展使用：

```
# Claude Code
ln -sf "$(pwd)/superspec" ~/.claude/skills/superspec
# Codex CLI
ln -sf "$(pwd)/superspec" ~/.codex/skills/superspec
# 其他代理（通用约定）
ln -sf "$(pwd)/superspec" ~/.agents/skills/superspec
```

可选：安装 **Superpowers**

Superpowers Bridge 可以独立工作，但安装 superpowers 技能可获得增强能力：

```
# 安装 obra/superpowers（具体方式请参见其仓库）
# 技能应放置在 ~/.agents/skills/ 或 .agents/skills/
```

命令列表

命令	说明
/speckit.superspec.status	显示当前进度并建议下一步操作
/speckit.superspec.brainstorm	深入探索边界情况，完善规格文档
/speckit.superspec.tasks	生成分阶段任务清单（含执行标记）
/speckit.superspec.execute	以 TDD + 子代理编排方式执行实现
/speckit.superspec.review	对照规格进行代码审查

注意：此扩展在 spec-kit 核心命令（/speckit.constitution、/speckit.specify、/speckit.plan、/speckit.tasks、/speckit.checklist）基础上增加 5 个命令。核心命令由 spec-kit 自身提供。

可中断恢复

所有项目状态以纯文本（Markdown + YAML）持久化——治理资产（宪章）在 .specify/memory/ 下，每个功能的状态（规格、计划、任务、进度）在 specs/NNN-*/ 下。会话中断时——代理超时、用户离开、CLI 崩溃——不会丢失任何进度。在新会话中运行 /speckit.superspec.status 即可查看中断点：

Superspec 项目状态

=====

宪章：已完成

Superpowers: brainstorming (已检测), writing-plans (未安装)

功能：

001-user-auth [####-----] 执行中（阶段 5/6）— 11/19 任务完成

002-photo-upload [##-----] 头脑风暴（阶段 2/6）— 2 个待解决问题

建议下一步：/speckit.superspec.execute 001

每个命令会自动检测之前的进度并从中断点恢复——跳过已完成的工作，从未解决的问题或未完成的任务继续。

快速开始

1. 初始化项目治理

/speckit.constitution 我的项目

创建 .specify/ 目录结构，并引导你定义核心原则、技术栈和质量门禁。

2. 编写第一个功能规格

/speckit.specify "用户邮箱密码登录认证"

在 specs/001-user-authentication/spec.md 创建功能规格，包含用户故事、需求和成功标准。

3. 头脑风暴边界情况

/speckit.superspec.brainstorm specs/001-user-authentication/spec.md

代理逐个提出探索性问题，发现你可能没有想到的边界条件、错误场景、安全隐患和用户体验陷阱。

4. 规划与执行

/speckit.plan

/speckit.superspec.tasks

/speckit.superspec.execute

/speckit.superspec.review

创建技术实现方案

生成任务拆解（含执行标记）

以 TDD 纪律和检查点方式实现


对照规格验证实现

真实样例

想看 spec-kit + superspec 实际跑完一遍的成果？查看 [examples/static-landing-page/](#) —— 这是一次真实 Claude Code 会话完整走完 7 阶段（宪章 → 规格 → 头脑风暴 → 计划 → 任务 → 执行 → 审查）后落到磁盘上的所有产物原样副本。

直接用浏览器打开 [examples/static-landing-page/web/index.html](#) 即可看到 AI 生成的落地页。配套 [样例 README](#) 详细说明了产生过程， 以及如何用 [scripts/e2e-agent-claude.sh](#) 复现这次快照。

工作流



每个阶段都有明确的门禁——在推进前验证前置条件。人工检查点确保你控制推进节奏。

Superpowers 集成

当安装了 obra/superpowers 技能时，Superpowers Bridge 会自动检测并使用：

命令	增强来源	降级方案
brainstorm	brainstorming 技能	内置提问协议
tasks	writing-plans 技能	基于模板的拆解
execute	executing-plans + subagent-driven-development + test-driven-development	顺序执行+手动确认
review	requesting-code-review 技能	内置审查清单

详见 [superpowers-bridge.md](#)。

贡献到 Spec-Kit 扩展目录

要将此扩展提交到 [spec-kit 社区目录](#)：

- 1. **Fork** [github/spec-kit](#) 仓库
- 2. 添加条目到 [extensions/catalog.community.json](#)
- 3. 添加一行到 [spec-kit README.md](#) 的社区扩展表
- 4. 提交 **Pull Request**（使用扩展提交模板）

5. 等待 3-7 个工作日的自动化检查和人工审核
详见 [扩展发布指南](#)。

许可证

MIT