

spec

Feature Specification: Static Landing Page

Feature Branch: 001-static-landing-page

Created: 2026-05-30

Status: Draft

Input: User description: “Static landing page for superspec. Three priorities: P1: Hero section with project name, tagline, and a ‘Get Started’ button. P2: Features grid showing the 5 core commands (status, brainstorm, tasks, execute, review). P3: Workflow diagram and an install command snippet. Output target: web/index.html, pure HTML+CSS, no JavaScript build.”

User Scenarios & Testing (*mandatory*)

User Story 1 - Hero Section (Priority: P1)

A first-time visitor arrives at the landing page and immediately sees the project name (“SuperSpec”), a concise tagline describing what the project does, and a prominent “Get Started” call-to-action button. The visitor can click the button to navigate to documentation or a quick-start guide. The hero section fills the viewport on load, delivering an instant understanding of the project’s purpose.

Why this priority: The hero section is the single most important element — it communicates the project’s identity and value proposition within seconds. Without it, the page has no focal point and visitors bounce.

Independent Test: Can be fully tested by loading the page and verifying that (1) the project name is visible and prominent, (2) a tagline appears beneath it, and (3) a “Get Started” button is present and links to a valid destination. Delivers immediate value by establishing brand presence.

Acceptance Scenarios:

1. **Given** a visitor loads the landing page in a browser, **When** the page renders, **Then** the project name “SuperSpec” is displayed as the most prominent text element in the hero section
 2. **Given** a visitor loads the landing page, **When** the page renders, **Then** a tagline summarizing the project’s purpose is visible directly beneath the project name
 3. **Given** a visitor views the hero section, **When** they click the “Get Started” button, **Then** they are navigated to the project documentation or quick-start destination
 4. **Given** a visitor loads the page on a desktop viewport (≥ 1024 px wide), **When** the hero section renders, **Then** it occupies the full viewport height and centers content both horizontally and vertically
-

User Story 2 - Features Grid (Priority: P2)

A visitor exploring the page scrolls past the hero and encounters a features grid that showcases the five core SuperSpec commands: **status**, **brainstorm**, **tasks**, **execute**, and **review**. Each command is presented as a card with its name and a brief description of what it does. The grid arranges the cards in a visually balanced layout that is easy to scan.

Why this priority: The features grid educates visitors about the core capabilities, turning curiosity into understanding. It directly supports the decision to adopt the tool but is secondary to the hero’s identity-establishing role.

Independent Test: Can be fully tested by scrolling to the features section and verifying that all five commands appear as distinct cards with names and descriptions. Delivers value by communicating product capabilities.

Acceptance Scenarios:

1. **Given** a visitor scrolls to the features section, **When** it renders, **Then** five feature cards are displayed — one each for status, brainstorm, tasks, execute, and review
2. **Given** a visitor views the features grid, **When** they read a card, **Then** the card shows the command name and a one- or two-sentence description of its purpose

3. **Given** a visitor views the features section on a desktop viewport, **When** the grid renders, **Then** the five cards are arranged in a balanced multi-column layout (e.g., 3 across then 2, or 5 across)
 4. **Given** a visitor views the features section on a narrow viewport ($\leq 600\text{px}$), **When** the grid renders, **Then** the cards stack vertically for readability
-

User Story 3 - Workflow Diagram & Install Snippet (Priority: P3)

A visitor who wants to try SuperSpec finds a workflow diagram illustrating the typical command sequence (status → brainstorm → tasks → execute → review) and a copyable install command snippet. The diagram shows the flow between commands, helping the visitor understand the intended workflow. The install snippet provides the exact command needed to get started.

Why this priority: This section converts interested visitors into users by showing them both how the tool works (diagram) and how to get it (install command). It supports adoption but depends on the hero and features sections having already established interest.

Independent Test: Can be fully tested by scrolling to the workflow section and verifying that (1) a diagram showing the five-command flow is rendered and (2) an install command snippet is displayed. Delivers value by providing an actionable next step.

Acceptance Scenarios:

1. **Given** a visitor scrolls to the workflow section, **When** it renders, **Then** a visual diagram displays the five commands connected in a sequential flow: status → brainstorm → tasks → execute → review
 2. **Given** a visitor views the workflow diagram, **When** they examine it, **Then** the directional relationship between each step is clear (left-to-right or top-to-bottom progression with arrows or connectors)
 3. **Given** a visitor views the install section, **When** they read it, **Then** an install command snippet is displayed in a monospaced, visually distinct code block
 4. **Given** a visitor views the install snippet, **When** they select the text, **Then** they can copy the complete install command
-

Edge Cases

- What happens when the page is loaded with JavaScript disabled? Since the page is pure HTML+CSS, all content must render without any JavaScript dependency.
- What happens on very wide viewports ($\geq 1920\text{px}$)? Content should remain readable and not stretch to fill the entire width — a max-width container should be used.
- What happens on very small viewports ($\leq 320\text{px}$, e.g., older phones)? Content should remain legible with appropriate font sizing and stacking.
- What happens on ultra-wide viewports ($\geq 2560\text{px}$)? Content must remain within a max-width container centered on screen — lines should not stretch to fill the full viewport width, as that destroys readability.
- What happens when the page is printed? A `@media print` stylesheet must hide decorative elements and present content in a linear, ink-friendly flow. The hero, features, and workflow sections should be visually separated by spacing rather than color. The install snippet should remain visible and copyable in print.
- What happens if the “Get Started” link destination doesn’t exist or becomes unreachable? The button **MUST** still render and function as a valid hyperlink. If no external documentation URL is available, a placeholder anchor (#) or a scroll-to-install-section link should be used. The final destination is tracked as an Open Question.
- What happens when the page is opened from a local `file://` URL (no HTTP server)? Since the page is self-contained with no external dependencies, it must render identically via `file://` as it does over HTTP. No protocol-relative or `//` URLs should appear anywhere in the markup.
- What happens if the CSS for the workflow diagram (arrows, connectors, step indicators) pushes the total page weight near or over the 64 KB constitutional limit? The diagram implementation **MUST** be designed with page weight in mind — if CSS-drawn arrows exceed budget, a simpler step-indicator pattern (numbered circles with connecting lines) must be used instead.
- **Security surface:** The page has no user input, no forms, no cookies, no JavaScript, and no external resource loading — therefore the attack surface is negligible. No security edge cases require mitigation beyond the constitutional constraints (single-file, no external deps, no JS).
- **Keyboard-only navigation:** All interactive elements (the “Get Started” button, any clickable content) **MUST** be reachable via Tab and activatable via Enter/Space. The page **MUST** provide a visible focus indicator (using `:focus-visible` or `:focus outlines`) that meets WCAG AA contrast requirements. The install snippet should be selectable via keyboard (e.g., a `tabindex=0` container that can receive focus for text selection).

- **Screen reader flow:** Heading hierarchy MUST be strictly sequential (h1 → h2 → h3, no skipped levels). Landmark regions (<header>, <main>, <section>, <footer>) MUST be used to convey page structure to assistive technology. Feature cards should use appropriate ARIA roles or semantic elements so their grouping is announced correctly.
- **Forced-colors / High Contrast mode:** When the OS applies forced colors or a high-contrast theme (e.g., Windows High Contrast mode), the page MUST remain readable and functional. CSS MUST NOT rely solely on background-color for conveying information — borders, text, and icons must use `currentColor` or explicit foreground colors that adapt to forced-colors palettes. The forced-colors media query SHOULD be used to adjust borders/outlines where needed.

Requirements (*mandatory*)

Functional Requirements

- **FR-001:** The page MUST display a hero section containing the project name “SuperSpec”, a tagline, and a “Get Started” button
- **FR-002:** The “Get Started” button MUST link to the project documentation or quick-start guide
- **FR-003:** The hero section MUST center its content vertically and horizontally within the viewport
- **FR-004:** The page MUST display a features grid with five cards, one for each core command: status, brainstorm, tasks, execute, review
- **FR-005:** Each feature card MUST display the command name and a brief description of its purpose
- **FR-006:** The features grid MUST use a multi-column layout on wider viewports and stack vertically on narrow viewports
- **FR-007:** The page MUST display a workflow diagram showing the sequential flow of the five commands
- **FR-008:** The workflow diagram MUST indicate directional progression between commands using visual connectors (arrows or lines)
- **FR-009:** The page MUST display an install command snippet in a monospaced code block
- **FR-010:** The entire page MUST render correctly without any JavaScript — pure HTML and CSS only
- **FR-011:** The page MUST be served from a single file at `web/index.html`
- **FR-012:** The page MUST be responsive and readable across viewport widths from 320px to 1920px+
- **FR-013:** The page content MUST be constrained to a maximum width for readability on very wide screens
- **FR-014:** The page MUST include a `@media print` stylesheet that renders content in a linear, ink-friendly flow, hides decorative/

background elements, and preserves the install snippet visibility

- **FR-015:** The page MUST render identically when opened via file:// protocol as it does over HTTP — no protocol-relative URLs or external resource references are permitted
- **FR-016:** All interactive elements MUST be keyboard-reachable (Tab) and keyboard-activatable (Enter/Space) with visible focus indicators that meet WCAG AA contrast
- **FR-017:** The install snippet container MUST be keyboard-focusable (tabindex) so users can select and copy the command without a mouse
- **FR-018:** The page MUST remain readable and functional under OS-level forced-colors / high-contrast modes — no information conveyed by background-color alone

Success Criteria (*mandatory*)

Measurable Outcomes

- **SC-001:** A visitor can identify the project name and purpose within 5 seconds of page load
- **SC-002:** All five core commands are visible and scannable without scrolling on desktop viewports (hero + features grid above the fold or with minimal scroll)
- **SC-003:** The install command can be selected and copied in a single text-selection action
- **SC-004:** The page renders completely with zero JavaScript execution — validated by loading with JavaScript disabled in browser settings
- **SC-005:** The page is fully readable and navigable on any viewport width from 320px to 1920px

Assumptions

- The “Get Started” button links to an existing documentation page or external URL; the specific destination will be determined during implementation based on available project resources
- The workflow diagram can be implemented using pure CSS (e.g., flexbox/grid with CSS-drawn arrows) rather than an image file, keeping the page self-contained
- The tagline content will be defined during implementation; a reasonable default such as “Specification-driven development for modern teams” may be used
- The install command will be a standard package manager command (e.g., `npm install -g superspec` or similar); the exact command will be confirmed during implementation

- No external font CDN or asset loading is required — system fonts or web-safe fonts are acceptable
- The page is a standalone marketing/landing page and does not need to integrate with an existing site template

Open Questions

#	Question	Status	Notes
OQ-001	What is the final destination URL for the “Get Started” button?	Open	Placeholder anchor (#) or scroll-to-install used until a documentation URL is confirmed. Must be resolved before production deployment.
OQ-002	What is the exact install command to display in the snippet?	Open	Assumed <code>npm install -g superspec</code> but must be confirmed against actual package publish name and registry.
OQ-003	Should the workflow diagram use CSS-drawn arrows or a CSS-only step indicator (numbered circles with connecting lines)?	Open	CSS-drawn arrows may have rendering differences across browsers. A simpler step-indicator pattern (numbered circles + horizontal rule) is more robust but less visually expressive.

Brainstorm Log

2026-05-30 — Initial Brainstorm Session

Categories explored: Boundary conditions, Error scenarios, Scale & performance, Security & privacy, User experience

Key insights:

1. **Print stylesheet needed** — The page should render cleanly when printed, with decorative elements hidden and content in a linear flow. Added FR-014.
2. **Ultra-wide viewport handling** — Content must stay within a max-width container on ≥ 2560 px displays. Already partially covered by FR-013 but now explicitly called out as an edge case.
3. **“Get Started” link is unresolved** — The destination URL is unknown. Using a placeholder for now; tracked as OQ-001.
4. **file:// protocol support** — Page must work identically when opened locally. Added FR-015 after identifying that protocol-relative URLs would break this.
5. **64 KB page weight budget risk** — CSS-heavy workflow diagrams could push the file size toward the constitutional limit. Added edge case with fallback strategy (simpler step indicator if arrows exceed budget).
6. **Negligible security surface** — No forms, no JS, no external deps. Acknowledged in edge cases; no additional mitigations needed.
7. **Accessibility beyond WCAG AA** — Added explicit edge cases and requirements (FR-016, FR-017, FR-018) for keyboard navigation, screen reader landmark structure, and forced-colors/high-contrast mode support.

New requirements added: FR-014, FR-015, FR-016, FR-017, FR-018 **New edge cases added:** 5 (print, ultra-wide, file://, 64 KB budget, security surface, keyboard nav, screen reader, forced-colors) **Open questions raised:** OQ-001, OQ-002, OQ-003