

spec-template

Feature Specification: [FEATURE NAME]

Feature Branch: [###-feature-name] **Created:** [DATE] **Status:** Draft **Input:** User description: "\$ARGUMENTS"

User Scenarios & Testing (*mandatory*)

User Story 1 - [Brief Title] (Priority: P1)

[Describe this user journey in plain language]

Why this priority: [Explain the value and why it has this priority level]

Independent Test: [Describe how this can be tested independently - e.g., "Can be fully tested by [specific action] and delivers [specific value]"]

Acceptance Scenarios:

1. **Given** [initial state], **When** [action], **Then** [expected outcome]
 2. **Given** [initial state], **When** [action], **Then** [expected outcome]
-

User Story 2 - [Brief Title] (Priority: P2)

[Describe this user journey in plain language]

Why this priority: [Explain the value and why it has this priority level]

Independent Test: [Describe how this can be tested independently]

Acceptance Scenarios:

1. **Given** [initial state], **When** [action], **Then** [expected outcome]
-

User Story 3 - [Brief Title] (Priority: P3)

[Describe this user journey in plain language]

Why this priority: [Explain the value and why it has this priority level]

Independent Test: [Describe how this can be tested independently]

Acceptance Scenarios:

1. **Given** [initial state], **When** [action], **Then** [expected outcome]
-

[Add more user stories as needed, each with an assigned priority]

Edge Cases

- What happens when [boundary condition]?
- How does system handle [error scenario]?

Brainstorm Prompts

- **Boundary conditions:** What are the minimum and maximum valid inputs? What happens at the edges?
- **Error scenarios:** What if the network is down? What if the database is unavailable? What if input is malformed?
- **Scale:** What happens with 10x or 100x expected load? Are there rate limits to consider?
- **Security:** Can this feature be abused? Are there injection vectors? What about unauthorized access?
- **User confusion:** Where might users misunderstand the feature? What if they use it in an unintended way?
- **Data integrity:** What happens during concurrent modifications? What about partial failures?
- **Backwards compatibility:** Does this break existing behavior? How do we handle migration?

Open Questions

#	Question	Status	Resolution
Q1	[Question discovered during brainstorming]	Open	—

#	Question	Status	Resolution
Q2	[Another question]	Resolved	[How it was resolved]

Requirements (*mandatory*)

Functional Requirements

- **FR-001:** System MUST [specific capability]
- **FR-002:** System MUST [specific capability]
- **FR-003:** Users MUST be able to [key interaction]
- **FR-004:** System MUST [data requirement]
- **FR-005:** System MUST [behavior]

Mark unclear requirements explicitly:

- **FR-006:** System MUST [capability] [NEEDS CLARIFICATION: reason]

Key Entities (*include if feature involves data*)

- **[Entity 1]:** [What it represents, key attributes without implementation]
- **[Entity 2]:** [What it represents, relationships to other entities]

Success Criteria (*mandatory*)

Measurable Outcomes

- **SC-001:** [Measurable metric, e.g., "Users can complete task in under 2 minutes"]
- **SC-002:** [Measurable metric, e.g., "System handles 1000 concurrent users"]
- **SC-003:** [User satisfaction metric]
- **SC-004:** [Business metric]

Assumptions

- [Assumption about target users]
- [Assumption about scope boundaries]
- [Assumption about data/environment]
- [Dependency on existing system/service]

Brainstorm Log