

RESTYLE-v1.6.0

RESTYLE v1.6.0 — Bold Re-Style (both sites)

Umbrella analysis note. Documents the shipped v1.6.0 bold re-style for both sites, its accessibility/safety evidence, the rejected alternates, the new self-hosted fonts, and how it was generated. **Faithful to the re-style evidence under _tests/evidence/restyle/ — every axe/behavior/overflow number below is quoted from those files.** This file is umbrella documentation only; it changes no site code.

1. Overview

v1.6.0 is a **bold re-style** of both properties. Each site was generated as two distinct candidates (A and B); **Candidate A shipped** on both, Candidate B is retained as a re-applicable alternate (§4). The **brand accent hue is locked** on each site and was carried through unchanged.

vasic.digital → Candidate A “MACHINA”

Industrial-precision grotesque. Oversized machined display headings in **Bricolage Grotesque** (self-hosted, OFL 1.1), **sharp corners (0-4px radii)**, a whole-page faint **blueprint technical grid**, hard-edged layered depth (hairline ring + 10px hard-offset accent shadow), tight uppercase mono accents, and a slow accent **scanline** sweep over a drifting deep-red gradient-mesh in the hero. Brand hue **kept**: deep dark-red ramp, accent #8f1d2d (--od-accent-700). Evidence: `_tests/evidence/restyle/vasic/candidateA.css` (header + tokens).

milosvasic.ru → Candidate A “TERMINAL BRUTALIST”

Bold crimson dossier. Monumental **uppercase Anton** display (self-hosted, OFL), **2px ink frames** (--od-border:#2a241d), **hard offset print-shadows** (3px/5px/8px 8px 0), square geometry (1–3px radii), mono index ticks/eyebrows, and a subtle **engineering-grid** paper texture behind everything. Snap-lift hover (translate(-3px, -3px)). Brand hue **kept**: crimson #a31e39.
Evidence: _tests/evidence/restyle/milos/candidateA/_append-od.css + _append-chrome.scss (headers + tokens).

Restore points (rollback)

Scope	Restore point
vasic.digital	v1.5.0
milosvasic.ru	v1.5.2
umbrella (vasic monorepo)	pre-restyle commit

Pristine pre-restyle sources are also preserved in the evidence tree: - vasic OD baseline: _tests/evidence/restyle/vasic/_ORIGINAL-vasic-digital.css - milos baselines: _tests/evidence/restyle/milos/_base/milosvasic.css.orig, design-system-milosvasic.css.orig, style.scss.orig

2. Design-DNA per site (shipped Candidate A)

Axes sourced from the candidate CSS headers/token blocks. Body face (Inter) and mono face (JetBrains Mono) are unchanged on both sites; only the **display** axis and shape/depth/motion/voice change.

vasic.digital — “MACHINA”

Axis	Change
Type	Display → Bricolage Grotesque 700/800 (was Space Grotesk); oversized machined headings, punchier top-end type scale; tight uppercase JetBrains-mono accents. Body Inter / mono JetBrains unchanged.
Shape	

Axis	Change
	Sharp machined corners — --od-radius-sm/md: 0, lg: 2px, xl: 4px, pill 9999px.
Spacing	Standard OD spacing scale; type scale top end widened for oversized headings (--od-fs-2xl up to ~2.9rem).
Depth	Hard-edged layered depth: --od-shadow-sm: 0 0 0 1px hairline; --od-shadow-lg: 0 0 0 1px border, 10px 10px 0 -1px hard accent.
Motion	GPU-only (transform/opacity): drifting deep-red gradient-mesh (vd-aurora-drift), edge-masked technical grid, slow accent scanline (vd-scan). Reduced-motion → all off.
Voice	Blueprint/technical — whole-page faint grid texture, uppercase mono index labels, industrial-precision grotesque.
Color (locked)	Deep dark-red hue kept; accent #8f1d2d. Cool “machined” light neutrals (bg #fff, text #141519).

milosvasic.ru — “TERMINAL BRUTALIST”

Axis	Change
Type	Display → Anton 400, uppercase (was Space Grotesk); monumental hero slab clamp(3rem, 9vw, 6rem), giant Anton stat figures; uppercase mono eyebrows with crimson index block. Body Inter / mono JetBrains unchanged.
Shape	Square — --od-radius-sm: 1px, md/ lg: 2px, xl: 3px, pill 2px; 2px ink frames on cards/stats/buttons/accordion.
Spacing	OD spacing scale retained; container max 1120px.
Depth	Hard offset print-shadows — --od-shadow-sm: 3px 3px 0, md: 5px 5px 0, lg: 8px 8px 0 crimson; card hover translate(-3px, -3px) snap-lift to 7px 7px 0 accent.

Axis	Change
Motion	Minimal snap transitions (--od-duration-fast); subtle static engineering-grid paper texture (body::before, very low alpha). Reduced-motion neutralized by the global guard.
Voice	Bold crimson “dossier” brutalism — mono index ticks, uppercase buttons (letter-spacing:.05em), crimson underline slabs under section titles.
Color (locked)	Crimson hue kept; accent #a31e39. Warm paper light (bg #f4f1ea, ink #16130f); dark theme bg #14110d, accent #f05a6f.

3. Accessibility + safety evidence

All numbers below are quoted verbatim from the evidence JSON.
Zero serious/critical, zero total violations, zero horizontal overflow on every tested page/theme, on both shipped and alternate candidates.

vasic.digital — Candidate A (shipped)

- **axe (home):** total: 0, serious: 0, violations: [] — _tests/evidence/restyle/vasic/candidateA/axe-home.json
- **axe (product/helixcode):** total: 0, serious: 0, violations: [] — _tests/evidence/restyle/vasic/candidateA/axe-product-helixcode.json
- **overflow / summary:** home overflowDesktop: 0, overflowMobile: 0; product-helixcode overflowDesktop: 0, overflowMobile: 0 (both also axeSerious: 0, axeTotal: 0) — _tests/evidence/restyle/vasic/candidateA/summary.json
- **reduced-motion:** @media (prefers-reduced-motion: reduce) neutralizes all animation and forces the scanline animation: none; transform: translateY(-120%); opacity: 0 — _tests/evidence/restyle/vasic/candidateA.css (~L570-583)

milosvasic.ru — Candidate A (shipped)

- **axe (all 4 states):** home-light, home-dark, product-light, product-dark each violations: 0, serious_critical: 0, impacts: {} — _tests/evidence/restyle/milos/candidateA/axe.json
- **overflow:** home_mobile_overflow: false, product_mobile_overflow: false — same file.

- **behavior intact (all pass):** hamburger_visible: true, navlinks_open_after_click: true, nav_toggle_aria: "true", lang_menu_open: true, lang_menu_items: 15, download_modal_open: true, download_modal_langs: 15, back_to_top_present: true, back_to_top_visible_after_scroll: true — `_tests/evidence/restyle/milos/candidateA/behavior-check.json`
- **reduced-motion:** global guard in the chrome layer (prefers-reduced-motion: reduce → animation/transition-duration:.001ms, scroll-behavior:auto) plus per-component guards (nav, article modal, download modal); the Terminal Brutalist append relies on this global guard. — `_tests/evidence/restyle/milos/candidateA/style.scss` (~L45, L203, L521, L561)

Both sites — Candidate B (alternate) also passed

- vasic B: `axe home/product total:0, serious:0; summary overflow all 0` — `_tests/evidence/restyle/vasic/candidateB/{axe-home,axe-product-helixcode,summary}.json`
 - milos B: `axe all 4 states violations:0, serious_critical:0; no mobile overflow` — `_tests/evidence/restyle/milos/candidateB/axe.json`
 - vasic B additionally ships **reduced-transparency + no-backdrop-filter fallbacks** (`glass` → `opaque --vd-glass-solid`) via `@supports not (backdrop-filter...)` and `@media (prefers-reduced-transparency: reduce)` — `_tests/evidence/restyle/vasic/candidateB.css` (~L268, L275).
-

4. The rejected alternates (Candidate B) — re-appliable

Both B candidates cleared the same accessibility/overflow gates (§3) and are kept as drop-in alternates. Their fonts are already deployed to the sites (§5), so re-applying is a stylesheet swap/append.

vasic.digital — Candidate B “VOLTAGE”

Expressive editorial: high-contrast **Fraunces** serif with true-italic accents, soft/large radii, **frosted-glass panels** floating over a warm deep-red gradient-mesh, airy perfect-fourth rhythm, warm editorial cream light theme (bg #fbf6f3). Glass has `opaque + reduced-transparency` fallbacks. Brand hue locked (#8f1d2d). Source: `_tests/evidence/restyle/vasic/candidateB.css`.

Re-apply (swap the OD stylesheet; Fraunces already in assets /od/display/):

```
cp _tests/evidence/restyle/vasic/candidateB.css \
    vasic.digital/assets/od/vasic-digital.css
# (to restore MACHINA / shipped: cp _tests/evidence/restyle/vasic/
    candidateA.css → same target)
```

milosvasic.ru — Candidate B “LUMINOUS CRIMSON GLASS”

Editorial glass: **Fraunces** display serif (600/900), soft large radii (8–28px), frosted nav/cards/modals (backdrop-filter blur), layered crimson-tinted shadows, glowing accents, a radial crimson aurora behind the hero. Brand hue locked (#a31e39). Source: `_tests/evidence/restyle/milos/candidateB/_append-od.css` + `_append-chrome.scss`.

Re-apply (append the two layers, then recompile SCSS; Fraunces already in assets/od/fraunces/):

```
cat _tests/evidence/restyle/milos/candidateB/_append-od.css \
    >> milosvasic.ru/assets/od/milosvasic.css
cat _tests/evidence/restyle/milos/candidateB/_append-chrome.scss \
    >> milosvasic.ru/assets/css/style.scss
# recompile style.scss → style.css per the site's build
```

Shipped Candidate A was applied the same way from the A directory: vasic → candidateA.css copied over assets/od/vasic-digital.css; milos → candidateA/_append-od.css appended to assets/od/milosvasic.css and candidateA/_append-chrome.scss appended to assets/css/style.scss.

5. New self-hosted fonts

All new faces are **OFL, self-hosted (no CDN, no external @import)**, font-display: swap, split **latin** + **latin-ext** (Cyrillic display falls back to the body font, as the prior shared Space Grotesk face did). Body **Inter** and mono **JetBrains Mono** are unchanged on both sites.

Site	Candidate	Face	Weights / styles	Deployed to	Files
vasic.digital	A (shipped)	Bricolage Grotesque (OFL 1.1)	700, 800	vasic.digital/assets/od/display/	bricolage-700-800-latin{-ext}.woff2, bricolage-800-700-latin{-ext}.woff2
vasic.digital	B (alternate)	Fraunces (OFL 1.1)	600, 700, italic 600		fraunces-600-700-latin{-ext}.woff2

Site	Candidate	Face	Weights / styles	Deployed to	Files
				vasic.digital/assets/od/display/	ext}.woff2, fraunces-700- latin{,- ext}.woff2, fraunces- italic-600- latin{,- ext}.woff2
milosvasic.ru	A (shipped)	Anton (OFL)	400	milosvasic.ru/assets/od/anton/	anton- latin-400.w anton-latin ext-400.woff
milosvasic.ru	B (alternate)	Fraunces (OFL)	600, 900	milosvasic.ru/assets/od/fraunces/	fraunces- latin-600.w fraunces-la ext-600.woff fraunces- latin-900.w fraunces-la ext-900.woff

Because both A and B faces are already deployed on each site, switching candidates (§4) requires no font work.

6. Reproducibility

The DNA behind each candidate follows the **design-toolkit parametric uniqueness engine** (design-toolkit/knowledge/uniqueness-engine.md, submodule design-toolkit @ v0.2.1). Relevant to this re-style:

- **Deterministic pipeline** — seed → PRNG → design-DNA vector → blue-noise gate → guardrail projection → emitters → DTCG tokens → QA. Same seed reproduces the same system; record seed + generator version in provenance.
- **DNA axes exercised here** — Type pairing [H] (display face swap: Bricolage / Anton for A, Fraunces for B; Inter body kept), Shape/radius [H] (sharp 0–4px / square 1–3px vs. soft 8–28px), Motion [E/H] (M3 base + reduced-motion static fallback), Texture/depth [H] (blueprint/engineering grid + hard shadows for A; glass/blur for B, with mandatory opaque fallback).
- **Blue-noise separation (§4)** — the two candidates per site, and the two sites vs. each other, are intentionally far apart in DNA space: A = grotesque/sharp/ hard-shadow/grid; B = serif/soft/glass/glow — distinct type + shape + texture axes (color/type dominate the weighted distance).

- **Brand-lock guardrail (\$5)** — each site's accent hue is a locked token (vasic #8f1d2d, milos #a31e39); the engine varied everything *around* it and never overwrote it. Confirmed by the unchanged accent ramps in every candidate.
- **Dual accessibility gate (\$5)** — WCAG 2.2 AA held as the normative gate; results verified post-projection by axe (\$3, all 0).
- **Depth/motion fallbacks (\$5)** — every glass/blur (vasic B, milos B) ships an opaque fallback; every animation (vasic A scanline/aurora) has a reduced-motion static state. Verified in the candidate CSS (\$3).

To regenerate: run the uniqueness engine with each site's recorded seed and brand-lock token, emit DTCG tokens, map them onto the site's --od-* layer (vasic: assets/od/vasic-digital.css; milos: assets/od/milosvasic.css + assets/css/style.scss), then re-run the QA gate (axe + overflow + behavior) exactly as captured under _tests/evidence/restyle/.