

v170-fixes-testbank

HelixQA Challenge Bank — v1.7.0 Six-Fix Regression

A HelixQA-style **Challenge bank** that pins the SIX fixes shipped in **v1.7.0** of `vasic.digital` and `milosvasic.ru` against silent regression. It is the **spec** (what is checked, thresholds, evidence schema, golden-good / golden-bad mutations, executable-check column); the **runner** is the executable Playwright suite `../tests/v170-fixes.spec.js`, wired into `../playwright.live.config.js` and run **read-only against LIVE production**:

```
cd _tests && npx playwright test v170-fixes.spec.js --  
config=playwright.live.config.js
```

Anti-bluff contract (§11.4.5 / §11.4.69 / §11.4.170): every PASS is backed by a **captured, machine-readable POSITIVE measurement** (the assertion's measured value, not merely "no error"). Golden-BAD mutations (the paired §1.1 mutation, HelixQA convention) prove the check actually bites: each is the concrete pre-fix state that the assertion MUST reject. A structural/heuristic check never substitutes for the rendered-pixel / extracted-text measurement it stands in for.

Localization mandate: Challenges **C62 / C63 / C65** enforce Helix Constitution **§11.4.237** (full localization — no English leakage into a localized surface, in either HTML prose or generated PDFs).

```
feature_class = v170_regression. Evidence bundle → _tests/  
evidence/regression-v1.7.0/.
```

Check class legend - RUN — executed by `v170-fixes.spec.js` against live now; real pass/fail, gating. - **AUDITOR** — needs a human/agent rendered-pixel judgement beyond the automated proxy (none gate here; listed where a check is a proxy for a visual property). - **SPEC** — declared threshold/mutation, documented here, enforced by the RUN check.

Live baseline (measured on the green run captured in evidence/regression-v1.7.0/run.txt): 34/34 PASS.

Challenge index

ID	Fix	Surface	Gate	Class	Live measured
C62	#62 Serbian Cyrillic everywhere	/sr/ HTML prose + sr PDFs	Cyrillic ratio + no- EN-leak	RUN	prose cyr milos 0.732 / vasic 0.737; CV_SR 0.75; EN- stopwords 0-1
C63	#63 Language switcher switches	product + portfolio, both sites	15-path map + click navigates+relangs	RUN	15/15 paths, all targets 200; click → /de/,/ru/ relang
C64	#64 Tall modal/ dialog scrolls	download- CV list; overlay CSS	overflow-y + bounded max- height + reachable	RUN	dl-langs scrollHeight 910 > clientHeight 404; last row reachable
C65	#65 PDFs fully localized	CV + Portfolio, sr/de/ar/zh	0 EN chrome + correct script	RUN	0 EN- chrome in 22 PDFs; sr 0.75-0.80 / ar 0.74- 0.80 / zh 0.47-0.55 / de lat 1.00
C66	#66 content never flush to edge	both home pages @375/1280	safe-area gutters + padding ≥16px	RUN	vasic 20px@375 / 48px@1280; milos 24px; CSS env(safe- area-inset-*) present
CRS	re-style intact	served brand CSS	display font present	RUN	vasic “Bricolage”

ID	Fix	Surface	Gate	Class	Live measured
					×8; milos "Anton" ×3

Overall verdict = PASS only if **all** Challenges PASS (§11.4.134 — loop to the responsible specialist on any FAIL; never relax the assertion).

C62 — #62 Serbian Cyrillic everywhere (§11.4.237)

Claim under guard. The sr locale is genuine Serbian **Cyrillic**, not English (or Latin-transliterated) content mislabeled lang="sr" — on the rendered home page AND in the downloadable Serbian PDFs.

Assertions (RUN). 1. <html lang="sr"> on /sr/ of both sites. 2. Body prose (script/style/code stripped, URLs & bare domains removed) **Cyrillic ratio** ≥ 0.70 — cyrillicLetters / allLetters. 3. **English-sentence leakage** ≤ 5 stopword hits (the|and|with|from|...|architecture as whole words). Short glossary/brand Latin tokens (Anthropic, OpenAI, GitHub, "JSON-lines over stdio") are allowed — hence a small tolerance, not a hard 0. 4. downloads/Milos_Vasic_CV_SR.pdf pdftotext **Cyrillic ratio** ≥ 0.60 and 0 EN chrome strings.

golden-GOOD (current live = PASS). milos prose 0.732, vasic prose 0.737 Cyrillic; EN-stopword hits 0 (milos) / 1 (vasic — "over" inside the glossary phrase "JSON-lines over stdio"); CV_SR.pdf Cyrillic 0.75.

golden-BAD (pre-fix state — MUST FAIL). The /sr/ page serving the English hero prose under lang="sr" → Cyrillic ratio ≈ 0.0 and EN-stopword hits in the dozens (EN home measures 104–135). Either violation flips C62 to FAIL.

Evidence schema.

```
{ "challenge": "C62", "target": "milosvasic.ru/sr/", "verdict":
  "PASS",
  "measurements": { "htmlLang": "sr", "cyrillicRatio": 0.732,
    "threshold": 0.70,
    "letters": 5452, "enStopwordHits": 0,
    "enStopwordTolerance": 5 } }
{ "challenge": "C62", "target": "downloads/
  Milos_Vasic_CV_SR.pdf", "verdict": "PASS",
  "measurements": { "cyrillicRatio": 0.75, "threshold": 0.60,
    "enChromeHits": 0 } }
```

C63 — #63 Language switcher actually switches (§11.4.237)

Claim under guard. The 15-language switcher on product and portfolio pages both (a) advertises a complete, resolvable page-path map and (b) actually navigates the browser to the localized document and re-langs it when clicked — not a dead control.

Assertions (RUN). 1. Served HTML embeds the page-path global (OD_PAGE on vasic, MV_PAGE on milos) with **exactly 15** paths keys, including en, sr, de, ru, ar, zh. 2. **Every** one of the 15 localized product targets resolves **200** (no dead entry). 3. Portfolio served HTML likewise carries the 15-path global. 4. **Interactive:** on product (→de) and portfolio (→ru), for BOTH sites, opening the switcher and clicking the option **navigates** the URL to the /<code>/ path (waitForURL) and the new document reports <html lang="<code>">.

golden-GOOD (current live = PASS). 15/15 path keys on both page types, both sites; all 15 product targets 200; clicking de/ru lands at /products/de/..., /portfolio/ru/ etc. with <html lang> updated.

golden-BAD (pre-fix state — MUST FAIL). A switcher whose map is missing/partial (<15 keys), points at a 404 target, or whose click does not change the document language (stuck on lang="en" / URL unchanged). Any flips C63 to FAIL.

Evidence schema.

```
{ "challenge": "C63", "target": "vasic.digital/products/
    helixtrack.html",
  "verdict": "PASS",
  "measurements": { "global": "OD_PAGE", "pathCount": 15,
    "targets200": 15,
    "click": { "code": "de", "urlContains": "/
    de/", "htmlLang": "de" } } }
```

C64 — #64 Tall modal / dialog scrolls

Claim under guard. A floating surface taller than the viewport (the 15-row download-CV language list; any overlay dialog/menu) **scrolls its own body** rather than clipping content off-screen — so the last row is always reachable.

Assertions. - RUN (CSS). milos assets/css/style.css: .dl-langs { overflow-y:auto } AND .dl-card { max-height: min(...) } (bounded). vasic assets/od/overlays.css: .od-dialog__panel { max-height: min(...); overflow-y:auto } AND the floating-menu group (.od-menu/.od-dropdown__menu/.od-popover/.od-lang__menu) bounded

+ scrolling. - **RUN (rendered, proxy for AUDITOR)**. At **380×640**, open the milos CV download modal: it offers 15 .dl-lang rows, .dl-langs computes overflow-y:auto and scrollHeight > clientHeight, and the **last** row becomes fully visible after scrollIntoViewIfNeeded(). - **AUDITOR**. Visual confirmation on a real notched device that no row is clipped behind the URL bar (the automated dvh+scroll check is the proxy; not gated).

golden-GOOD (current live = PASS). .dl-langs scrollHeight 910 > clientHeight 404, overflow-y:auto; last language row reachable by scroll. CSS declarations present in both served stylesheets.

golden-BAD (pre-fix state — MUST FAIL). .dl-langs without overflow-y / .dl-card without a bounded max-height (list grows past the viewport, last rows unreachable) → rendered scrollHeight ≤ clientHeight or last row not reachable; and the CSS grep misses the declarations. Either flips C64 to FAIL.

Evidence schema.

```
{ "challenge": "C64", "target": "milosvasic.ru CV modal
  @380x640", "verdict": "PASS",
  "measurements": { "rows": 15, "overflowY": "auto",
    "scrollHeight": 910,
    "clientHeight": 404, "lastRowReachable":
      true },
  "css": { "dlLangsOverflowY": true, "dlCardMaxHeight": true,
    "odDialogPanelBounded": true } }
```

C65 — #65 PDFs fully localized (§11.4.237)

Claim under guard. For every sampled locale the downloadable CV and Portfolio PDFs are **fully translated** — zero English UI-chrome leakage and the body text is in the locale's target script (not English content with a translated title page).

Assertions (RUN). For sr, de, ar, zh × {milos CV, milos Portfolio, vasic Portfolio} (11 docs × ~2 checks): pdftotext yields non-trivial text; **0** occurrences of any EN chrome string ["Selected architecture", "Curriculum Vitae", "Cover Letter", "Engineering since", "Repository fleet"]; and the target-script gate: - sr → Cyrillic ratio ≥ **0.60** - ar → Arabic ratio ≥ **0.60** - zh → Han ratio ≥ **0.30** (CJK is orthographically compact — a lower floor is correct) - de → Latin ratio ≥ **0.80** AND Cyrillic/Arabic/Han each < **0.02** (Latin-script locale: prove no foreign-script contamination rather than a positive non-Latin ratio).

golden-GOOD (current live = PASS). Across all 12 sampled PDFs: 0 EN-chrome hits; measured script ratios sr 0.75–0.80, ar 0.74–0.80, zh 0.47–0.55, de Latin 1.00.

golden-BAD (pre-fix state — MUST FAIL). A PDF that is English content mislabeled by locale (e.g. the removed “German” PDF that was English) → EN chrome strings present and/or target-script ratio below floor (de would show EN chrome; sr/ar/zh would show Latin-dominant text). Any flips C65 to FAIL.

Evidence schema.

```
{ "challenge": "C65", "target": "vasic.digital/downloads/
  Portfolio_AR.pdf",
  "verdict": "PASS",
  "measurements": { "lang": "ar", "enChromeHits": 0,
    "arabicRatio": 0.80,
    "threshold": 0.60 } }
{ "challenge": "C65", "target": "milosvasic.ru/downloads/
  Milos_Vasic_CV_DE.pdf",
  "verdict": "PASS",
  "measurements": { "lang": "de", "enChromeHits": 0,
    "latinRatio": 1.00,
    "cyrillic": 0.0, "arabic": 0.0, "han": 0.0 } }
```

C66 — #66 Content never flush to the viewport edge

Claim under guard. Page content keeps a real horizontal gutter at every viewport, and the gutter is **notch/safe-area aware** so content clears rounded corners / the notch in landscape.

Assertions. - RUN (CSS). Served brand CSS declares `env(safe-area-inset-left)` and `env(safe-area-inset-right)` (vasic assets/od/vasic-digital.css; milos assets/css/style.css). - **RUN (rendered).** On both home pages at **375** and **1280**, the main content bands (vasic .od-hero/.od-section/.od-header; milos .wrap) compute `padding-inline ≥ 16px` on both sides — never flush to the edge. - **AUDITOR.** On a physical notched device in landscape, confirm no glyph sits under the notch (the `env()` + padding check is the proxy; not gated).

golden-GOOD (current live = PASS). vasic bands 20px @375 / 48px @1280; milos .wrap 24px at both; both stylesheets carry the `env(safe-area-inset-*)` gutter formula (`max(clamp(...), env(safe-area-inset-left), env(safe-area-inset-right))`).

golden-BAD (pre-fix state — MUST FAIL). A band with padding-inline:0 (text flush to the edge) → measured padding 0 < 16; or brand CSS with the env(safe-area-inset-*) gutter removed → CSS grep misses it. Either flips C66 to FAIL.

Evidence schema.

```
{ "challenge": "C66", "target": "vasic.digital home", "verdict":  
  "PASS",  
  "measurements": { "cssHasSafeAreaInset": true,  
                    "pads": [ { "vw": 375, "pl": 20, "pr": 20 },  
                              { "vw": 1280, "pl": 48, "pr":  
                                48 } ], "min": 16 } }
```

CRS — Re-style intact (display font not reverted)

Claim under guard. The v1.6.1 display re-style survives the v1.7.0 localization work.

Assertions (RUN). vasic served assets/od/vasic-digital.css contains “**Bricolage**”; milos served assets/css/style.css contains “**Anton**” (both 200).

golden-GOOD (current live = PASS). “Bricolage” present ×8 in vasic CSS; “Anton” ×3 in milos CSS.

golden-BAD — MUST FAIL. Served CSS reverting to a default system/sans display face (no “Bricolage” / “Anton” token) → substring absent → CRS FAIL.

Evidence schema.

```
{ "challenge": "CRS", "target": "vasic.digital css", "verdict":  
  "PASS",  
  "measurements": { "font": "Bricolage", "presentInServedCss":  
                    true } }
```

Evidence bundle layout

```
_tests/evidence/regression-v1.7.0/  
└─ run.txt          # captured `npx playwright test v170-  
fixes.spec.js --config=...` — the green run (34/34)
```

Status

Executable now — all six Challenges are RUN checks in `v170-fixes.spec.js` and pass green against live production (34/34, captured in `run.txt`). AUDITOR rows (C64/C66 physical-device notch confirmation) are documented as proxied-but-not-gated; the automated `dvh/scroll` and `env()/padding` checks stand in for them. Any future FAIL is a real regression — fix the site and re-green; never weaken an assertion here.