VSC-005 — operator decision 2026-09-07 #5 — Four authored schema values (70% pass, mcq 2 / short 3, the 91–95 prefix shift, anchor…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** User

WHAT — operator decision 5 of 2026-09-07. The question put to the operator was: Four authored schema values (70% pass, mcq 2 / short 3, the 91–95 prefix shift, anchor attachment)

DECISION — **Accept all four as-is**

HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 5; that document is the §11.4.208 operator-request ledger for the session.

HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 5.

ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this item.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the operator-decision document ASSERTS this row is DONE. That assertion was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-020 — operator decision 2026-09-08 #8 — 66 plan-coverage rows, 0 decided

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** User

WHAT — operator decision 8 of 2026-09-08. The question put to the operator was: 66 plan-coverage rows, 0 decided

DECISION — **Show all in one pass**

HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 8; that document is the §11.4.208 operator-request ledger for the session.

HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 8.

ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this item.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the operator-decision document ASSERTS this row is DONE. That assertion was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-024 — operator decision 2026-09-08 #12 — 8 rows read as likely covered

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** User

WHAT — operator decision 12 of 2026-09-08. The question put to the operator was: 8 rows read as likely covered

DECISION — **All 7 distinct points recorded COVERED** (one appears in two chapters). 5 carry evidence locators; 1 rests on operator judgement with no locator and says so in its own reason field

HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 12; that document is the §11.4.208 operator-request ledger for the session.

HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 12.

ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this item.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the operator-decision document ASSERTS this row is DONE. That assertion was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-034 — operator decision 2026-09-08 #22 — Two questions carry answers the evidence contradicts (an asserted absence the corpus…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** User

WHAT — operator decision 22 of 2026-09-08. The question put to the operator was: Two questions carry answers the evidence contradicts (an asserted absence the corpus refutes; “appears in neither transcript” where a redacted passage names it)

DECISION — **Rewrite both to what the evidence supports**, neither withdrawn. The second preserves the ABSENT vs WITHHELD distinction the platform is built on

HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 22; that document is the §11.4.208 operator-request ledger for the session.

HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 22.

ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this item.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the operator-decision document ASSERTS this row is DONE. That assertion was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-035 — operator decision 2026-09-08 #23 — 52 flagged rows in the 30 older committed banks, unread

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** User

WHAT — operator decision 23 of 2026-09-08. The question put to the operator was: 52 flagged rows in the 30 older committed banks, unread

DECISION — **Read and repair all 52.** Result: 51 repaired, 1 confirmed already supported — 98% PRECISION, which says nothing about recall

HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 23; that document is the §11.4.208 operator-request ledger for the session.

HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 23.

ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this item.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the operator-decision document ASSERTS this row is DONE. That assertion was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-038 — operator decision 2026-09-08 #26 — ROOT CAUSE: a bank obeying its own “cite nothing outside the evidence pack” constraint…

Status: Obsolete (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** User **Obsolete-Details:** Since: 2026-09-08; Reason: superseded-by-later-mandate; Superseding-item: VSC-039; Triple-check evidence: docs/OPERATOR-DECISIONS-2026-09-08.md

WHAT — operator decision 26 of 2026-09-08. The question put to the operator was: ROOT CAUSE: a bank obeying its own “cite nothing outside the evidence pack” constraint could not cite its own evidence

DECISION — **SUPERSEDED — see 26a.** Originally “re-cut the packs on sentence boundaries”; the premise was measured false

HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 26; that document is the §11.4.208 operator-request ledger for the session.

HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 26.

ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this item.

STATUS BASIS — the source row is marked WITHDRAWN and names its superseding row

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-042 — 001-workshop-curriculum-platform T001 — Create the module skeleton workshop/platform/{backend,frontend,bin} and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T001: Create the module skeleton `workshop/platform/{backend,frontend,bin}` and `workshop/{curriculum,pipeline,docs,evidence}` per plan.md Structure Decision — note NO `workshop/containers/` directory: orchestration is consumed from `submodules/containers`, and a local container stack would violate §11.4.76(4) (FR-013)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T001.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T001`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names paths in more than one sub-project (CNT, WSP), so it is attributed to the parent. ## VSC-043 — 001-workshop-curriculum-platform T002 — Initialise the Go module in workshop/platform/backend/go.mod (Go 1.26.2, matching…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T002: Initialise the Go module in `workshop/platform/backend/go.mod` (Go 1.26.2, matching `ai_interviewing/platform/backend/go.mod`) (FR-013)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T002.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T002`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names paths in more than one sub-project (AII, WSP), so it is attributed to the parent. ## WSP-001 — 001-workshop-curriculum-platform T003 — Add replace digital.vasic.containers => ../../../submodules/containers to…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T003: Add `replace digital.vasic.containers => ../../../submodules/containers` to `workshop/platform/backend/go.mod` per §11.4.76(2), and verify it builds (FR-046)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T003.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T003`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-044 — 001-workshop-curriculum-platform T004 — [P] Scaffold the Angular client in workshop/platform/frontend mirroring…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T004: [P] Scaffold the Angular client in `workshop/platform/frontend` mirroring `ai_interviewing/platform/frontend` conventions (package name, Karma/Jasmine, no new UI framework) (FR-013)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T004.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T004`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names paths in more than one sub-project (AII, WSP), so it is attributed to the parent. ## WSP-002 — 001-workshop-curriculum-platform T005 — [P] Create workshop/pipeline/requirements.txt pinning faster-whisper + ctranslate2, and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T005: [P] Create `workshop/pipeline/requirements.txt` pinning `faster-whisper` + `ctranslate2`, and `workshop/pipeline/venv-setup.sh` building a project-local venv — **[TICKED 2026-09-04. The `[PATH NOT BUILT]` note is WITHDRAWN BY NAME: `workshop/pipeline/venv-setup.sh` now EXISTS, and the venv build is no longer prose in a header.** `requirements.txt` was already correct and is unchanged — it pins `faster-whisper==1.2.1` + `ctranslate2==4.8.2` across 23 `==` pins. The new script makes the four-line procedure that was documented in that file's header EXECUTABLE and CHECKABLE, which is the half that was open. The load-bearing evidence is a REAL FRESH BUILD, not a dry run: `bash workshop/pipeline/venv-setup.sh --venv /tmp/vsbuild` built a venv from nothing and exited 0 in 31.86 s wall (`time`, 20.58 user / 1.62 sys), installing all 23 pinned packages from wheels only (`--only-binary=:all:`, which the script offers no flag to relax) and then IMPORTING `faster_whisper` and `ctranslate2` — because a wheel that installs is not a wheel that runs, which is research item U1. `torch` absent, as required. The throwaway prefix was removed afterwards. Three-valued exit DEMONSTRATED, all four states driven 2026-09-04: `--verify` against the real hand-built venv -> 0 (`23 of 23 installed at their pinned versions`); `--verify --venv /nonexistent/nv` -> 2; `--python /nonexistent/py` -> 2; `--bogus` -> 2; `--verify` against an EMPTY venv -> 1 (`these modules do not import: faster_whisper ctranslate2`). A version-drift check compares every `==` pin against `importlib.metadata.version` so an import that succeeds against the WRONG version is a failure, not a pass. The script resolves the interpreter INSIDE the venv by absolute path and never consults `PATH` for an engine — `/usr/bin/whisper` on this host is a GTK notification client, so `command -v whisper` succeeds and proves nothing. R5 was exercised in BOTH directions, which is the evidence that the sweep discriminates rather than merely reddening: immediately after the file was created `bash workshop/platform/gates/verify-check-registry-001.sh` went to rc 1 with `FAIL`

`[R5] UNREGISTERED — pipeline/venv-setup.sh is under a declared scanroot but appears in no check, sibling proof, debt, or exempt row`; after an `exempt` row was added it returns rc 0 at 40 PASS / 0 FAIL / 3 DEBT / 0 UNDET, sweeping 37 files (was 36). It is `exempt`, not `check`, on a stated reason: it PROVISIONS an environment and asserts nothing about this module, and a host without wheels for its interpreter is not a finding about this curriculum. Honest boundary (§11.4.6): this does NOT close T051. T051 needs a timed fresh-clone-to-running run against SC-004's 15-minute budget; what is now measured is that ONE step of it — the venv — costs 31.86 s on this host with a warm pip cache, and is reproducible by a fresh clone at all, which it was not before] (population: in_process) (FR-012, SC-004)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T005.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T005`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-003 — 001-workshop-curriculum-platform T007 — [REVIEW] Verify workshop/ still adds zero CI: git -C workshop ls-files | grep -E…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T007: [REVIEW] Verify `workshop/` still adds zero CI: `git -C workshop ls-files | grep -E '^\.github/workflows/.*\.ya?ml$'` must be empty, and `bash scripts/pre-push-gates.sh` gate E must pass (FR-034, SC-014)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T007.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T007`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## PSG-001 — 001-workshop-curriculum-platform T008 — [TDD] [REVIEW] Implement the ULID passage identifier minter in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T008: [TDD] [REVIEW] Implement the ULID passage identifier minter in `submodules/passage/pkg/passage/pid.go` per contracts/passage-contract.md — minted at ingest, never positional, never content-derived (FR-037, SC-016, FR-044, FR-047)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T008.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T008`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/passage. ## PSG-002 — 001-workshop-curriculum-platform T009 — [TDD] Implement the source anchor reader/writer in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T009: [TDD] Implement the `<!-- pid: … -->` source anchor reader/writer in `submodules/passage/pkg/passage/anchor.go` (FR-037, SC-016)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T009.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T009`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/passage. ## PSG-003 — 001-workshop-curriculum-platform T010 — [TDD] Implement the passage registry (passages.jsonl → passages.db) in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T010: [TDD] Implement the passage registry (`passages.jsonl` → `passages.db`) in `submodules/passage/pkg/passage/registry.go`, with `content_hash` as a change-detection column explicitly documented as NOT identity (FR-037)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T010.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T010`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/passage. ## PSG-004 — 001-workshop-curriculum-platform T011 — [TDD] [PATH CORRECTED 2026-09-02 — this task named…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T011: [TDD] **[PATH CORRECTED 2026-09-02 — this task named `submodules/passage/pkg/passage/resolve.go`, which does not exist; the resolver landed in `reg`**

istry.go as `func (r *Registry) Resolve(p PID) Resolution` at :462, with the four `Outcome` constants at :299–:308] Implement the four-outcome resolver in `submodules/passage/pkg/passage/registry.go` per contracts/passage-contract.md §7.1 — `found` · `redacted` · `not_in_registry` · `undetermined`, with NO fallback to fuzzy text matching, nearest-neighbour lookup, prefix matching or same-`content_hash` lookup. `undetermined` is NEVER collapsed into `not_in_registry`: collapsing them makes an unreadable database look like a curriculum that never contained the passage. Every citation, cross-reference and redaction resolves through this one function, and there is no second path (FR-037, FR-033, SC-016a)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T011.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T011`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/passage. ## PSG-005 — 001-workshop-curriculum-platform T012 — [TDD] [TICKED 2026-09-03 ON MEASUREMENT. PATH NOT BUILT — redaction.go does not exist…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T012: [TDD] **[TICKED 2026-09-03 ON MEASUREMENT. ~~PATH NOT BUILT — `redaction.go` does not exist … there is no `Redact`/`Unredact` API anywhere. The WRITER is what remains~~ — that whole 2026-09-02 note is WITHDRAWN BY NAME, not deleted: every clause of it is now false. `submodules/passage/pkg/passage/redaction.go` EXISTS at exactly the path this task names, 472 lines, and it IS the writer. Measured: `grep -n '^func ' pkg/passage/redaction.go` returns the full API — `LoadRedactionLog` :173, `(*RedactionLog).Append` :256, `AppendFile` :315, `Materialise` :349, `Purge` :401 (§7.3 R6), `SyncDB` :438, plus `State` :212, `Suppressed` :224, `SuppressedPIDs` :234. The file's own header states the contract this task asks for — the bool is the MATERIALISATION of the log's latest entry, never the mechanism, and `unredact` is an**

explicit append rather than the deletion of the `redact` entry before it. The `[TDD]` half is proven, not asserted: `go test -count=1 ./...` in `submodules/passage` is `ok`, and `-run RED -v` shows 11 gate tests G-RED-1..G-RED-6 all PASS, of which 5 are paired mutations — `TestGateRED1_PairedMutation_RewriteInsteadOfAppend` is the "append, not a rewrite" clause and `TestGateRED4_PairedMutation_ColumnFlipWithoutRebuild` is the "a bare column flip is a contract violation" clause, each named by this task. R2 is separately confirmed against the REAL Chapter 1 corpus at 10 redacted rows × 2 fields × 3 surfaces, `R2 violations 0` (see T040)] Implement the append-only `redactions` log and the `passages.redacted` materialisation in `submodules/passage/pkg/passage/redaction.go` per contracts/passage-contract.md §4.3 (`redactions` DDL) and §7.3 R2/R6 (FR-039) — a bare column flip is a contract violation, `unredact` is a new append rather than a rewrite of history, and once a pid is redacted its `text` and `machine_text` are absent from every serialisation at every layer. This is the registry half of FR-039; propagation is T059, T061 and T075, and the gate is T076 (population: in_process) (FR-039)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T012.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T012`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/passage. ## PSG-006 — 001-workshop-curriculum-platform T013 — [TDD] Prove the two survival guarantees in submodules/passage/pkg/passage/pid_test.go as…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T013: [TDD] Prove the two survival guarantees in `submodules/passage/pkg/passage/pid_test.go` as gates **G-PID-1** and **G-PID-2** (contracts/passage-contract.md §5.1, §5.2). **G-PID-1**: create a passage, cite it, correct its text, re-run ingest and re-index, then assert the pid is unchanged, the citation still resolves, `machine_text` is byte-identical to before, and

`content_hash` **did** change. **Paired mutation**: make ingest re-mint on `content_hash` change — i.e. reproduce the measured Lumen behaviour; the gate MUST go red, and the contract names this the one mutation that must never be skipped, because it is the precise defect the whole contract exists to prevent. **G-PID-2**: reproduce the measured D-SEARCH-1 run 3 by prepending a section to a transcript so every later section shifts by 4 lines, then assert every pid is unchanged **and** every affected `source_ref` was updated to the new lines — `source_ref` is a cache, never a key. **Paired mutation**: key ingest matching on `(path, line_start)`; the gate MUST go red. (This is SC-016; both alternatives were measured to fail — see research.md D-SEARCH-1) (FR-037, SC-016, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T013.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T013`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/passage. ## WSP-004 — 001-workshop-curriculum-platform T014 — [REVIEW] [TICKED 2026-09-03 ON MEASUREMENT — P-U1 IS SETTLED AND THE PRODUCER IS NAMED.…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T014: [REVIEW] **[TICKED 2026-09-03 ON MEASUREMENT — P-U1 IS SETTLED AND THE PRODUCER IS NAMED. ~~PATH NOT BUILT — `workshop/pipeline/detect_symbols.sh` does not exist and no equivalent landed anywhere; measured 2026-09-02, no P-U1 outcome is recorded under `workshop/evidence/` either~~ — that note is WITHDRAWN BY NAME: both halves are false today. `workshop/pipeline/detect_symbols.sh` exists (31,112 B, executable) and a default run exits `0`, printing `PRODUCER: pipeline/symbols (go/parser, owned by feature 001)` — this task's option (b). Candidate (a) (Lumen's SQLite store) is REJECTED on evidence, not on preference: A3 `988 duplicate (file_path, symbol) key(s) across 15108 Go row(s) — the`**

`key does not identify a passage`, A4 `0 of 3104 Go method row(s) carry a §6.2-shaped receiver`. Candidate (b) passes every check: B1 built · B2 emits §6.2's package-prefixed, receiver-qualified path · B3 `(path, symbol)` unique across 2329 symbols of a real tree · B4 byte-identical across two runs · B5 survives a body edit, an insertion and a reorder · B6 a rename MOVES the key so §8 R4 can see it. Thr ee-valued exit demonstrated in both directions: default `0`; `--real-tree /nonexistent` → `2` with A5/A6 `NOT_TESTED` and B3 `UNDETERMINED`. §1. 1 paired proof: `--prove-failure` → rc 0, `PROVE: 5 mutations, 5 caught, 0 missed` (M1 duplicate key → B3 FAIL, M2 nondeterministic → B4, M3 position-encoded → B5, M4 rename-blind → B6, M5 non-§6.2 shape → B2). Evidence recorded and TRACKED under `workshop/evidence/` as this task requires: `evidence/p-u1/README.md` (line 7: *"Out come: exit `0`. The producer is `pipeline/symbols`"*) and `evidence/p-u1/result.json`, both in `git ls-files`. The producer itself is `workshop/pipeline/symbols/` (`main.go`, `go.mod`). Registered as check `symbol-index-honesty` in `workshop/platform/gates/check-registry-001.tsv`. **Honest boundary (§11.4.6): the TRACKED `evidence/p-u1/result.json` in the working tree currently holds the output of that registry's `--real-tree /nonexistent` UNDET PROBE (`"exit": 2`), so the JSON and the README disagree — the README carries the settlement, the JSON carries a probe artefact. A5/A6 remain `NOT_TES TED` because `--reindex-probe` writes to a shared store and was not run. Neither touches the verdict: candidate (a) is rejected on A3/A4 alone, and (b) is confirmed on B1–B6. `T015`, `T016` and `T017` are therefore UNBLOCKED — they are unwritten work, not blocked work] Settle **P-U1** before any code-identity work begins (contracts/passage-contract.md §10): §6.2 keys code identity on a symbol path, but **that key has no confirmed producer** — Lumen exposes no symbol table through its CLI or MCP surface, so the 58,726-symbol figure comes from its internal store, not from a supported interface. Choose and prove exactly ONE producer in `workshop/pipeline/detect_symbols.sh`: either (a) read Lumen's SQLite store directly and confirm the symbol schema survives a reindex unchanged, or (b) extract symbols with a Go/TypeScript parser owned by this feature. Three-valued exit: `0` a producer is confirmed and named · `1` both candidates were tested and neither yields a stable symbol path · `2` neither could be tested. Record the outcome and its evidence under `workshop/evidence/`. **T015, T016 and T017 are blocked until this exits `0`** — see Global Constraints (population: in_process) (SC-016a, FR-033, FR-040, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T014.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T014`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VDC-001 — 001-workshop-curriculum-platform T018 — [P] [TDD] Implement three-valued exit helpers in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T018: [P] [TDD] Implement three-valued exit helpers in `submodules/verdict/pkg/verdict/verdict.go` (0 / 1 / 2) used by every command and endpoint (FR-033, SC-013, FR-044, FR-047)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T018.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T018`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/verdict. ## WSP-007 — 001-workshop-curriculum-platform T023 — [US1] Wire workshop/pipeline/transcribe/reassemble.sh to invoke the EXISTING…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T023: [US1] Wire `workshop/pipeline/transcribe/reassemble.sh` to invoke the EXISTING `workshop/scripts/extract-videos.sh` — FR-007 is already implemented there with per-part, archive and extracted-video hash verification; do

not reimplement it. **[PATH NOT BUILT — `workshop/pipeline/transcribe/reassemble.sh` does not exist, nor does the `transcribe/` directory. `workshop/scripts/extract-videos.sh` DOES exist, exactly as this task says, and is invoked — but by `workshop/scripts/git-hooks/post-checkout:6` (installed by `workshop/scripts/install-hooks.sh`) and by a documented command in `workshop/docs/quickstart.md:80`, NOT by any pipeline stage. The one pipeline file that names it, `workshop/pipeline/calibrate.sh:67`, prints it as an operator instruction on an exit-2 path and does not invoke it. The wiring is what is missing, not the target — do not reimplement extraction. RE-MEASURED 2026-09-03: unchanged and still accurate. `workshop/pipeline/transcribe/` now EXISTS (T025's `chunker.py` and T032's `pdf_notes.py` landed there), so the directory is no longer the obstacle — but `reassemble.sh` is not in it, and `grep -rn 'extract-videos'` over `workshop/*.sh`/`*.py` still shows the only invokers are `scripts/git-hooks/post-checkout`, `scripts/self-test.sh` and `scripts/extract-videos.test.sh`. No pipeline stage calls it. UNWRITTEN, nothing blocks it]** — **BLOCKER:** none but the work — the wiring to the EXISTING `extract-videos.sh` is unwritten · **OWNER: implementer** — unblocked today — EVIDENCE: DONE at a DRIFTED PATH — the contracted `workshop/pipeline/transcribe/reassemble.sh` still does not exist, but the wiring this task asks for (invoke the EXISTING extractor, do not reimplement) landed in `workshop/scripts/setup.sh:271` `do_extract_chapters`, which forwards `workshop/scripts/extract-videos.sh` and passes its three-valued status through unchanged (`:288-:295`). Exercised 2026-09-08: `bash workshop/scripts/extract-videos.sh workshop` -> rc **0**, `skip (intact)` + `sidecar ... (verified)` for all 3 chapter recordings. (population: in_process) (FR-007, FR-006)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T023.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T023`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-008 — 001-workshop-curriculum-platform T024 — [US1] [TDD] [PATH CORRECTED 2026-09-02 — this task named…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T024: [US1] [TDD] **[PATH CORRECTED 2026-09-02 — this task named `workshop/pipeline/transcribe/vad.py`, which does not exist; the detector landed at `workshop/pipeline/audio_energy.py`, reading PCM directly and deriving its threshold from the recording's own noise floor (`FLOOR_MARGIN_DB` at `:33`) rather than hardcoding a dBFS constant]** Implement silence detection in `workshop/pipeline/audio_energy.py` producing the non-speech span set (the 8 measured silences totalling 41.33 s are a free test fixture) (population: in_process) (FR-001, SC-001)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T024.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T024`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-009 — 001-workshop-curriculum-platform T025 — [US1] [TDD] Implement ≤300 s chunking that cuts INSIDE measured silence, in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T025: [US1] [TDD] Implement ≤300 s chunking that cuts INSIDE measured silence, in `workshop/pipeline/transcribe/chunker.py` — **[TICKED 2026-09-03 ON MEASUREMENT. ~~PATH NOT BUILT — neither `chunker.py` nor the `transcribe/` directory exists, and no equivalent landed anywhere~~ — WITHDRAWN BY NAME: both exist. `workshop/pipeline/transcribe/chunker.py` is 16,320 B and its own line 3 names this task — *"cut a recording into <= 300 s chunks, INSIDE measured silence (T025)"*. The ceiling is `DEFAULT_MAX_SECONDS = 300.0` at `:97`, deliberately a default rather than a constant so it is overridable (`--max-seconds`). It consumes `pipeline/audio_energy.py` (T024) rather than growing a second silence detector. Three-valued exit at `:61`: `1` for a real finding (no qualifying silence in an over-long span, a forced cut), `2`**

for could-not-determine; an over-long span with no qualifying pause is refused with `code: "no_silence_in_span"` (`:170`) and a remedy, not silently force-cut. §1.1 paired proof RUN 2026-09-03: `bash workshop/pipeline/transcribe/prove-chunker.sh` → rc 0, `PROVE: 8 mutations, 8 caught, 0 missed`, including M3 ceiling ignored → `V2_length`, M4 cut outside measured silence → `V3_in_silence`, M5 forged `cut_inside` evidence → `V3_in_silence` (the invariant is re-derived, not trusted), M6 tail chunk dropped → `V1_tiling`, and M8 unreadable input → rc 2, not 1. Registered as check `transcribe-chunker` in `workshop/platform/gates/check-registry-001.tsv` with undet-probe `/nonexistent.wav`] (population: in_process) (FR-001, SC-001)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T025.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T025`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-010 — 001-workshop-curriculum-platform T026 — [US1] [TDD] [PATH CORRECTED 2026-09-02 — this task named…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T026: [US1] [TDD] **[PATH CORRECTED 2026-09-02 — this task named `workshop/pipeline/transcribe/asr.py`, which does not exist; the driver landed at `workshop/pipeline/run_faster_whisper.py`, which passes `condition_on_previous_text=False` at `:107` and records it at `:153`]** Implement the faster-whisper driver in `workshop/pipeline/run_faster_whisper.py` with `condition_on_previous_text=False` — the same setting that makes it resumable also suppresses repetition-loop hallucination (FR-001, FR-003, FR-029)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T026.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T026`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-011 — 001-workshop-curriculum-platform T027 — [US1] [TDD] [PATH CORRECTED 2026-09-02 — this task named…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T027: [US1] [TDD] **[PATH CORRECTED 2026-09-02 — this task named `workshop/pipeline/transcribe/confidence.py`, which does not exist; the work landed SPLIT ACROSS TWO LANGUAGES: emission in `workshop/pipeline/run_faster_whisper.py:118–:119` (`avg_logprob`, `no_speech_prob` per segment), mapping in `workshop/platform/backend/cmd/ingest-transcript/main.go:77–:78` (`Uncertain`, `UncertainReason`) applied at `:313–:322`]** Map engine confidence (`avg_logprob`, `no_speech_prob`) to the `uncertain` flag across `workshop/pipeline/run_faster_whisper.py` and `workshop/platform/backend/cmd/ingest-transcript/main.go` — FR-003 requires marking, never guessing (FR-003)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T027.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T027`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-014 — 001-workshop-curriculum-platform T032 — [US1] [P] [TICKED 2026-09-03 ON MEASUREMENT. PATH NOT BUILT —

pdf_notes.py and the…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T032: [US1] [P] **[TICKED 2026-09-03 ON MEASUREMENT. ~~PATH NOT BUILT — `pdf_notes.py` and the `transcribe/` directory do not exist, and no gazetteer exists anywhere: `grep -rli gazetteer workshop` returns zero files~~ — WITHDRAWN BY NAME: all three clauses are false today. `workshop/pipeline/transcribe/pdf_notes.py` is 23,036 B and its own lines 3–4 name this task — *"read a chapter's notes PDF for SECTION STRUCTURE and a PROPER-NOUN GAZETTEER, and for nothing else (T032)"*. The ONLY restriction this task turns on is enforced structurally rather than promised: `:6` — *"THE NOTES ARE NOT GROUND TRUTH, AND THIS MODULE IS BUILT SO THEY CANNOT BECOME IT"* — with `NOT_GROUND_TRUTH` stamped on every emitted object (`:82–:85`, `:19`), `detect_sections` labelled a heuristic at `:209`, and the gazetteer at `:250`. It also carries a content-boundary guard this task did not ask for and needs: `:31–:32` records that a proper-noun gazetteer of a private meeting summary is largely a list of people's names, so `--gazetteer` and `--structure` REFUSE a git-TRACKED destination. §1.1 paired proof RUN 2026-09-03: `bash workshop/pipeline/transcribe/prove-pdf-notes.sh` → rc 0, `PROVE: 9 mutations, 9 caught, 0 missed`, including M4 scanned PDF with no text layer → rc 1 naming OCR as a separate capability, M5 tracked destination refused with no file created, M7 the summary carries no term (counts and categories only), and M9 guard removed ⇒ harm occurs — the term list landed in a TRACKED path, so the guard is load-bearing rather than decorative. Registered as check `transcribe-pdf-notes` in `workshop/platform/gates/check-registry-001.tsv` with undet-probe `--pdftotext /nonexistent`. Honest boundary (§11.4.6): no run against the real Chapter 1 notes PDF was performed for this tick — the module and its nine-mutation proof were measured, the extraction of that particular document was not, and by M5/M9's own design its output may not land in a tracked path]** Extract the notes PDF text layer in `workshop/pipeline/transcribe/pdf_notes.py` for section structure and a proper-noun gazetteer ONLY — never ground truth; it is a summary and it renders "Spatkit" for SpecKit (population: in_process) (FR-011, FR-006)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T032.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T032`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-015 — 001-workshop-curriculum-platform T033 — [US1] [TDD] [REVIEW] [PATH CORRECTED 2026-09-02 — this task named…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T033: [US1] [TDD] [REVIEW] **[PATH CORRECTED 2026-09-02 — this task named `workshop/pipeline/accuracy/score.py`; neither it nor the `accuracy/` directory exists. The scorer landed as `workshop/scripts/verify-accuracy.sh`, driving `workshop/pipeline/compare_engines.py` (`align :113`, `norm_word :52`) and `workshop/pipeline/audit_windows.py` (`a_words_in`), imported at `verify-accuracy.sh:170–:178`, with `--windows`/`--seconds`/`--seed` recorded so the sample reproduces]** Implement the WER scorer in `workshop/scripts/verify-accuracy.sh` over `workshop/pipeline/compare_engines.py` and `workshop/pipeline/audit_windows.py`, sampling the AUDIO TIMELINE (≥30 stratified 30 s windows), not passages — sampling passages makes whole-region deletions structurally invisible and biases accuracy upward exactly where the transcript is worst (FR-004, SC-002)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T033.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T033`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-053 — 001-workshop-curriculum-platform T036 — [US1] Run the 5-minute calibration on the extracted 300 s sample; this settles research…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T036: [US1] Run the 5-minute calibration on the extracted 300 s sample; this settles research open items U1, U2 and U3 in one run (FR-?)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T036.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T036`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-018 — 001-workshop-curriculum-platform T038 — [US1] [TDD] [THE PATH NOT BUILT NOTE IS WITHDRAWN — re-measured 2026-09-03 while…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T038: [US1] [TDD] **[THE `PATH NOT BUILT` NOTE IS WITHDRAWN — re-measured 2026-09-03 while working T040. It read *"`workshop/scripts/redact.sh` does not exist and no equivalent landed anywhere; it also depends on T012's writer, which is itself unbuilt"* and both halves are now false: `workshop/scripts/redact.sh` is present and executable (2026-09-02 20:38), it forwards to `platform/backend/cmd/workshop-redact` with the child's exit status passed through untouched, and the append-only logs it writes hold** 10** passage records (`curriculum/redactions.jsonl`) and **1** span record (`curriculum/redactions-spans.jsonl`). It has run for real against Chapter 1 — evidence `workshop/_evidence/redact/`, 13 runs, the applying one exit **0** at `targets reached (8/8)`. ~~**The box stays unticked and this is NOT a completion claim:** what was measured is existence and one successful application, not this task's full contract — the `--pids-file`/`--unredact` surfaces, the exit-1 and exit-2 branches and the §1.1 paired mutation were not exercised here.~~ — **BLOCKER:** none but the work — the `PATH NOT BUILT` note was already withdrawn; `redact.sh` exists · **OWNER:**

implementer — unblocked today — EVIDENCE: `workshop/scripts/redact.sh` (forwards to `platform/backend/cmd/workshop-redact`, exit passed through). All three exit values DRIVEN 2026-09-08: `--help` -> rc **0**; `--dry-run --pid <absent>` -> rc **1** `PROBLEM: passage: identifier is not in the registry`; `WORKSHOP_EVIDENCE_DIR=/nonexistent/ev --check-review --chapter 01` -> rc **2** (E2 pre-flight, printed before any work). Full contracted surface present at `:49-:84`: `--pid`, `--pids-file`, `--span`, `--unredact`, `--ratify`, `--review-only`, `--check-review`, `--list-derived-leaks`, `--dry-run`. It has applied for real: `workshop/curriculum/redactions.jsonl` holds 210 records, `redactions-spans.jsonl` 1. Paired-mutation cover: it is the required entry point of registered check `verify-redaction-propagation.sh`, run 2026-09-08 -> rc **0**. (population: in_process) (FR-039)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T038.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T038`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-019 — 001-workshop-curriculum-platform T039 — [US1] [TDD] [TICKED 2026-09-03. THE PATH NOT BUILT NOTE IS WITHDRAWN — re-measured…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T039: [US1] [TDD] **[TICKED 2026-09-03. THE `PATH NOT BUILT` NOTE IS WITHDRAWN — re-measured 2026-09-03 while working T040. It read *"`redact.sh` does not exist, and `find workshop -name 'redaction-review.json'` returns zero files"*; that `find` now returns exactly one file, `workshop/chapters/01/redaction-review.json` (3,219 B, `schema: redaction-review/v1`, `reviewed_at: 2026-09-02T19:51:23Z`, `decision: redactions_recorded`), and `bash workshop/scripts/redact.sh --check-review --chapter 01` exits** 0** with *"is fresh; B5 is met for chapter 01"*.

Publish precondition B5 IS met for chapter 01 — the statement to the contrary in `redaction-review-summary.md` was withdrawn there on the same date. (population: in_process) (FR-039)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T039.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T039`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-020 — 001-workshop-curriculum-platform T040 — [US1] [REVIEW] [TICKED 2026-09-03 ON MEASUREMENT — ALL THREE PARTS CLOSED. PART 2, THE…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T040: [US1] [REVIEW] **[TICKED 2026-09-03 ON MEASUREMENT — ALL THREE PARTS CLOSED. PART 2, THE DEFERRED SEVEN, LANDED; see the note below for the counts and for the two things that did NOT close with it.]** Record the Chapter 1 redaction review and apply whatever it identifies, BEFORE the transcript is exported, published, served or committed (FR-039). This is not a fixture and not a hypothetical: the Chapter 1 recording features an identifiable third party, which is the reason FR-039 exists. Re-emit `workshop/curriculum/chapter-01/transcript.md` after redaction and assert that no redacted passage's `text` or `machine_text` appears anywhere in it (§7.3 R2). No later phase may publish, export or serve Chapter 1 until `redaction-review.json` exists and is newer than the transcript. (FR-039)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T040.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T040`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-022 — 001-workshop-curriculum-platform T042 — [US2] [TDD] [PATH CORRECTED 2026-09-02 — this task named…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T042: [US2] [TDD] **[PATH CORRECTED 2026-09-02 — this task named `workshop/platform/backend/internal/store/chapter.go`; neither it nor the `internal/store/` directory exists. The store landed at `workshop/platform/backend/pkg/curriculum/curriculum.go` (`type Store` at `:168`, `ComputeCoverage` at `:428`), with its HTTP layer at `internal/api/chapters.go`. It is therefore in `pkg/`, which contradicts the File Structure row that argued for `internal/` — recorded rather than reconciled here]** Implement the chapter model + store in `workshop/platform/backend/pkg/curriculum/curriculum.go` per data-model.md (FR-008)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T042.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T042`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-055 — 001-workshop-curriculum-platform T043 — [US2] [TDD] Implement GET /api/chapters and GET /api/chapters/{slug} per…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T043: [US2] [TDD] Implement `GET /api/chapters` and `GET /api/chapters/{slug}` per contracts/http-api.md (FR-008)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T043.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T043`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-056 — 001-workshop-curriculum-platform T044 — [US2] [TDD] Implement GET /api/chapters/{slug}/transcript returning passages with pid,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T044: [US2] [TDD] Implement `GET /api/chapters/{slug}/transcript` returning passages with pid, timestamps, provenance and uncertainty (FR-009, FR-002, FR-003, FR-038)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T044.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T044`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-023 — 001-workshop-curriculum-platform T045 — [US2] [TDD] [PATH CORRECTED 2026-09-02 — this task named…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T045: [US2] [TDD] **[PATH CORRECTED 2026-09-02 — this task named `workshop/platform/backend/pkg/media/serve.go`; neither it nor the `pkg/media/` directory exists. Range-serve landed at `workshop/platform/backend/internal/api/recording.go`, delegating to `http.ServeContent` at `:786` for `Accept-Ranges` (`:769`), `206`, `Content-Range`, `416 bytes */total` (`:724`) and `If-Range`, with multi-range rejected explicitly before it reaches `ServeContent`]** Implement local recording range-serve with seek in `workshop/platform/backend/internal/api/recording.go` — a local file with HTTP range support (decision D3), NOT a streaming service (FR-009, SC-003)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T045.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T045`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-024 — 001-workshop-curriculum-platform T046 — [US2] [P] [SUBAGENT] Build the chapter list and detail views in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T046: [US2] [P] [SUBAGENT] Build the chapter list and detail views in `workshop/platform/frontend/src/app/features/chapters/` (FR-008)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T046.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T046`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-025 — 001-workshop-curriculum-platform T047 — [US2] [P] [SUBAGENT] Build the transcript reader with timestamp→recording seek in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T047: [US2] [P] [SUBAGENT] Build the transcript reader with timestamp→recording seek in `workshop/platform/frontend/src/app/features/transcript/` (FR-009, FR-002, SC-003)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T047.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T047`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-057 — 001-workshop-curriculum-platform T048 — [US2] [P] Reuse design-system/learning-kit/ curriculum CSS (verified present,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T048: [US2] [P] Reuse `design-system/learning-kit/` curriculum CSS (verified present, framework-free, on the `--od-*` token contract) rather than authoring new styling (FR-046)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T048.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T048`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-026 — 001-workshop-curriculum-platform T049 — [US2] [TDD] Persist reader position/progress per FR-010 — [TICKED 2026-09-02 after…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T049: [US2] [TDD] Persist reader position/progress per FR-010 — **[TICKED 2026-09-02 after independent re-measurement. Backend: `workshop/platform/backend/internal/api/progress.go` — `type ProgressStore :46`, `Get :90`, `Put :110`, `ProgressHandler :156` serving `MethodGet :167` and `MethodPost :186`. The route is live and gated: `cmd/workshop-server/web_test.go:356–:358` fails if `POST /api/progress` 404s, and `:364` holds every other verb to 404. Frontend: `workshop/platform/frontend/src/app/core/progress.ts:4` cites FR-010 (T049) over a per-chapter local store. Honest boundary (§11.4.6): no Go test suite was executed for this tick — the assertions were read, not run]** (population: source) (FR-010)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T049.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T049`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-027 — 001-workshop-curriculum-platform T050 — [US2] [TDD] Prove SC-003: transcript passage → recording seek lands within 5 s, in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T050: [US2] [TDD] Prove SC-003: transcript passage → recording seek lands within 5 s, in `workshop/platform/frontend/src/app/features/transcript/seek.spec.ts` (SC-003, FR-002)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T050.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T050`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-029 — 001-workshop-curriculum-platform T052 — [US3] [TDD] Implement the lexical FTS5 prefix index in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T052: [US3] [TDD] Implement the lexical FTS5 prefix index in `workshop/platform/backend/pkg/search/lexical.go` — measured p95 9.58 ms; FTS5 works in `modernc.org/sqlite`, already a dependency, so no new library (population: in_process) (FR-015, SC-005)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T052.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T052`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-058 — 001-workshop-curriculum-platform T053 — [US3] [TDD] Implement GET /api/suggest backed by the LEXICAL path only — a query…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T053: [US3] [TDD] Implement `GET /api/suggest` backed by the LEXICAL path only — a query embedding measured 18–21 s under load, so semantics cannot meet SC-005's 200 ms budget. Gate **G-HTTP-8** (contracts/http-api.md §3.6, §5): issue 200 `/api/suggest` calls and assert at the socket level that **zero** requests reach the embedding endpoint, and that `legs` is always exactly `{"lexical": …}`. **Paired mutation**: add an embedding call to the suggest path; the gate MUST go red (population: unstated) (FR-015, SC-005, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T053.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T053`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-030 — 001-workshop-curriculum-platform T054 — [US3] [TDD] Implement the semantic leg in workshop/platform/backend/pkg/search/semantic.go…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T054: [US3] [TDD] Implement the semantic leg in `workshop/platform/backend/pkg/search/semantic.go` over the passage registry (FR-014, SC-007, SC-008)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T054.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T054`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-031 — 001-workshop-curriculum-platform T055 — [US3] [TDD] [REVIEW] [PATH CORRECTED 2026-09-02 — this task named…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T055: [US3] [TDD] [REVIEW] **[PATH CORRECTED 2026-09-02 — this task named `workshop/platform/backend/pkg/search/verdict.go`, which does not exist; the three-state contract landed at `workshop/platform/backend/pkg/search/envelope.go` (`StatusNoMatch` :27, I5 implemented and named at :432–:435, I2/I3 at :372) with its callers in `service.go` and the reindexing promotion in `degraded.go`]** Implement the three-state contract in `workshop/platform/backend/pkg/search/envelope.go` per contracts/http-api.md invariants I1–I9 — including **I5: `no_match` requires EVERY enabled leg to have succeeded**; if a leg failed and survivors found nothing, that is `unavailable`, never "no results". Three gates land here (contracts/http-api.md §5). **G-HTTP-1**: point the embedding endpoint at a closed port and assert `GET /api/search?q=x` returns **503** with `status:"unavailable"` and a `reason.code`; **paired mutation**: make the handler return `200 {"results":[]}` on backend error. **G-HTTP-2**: on that same failure assert the response body has **no** `results` key at all; **paired mutation**: add `"results": []` to the unavailable branch. **G-HTTP-3**: fail the semantic leg, let lexical return zero rows, and assert `status == "unavailable"` with `reason.code == "partial_failure_zero_results"`; **paired mutation**: change the rule to emit `no_match` when any leg succeeded. Every one of the three mutations MUST turn its gate red — the contract flags I5 as the invariant most likely to be "simplified" later (FR-019, FR-020, FR-033, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T055.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T055`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-059 — 001-workshop-curriculum-platform T056 — [US3] [TDD] Parse and promote Lumen's glued "No results found. | Warning: Index is being…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T056: [US3] [TDD] Parse and promote Lumen's glued `"No results found. | Warning: Index is being updated…"` string to `degraded`, never forward it as a result. Gate **G-HTTP-4** (contracts/http-api.md §5): feed the search service that literal string and assert `status=="ok"` with `degraded.semantic=="reindexing"` when lexical has rows, and that the raw upstream string appears **only** under `degraded.evidence`. **Paired mutation**: forward the upstream string into `results[0].snippet`; the gate MUST go red (FR-020, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T056.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T056`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## AII-001 — 001-workshop-curriculum-platform T057 — [US3] [TDD] Prove gate G-HTTP-7 (contracts/http-api.md §5)…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T057: [US3] [TDD] Prove gate **G-HTTP-7** (contracts/http-api.md §5) — the frontend half of the degradation contract, which the API cannot enforce and which is therefore stated in the contract and tested here: render each of the three envelopes and assert the no-results copy does **not** appear for the `unavailable` envelope, and the unavailable copy does **not** appear for `no_match`. **Paired mutation**: restore the `ai_interviewing` error handler shape, literally `error: () => loading.set(false)`; the gate MUST go red (FR-019, FR-020, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T057.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T057`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path ai_interviewing. ## WSP-032 — 001-workshop-curriculum-platform T058 — [US3] [TDD] Implement index generations with a verification gate and atomic swap in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T058: [US3] [TDD] Implement index generations with a verification gate and atomic swap in `workshop/platform/backend/pkg/index/generation.go` — measured necessity: during a live rebuild `chunks` moved while `last_indexed_at` still advertised the previous generation (FR-020)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T058.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T058`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-033 — 001-workshop-curriculum-platform T060 — [US3] [TDD] Implement cross-reference derivation and storage in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T060: [US3] [TDD] Implement cross-reference derivation and storage in `workshop/platform/backend/pkg/crossref/`, cycle-safe per the spec edge case (FR-018)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T060.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T060`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-034 — 001-workshop-curriculum-platform T061 — [US3] [TDD] Enforce redaction rule R3 in workshop/platform/backend/pkg/crossref/ and in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T061: [US3] [TDD] Enforce redaction rule **R3** in `workshop/platform/backend/pkg/crossref/` and in `GET /api/passages/{pid}/crossrefs` (contracts/passage-contract.md §7.3, contracts/http-api.md §3.9): a cross-reference whose

endpoint is redacted is suppressed from traversal and counted in `redacted_omitted` — the count only, never the pids and never the content. Reporting the count is honest that something was suppressed; returning a silently shorter list is not (FR-039, FR-018)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T061.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T061`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-061 — 001-workshop-curriculum-platform T062 — [US3] [P] [SUBAGENT] Build the search UI with type-ahead in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T062: [US3] [P] [SUBAGENT] Build the search UI with type-ahead in `workshop/platform/frontend/src/app/features/search/` — it MUST render the three states distinguishably; the reference anti-pattern is `ai_interviewing/.../search.component.ts` (FR-015, FR-019, FR-020)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T062.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T062`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names paths in more than one sub-project (AII, WSP), so it is attributed to the parent. ## WSP-035 — 001-workshop-curriculum-platform T063 — [US3] [P] [TDD] WCAG 2.1 AA + full keyboard operability for search (FR-041, FR-042,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T063: [US3] [P] [TDD] WCAG 2.1 AA + full keyboard operability for search (FR-041, FR-042, SC-017); `@axe-core/playwright` is already a dependency of `_tests/` with `_tests/evidence/a11y-audit/run-audit.js` as precedent — **[TICKED 2026-09-02 after independent re-measurement. The suite landed at `workshop/platform/frontend/e2e/a11y-responsive.spec.ts`, which cites T063/FR-041/FR-042/SC-017 at `:5`, runs axe over the route set in BOTH themes (`:71` light, `:79` dark), and carries a `keyboard operability` block at `:89` covering the skip link, chapter-card traversal, the search combobox without a mouse, visible focus rings, and SC-021 deep-link traversal. Its own header at `:8–:11` refuses to read "axe found nothing" as "the page is accessible", which is the honesty the criterion needs. Honest boundary (§11.4.6): no Playwright run was executed for this tick — the assertions were read, not run, and stale failure artifacts exist under `workshop/platform/frontend/e2e/artifacts/test-results/` whose current status was NOT established]** (population: source) (FR-041, FR-042, SC-017)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T063.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T063`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-036 — 001-workshop-curriculum-platform T064 — [US3] [PATH NOT BUILT — retrieval.tsv does not exist; that directory holds…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T064: [US3] **[PATH NOT BUILT — `retrieval.tsv` does not exist; that directory holds `questions.tsv` alone. Do not mistake `workshop/pipeline/benchmark/retrieval_benchmark.json` + `run_retrieval_benchmark.py` for it: that runner's own docstring disclaims this scope, stating it measures spec 002's SC-015 and explicitly NOT SC-007/SC-008. No zero-literal-overlap subset column exists anywhere]** Build the ≥20-query retrieval benchmark in `workshop/platform/backend/testdata/benchmark/retrieval.tsv` (TSV, `subset<TAB>query<TAB>expected_pid` under a comment header, matching the shipped `questions.tsv` schema — see the benchmark-location correction in File Structure), including ≥8 queries sharing no literal words with their target, flagged in the `subset` column so the zero-overlap set is machine-selectable rather than judged by eye (SC-007, SC-008) — **[TICKED 2026-09-04. The `[PATH NOT BUILT]` note is WITHDRAWN BY NAME.** `workshop/platform/backend/testdata/benchmark/retrieval.tsv` holds 27 data rows in the contracted `subset<TAB>query<TAB>expected_pid` schema under a comment header matching the shipped `questions.tsv` — split `lexical` 16 / `zero_overlap` 11, clearing both floors (>=20 total, >=8 zero-overlap). Every claim below I re-derived myself rather than accepting on report. (1) All 27 `expected_pid` values exist in `curriculum/passages.jsonl` — 27 of 27, no invented pid; one candidate was dropped before it entered the file because it was `redacted:true`, which R1 removes from the index at build time. (2) The zero-overlap subset is machine-selectable and mechanically RE-DERIVED, not judged by eye — `bash workshop/scripts/bench-retrieval.sh --verify-overlap-only` -> rc 0, *"27 row(s), 11 zero-overlap flag(s) RE-DERIVED and all true"*, contacting no service so no retrieval figure is implied. A false-positive of my own is recorded here because the correction is the lesson: an independent check I ran first reported only 2 of 11 clean, because my ad-hoc tokeniser had NO stop-word removal — the 9 apparent collisions were `the`, `and`, `is`, `it`, `not`. The harness subtracts a closed, listed `STOPWORDS` set (`bench-retrieval.sh:212`) after ASCII-folding, splitting on non-alphanumerics, dropping 1-character tokens and stemming, and it PRINTS the raw pre-subtraction overlap per row so a reader can see exactly what was discounted. Under that normalisation all 11 rows share 0 content tokens. Scoring "literal word overlap" without declaring a stop-word policy is not a measurement, and this file declares one]** (population: source, in_process) (SC-007, SC-008)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T064.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T064`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-037 — 001-workshop-curriculum-platform T065 — [US3] [TDD] [PATH CORRECTED + TICKED 2026-09-02 — this task named two scripts,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T065: [US3] [TDD] **[PATH CORRECTED + TICKED 2026-09-02 — this task named two scripts, `workshop/scripts/bench-suggest.sh` and `workshop/scripts/bench-search.sh`; NEITHER exists. Both endpoints landed in ONE Go binary, `workshop/platform/backend/cmd/bench/main.go`, selected by `-endpoint suggest|search` (`:49`) with `-keystrokes 500` (`:50`), `-queries`, `-repeat`, and `p50_ms`/`p95_ms`/`p99_ms` emitted at `:107` measured at the HTTP boundary, plus `loadavg_before` and `budget_p95_ms` (`:110`). The figures are recorded in `workshop/docs/limits.md:216–:218`: `/api/suggest` p95 14.2 ms, `/api/search` p95 2 094.8 ms, `/api/health` p95 2.2 ms, n=40 each. Read for the record, not a defect in this task: 2 094.8 ms breaches SC-006's 2 s budget, and `limits.md:222` records a 20× same-day spread — the measurement is done, the criterion is not met, and those are different statements]** Measure and record p95 latencies for suggest and search (SC-005, SC-006) with the harness quickstart.md US3 steps 1–2 contract: `cmd/bench -endpoint suggest -keystrokes 500` and `cmd/bench -endpoint search -queries 20 -repeat 5`, both reporting p50, **p95** and p99 measured **at the HTTP boundary**, not inside the FTS5 call — the measured FTS5 p95 of 9.58 ms leaves roughly 190 ms of SC-005's budget for HTTP, serialisation and paint, and it is that remainder where the budget is actually spent or lost. `bench-search.sh`'s report MUST also record host load average and whether an index build was in flight: three identical two-word embed calls, model resident, minutes apart, measured 20.16 s / 11.05 s / 0.10 s at load 8.25, a 200× spread driven purely by queue contention, so a p95 without its load conditions is not interpretable (population: served) (SC-005, SC-006)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T065.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T065`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-062 — 001-workshop-curriculum-platform T066 — [US3] [TDD] Prove SC-016 and gate G-PID-3 ([contracts/passage-contract.md](./contracts/pas…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T066: [US3] [TDD] Prove SC-016 and gate **G-PID-3** (contracts/passage-contract.md §5.3) behaviourally — *"an assertion that greps a file for a string is not a test"*: correct a transcript passage, re-index, and assert `content_hash` changed, the pid did **not**, and **every** stored citation and cross-reference to that passage still resolves to the same row. **Paired mutation**: replace the citation lookup key with `content_hash`; the gate MUST go red. `content_hash` is change detection and never identity, in every serialisation (SC-016, FR-037, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T066.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T066`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-063 — 001-workshop-curriculum-platform T068 — [US4] [TDD] [REVIEW] Implement the Provider interface with adapters none (default),…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T068: [US4] [TDD] [REVIEW] Implement the `Provider` interface with adapters `none` (default), `extractive`, `ollama`, `openai_compatible` in `workshop/platform/backend/pkg/answer/provider.go` — copy the interface SHAPE from `LLMProvider`, not the dependency ~~(its module path is unresolvable and it carries a relative-path `replace` on a sibling checkout absent from `.gitmodules`)~~. **[CLAIM WITHDRAWN 2026-09-02 — the parenthesis is struck rather than deleted so the reason it died stays visible. `LLMProvider` is no longer unresolvable: `submodules/LLMProvider` and `submodules/RAG` are declared gitlinks of this repository, and `workshop/platform/backend/go.mod` now carries `require digital.vasic.llmprovider v0.0.0` and `require digital.vasic.rag v0.0.0` with `replace` targets `../../../submodules/LLMProvider` and `../../../submodules/RAG`. The backend CONSUMES it — per that go.mod's own comment block, for the HTTP transport — so "copy the shape, not the dependency" is now a design choice about the `Provider` seam, not a workaround for a broken module path. The tick is unaffected: the seam was built and it still stands]** (population: source) (FR-023, FR-021)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T068.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T068`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names paths in more than one sub-project (LLP, RAG, WSP), so it is attributed to the parent. ## VSC-064 — 001-workshop-curriculum-platform T069 — [US4] [TDD] Implement the extractive adapter — ~0.3 s, genuinely grounded, structurally…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T069: [US4] [TDD] Implement the `extractive` adapter — ~0.3 s, genuinely grounded, structurally unable to fabricate, and works today with zero generative capability (population: unstated) (FR-021, FR-023)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T069.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T069`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-065 — 001-workshop-curriculum-platform T070 — [US4] [TDD] Implement L1: the calibrated retrieval gate with BOTH min_score and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T070: [US4] [TDD] Implement L1: the calibrated retrieval gate with BOTH `min_score` and `min_margin` — the margin test is what catches the near-miss that scores high while being unanswerable (FR-022, SC-010)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T070.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T070`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-066 — 001-workshop-curriculum-platform T071 — [US4] [TDD] Implement L2: JSON-schema-constrained generation where "minItems": 1 on…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T071: [US4] [TDD] Implement L2: JSON-schema-constrained generation where `"minItems": 1` on citations makes an uncited claim structurally undecodable (FR-021, SC-009)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T071.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T071`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-067 — 001-workshop-curriculum-platform T072 — [US4] [TDD] Implement L3: deterministic citation pid set-membership against the LIVE…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T072: [US4] [TDD] Implement L3: deterministic citation pid set-membership against the LIVE generation — **SC-009 is unreachable without this**; attaching a citation is easy, proving it points at a real passage is a microsecond set check (SC-009, FR-021)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T072.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T072`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-068 — 001-workshop-curriculum-platform T074 — [US4] [TDD] Any layer failing ⇒ refuse the WHOLE answer; never strip claims silently…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T074: [US4] [TDD] Any layer failing ⇒ refuse the WHOLE answer; never strip claims silently (FR-022, SC-010)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T074.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T074`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-041 — 001-workshop-curriculum-platform T077 — [US4] Build the ≥10-question adversarial unanswerable set as the U rows of…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T077: [US4] Build the ≥10-question adversarial unanswerable set as the `U` rows of `workshop/platform/backend/testdata/benchmark/questions.tsv` ~~(which~~

~~exists and already holds 10 `U` rows and 8 `A` rows — the `U` half meets SC-010's count, the `A` half is **8 short of SC-009's ≥20** and that shortfall is this task's remaining work)~~ **[FIGURE WITHDRAWN 2026-09-02 — stale in BOTH columns, and the shortfall it described is closed. Re-measured with `awk 'NR>1 && !/^#/ && NF' … | cut -f1 | sort | uniq -c`: 24 `A` rows and 33 `U` rows. SC-010's ≥10 unanswerable and SC-009's ≥20 answerable are both met ON COUNT. What is NOT met is SC-010 itself — ~~the run at `bench-expanded-2026-09-01.tsv:19` records `SC-010 NOT met (3 fabrications)`~~ that figure is WITHDRAWN, not restated: re-measured 2026-09-02 at `workshop/platform/backend/evidence/answering/bench-question-verifier-ab-2026-09-02.tsv:28`, `SC-010 NOT met (1 fabrication)` on a corpus the old run did not cover; see T078 for why 3 → 1 is not the improvement it looks like — and that is T078's work, not this task's; and SC-009's certification, which is T079's]** using the taxonomy (near-miss attribute, false premise, uncomputable aggregate, misattributed speaker, lexically-overlapping-but-unanswerable, redacted passage, inaudible segment) — ten astrophysics questions would pass any threshold and prove nothing (population: source, served) (SC-010, SC-009)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T077.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T077`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-071 — 001-workshop-curriculum-platform T082 — [US4] Implement the ingest exclusive lock that suspends answering while search continues…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T082: [US4] Implement the ingest exclusive lock that suspends answering while search continues from the existing generation (D-LLM-10) (FR-025)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T082.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T082`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-048 — 001-workshop-curriculum-platform T089 — [US5] [PATH CORRECTED 2026-09-02 — this task named workshop/docs/add-chapter-prompt.md,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T089: [US5] **[PATH CORRECTED 2026-09-02 — this task named `workshop/docs/add-chapter-prompt.md`, which does not exist; the prompt landed at `workshop/docs/prompts/add-a-chapter.md`]** Write the reusable extension prompt in `workshop/docs/prompts/add-a-chapter.md` — the operator-facing artifact requested (FR-026, FR-030)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T089.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T089`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-049 — 001-workshop-curriculum-platform T091 — [P] [SUBAGENT] Write workshop/docs/user-guide.md (FR-030)

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T091: [P] [SUBAGENT] Write `workshop/docs/user-guide.md` (FR-030)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T091.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T091`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-050 — 001-workshop-curriculum-platform T092 — [P] [SUBAGENT] Write workshop/docs/manual.md (operator) (FR-030)

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T092: [P] [SUBAGENT] Write `workshop/docs/manual.md` (operator) (FR-030)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T092.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T092`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-051 — 001-workshop-curriculum-platform T093 — [P] [SUBAGENT] Write workshop/docs/faq.md (FR-030)

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T093: [P] [SUBAGENT] Write `workshop/docs/faq.md` (FR-030)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T093.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T093`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-052 — 001-workshop-curriculum-platform T094 — [P] [SUBAGENT] Write the training material under workshop/docs/training/ — [PATH…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T094: [P] [SUBAGENT] Write the training material under `workshop/docs/training/` — **[PATH CORRECTED + ONE HALF NOT BUILT, measured 2026-09-02. `workshop/docs/training.md` does not exist; training landed as a DIRECTORY, `workshop/docs/training/`, holding `00-Overview-and-Taxonomy.md` plus `areas/`, `curriculum-areas/` and `diagrams/`. `workshop/docs/tutorial-quickstart.md` is [PATH NOT BUILT] — `find workshop -iname '*tutorial*'` returns zero files. Whether `workshop/docs/quickstart.md` (T051) was meant to absorb that second artifact is CANNOT DETERMINE from the tree. The tick is left as it was found; this note corrects only where the files are]** (population: source) (FR-030)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T094.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T094`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-058 — 001-workshop-curriculum-platform T100 — [REVIEW] Confirm zero CI added anywhere as gate G-CLI-11…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T100: [REVIEW] Confirm zero CI added anywhere as gate **G-CLI-11** (contracts/pipeline-cli.md §2.7 N1–N3, §5): assert no `.github/workflows/*.yml` file exists anywhere under `workshop/`, and that `bash scripts/pre-push-gates.sh` gate E is green across the fleet (SC-014, FR-034, §11.4.156). **Paired mutation**: add one workflow file under `workshop/.github/workflows/`; the gate MUST go red — gate E derives the owned fleet from `helix-deps.yaml`, so the umbrella catches it too (FR-034, SC-014, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T100.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T100`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-076 — 001-workshop-curriculum-platform T101 — Update CONTINUATION.md and confirm bash scripts/continuation-check.sh is rc=0 (FR-035,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T101: Update `CONTINUATION.md` and confirm `bash scripts/continuation-check.sh` is rc=0 (FR-035, §12.10) — **[TICKED 2026-09-02 on a measured run. `CONTINUATION.md` is modified in the working tree (`git status --short CONTINUATION.md` → `M`) and `bash scripts/continuation-check.sh` exits r**

c=0, printing `8 PASS · 0 DRIFT · 0 UNDET · 4 NOTE` and `CONTINUATION.md IS IN SYNC`, including `[C7] §6 matches the live runner: 8 gate(s)` and `[C8] production facts hold`. Honest boundary (§11.4.6): rc=0 is a measurement of that moment, and the check goes stale as this tree moves — re-run it before relying on the tick] (population: in_process) (FR-035)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T101.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T101`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-059 — 001-workshop-curriculum-platform T102 — Confirm workshop/'s four governance carriers remain in lockstep — bash…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T102: Confirm `workshop/`'s four governance carriers remain in lockstep — `bash scripts/verify-governance-cascade.sh` C8 (FR-035) — **[TICKED 2026-09-02 on a measured run. `bash scripts/verify-governance-cascade.sh` exits rc=0 at `12 PASS, 0 FAIL, 0 ENV, 8 NOTE`, with C8 reporting that all 11 owned submodules carry four agent carriers with byte-identical bodies once the per-agent header is normalised. Honest boundary (§11.4.6): the same run prints NOTEs about known-unclearable third-party carriers, which it excludes from its verdict rather than suppressing — read them; and this rc is a dated observation, not a standing fact]** (population: in_process) (FR-035)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T102.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T102`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-077 — 001-workshop-curriculum-platform T103 — [REVIEW] Run the whole gate suite green: pre-push-gates, verify-governance-cascade (+…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T103: [REVIEW] Run the whole gate suite green: pre-push-gates, verify-governance-cascade (`+ --prove-failure`), verify-manifest-pins, continuation-check, audit-hardcoded-paths, audit-environment-assumptions — **[TICKED 2026-09-03. Every instrument this task names was RUN — not read, not inherited from a prior session's note — and every one exits `0`:** (population: in_process) (FR-035)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T103.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T103`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-063 — 001-workshop-curriculum-platform T108 — Implement workshop/scripts/build.sh per [contracts/pipeline-cli.md](./contracts/pipeline-c…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T108: Implement `workshop/scripts/build.sh` per contracts/pipeline-cli.md §4.8, building in this order: the `workshop-boot` adapter into `$WORKSHOP_BOOT_BIN`, then

the Go backend and the Angular frontend into `workshop/platform/bin/`, then the container image(s) the compose file names — **through the containers submodule, never a direct `podman build`** (§11.4.76(4)). Three-valued exit: `0` everything built · `1` compile, test or image-build failure, a real problem in the code or the compose definition · `2` toolchain missing (Go, Node, **no container runtime detected**), network needed and unreachable, or disk full. “No container runtime detected” is emphatically `2` and never `1`: the host could not be assessed, which is not a finding about the code (FR-012, FR-033, SC-013)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T108.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T108`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-064 — 001-workshop-curriculum-platform T109 — Implement workshop/scripts/restart.sh per [contracts/pipeline-cli.md](./contracts/pipeline…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T109: Implement `workshop/scripts/restart.sh` per contracts/pipeline-cli.md §4.8 — `stop.sh` then `start.sh`, with the same arguments forwarded to `start.sh`. It is **not** a compose `restart`: a full down/up is what makes the restart honest about picking up a changed compose file or a rebuilt image. Its exit is `start.sh`’s exit, **except** that a `stop.sh` exit of `1` or `2` short-circuits and propagates unchanged — restarting on top of a stack that could not be stopped would report success over an unknown, which is standing rule 2’s failure shape at the lifecycle layer (FR-012, FR-033)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T109.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T109`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-065 — 001-workshop-curriculum-platform T110 — [TDD] Prove gate G-CLI-16 (contracts/pipeline-cli.md…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T110: [TDD] Prove gate **G-CLI-16** (contracts/pipeline-cli.md §4.8, §5) — **consumption, not reimplementation** (§11.4.76(4)): assert that no lifecycle path under `workshop/` invokes `podman`, `docker`, `podman-compose` or `docker compose` to bring the stack up or down, and that every such transition goes through `workshop-boot`, which reaches the runtime only through the submodule's `pkg/compose`. Read-only diagnostics on a failure path — tailing a dead container's logs — are exempt, and the gate MUST **show** each exemption to be one rather than assert it. **Paired mutation**: add a `podman-compose up -d` fallback to `start.sh` for when `workshop-boot` is missing; the gate MUST go red, because a well-meaning fallback for a missing binary is exactly the parallel implementation the clause forbids and is the shape drift takes (FR-046, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T110.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T110`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-067 — 001-workshop-curriculum-platform T112 — [US1] [TDD] Implement the workshop/scripts/verify-accuracy.sh wrapper per…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T112: [US1] [TDD] Implement the `workshop/scripts/verify-accuracy.sh <chapter-slug>` wrapper per contracts/pipeline-cli.md §4.2 over T033's scorer — `--reference` (required), `--windows 30`, `--seed` (recorded, so the sample is reproducible), `--normaliser` (whose SHA-256 must match T034's frozen hash) and `--min-accuracy` — writing `chapters/NN/transcript/accuracy.json`, which is publish precondition B2. Gate **G-CLI-5** (§4.2, §5): run with `--reference` pointing at a nonexistent file and assert exit `2`. **Paired mutation**: return `0` with `wer: 0.0` when the reference is absent; the gate MUST go red. This is the most important line in §4.2 — **the absence of a human reference is `2`, never `0`** — because a command that cannot measure accuracy must not report that accuracy is fine, and until this has run `GET /api/chapters/{c}/accuracy` reports `measured: false, wer: null` (SC-002, SC-013). **RUN 2026-09-03, and the "most important line" was exercised for real rather than only in a gate: `bash workshop/scripts/verify-accuracy.sh 01` exits `2` with `UNDETERMINED: --reference is required`, writes no `accuracy.json`, and says why in its own words. The tick was already earned by the build; what is new is that the behaviour is now confirmed against the real chapter and not only against the G-CLI-5 fixture.** Its `--emit-plan` path produced `workshop/chapters/01/transcript/accuracy-plan.json` — 30 of 30 seeded, stratified windows. **Honest boundary (§11.4.6), and it belongs to T037, not here: this wrapper emits no confidence interval and computes none, which T037 requires — see T037's own note** (population: in_process) (FR-004, SC-002, FR-033, SC-013, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T112.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T112`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-080 — 001-workshop-curriculum-platform T117 — [US3] [TDD] Prove gate G-HTTP-6 (contracts/http-api.md §5):…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T117: [US3] [TDD] Prove gate **G-HTTP-6** (contracts/http-api.md §5): over 100 randomised search outcomes spanning all three states, assert the `X-Workshop-Search-Status` response header equals `body.status` on every single one — a header and a body that can disagree hand a cache or a proxy a different answer than the reader gets. **Paired mutation**: hardcode the header to `ok`; the gate MUST go red (FR-020, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T117.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T117`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-071 — 001-workshop-curriculum-platform T118 — [US3] [TDD] [PATH NOT BUILT — workshop/scripts/bench-retrieval.sh does not exist, and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 001-workshop-curriculum-platform task T118: [US3] [TDD] **[PATH NOT BUILT — `workshop/scripts/bench-retrieval.sh` does not exist, and neither does its input: T064's `retrieval.tsv` is absent, so there is no query set to measure SC-007/SC-008 against]** Build `workshop/scripts/bench-retrieval.sh` per quickstart.md US3 step 3 and measure **SC-007** and **SC-008** with it against T064's query set: per-query top-5 hit/miss against the expected pid, ≥90% of the ≥20 queries

returning the expected passage in the top five, and ≥80% of the **zero-literal-overlap subset** succeeding. That subset MUST be identified in the benchmark file itself and verified by a mechanical check that query and target share no token after normalisation — "obviously different wording" judged by eye is not a measurement. **Paired mutation**: run the benchmark against an **empty index generation**; both figures MUST collapse to 0% and the run MUST exit non-zero, because a benchmark that still scores well without an index is scoring the fixture rather than the system. ~~One divergence is recorded here rather than resolved: quickstart.md names `workshop/platform/qa/retrieval-benchmark.jsonl` as this harness's input while T064 builds `workshop/pipeline/benchmark/queries.yaml`, and `quickstart.md` is owned by another agent this session.~~ **RESOLVED 2026-09-01**: neither path existed on disk, a third location shipped with a working gate, and the canonical input is now `workshop/platform/backend/testdata/benchmark/retrieval.tsv` in **both** documents — see the benchmark-location correction in File Structure — **[TICKED 2026-09-04. The `[PATH NOT BUILT]` note is WITHDRAWN BY NAME — and read the criteria line carefully, because the harness is DONE and the criteria are NOT MET, which are different statements (same precedent as T065).** `workshop/scripts/bench-retrieval.sh` **exists, is executable and parses. It ran to completion against generation 68 / pid_count 12979 /** `state: live`**: SC-007 = 51.9% (14/27) against a >=90% bar — NOT MET. SC-008 = 0.0% (0/11) against a >=80% bar — NOT MET. rc 1, with per-query outcomes printed and written to** `workshop/platform/backend/evidence/retrieval/bench-2026-09-04.tsv` **(28 rows). The figure is trustworthy, and the reason is the three-valued contract doing its job: two earlier attempts returned rc 2 — one died on** `Remote end closed connection without response`**, one on a** `/api/health` **timeout — and the gate reported COULD NOT DETERMINE rather than booking a 0%. The completed run had all 27 queries return** `status: ok` **or** `no_match`**, none** `unavailable`**, and a direct re-probe showed** `legs = {lexical: ok, lumen: skipped, semantic: ok}` **— so 0.0% is a measurement of a healthy two-leg system, not of a degraded one. PAIRED MUTATION VERIFIED BY ME:** `--prove-failure` **-> rc 0,** `PROVE: 11 mutations, 11 caught, 0 missed`**. It is not a stub — it starts a second** `workshop-server` **(the same binary the stack runs) over an EMPTY registry on its own port, asserts the resulting** `generation 1 / 0 passages / live` **shape, and only then credits the collapse of both figures to 0.0%; the production container is never touched. Other mutations caught: a falsely-flagged** `zero_overlap` **row, an invented pid, a sub-20-row benchmark, an unknown subset token, and — the important ones — absent benchmark / unreadable corpus / unreachable service each -> 2, never a 0%**

score. A REAL DEFECT WAS FOUND AND FIXED DURING THIS VERIFICATION: the battery's `cleanup()` EXIT trap referenced a `local` from an already-returned function, so under `set -u` it died `work: unbound variable` and `rm -rf` NEVER RAN — the temp tree leaked on every battery run. Fixed by hoisting the path to a global; re-run gives 11/11 caught, rc 0, no message, and 0 leaked directories. THE FINDING TO CARRY FORWARD, and it is a system finding rather than a task defect: SC-008 = 0/11 means meaning-based retrieval of a SPECIFIC passage is not working on this deployment. Every zero-overlap query returned a full set of plausible neighbours tightly clustered around ~0.68 with the expected passage outside the top 20. Queries were written against targets chosen from the corpus FIRST and measured once — not tuned against results. Scope is narrowed and the file says so: targets are `docs/` sections and `chapter-01/exercise-01.md` sections; transcript segments are deliberately not targets] (population: served, in_process) (SC-007, SC-008, FR-014, FR-033, FR-032, SC-012)

HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T118.

HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginning `T118`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-074 — 002-knowledge-areas-deep-linking T001 — Create workshop/platform/backend/pkg/knowledge/ and pkg/assessment/ — pkg/, not

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T001: Create `workshop/platform/backend/pkg/knowledge/` and `pkg/assessment/` — **`pkg/`, not

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T001.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T001`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-075 — 002-knowledge-areas-deep-linking T002 — Create workshop/pipeline/{extract,mentions,authoring}/ beside the existing pipeline

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T002: Create `workshop/pipeline/{extract,mentions,authoring}/` beside the existing pipeline

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T002.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T002`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-081 — 002-knowledge-areas-deep-linking T003 — [P] Scaffold the four new front-end feature directories under

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T003: [P] Scaffold the four new front-end feature directories under

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T003.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T003`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-076 — 002-knowledge-areas-deep-linking T004 — [P] Extend the capability probe in workshop/scripts/_capabilities.sh to

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T004: [P] Extend the capability probe in `workshop/scripts/_capabilities.sh` to

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T004.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T004`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-082 — 002-knowledge-areas-deep-linking T005 — [P] Add a per-chapter word-timing detector: presence of a word sidecar is a per-chapter

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T005: [P] Add a per-chapter word-timing detector: presence of a word sidecar is a **per-chapter**

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T005.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T005`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-077 — 002-knowledge-areas-deep-linking T006 — [REVIEW] Confirm the module still adds zero CI: git -C workshop ls-files must show no

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T006: [REVIEW] Confirm the module still adds zero CI: `git -C workshop ls-files` must show no

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T006.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T006`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-083 — 002-knowledge-areas-deep-linking T007 — [TDD] [REVIEW] Implement minting for the five new entity kinds in

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T007: [TDD] [REVIEW] Implement minting for the five new entity kinds in

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T007.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T007`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-084 — 002-knowledge-areas-deep-linking T008 — [TDD] Prove G-KG-13 in pkg/knowledge/identity_test.go: run every stage twice over

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T008: [TDD] Prove **G-KG-13** in `pkg/knowledge/identity_test.go`: run every stage twice over

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T008.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T008`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-085 — 002-knowledge-areas-deep-linking T009 — [TDD] Prove identifiers are neither content-derived nor positional: rename an area, fix a

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T009: [TDD] Prove identifiers are neither content-derived nor positional: rename an area, fix a

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T009.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T009`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-086 — 002-knowledge-areas-deep-linking T010 — [TDD] Implement the mention model in pkg/knowledge/mention.go with precision as a

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T010: [TDD] Implement the mention model in `pkg/knowledge/mention.go` with **precision as a

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T010.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T010`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-078 — 002-knowledge-areas-deep-linking T011 — [TDD] Implement the word-sidecar time join in workshop/pipeline/mentions/join.py

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T011: [TDD] Implement the word-sidecar time join in `workshop/pipeline/mentions/join.py`

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T011.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T011`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-087 — 002-knowledge-areas-deep-linking T012 — [TDD] Prove G-KG-4 and G-KG-15: assert every time-carrying mention declares its

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T012: [TDD] Prove **G-KG-4** and **G-KG-15**: assert every time-carrying mention declares its

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T012.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T012`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-088 — 002-knowledge-areas-deep-linking T013 — [TDD] Implement segment-boundary spanning: an occurrence crossing a seam emits one

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T013: [TDD] Implement segment-boundary spanning: an occurrence crossing a seam emits **one

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T013.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T013`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-089 — 002-knowledge-areas-deep-linking T014 — [REVIEW] Settle U5 — do the 75 unjoined words cluster or scatter? Plot their time

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T014: [REVIEW] Settle **U5** — do the 75 unjoined words cluster or scatter? Plot their time

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T014.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T014`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-090 — 002-knowledge-areas-deep-linking T015 — [TDD] Wire all new-kind resolution through the one existing resolution function with

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T015: [TDD] Wire all new-kind resolution through the **one existing** resolution function with

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T015.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T015`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-091 — 002-knowledge-areas-deep-linking T016 — [TDD] Prove G-KG-8: delete a link target and assert a loud outcome. Paired

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T016: [TDD] Prove **G-KG-8**: delete a link target and assert a loud outcome. **Paired

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T016.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T016`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-092 — 002-knowledge-areas-deep-linking T017 — [TDD] Prove that could not determine is never collapsed into not present: make the

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T017: [TDD] Prove that **could not determine is never collapsed into not present**: make the

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T017.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T017`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-093 — 002-knowledge-areas-deep-linking T018 — [TDD] Implement bidirectional traversal in pkg/knowledge/graph.go, derived from

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T018: [TDD] Implement bidirectional traversal in `pkg/knowledge/graph.go`, **derived from

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T018.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T018`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-094 — 002-knowledge-areas-deep-linking T019 — [TDD] Prove G-KG-6: inspect every stored relationship for its join key and assert none

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T019: [TDD] Prove **G-KG-6**: inspect every stored relationship for its join key and assert none

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T019.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T019`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-095 — 002-knowledge-areas-deep-linking T020 — [TDD] Implement cycle-safe traversal with a visited set and a depth bound, reporting

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T020: [TDD] Implement cycle-safe traversal with a visited set and a depth bound, **reporting

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T020.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T020`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-096 — 002-knowledge-areas-deep-linking T021 — [P] [TDD] Extend redaction propagation to all eight targets in data-model.md §5.

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T021: [P] [TDD] Extend redaction propagation to all **eight** targets in `data-model.md` §5.

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T021.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T021`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-098 — 002-knowledge-areas-deep-linking T023 — [US1] [TDD] [REVIEW] Implement promotion of the five existing prose areas in

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T023: [US1] [TDD] [REVIEW] Implement **promotion** of the five existing prose areas in

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T023.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T023`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-099 — 002-knowledge-areas-deep-linking T024 — [US1] [TDD] Implement P2: an area acquiring zero evidencing mentions fails promotion

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T024: [US1] [TDD] Implement **P2**: an area acquiring zero evidencing mentions **fails promotion

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T024.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T024`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-079 — 002-knowledge-areas-deep-linking T025 — [US1] [TDD] Implement the significance measure in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T025: [US1] [TDD] Implement the significance measure in `workshop/pipeline/extract/significance.py`

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T025.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T025`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-080 — 002-knowledge-areas-deep-linking T026 — [US1] [TDD] Implement area and term extraction in workshop/pipeline/extract/derive.py.

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T026: [US1] [TDD] Implement area and term extraction in `workshop/pipeline/extract/derive.py`.

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T026.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T026`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-100 — 002-knowledge-areas-deep-linking T027 — [US1] [TDD] Implement the three reconciliation branches per contract §2.3: R1 attaches,

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T027: [US1] [TDD] Implement the three reconciliation branches per contract §2.3: **R1 attaches**,

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T027.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T027`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-101 — 002-knowledge-areas-deep-linking T028 — [US1] [TDD] Prove G-KG-14: seed a contradiction, assert it appears in the report and

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T028: [US1] [TDD] Prove **G-KG-14**: seed a contradiction, assert it appears in the report and

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T028.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T028`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-102 — 002-knowledge-areas-deep-linking T029 — [US1] [TDD] Implement passage accounting per contract §2.4: attached +…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T029: [US1] [TDD] Implement passage accounting per contract §2.4: `attached + classified_unattached

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T029.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T029`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-103 — 002-knowledge-areas-deep-linking T030 — [US1] [TDD] Implement uncertainty marking: a low-confidence term is marked uncertain

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T030: [US1] [TDD] Implement uncertainty marking: a low-confidence term is marked `uncertain`

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T030.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T030`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-105 — 002-knowledge-areas-deep-linking T032 — [US1] [TDD] Implement the authored/assembled marking on every lesson section (FR-017,

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T032: [US1] [TDD] Implement the authored/assembled marking on every lesson section (FR-017,

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T032.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T032`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-107 — 002-knowledge-areas-deep-linking T034 — [US1] [TDD] Implement the publication review record and its staleness rule: a review

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T034: [US1] [TDD] Implement the publication review record and its **staleness rule**: a review

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T034.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T034`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-108 — 002-knowledge-areas-deep-linking T035 — [US1] [TDD] Implement the seven-section presence check across every area source document

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T035: [US1] [TDD] Implement the seven-section presence check across every area source document

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T035.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T035`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-109 — 002-knowledge-areas-deep-linking T036 — [US1] Implement the taxonomy source file with the same byte-stability discipline the

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T036: [US1] Implement the taxonomy source file with the same byte-stability discipline the

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T036.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T036`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-110 — 002-knowledge-areas-deep-linking T037 — [US1] [TDD] Implement GET /api/areas per wire contract §3.1, including A3.1.2: report

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T037: [US1] [TDD] Implement `GET /api/areas` per wire contract §3.1, including **A3.1.2**: report

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T037.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T037`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-112 — 002-knowledge-areas-deep-linking T039 — [US1] [TDD] Implement A3.4.2: a term whose last evidence is redacted is withdrawn

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T039: [US1] [TDD] Implement **A3.4.2**: a term whose last evidence is redacted is **withdrawn

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T039.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T039`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-113 — 002-knowledge-areas-deep-linking T040 — [US1] Add route-manifest rows and contract sections for every endpoint above (FR-059).

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T040: [US1] Add route-manifest rows and contract sections for every endpoint above (FR-059).

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T040.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T040`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-114 — 002-knowledge-areas-deep-linking T041 — [US1] [REVIEW] Human checkpoint: the reconciliation of promoted against extracted areas.

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T041: [US1] [REVIEW] Human checkpoint: the reconciliation of promoted against extracted areas.

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T041.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T041`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-116 — 002-knowledge-areas-deep-linking T043 — [US2] [TDD] Implement GET /api/areas/{area}/evidence per §3.3, with precision required

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T043: [US2] [TDD] Implement `GET /api/areas/{area}/evidence` per §3.3, with **precision required**

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T043.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T043`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-117 — 002-knowledge-areas-deep-linking T044 — [US2] [TDD] Implement A3.3.3: a redacted passage contributes no mention and the omitted

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T044: [US2] [TDD] Implement **A3.3.3**: a redacted passage contributes no mention and the omitted

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T044.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T044`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-118 — 002-knowledge-areas-deep-linking T045 — [US2] [TDD] Implement GET /api/passages/{pid}/knowledge per §3.7 — the reverse…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T045: [US2] [TDD] Implement `GET /api/passages/{pid}/knowledge` per §3.7 — the reverse direction,

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T045.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T045`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-119 — 002-knowledge-areas-deep-linking T046 — [US2] [TDD] Implement A3.7.1: every entry is reachable in one step. A response that

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T046: [US2] [TDD] Implement **A3.7.1**: every entry is reachable in **one** step. A response that

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T046.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T046`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-120 — 002-knowledge-areas-deep-linking T047 — [US2] [TDD] Implement A3.7.3: an unattached passage says it is unattached and why,

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T047: [US2] [TDD] Implement **A3.7.3**: an unattached passage says it is unattached **and why**,

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T047.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T047`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-121 — 002-knowledge-areas-deep-linking T048 — [US2] [TDD] Implement GET /api/graph/traverse per §3.8 across all four content kinds…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T048: [US2] [TDD] Implement `GET /api/graph/traverse` per §3.8 across all four content kinds (FR-033a, FR-059)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T048.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T048`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-122 — 002-knowledge-areas-deep-linking T049 — [US2] [TDD] Implement A3.8.3: a hop whose target cannot be resolved reports its

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T049: [US2] [TDD] Implement **A3.8.3**: a hop whose target cannot be resolved **reports its

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T049.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T049`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-124 — 002-knowledge-areas-deep-linking T051 — [US2] [TDD] Prove SC-008 over the whole relationship set, not a sample: a one-way

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T051: [US2] [TDD] Prove **SC-008** over the **whole** relationship set, not a sample: a one-way

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T051.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T051`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-126 — 002-knowledge-areas-deep-linking T053 — [US2] [TDD] Prove SC-010: replay the identifier-survival experiment extended to all

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T053: [US2] [TDD] Prove **SC-010**: replay the identifier-survival experiment extended to all

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T053.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T053`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-127 — 002-knowledge-areas-deep-linking T054 — [US2] [P] Add route-manifest rows and contract sections for the endpoints in this phase…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T054: [US2] [P] Add route-manifest rows and contract sections for the endpoints in this phase (FR-059)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T054.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T054`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-128 — 002-knowledge-areas-deep-linking T055 — [US2] [P] [SUBAGENT] Build the transcript-to-knowledge affordance in the existing

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T055: [US2] [P] [SUBAGENT] Build the transcript-to-knowledge affordance in the existing

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T055.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T055`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-129 — 002-knowledge-areas-deep-linking T056 — [US2] [REVIEW] Review the link model against the contract before the surface consumes it…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T056: [US2] [REVIEW] Review the link model against the contract before the surface consumes it (FR-005)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T056.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T056`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-130 — 002-knowledge-areas-deep-linking T057 — [US3] [TDD] Index the four new kinds — area, term, lesson_section, question —

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T057: [US3] [TDD] Index the four new kinds — `area`, `term`, `lesson_section`, `question` —

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T057.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T057`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-131 — 002-knowledge-areas-deep-linking T058 — [US3] [TDD] Advertise the new kinds in the corpus block, and prove G-KG-11: an

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T058: [US3] [TDD] Advertise the new kinds in the corpus block, and prove **G-KG-11**: an

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T058.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T058`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-132 — 002-knowledge-areas-deep-linking T059 — [US3] [REVIEW] Settle U1 before implementing offsets: does the full-text engine expose

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T059: [US3] [REVIEW] Settle **U1** before implementing offsets: does the full-text engine expose

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T059.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T059`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-133 — 002-knowledge-areas-deep-linking T060 — [US3] [TDD] Implement match offsets per C4.1.3: the lexical leg

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T060: [US3] [TDD] Implement match offsets per **C4.1.3**: the lexical leg

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T060.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T060`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-134 — 002-knowledge-areas-deep-linking T061 — [US3] [TDD] Implement C4.1.4: the semantic leg reports that it cannot produce

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T061: [US3] [TDD] Implement **C4.1.4**: the semantic leg reports that it **cannot** produce

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T061.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T061`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-135 — 002-knowledge-areas-deep-linking T062 — [US3] [TDD] Implement the locus on every hit per C4.1.2, and withhold any hit whose

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T062: [US3] [TDD] Implement the locus on every hit per **C4.1.2**, and withhold any hit whose

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T062.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T062`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-136 — 002-knowledge-areas-deep-linking T063 — [US3] [TDD] Prove SC-014 over every hit of the benchmark run — a hit without a

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T063: [US3] [TDD] Prove **SC-014** over **every** hit of the benchmark run — a hit without a

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T063.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T063`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-137 — 002-knowledge-areas-deep-linking T064 — [US3] [TDD] Implement kind and area filters per C4.1.5, echoing the applied filter so a

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T064: [US3] [TDD] Implement kind and area filters per **C4.1.5**, echoing the applied filter so a

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T064.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T064`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-138 — 002-knowledge-areas-deep-linking T065 — [US3] [TDD] Add area and term names to suggestions per C4.2.1, and prove C4.2.2:

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T065: [US3] [TDD] Add area and term names to suggestions per **C4.2.1**, and prove **C4.2.2**:

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T065.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T065`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-139 — 002-knowledge-areas-deep-linking T066 — [US3] Build the ≥20-query benchmark for the new kinds in the platform's existing…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T066: [US3] Build the ≥20-query benchmark for the new kinds in the platform's existing benchmark

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T066.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T066`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-142 — 002-knowledge-areas-deep-linking T069 — [US3] [P] [SUBAGENT] Extend the search view for the new kinds, the filters and the locus

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T069: [US3] [P] [SUBAGENT] Extend the search view for the new kinds, the filters and the locus

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T069.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T069`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-143 — 002-knowledge-areas-deep-linking T070 — [US3] [P] Update the route manifest and contract for the changed search and suggest

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T070: [US3] [P] Update the route manifest and contract for the changed search and suggest

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T070.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T070`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-144 — 002-knowledge-areas-deep-linking T071 — [US4] [TDD] Implement the question model in pkg/assessment/question.go, porting the

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T071: [US4] [TDD] Implement the question model in `pkg/assessment/question.go`, porting the

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T071.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T071`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-145 — 002-knowledge-areas-deep-linking T072 — [US4] [TDD] Implement Q1 / G-KG-2: a question is served only if it carries at least

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T072: [US4] [TDD] Implement **Q1** / **G-KG-2**: a question is served **only** if it carries at least

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T072.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T072`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-146 — 002-knowledge-areas-deep-linking T073 — [US4] [TDD] Implement Q2 / G-KG-3: every long-set question cites more than one

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T073: [US4] [TDD] Implement **Q2 / G-KG-3**: every long-set question cites **more than one

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T073.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T073`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-147 — 002-knowledge-areas-deep-linking T074 — [US4] [TDD] Implement Q3: every question names the lesson sections it assesses — this

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T074: [US4] [TDD] Implement **Q3**: every question names the lesson sections it assesses — this

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T074.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T074`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-081 — 002-knowledge-areas-deep-linking T075 — [US4] Author the short and long question sets from the workshop's own passages (Q5).

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T075: [US4] Author the short and long question sets **from the workshop's own passages** (Q5).

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T075.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T075`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-082 — 002-knowledge-areas-deep-linking T076 — [US4] [TDD] Implement G-KG-16: plant one reference question in a workshop bank and

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T076: [US4] [TDD] Implement **G-KG-16**: plant one reference question in a workshop bank and

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T076.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T076`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-148 — 002-knowledge-areas-deep-linking T077 — [US4] [TDD] Implement the assembled-answer marking per Q4 / A3.5.4 — a client must not

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T077: [US4] [TDD] Implement the assembled-answer marking per **Q4** / **A3.5.4** — a client must not

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T077.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T077`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-149 — 002-knowledge-areas-deep-linking T078 — [US4] [TDD] Implement GET /api/areas/{area}/questions per §3.5, including A3.5.5:

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T078: [US4] [TDD] Implement `GET /api/areas/{area}/questions` per §3.5, including **A3.5.5**:

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T078.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T078`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-150 — 002-knowledge-areas-deep-linking T079 — [US4] [TDD] Implement GET /api/areas/{area}/coverage per §3.6: per-area figures,

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T079: [US4] [TDD] Implement `GET /api/areas/{area}/coverage` per §3.6: **per-area figures,

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T079.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T079`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-151 — 002-knowledge-areas-deep-linking T080 — [US4] [TDD] Prove SC-018 by enumerating every served question and resolving every

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T080: [US4] [TDD] Prove **SC-018** by enumerating every served question and resolving every

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T080.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T080`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-152 — 002-knowledge-areas-deep-linking T081 — [US4] [TDD] Prove SC-019: the question-to-moment-and-back round trip, over every

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T081: [US4] [TDD] Prove **SC-019**: the question-to-moment-and-back round trip, over every

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T081.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T081`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-153 — 002-knowledge-areas-deep-linking T082 — [US4] [TDD] Extend progress to areas and question sets, and prove C4.4.2: progress

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T082: [US4] [TDD] Extend progress to areas and question sets, and prove **C4.4.2**: progress

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T082.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T082`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-154 — 002-knowledge-areas-deep-linking T083 — [US4] [P] Add route-manifest rows and contract sections for the assessment endpoints…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T083: [US4] [P] Add route-manifest rows and contract sections for the assessment endpoints (FR-059)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T083.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T083`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-156 — 002-knowledge-areas-deep-linking T085 — [US5] Enumerate the four existing capabilities — chapter list, transcript, recording

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T085: [US5] **Enumerate the four existing capabilities — chapter list, transcript, recording

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T085.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T085`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-157 — 002-knowledge-areas-deep-linking T086 — [US5] [P] [SUBAGENT] Build the area list and area detail views (FR-040)

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T086: [US5] [P] [SUBAGENT] Build the area list and area detail views (FR-040)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T086.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T086`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-158 — 002-knowledge-areas-deep-linking T087 — [US5] [P] [SUBAGENT] Build the practice view with the question-to-moment jump and return…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T087: [US5] [P] [SUBAGENT] Build the practice view with the question-to-moment jump and return (FR-037, FR-040)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T087.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T087`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-159 — 002-knowledge-areas-deep-linking T088 — [US5] [P] [SUBAGENT] Build the progress view across areas (FR-039, FR-040)

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T088: [US5] [P] [SUBAGENT] Build the progress view across areas (FR-039, FR-040)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T088.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T088`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-160 — 002-knowledge-areas-deep-linking T089 — [US5] [P] [SUBAGENT] Build the study-plan view (FR-040)

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T089: [US5] [P] [SUBAGENT] Build the study-plan view (FR-040)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T089.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T089`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-161 — 002-knowledge-areas-deep-linking T090 — [US5] Subordinate the existing media views under areas per D2 — reachable from within

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T090: [US5] Subordinate the existing media views under areas per **D2** — reachable from within

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T090.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T090`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-162 — 002-knowledge-areas-deep-linking T091 — [US5] [TDD] Prove SC-023 against T085's written list: every enumerated capability is

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T091: [US5] [TDD] Prove **SC-023** against T085's written list: every enumerated capability is

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T091.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T091`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-083 — 002-knowledge-areas-deep-linking T092 — [US5] Give the workshop its own token values against the shared contract. Do not

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T092: [US5] Give the workshop its own token **values** against the shared contract. **Do not

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T092.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T092`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-163 — 002-knowledge-areas-deep-linking T093 — [US5] [TDD] Prove SC-022 with both checks: the design toolkit's token conformance

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T093: [US5] [TDD] Prove **SC-022** with **both** checks: the design toolkit's token conformance

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T093.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T093`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-164 — 002-knowledge-areas-deep-linking T094 — [US5] Implement interaction and motion from the platform's ranked,

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T094: [US5] Implement interaction and motion from the platform's ranked,

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T094.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T094`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-165 — 002-knowledge-areas-deep-linking T095 — [US5] [TDD] Implement reduced-motion support: final visual state preserved without the

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T095: [US5] [TDD] Implement reduced-motion support: final visual state preserved without the

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T095.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T095`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-166 — 002-knowledge-areas-deep-linking T096 — [US5] [TDD] Prove SC-021: an automated audit per view plus a keyboard-only traversal

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T096: [US5] [TDD] Prove **SC-021**: an automated audit per view plus a keyboard-only traversal

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T096.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T096`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-167 — 002-knowledge-areas-deep-linking T097 — [US6] Port the export toolchain design as-is, driving it from the capability probe in

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T097: [US6] Port the export toolchain design as-is, driving it from the **capability probe** in

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T097.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T097`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-168 — 002-knowledge-areas-deep-linking T098 — [US6] [TDD] Implement G-KG-9: an unavailable toolchain yields could not determine,

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T098: [US6] [TDD] Implement **G-KG-9**: an unavailable toolchain yields **could not determine**,

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T098.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T098`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-169 — 002-knowledge-areas-deep-linking T099 — [US6] [TDD] Implement the publication precondition: an area without a review exports

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T099: [US6] [TDD] Implement the publication precondition: an area without a review exports

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T099.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T099`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-170 — 002-knowledge-areas-deep-linking T100 — [US6] [TDD] Implement citation preservation across all four formats (FR-047) (FR-047)

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T100: [US6] [TDD] Implement citation preservation across all four formats (FR-047) (FR-047)

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T100.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T100`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-172 — 002-knowledge-areas-deep-linking T102 — [US6] [TDD] Prove SC-024: the file-existence matrix must be complete. Record the

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T102: [US6] [TDD] Prove **SC-024**: the file-existence matrix must be **complete**. Record the

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T102.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T102`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-173 — 002-knowledge-areas-deep-linking T103 — [US6] [TDD] Prove SC-025 by extracting text and diffing, not by byte comparison —

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T103: [US6] [TDD] Prove **SC-025** by **extracting text and diffing**, not by byte comparison —

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T103.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T103`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-174 — 002-knowledge-areas-deep-linking T104 — [US7] Extend the platform's existing chapter-addition procedure and its prompt with the

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T104: [US7] Extend the platform's **existing** chapter-addition procedure and its prompt with the

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T104.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T104`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-175 — 002-knowledge-areas-deep-linking T105 — [US7] [TDD] Implement three-valued exits and resumability on every new stage (S3, S4),…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T105: [US7] [TDD] Implement three-valued exits and resumability on every new stage (S3, S4), with

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T105.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T105`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-176 — 002-knowledge-areas-deep-linking T106 — [US7] [TDD] Implement the taxonomy update path (S6): established areas keep their

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T106: [US7] [TDD] Implement the taxonomy **update** path (S6): established areas keep their

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T106.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T106`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-177 — 002-knowledge-areas-deep-linking T107 — [US7] [TDD] Prove SC-015d: capture the taxonomy before and after, assert 0

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T107: [US7] [TDD] Prove **SC-015d**: capture the taxonomy before and after, assert **0**

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T107.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T107`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-178 — 002-knowledge-areas-deep-linking T108 — [US7] Build a small synthetic chapter fixture — synthetic, because it must contain no

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T108: [US7] Build a **small synthetic chapter** fixture — synthetic, because it must contain no

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T108.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T108`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-180 — 002-knowledge-areas-deep-linking T110 — [US7] [TDD] Prove G-KG-18 / SC-015e: withhold one required input; assert the run names

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T110: [US7] [TDD] Prove **G-KG-18 / SC-015e**: withhold one required input; assert the run names

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T110.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T110`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-181 — 002-knowledge-areas-deep-linking T111 — [US7] [TDD] Prove S7: no stage writes to a source. Assert every source file's size,

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T111: [US7] [TDD] Prove **S7**: no stage writes to a source. Assert every source file's size,

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T111.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T111`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-182 — 002-knowledge-areas-deep-linking T112 — [US7] [TDD] Prove S8: evidence is written for every outcome, especially could not

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T112: [US7] [TDD] Prove **S8**: evidence is written for every outcome, **especially** could not

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T112.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T112`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-183 — 002-knowledge-areas-deep-linking T113 — [TDD] Extend retrieval — not generation — over the new kinds (C4.3.1). Safe because…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T113: [TDD] Extend retrieval — **not generation** — over the new kinds (C4.3.1). Safe because the

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T113.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T113`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-184 — 002-knowledge-areas-deep-linking T114 — [REVIEW] Settle U4: does an entailment model load on this host? Three-valued exit. The

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T114: [REVIEW] Settle **U4**: does an entailment model load on this host? Three-valued exit. The

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T114.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning T114.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-185 — 002-knowledge-areas-deep-linking T115 — [TDD] Implement the answer-against-question

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T115: [TDD] Implement the **answer-against-question**

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T115.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning T115.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-186 — 002-knowledge-areas-deep-linking T116 — [TDD] Implement C4.3.4: a verifier that was

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T116: [TDD] Implement **C4.3.4**: a verifier that was

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T116.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning T116.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-187 — 002-knowledge-areas-deep-linking T117 — Update the shipped limits document to name every open defect, including the measured

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T117: Update the shipped limits document to name **every** open defect, including the measured

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T117.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning T117.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-188 — 002-knowledge-areas-deep-linking T118 — [TDD] Prove SC-026: cross-check recorded defects against the limits document; an

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T118: [TDD] Prove **SC-026**: cross-check recorded defects against the limits document; an

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T118.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T118`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-190 — 002-knowledge-areas-deep-linking T120 — Register every new check in the check registry (SC-027). Note the registry prints known

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T120: Register every new check in the check registry (SC-027). Note the registry prints known

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T120.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T120`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-191 — 002-knowledge-areas-deep-linking T121 — Update the platform's documentation set — quickstart, user guide, manual, FAQ — for…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T121: Update the platform's documentation set — quickstart, user guide, manual, FAQ — for the

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T121.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T121`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-195 — 002-knowledge-areas-deep-linking T125 — [TDD] [REVIEW] Gate G-OCR-2 — declare screen_text as a passage kind in

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T125: [TDD] [REVIEW] Gate **G-OCR-2** — declare `screen_text` as a **passage kind** in

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T125.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T125`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-213 — 002-knowledge-areas-deep-linking T143 — Build G-KG-1-changed and its §1.1 paired mutation: assert that every §4

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 002-knowledge-areas-deep-linking task T143: Build **G-KG-1-changed** and its §1.1 paired mutation: assert that every §4

HOW IT MANIFESTS — the task is tracked in specs/002-knowledge-areas-deep-linking/tasks.md as row T143.

HOW TO REPRODUCE — read specs/002-knowledge-areas-deep-linking/tasks.md and locate the row beginning `T143`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-084 — 003-chapter-hierarchy T004 — [TDD] [REVIEW] Create workshop/platform/backend/pkg/chapterid/ — pkg/, not

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T004: [TDD] [REVIEW] Create `workshop/platform/backend/pkg/chapterid/` — **`pkg/`, not

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T004.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T004`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-217 — 003-chapter-hierarchy T005 — [TDD] Implement and prove the grammar $\frac{1}{}${2,}(.[0-9]{2,})*$ in

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T005: [TDD] Implement and prove the grammar `^[0-9]{2,}(\.[0-9]{2,})*$` in

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T005.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T005`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-218 — 003-chapter-hierarchy T006 — [TDD] [BLOCKED: ordinal type] Implement ParentID, Depth, AncestorIDs and

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T006: [TDD] [BLOCKED: ordinal type] Implement `ParentID`, `Depth`, `AncestorIDs` and

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T006.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T006`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-219 — 003-chapter-hierarchy T007 — [TDD] Implement ChildIDs and Orphaned over the set of present ids. These are the

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T007: [TDD] Implement `ChildIDs` and `Orphaned` over the **set** of present ids. These are the

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T007.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T007`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-221 — 003-chapter-hierarchy T010 — [TDD] Implement H1 in cmd/workshop-server/main.go:2094 (listChapters): a

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T010: [TDD] Implement **H1** in `cmd/workshop-server/main.go:2094` (`listChapters`): a

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T010.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T010`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-224 — 003-chapter-hierarchy T013 — [TDD] Build a two-scope fixture registry under the redaction command's test data:

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T013: [TDD] Build a **two-scope** fixture registry under the redaction command's test data:

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T013.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T013`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-225 — 003-chapter-hierarchy T014 — [TDD] Prove G-CH-6: the redaction review for 01 covers exactly the 01 artifacts

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T014: [TDD] Prove **G-CH-6**: the redaction review for `01` covers exactly the `01` artifacts

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T014.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T014`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-226 — 003-chapter-hierarchy T015 — [TDD] Prove G-CH-6b, and read this one carefully because it asserts a negative

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T015: [TDD] Prove **G-CH-6b**, and read this one carefully because it asserts a **negative

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T015.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T015`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-229 — 003-chapter-hierarchy T018 — DONE IN CODE, NOT BY THIS FEATURE — verify and close, do not reimplement.

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T018: **DONE IN CODE, NOT BY THIS FEATURE — verify and close, do not reimplement.**

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T018.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T018`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-235 — 003-chapter-hierarchy T026 — [BLOCKED: ordinal type] Fix chapterTitle (chapters.go:755), which renders 02 and

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T026: [BLOCKED: ordinal type] Fix `chapterTitle` (`chapters.go:755`), which renders `02` and

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T026.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T026`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-236 — 003-chapter-hierarchy T027 — Rewrite derivation.ordinal (chapters.go:141) in the same change as T025. It currently

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T027: Rewrite `derivation.ordinal` (`chapters.go:141`) in the same change as T025. It currently

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T027.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T027`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-239 — 003-chapter-hierarchy T030 — Add the hierarchy object to every row of GET /api/chapters — parent_id, depth,

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 003-chapter-hierarchy task T030: Add the `hierarchy` object to every row of `GET /api/chapters` — `parent_id`, `depth`,

HOW IT MANIFESTS — the task is tracked in specs/003-chapter-hierarchy/tasks.md as row T030.

HOW TO REPRODUCE — read specs/003-chapter-hierarchy/tasks.md and locate the row beginning `T030`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## CKT-002 — 004-authored-ai-areas T001 — [REVIEW] Create the reusable curriculum library in submodules/curriculum-kit/ — Catalog…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T001: [REVIEW] Create the reusable curriculum library in `submodules/curriculum-kit/` — `Catalog → Area → Lesson → Material` plus `Area.Assessment`, with `VideoAnchor{chapterId,startMillis,endMillis,transcriptAnchor}` (FR-006, FR-013, FR-014). **Evidence**: 82 tracked files (source); `go test ./...` ok (in_process).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T001.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T001`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/curriculum-kit. ## CKT-003 — 004-authored-ai-areas T002 — Keep the library project-unaware by construction in submodules/curriculum-kit/go.mod —…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T002: Keep the library project-unaware by construction in `submodules/curriculum-kit/go.mod` — an empty require set, so a project import would not compile (FR-?). **Evidence**: compiler-enforced, not convention.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T002.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T002`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/curriculum-kit. ## CKT-004 — 004-authored-ai-areas T003 — [P] Implement DecodeDocument with DisallowUnknownFields() in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T003: [P] Implement `DecodeDocument` with `DisallowUnknownFields()` in `submodules/curriculum-kit/pkg/curriculum/document.go` (FR-?). **Evidence**: a misspelled key fails the load loudly instead of dropping its material silently.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T003.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T003`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/curriculum-kit. ## VSC-246 — 004-authored-ai-areas T004 — [P] Make Area.Assessment a pointer so “under construction” is representable, and have…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T004: [P] Make `Area.Assessment` a pointer so “under construction” is representable, and have `Validate` emit `CK021` for it rather than letting the absence pass unnoticed (FR-008, SC-004a). **Evidence** (population: unstated): 37 CK021 findings raised, none suppressed.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T004.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T004`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-089 — 004-authored-ai-areas T005 — Measure module evidence across all recordings in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T005: Measure module evidence across **all** recordings in `workshop/pipeline/extract/measure_module_evidence.py` (FR-005, FR-005a, FR-005b, SC-016). **Evidence** (source): rc 0; 0 of 37 modules with zero evidence, 0 of 137 terms matching zero passages; 16 strong / 9 moderate / 12 thin.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T005.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T005`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-090 — 004-authored-ai-areas T006 — Enforce the already-written "title non-empty when published" rule in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T006: Enforce the already-written "title non-empty when published" rule in `workshop/pipeline/extract/publication_policy.py` **and** in the pipeline reconcile stage, so a re-run reproduces it (FR-003, FR-018, FR-018b, SC-001). **Evidence** (source): published 819 → 42; nothing deleted, withheld rows to `workshop/curriculum/unpublished-areas.jsonl`.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T006.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T006`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-091 — 004-authored-ai-areas T007 — [TDD] [REVIEW] Compute the publication decision once in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T007: [TDD] [REVIEW] Compute the publication decision **once** in `workshop/platform/backend/internal/api/area_publication.go` (`AreaPublicationOf`) and consume it from all three surfaces (FR-018, FR-018a, SC-001). **Evidence** (in_process): `verify-area-publication-consistency.sh` rc 0 (6 passed); `prove-area-`

`publication-consistency.sh` rc 0 (7 passed / 7 mutations); Go `TestAreaListAndDetailAgree` asserts the **pair**, which is what was missing while both handlers' own tests passed.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T007.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T007`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-092 — 004-authored-ai-areas T008 — [P] Promote the 37 authored subjects through the real minting bridge in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T008: [P] Promote the 37 authored subjects through the real minting bridge in `workshop/pipeline/extract/promote_curriculum_areas.py`, supplying a lexicon evidence finder instead of the title-keyword default (FR-001, FR-002, FR-005a, SC-002). **Evidence** (source): rc 0, 37 published / 0 failed; reviews 2 → 39.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T008.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T008`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-247 — 004-authored-ai-areas T009 — [P] Keep proposer and reviewer distinct in the review store, both defaulting to the…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T009: [P] Keep `proposer` and `reviewer` distinct in the review store, both defaulting to the pipeline string (FR-002). **Evidence**: honest description of a run with no independent audit; `--reviewer` is passed only when a human has read them.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T009.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T009`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-093 — 004-authored-ai-areas T010 — [US1] Serve areas[] as exactly the servable set, with held_back[], the reason table and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T010: [US1] Serve `areas[]` as exactly the servable set, with `held_back[]`, the reason table and `total_areas` in the same response, in `workshop/platform/backend/internal/api/` (FR-018, FR-018b, SC-001). **Evidence** (population: unstated): 817 unopenable → 3.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T010.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T010`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-248 — 004-authored-ai-areas T011 — [US1] Disclose a derived title/tags/summary on a refusal where one is derivable, in the…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T011: [US1] Disclose a derived title/tags/summary on a **refusal** where one is derivable, in the same handler (FR-018b). **Evidence**: the reported symptom was a page reading only “withheld pending review”; an area held back for a missing review has a perfectly good name.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T011.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T011`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-249 — 004-authored-ai-areas T012 — [P] [US1] Add ?include=held_back so withholding never makes an area unreachable (FR-018b).

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T012: [P] [US1] Add `?include=held_back` so withholding never makes an area unreachable (FR-018b).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T012.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T012`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-250 — 004-authored-ai-areas T013 — [P] [US1] Emit tags as an empty array, never null, in the area wire type (FR-003,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T013: [P] [US1] Emit `tags` as an empty array, never `null`, in the area wire type (FR-003, FR-019). **Evidence**: a null breaks the field the interface filters on.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T013.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T013`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-094 — 004-authored-ai-areas T014 — [US1] Derive titles, tags and summaries in workshop/platform/backend/pkg/knowledge/present…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T014: [US1] Derive titles, tags and summaries in `workshop/platform/backend/pkg/knowledge/presentation.go` (FR-003, FR-018b).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T014.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T014`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-095 — 004-authored-ai-areas T015 — [US1] Add a tags field to the client area model in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T015: [US1] Add a `tags` field to the client area model in `workshop/platform/frontend/src/app/core/knowledge.ts` — it models `terms` and **has no field for tags at all**, so tags are discarded before any component can ask for them (FR-019, SC-005). — EVIDENCE (source): `workshop/platform/frontend/src/app/features/areas/curriculum-model.ts:487,505` (`AreaCard.tags`, `normaliseAreaCard`) + `area-detail.component.ts:451` — PATH DRIFT: delivered in a second normaliser, not in `core/knowledge.ts`, which still drops `tags`; the capability (FR-019) holds. Frontend unit suite 298/298 SUCCESS (in_process) 2026-09-08

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T015.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T015`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-096 — 004-authored-ai-areas T016 — [US1] Render title, summary and tags on the area detail page in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T016: [US1] Render title, summary and tags on the area detail page in `workshop/platform/frontend/src/app/features/` — 3 of 4 render branches emit the raw identifier as the heading (SC-003, FR-003, FR-019, SC-005). — EVIDENCE (source): `workshop/platform/frontend/src/app/features/areas/area-`

`detail.component.ts:111` single `<h1 data-testid="area-title">{{ displayTitle() }}</h1>`, `:442` title chain with the slug as LAST resort, `:446` summary, `:115-121,451` tags list. Frontend unit suite 298/298 SUCCESS (in_process) 2026-09-08

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T016.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T016`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-097 — 004-authored-ai-areas T017 — [TDD] [US2] Prove the assessment gate with 17 data mutations in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T017: [TDD] [US2] Prove the assessment gate with **17 data mutations** in `workshop/platform/gates/prove-assessment-gate.sh`, including B4/M7 "the gate opens as soon as *any* lesson completes" — which passes B1, B2, B3, B5 and B7 and is caught **only** by B4 (FR-010, FR-012a, FR-028, SC-009). **Evidence** (in_process): rc 0, 17 passed. Requires the fixture's required set to be a **proper subset** of its lessons.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T017.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T017`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-098 — 004-authored-ai-areas T018 — [TDD] [US2] Add a leak check that fails if correct_choices or explanation appears on the…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T018: [TDD] [US2] Add a leak check that fails if `correct_choices` or `explanation` appears on the taking path, in `workshop/platform/backend/internal/api/lessons_test.go` (FR-010, SC-009).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T018.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T018`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-251 — 004-authored-ai-areas T019 — [P] [US2] Add vacuity refusals B9/B10 — no lesson outside the required set, or a test…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T019: [P] [US2] Add vacuity refusals **B9/B10** — no lesson outside the required set, or a test gated on nothing, must exit **2**, never 0 (FR-027, FR-029).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T019.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T019`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-099 — 004-authored-ai-areas T020 — [US2] Implement the six learning routes in workshop/platform/backend/internal/api/lessons.…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T020: [US2] Implement the six learning routes in `workshop/platform/backend/internal/api/lessons.go`, all behind the T007 decision, all keyed on the opaque `X-Session` header only (FR-006, FR-007, FR-009, FR-010, FR-012a, FR-013).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T020.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T020`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-252 — 004-authored-ai-areas T021 — [US2] Build the taking projection as a map with no answer field at all in the same file…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T021: [US2] Build the taking projection as a map with **no answer field at all** in the same file — not the domain type with fields omitted, so no future upstream field can leak through it (FR-010, FR-012a, SC-009).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T021.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T021`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-253 — 004-authored-ai-areas T022 — [P] [US2] Validate ?kind= against the closed vocabulary and return 400 for an unknown…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T022: [P] [US2] Validate `?kind=` against the closed vocabulary and return **400** for an unknown kind (FR-013). **Evidence**: an empty list reads as "there are none", which is a different and false statement.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T022.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T022`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-100 — 004-authored-ai-areas T023 — [US2] Implement the session progress store in workshop/platform/backend/pkg/learning/ —…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T023: [US2] Implement the session progress store in `workshop/platform/backend/pkg/learning/` — one `Mutate` under a single lock, atomic temp-file+rename, a file separate from the reading-position store (FR-010, FR-012a). **Evidence**: a Get+Put cycle silently drops a concurrent completion.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T023.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T023`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-101 — 004-authored-ai-areas T024 — [US2] Build the authored learning catalog in workshop/pipeline/extract/build_learning_cata…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T024: [US2] Build the authored learning catalog in `workshop/pipeline/extract/build_learning_catalog.py` → `workshop/curriculum/learning/` (FR-006, FR-007, SC-004). **Evidence** (source): 42 files, 339 lessons, 1,068 minutes; ids derived from the area ULID so catalog-wide collisions are structurally impossible.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T024.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T024`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-254 — 004-authored-ai-areas T025 — [US2] Resolve each bank's correct_index to a choice id during the build (FR-012).…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T025: [US2] Resolve each bank's `correct_index` to a choice **id** during the build (FR-012). **Evidence**: the kit rejects the index form by design.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T025.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T025`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-255 — 004-authored-ai-areas T026 — [US2] Exclude the 10 flashcard rows rather than mapping them onto graded items, and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T026: [US2] Exclude the 10 `flashcard` rows rather than mapping them onto graded items, and report the exclusion (FR-008). **Evidence**: mapping a study aid onto a test question is a silent promotion.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T026.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T026`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-102 — 004-authored-ai-areas T027 — [US2] Pass -learning-catalog /opt/workshop/curriculum/learning in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T027: [US2] Pass `-learning-catalog /opt/workshop/curriculum/learning` in `workshop/platform/compose.yml` (SC-006). **Evidence** (source): the flag defaults to EMPTY

and empty is a *determined* state — every learning route would answer `no_learning_catalog` cleanly after a restart, with nothing in any log to notice. YAML re-parsed; the path is inside the existing read-only bind, so no volume change.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T027.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T027`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-104 — 004-authored-ai-areas T029 — [US2] Render the test — availability message before completion, questions after, result…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T029: [US2] Render the test — availability message before completion, questions after, result after submission — in the same feature directory, showing `pass_percent` **before** the attempt begins (FR-008b, FR-009, FR-010, SC-017). — EVIDENCE (source): `workshop/platform/frontend/src/app/features/areas/area-test.component.ts:75-112` availability + `passPercent` shown before the attempt, `:169-181` result panel with the determinate/lower-bound split. Frontend unit suite 298/298 SUCCESS (in_process) 2026-09-08

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T029.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T029`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-105 — 004-authored-ai-areas T030 — [US3] Write the URL grammar down as the producer's authority in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T030: [US3] Write the URL grammar down as the producer's authority in `workshop/platform/frontend/docs/time-links.md` (FR-014, FR-015).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T030.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T030`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-106 — 004-authored-ai-areas T031 — [US3] Build spans from engine-measured start/end times joined on passage id, in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T031: [US3] Build spans from engine-measured start/end times joined on passage id, in `workshop/pipeline/extract/build_area_timelinks.py` → `workshop/curriculum/area-timelinks.json` (FR-014, FR-016). **Evidence** (source): rc 0, 205 spans; the passage registry carries **only** an end time, so a start derived from it alone would be invented.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T031.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T031`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-256 — 004-authored-ai-areas T032 — [US3] Emit end only when > t and #p- only for a Crockford-shaped ULID, in the material…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T032: [US3] Emit `end` **only when `> t`** and `#p-` **only for a Crockford-shaped ULID**, in the material renderer (FR-014, FR-015). **Evidence**: the consumer ignores a malformed span, so producing one yields a link that renders correctly and does nothing.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T032.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T032`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-257 — 004-authored-ai-areas T033 — [US3] Emit href: null + unresolved_reason + intact anchor + a count for an unservable…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T033: [US3] Emit `href: null` + `unresolved_reason` + intact anchor + a count for an unservable chapter (FR-016, FR-017, SC-007). **Evidence** (source): 205 of 205 resolved, 0 unresolved.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T033.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T033`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-107 — 004-authored-ai-areas T034 — [US3] Declare the chapter registry from disk (workshop/chapters/) rather than from the…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T034: [US3] Declare the chapter registry **from disk** (`workshop/chapters/`) rather than from the anchors themselves (FR-016, FR-029, SC-007). **Evidence** (source): deriving it from the anchors would make the resolution check vacuously pass; `ScanChapterDirs` returns exactly `01`, `02`, `02.01`.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T034.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T034`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-108 — 004-authored-ai-areas T035 — [US3] Implement the client-side time-link contract in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T035: [US3] Implement the client-side time-link contract in `workshop/platform/frontend/src/app/core/timelink.ts` (FR-015).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T035.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T035`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-109 — 004-authored-ai-areas T036 — [US3] Seek the player to t and scroll the transcript to the #p- passage without further…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T036: [US3] Seek the player to `t` and scroll the transcript to the `#p-` passage **without further scrolling**, marking it visually, in the transcript component (FR-015, SC-008). — EVIDENCE (source): `workshop/platform/frontend/src/app/features/transcript/transcript.component.ts:593` `#p-` parse, `:614-634` seek with `link.end`, `:691-693` `scrollIntoView`, `:631` `machine.seeked()` suspends follow so nothing scrolls further; `seek.spec.ts` + `follow-mode.spec.ts` green in the 298/298 run (in_process) 2026-09-08

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T036.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T036`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-110 — 004-authored-ai-areas T037 — [P] [US3] Make the extent of a range discernible when end is present, not only its start…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T037: [P] [US3] Make the extent of a range discernible when `end` is present, not only its start (US3 scenario 3; FR-014). — EVIDENCE (source): `workshop/platform/frontend/src/app/core/playback.ts:88-95` `stopAt` bounds playback to `end` (and only when `end > t`); `features/chapters/recording-player.component.ts:84-87` `data-testid="span-end"` names the excerpt end. Frontend unit suite 298/298 SUCCESS (in_process) 2026-09-08

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T037.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T037`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-111 — 004-authored-ai-areas T039 — [US4] Specify one diagram per area — type, the single idea, concrete nodes and edges…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T039: [US4] Specify one diagram per area — type, the single idea, concrete nodes and edges — in `workshop/docs/training/diagrams/SPEC.md`, with deliberately smaller diagrams for the thin modules and the reason written down (FR-013).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T039.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T039`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-259 — 004-authored-ai-areas T040 — [US4] Build 8 SVGs in the house style extracted from design-system/diagrams/, adding…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T040: [US4] Build 8 SVGs in the house style extracted from `design-system/diagrams/`, **adding** `<title>`, `<desc>`, `role="img"` and `aria-label` — absent from 0 of 33 references (FR-013). **Evidence** (source): all 8 parse as XML, rc 0; no external font, image or script.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T040.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T040`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-260 — 004-authored-ai-areas T041 — [P] [US4] Serve video materials with chapter_id, start_millis, end_millis, length_millis,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T041: [P] [US4] Serve `video` materials with `chapter_id`, `start_millis`, `end_millis`, `length_millis`, `transcript_anchor`, `chapter_slug` and `href` (FR-013, FR-014).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T041.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T041`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-112 — 004-authored-ai-areas T042 — [US4] Render materials in place with their captions in the lesson component (FR-013). —…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T042: [US4] Render materials in place with their captions in the lesson component (FR-013). — EVIDENCE (source): `workshop/platform/frontend/src/app/features/areas/area-lessons.component.ts:102-148` — materials rendered in place, caption per material, and a visual with no `alt` is offered as a named link rather than a blank frame. Frontend unit suite 298/298 SUCCESS (in_process) 2026-09-08

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T042.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T042`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-113 — 004-authored-ai-areas T045 — [US5] Regenerate the served stylesheets from the widened token source in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T045: [US5] Regenerate the served stylesheets from the widened token source in `workshop/platform/frontend/src/styles/`, then rebuild. **This is defect D6**: nothing had regenerated them, so a token-level widening never reached a visitor (FR-021, FR-023, SC-010). — EVIDENCE (served): `bash workshop/`

`platform/gates/verify-served-palette.sh` rc **0** against the LIVE served bundle (`sample: live, http://127.0.0.1:8087`, 2 stylesheets, 208 surfaces graded): 7 distinct hue families, floor 6 — the widening reaches a visitor, so D6 is closed at the served layer

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T045.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T045`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-114 — 004-authored-ai-areas T046 — [TDD] [SUBAGENT] [US5] Write a hue-family check that reads the served stylesheet — not…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T046: [TDD] [SUBAGENT] [US5] Write a hue-family check that reads the **served** stylesheet — not the token source — asserting ≥6 distinct hue families across principal surfaces (SC-010). A check that reads the token source commits D6 inside the instrument meant to catch it (SC-010, FR-021, FR-023, FR-026). — EVIDENCE (served): `bash workshop/platform/gates/verify-served-palette.sh` rc **0** — reads the SERVED stylesheets over http://127.0.0.1:8087, not the token source; `PASS: 7 distinct hue family/families across principal surfaces (floor 6)`

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T046.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T046`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-115 — 004-authored-ai-areas T047 — [TDD] [P] [SUBAGENT] [US5] Write a contrast check asserting the normal-text and non-text…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T047: [TDD] [P] [SUBAGENT] [US5] Write a contrast check asserting the normal-text and non-text floors in **both** light and dark presentation, over the served bundle (SC-011, FR-022, FR-023, FR-026). — EVIDENCE (served): `bash workshop/platform/gates/verify-served-contrast.sh` rc **0** — `PASS: all 200 pairing(s) clear their floor, in each scheme independently` (8 unusable reported, not counted as passes)

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T047.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T047`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-116 — 004-authored-ai-areas T048 — [P] [SUBAGENT] [US5] Pair T046 and T047 with data-driven mutation proofs, each carrying a…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T048: [P] [SUBAGENT] [US5] Pair T046 and T047 with data-driven mutation proofs, each carrying a control and a vacuity refusal that exits 2 (FR-027, FR-028, FR-029, SC-013, SC-014). — EVIDENCE (in_process): `bash workshop/platform/gates/prove-served-palette.sh` rc **0**, 8 passed / 0 failed / 8 mutations (M2 and M3 are rc-2 vacuity refusals, N1 the non-vacuity control);

`prove-served-contrast.sh` rc **0**, 6 passed / 0 failed / 6 mutations (M0 control, M2 rc-2 vacuity refusal, M3 the light-passes/dark-fails split). Gate source byte-identical across each battery

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T048.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T048`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-117 — 004-authored-ai-areas T050 — [US6] Add workshop/scripts/bootstrap-standalone.sh and workshop/helix-deps.yaml (FR-024,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T050: [US6] Add `workshop/scripts/bootstrap-standalone.sh` and `workshop/helix-deps.yaml` (FR-024, SC-012).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T050.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T050`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-264 — 004-authored-ai-areas T051 — [P] [US6] Add verify-standalone-clone.sh to both workshop/scripts/ and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T051: [P] [US6] Add `verify-standalone-clone.sh` to both `workshop/scripts/` and `ai_interviewing/scripts/` (FR-024, FR-025, FR-026, SC-012).

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T051.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T051`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names paths in more than one sub-project (AII, WSP), so it is attributed to the parent. ## WSP-118 — 004-authored-ai-areas T052 — [US6] Record the curriculum-kit replace-target gap verbatim in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T052: [US6] Record the `curriculum-kit` replace-target gap verbatim in `workshop/platform/backend/go.mod` (FR-024). **Evidence** (source): gaps 2 → 3, correctly — the gate working, not drift.

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T052.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T052`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## CKT-005 — 004-authored-ai-areas T053 — [US6] BLOCKED — operator decision. Publish submodules/curriculum-kit as a git…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T053: [US6] **BLOCKED — operator decision.** Publish `submodules/curriculum-kit` as a git repository and mount it as a gitlink, then declare it in `helix-deps.yaml`. It is currently a plain directory with **no commit to pin**, so a truthful manifest entry cannot be written and a fabricated `ref:` would be a bluff (FR-024, SC-012). — EVIDENCE (source): `git ls-files -s submodules/curriculum-kit` -> `160000 52f08af5abb396bce7d9679cb82eb0b9dd0246fc`; `.gitmodules:40-42` declares the path and url; `helix-deps.yaml:313-316` records `ref: 52f08af5abb3...`; `bash scripts/verify-manifest-pins.sh` rc **0** at 13 MATCH / 0 DRIFT / 0 UNDETERMINED. The blocker (no commit to pin) is gone

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T053.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T053`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/curriculum-kit. ## WSP-119 — 004-authored-ai-areas T054 — Stop every writing stream, then restart once with bash workshop/scripts/restart.sh (a…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T054: Stop every writing stream, then restart once with `bash workshop/scripts/restart.sh` (a full down/up, never `compose restart`). **Never pass `--destroy-volumes` to `stop.sh`** — the `workshop-index` volume holds hours of transcription output (FR-023, FR-023a). — EVIDENCE (served): container `workshop-curriculum_platform_1` started 2026-09-08 08:01:16, `Up 4 hours (healthy)` at measurement, and it serves the six learning routes that

exist only in the new binary (all 200/403/400 below) — a full down/up, not a `compose restart`. Volume `workshop-curriculum_workshop-index` intact (487880 crossref edges over 24394 sources at generation 6)

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T054.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T054`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-120 — 004-authored-ai-areas T055 — Re-run bash workshop/platform/gates/verify-server-unity.sh against the live container.…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T055: Re-run `bash workshop/platform/gates/verify-server-unity.sh` against the live container. **Currently RED at `PASS=37 FAIL=6`** — all six new routes answering a plain-text 404 because the container runs the old binary. Against a server built from this tree the same gate is `PASS=43 FAIL=0 UNDET=0 DEBT=8` (FR-023, FR-026). — EVIDENCE (served): `bash workshop/platform/gates/verify-server-unity.sh` rc **0** — `PASS=43 FAIL=0 UNDET=0 DEBT=8`, exactly the stated target; the six §002.LEARN routes answer as declared. The 8 DEBT rows are recorded NOT_BUILT contract endpoints, printed by design

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T055.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T055`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-265 — 004-authored-ai-areas T056 — Confirm GET /api/areas returns 42, not the 819 the running container still holds in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T056: Confirm `GET /api/areas` returns **42**, not the 819 the running container still holds in memory from start-up (FR-018, FR-023a, SC-001). — EVIDENCE (served): `GET http://127.0.0.1:8087/api/areas` -> **200**, `contract.total_areas = 42`, `len(areas) = 39` + `len(held_back) = 3`; every id in `areas` carries an `href`, and `GET /api/areas/{first}` -> 200

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T056.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T056`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-266 — 004-authored-ai-areas T057 — Exercise all six learning routes over HTTP against authored content. Everything so far is…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T057: Exercise all six learning routes over HTTP against authored content. Everything so far is measured through the server's own loader **in-process**; the HTTP surface is unmeasured (plan.md gap 1; FR-006, FR-007, FR-009, FR-010, FR-012a, FR-013, SC-006, SC-009). — EVIDENCE (served): all six exercised over HTTP with `X-Session: audit-004-probe` on 2026-09-08: `GET /api/areas/{a}/lessons` 200 (7 lessons), `GET /api/areas/{a}/lessons/{l}` 200 (carries `prev`/`next`/`position`), `POST /api/areas/{a}/lessons/{l}/state` 200 (`complete_of_required` 0 -> 1), `GET /api/areas/`

{a}/materials 200 (+ ?kind=<unknown> -> **400**, T022 on the wire), GET /api/areas/{a}/assessment 200 (available:false with the missing-lesson list), POST /api/areas/{a}/assessment/submit -> **403** with the availability envelope, never a zero score

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T057.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning T057.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-121 — 004-authored-ai-areas T058 — [P] Register the new gates in workshop/platform/gates/check-registry-002.tsv and the…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T058: [P] Register the new gates in workshop/platform/gates/check-registry-002.tsv and the pipeline gates in their registry (FR-026, SC-013). **Evidence needed**: verify-check-registry-002.sh currently rc 0 at checks=94 debt=3. — EVIDENCE (source): bash workshop/platform/gates/verify-check-registry-002.sh rc **0** — checks=103 debt=3 missing=0 unreadable=0 proof_fail=0 (was 94/3); the new rows are check-registry-002.tsv:444-453 (G-AREA-NAME, G-LEARN-PUBCONSIST, G-LEARN-GATE, G-SERVED-PALETTE, G-SERVED-CONTRAST, each with its -proof sibling) plus G-AREA-TOPICALITY-classifier and the FR-004-obtainability pair

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T058.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning T058.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-123 — 004-authored-ai-areas T063 — [SUBAGENT] Re-mine chapter 02 into the taxonomy, or record the coverage gap explicitly. A…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T063: [SUBAGENT] Re-mine chapter 02 into the taxonomy, or record the coverage gap explicitly. A topic taught only there, in words the chapter-01 lexicon lacks, is invisible to every coverage figure in this feature (FR-005). — EVIDENCE: `workshop/docs/training/CURRICULUM-AREAS.md:108` records the gap explicitly and by name — chapter 02 and 02.01 contribute tier-A term matches only, no span-tier evidence and no chapter-02 coverage report has ever been built, so a topic taught only there is invisible to every figure on that page. This is the task's second arm; the re-mine itself was NOT done

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T063.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T063`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-126 — 004-authored-ai-areas T069 — [P] Report question-bank coverage on every run as a fraction of published areas (SC-004a,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 004-authored-ai-areas task T069: [P] Report **question-bank coverage** on every run as a fraction of published areas (SC-004a, FR-008), currently 5 of 42. A tracked figure, never a floor. — EVIDENCE (source): `workshop/pipeline/extract/build_learning_catalog.py:506-510` prints the fraction on every run;

dry run 2026-09-08 rc **0**: `areas considered 42 / with lessons 42 / with an assessment 30 / WITHOUT assessment 12 (each a CK021 finding; no question generated to hide one)`. NOTE: SC-004a and Amendment A1 both say **5 of 42**; the measured figure is **30 of 42** (`verify_question_banks.py` rc 0, 30 banks / 234 questions / 597 citations resolved) — the spec figure is superseded

HOW IT MANIFESTS — the task is tracked in specs/004-authored-ai-areas/tasks.md as row T069.

HOW TO REPRODUCE — read specs/004-authored-ai-areas/tasks.md and locate the row beginning `T069`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-127 — 005-clone-and-clear-red T001 — [US1] Untrack the 54 *.tar.gz.part-* archive chunks with git rm –cached and add the…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T001: [US1] Untrack the 54 `*.tar.gz.part-*` archive chunks with `git rm --cached` and add the pattern to `workshop/.gitignore` (FR-002, FR-005, SC-002). **Evidence** (source): `git -C workshop ls-files '*.part*'` returns **0** tracked parts, down from 54 totalling 2,624.8 MB; `workshop/.gitignore:112` carries `*.tar.gz.part-*`, which is what stops the project's `git add .` commit wrapper putting them back; commit `c182e6a` shows all 54 deletions at 52,428,800 bytes each. Files stay on disk — nothing was deleted.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T001.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T001`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-128 — 005-clone-and-clear-red T002 — [US1] Keep the three *.sha256 manifests TRACKED (≈9 KB) so a chunk fetched from…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T002: [US1] Keep the three `*.sha256` manifests TRACKED (≈9 KB) so a chunk fetched from elsewhere is still verifiable (FR-002, SC-003). **Evidence** (source): recorded in `workshop/scripts/verify-obtainability.sh` header — “without them a fetched file is unverifiable”. The integrity record is the thing that makes moving the bytes out survivable.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T002.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T002`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-129 — 005-clone-and-clear-red T003 — [US1] Record that the Git LFS remedy the spec’s own clarification chose was prepared and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T003: [US1] Record that the Git LFS remedy the spec’s own clarification chose was **prepared and WITHDRAWN before it was committed** (FR-002). **Evidence** (source): `workshop/scripts/verify-obtainability.sh` quotes the superseding operator instruction verbatim — remove archives from git entirely, fetch them from storage servers in a later iteration. **This is a divergence between spec.md’s Clarifications section and what was**

built, and it is stated here rather than left for a reader to trip over. The spec still records LFS as the answer; the tree does not implement it.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T003.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T003`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-130 — 005-clone-and-clear-red T004 — [US1] Put the documented clone command in the repository's front-door documentation…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T004: [US1] Put the documented clone command in the repository's front-door documentation (FR-001, FR-003, SC-001). **Evidence** (source): `workshop/README.md:57-60` carries `git clone --filter=blob:none …` with the single flag justified in the same document at lines 105-160, including the REFUTED HTTP/2 hypothesis and the established no-resume mechanism.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T004.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T004`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-131 — 005-clone-and-clear-red T005 — [US1] Document –filter=blob:none as ROBUST, not merely fast (FR-001, FR-003). Evidence…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T005: [US1] Document `--filter=blob:none` as **ROBUST, not merely fast** (FR-001, FR-003). **Evidence** (source): `workshop/README.md:140` states it; the reasoning is that a 540 KB transfer that fails costs nothing to retry while a 2.6 GB one costs everything. This is the design consequence the spec's root-cause section demanded be written down.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T005.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T005`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-132 — 005-clone-and-clear-red T006 — [US1] State plainly, in the guard itself, that untracking does not shrink the repository…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T006: [US1] State plainly, in the guard itself, that untracking **does not shrink the repository** (FR-005, SC-004). **Evidence** (source): `workshop/scripts/verify-obtainability.sh` — "`git count-objects -vH` does not fall, and a naive full-history `git clone` still transfers all of it"; `workshop/README.md:159-160` repeats it. History rewriting is forbidden, so this limit is permanent and is printed rather than softened.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T006.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T006`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-133 — 005-clone-and-clear-red T007 — [TDD] [US1] Ship workshop/scripts/verify-obtainability.sh — the obtainability-cost…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T007: [TDD] [US1] Ship `workshop/scripts/verify-obtainability.sh` — the obtainability-cost guard that warns **before** the failure point (FR-004, SC-002). **Evidence** (source): 3-valued exit contract documented in-file (0 below warning · 1 WARN/BREACH/half-finished-untracking · 2 could-not-ask); ceiling **adopted from SC-002's 250 MB rather than selected**, `WARN_AT = CEILING − (largest single blob at HEAD)` capped at 80% of ceiling. **Both threshold rules are stated without reference to any count**, which is FR-010 applied to the guard's own design.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T007.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T007`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-274 — 005-clone-and-clear-red T008 — [US1] Make the guard measure the CHECKOUT PAYLOAD of the documented path, and report full…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T008: [US1] Make the guard measure the CHECKOUT PAYLOAD of the documented path, and report full history as a NOTE only (FR-004, SC-002). **Evidence** (source): recorded in-file — “a gate that failed on history would demand a remedy nobody is allowed to perform, and a gate whose remedy is forbidden is decoration.”

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T008.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T008`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-275 — 005-clone-and-clear-red T009 — [US1] Catch the half-finished untracking — a path .gitignore matches while git still…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T009: [US1] Catch the half-finished untracking — a path `.gitignore` matches while git still tracks it (FR-002, FR-004). **Evidence** (source): that state is an explicit exit-1 finding in the guard’s contract. It is the failure mode where the rule was added and `git rm --cached` was not, so the rule does nothing and the bytes ship anyway.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T009.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T009`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-134 — 005-clone-and-clear-red T014 — [US2] Give workshop/scripts/verify-obtainability.sh a three-valued exit where 2 is never…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T014: [US2] Give `workshop/scripts/verify-obtainability.sh` a three-valued exit where **2 is never a pass** (FR-006, FR-008, SC-006). **Evidence** (source): contract stated in-file; precedence asserted by mutation **M7** so a moving tree cannot mask a breach already measured.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T014.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T014`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-280 — 005-clone-and-clear-red T015 — [TDD] [US2] Make _tools/watch-deploy.sh read its exit codes and fold each cycle into a…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T015: [TDD] [US2] Make `_tools/watch-deploy.sh` read its exit codes and fold each cycle into a three-valued verdict (FR-006, FR-008, SC-006). **Evidence** (source, from `scripts/check-registry.tsv` and commit `f824cd1`): verdict is 0 clean / 2 a cycle could not run / 5 a cycle ran and failed, **failure outranking could-not-determine**. Before this, the watcher discarded `$?` and could loop 240 times against a deploy failing every cycle and still exit 0.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T015.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T015`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-281 — 005-clone-and-clear-red T016 — [TDD] [US2] Ship _tools/prove-watch-deploy-verdict.sh, the §1.1 paired proof, driven by…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T016: [TDD] [US2] Ship `_tools/prove-watch-deploy-verdict.sh`, the §1.1 paired proof, driven by **data** rather than by editing its subject (FR-021, SC-014). **Evidence** (in_process, recorded in `scripts/check-registry.tsv`): **9 passed** / **0 failed** / **8 mutations** against the current watcher, and **3 passed** / **6 failed** against a reconstruction of the pre-fix watcher — every one of the 6 reporting `got 0` where a verdict was owed. Mutations are stub exit codes via `WATCH_DEPLOY_CMD`; the watcher's source `sha256` is captured before the battery and re-asserted after, so a mutation that edited the subject would fail the proof.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T016.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T016`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-282 — 005-clone-and-clear-red T017 — [US2] Rewrite the _tools/watch-deploy.sh registry exemption to carry its evidence and…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T017: [US2] Rewrite the `_tools/watch-deploy.sh` registry exemption to carry its evidence and WITHDRAW the expired reason (FR-007). **Evidence** (source): `scripts/check-registry.tsv` — the prior reason *"it judges nothing"* is marked WITHDRAWN by name, with the date and the change that expired it. **An exemption whose justification expired still looks reviewed**; this is the fix for that class.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T017.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T017`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-283 — 005-clone-and-clear-red T018 — [US2] Write read-only provider adapters for the two hosts that had none — gitflic.ru…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T018: [US2] Write read-only provider adapters for the two hosts that had none — `gitflic.ru` and `gitverse.ru` (FR-011c, SC-005). **Evidence** (source): `scripts/verify-provider-ci.sh` grew 585 lines in commit `f824cd1`; both adapters speak HTTP directly because neither host ships a CLI, and each declares its own honest ceiling in-file (gitflic **cannot** reach a NONE verdict by construction and says so on every row; gitverse can, its route set established empirically).

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T018.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T018`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-284 — 005-clone-and-clear-red T019 — [TDD] [US2] Prove the two adapters with the M8..M13 battery, including the case that…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T019: [TDD] [US2] Prove the two adapters with the M8..M13 battery, including the case that stops an adapter hardwired to refuse from passing (FR-011c, FR-021). **Evidence** (source): `scripts/verify-provider-ci.sh:408-540` — M8 unreachable ⇒ rc 2 with the row UNVERIFIED; **M9 a control that goes green** ⇒ rc 0 with the row NONE. Without M9 the battery would be satisfied by an adapter that can only ever say no.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T019.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T019`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-286 — 005-clone-and-clear-red T021 — [US2] Judge the content-boundary class A INWARD rows rather than allow-listing them…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T021: [US2] Judge the content-boundary class A INWARD rows rather than allow-listing them (FR-007, FR-011, SC-007). **Evidence** (source): `docs/findings/content-boundary-class-a-judgement.jsonl` holds **1,933 rows, every one `verdict: NOT_A_DISCLOSURE`, 0 unjudged** — verified by counting the file's own verdict field, not by transcription. `docs/content-boundary-class-a-judgement.md` groups them G1–G8 with a per-group reason. **Nothing was redacted, allow-listed, re-baselined, and `scripts/verify-content-boundary.sh` was not edited. The gate still exits 1, and it should.**

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T021.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T021`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-287 — 005-clone-and-clear-red T022 — [US2] Judge the union of two gate runs' INWARD rows, not the more convenient one (FR-023,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T022: [US2] Judge the **union** of two gate runs' INWARD rows, not the more convenient one (FR-023, SC-007). **Evidence** (source): both runs are tabled in `docs/content-boundary-class-a-judgement.md` — totals 16,155 and 9,945, tied together with `--expect-corpus`; **51 rows appeared only in run 2** and are included. Judging the union is what stops a moving tree quietly dropping a row out of the reading queue.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T022.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T022`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-288 — 005-clone-and-clear-red T023 — [US2] Attribute the total's fall rather than banking it (FR-011, FR-023). Evidence…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T023: [US2] Attribute the total's fall rather than banking it (FR-011, FR-023). **Evidence** (source): the same document tests four candidate mechanisms for the 16,155 → 9,945 drop in 39 minutes and states *"nothing was silenced to achieve it"*. **An unexplained fall is worse than a stable red.**

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T023.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T023`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-289 — 005-clone-and-clear-red T024 — [US2] Report the direction split across five populations whose totals differ by more than…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T024: [US2] Report the direction split across five populations whose totals differ by more than 3,000 rows (FR-011, FR-018). **Evidence** (source): OUTWARD landed at 79.7 / 79.3 / 79.1 / 80.2 / 82.1 % every time. **The totals move; the direction does not** — that is the figure to act on, and it is what bounded the reading assignment.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T024.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T024`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-290 — 005-clone-and-clear-red T025 — [TDD] [US2] Register scripts/verify-content-boundary-judgement.sh as a check with a…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T025: [TDD] [US2] Register `scripts/verify-content-boundary-judgement.sh` as a check with a `--prove-failure` paired proof (FR-020, FR-021, SC-014). **Evidence** (source): row added in `scripts/check-registry.tsv` in commit `f824cd1`; the gate is 450 lines.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T025.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T025`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-291 — 005-clone-and-clear-red T026 — [US2] Install the pre-push gate hook, since .git/hooks/ is untracked and a fresh clone…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T026: [US2] Install the pre-push gate hook, since `.git/hooks/` is untracked and a fresh clone runs no gates (FR-020). **Evidence** (source): `.git/hooks/pre-push` is present, executable, 1,224 bytes, dated 2026-09-08 10:58. **Honest limit**: `git push --no-verify` still bypasses it with no record, and this hook protects only this checkout.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T026.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T026`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-292 — 005-clone-and-clear-red T027 — [US2] Take the R3 hardcoded-path red to green by a real fix, not a re-baseline (FR-011,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T027: [US2] Take the R3 hardcoded-path red to green by a real fix, not a re-baseline (FR-011, FR-011a, SC-007). **Re-measured 2026-09-08** (source): `bash scripts/audit-hardcoded-paths.sh` exits **0** — *"no machine-specific hardcoded paths"*, 16 file(s) explicitly allowed. The R3 baseline of 17 live occurrences is cleared.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T027.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T027`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## CON-001 — 005-clone-and-clear-red T029 — [US2] Close the R2 continuation red and the R4 governance-pin red (FR-011). Evidence…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T029: [US2] Close the R2 continuation red and the R4 governance-pin red (FR-011). **Evidence** (source): commit `f824cd1` updated `CONTINUATION.md` (+207 lines) and moved `submodules/constitution` three commits, the first move in six that was **not** corpus-neutral — the constitution gained anchor 11.4.272 and every recorded figure in the four carriers was stale and was updated in lockstep. **BOTH REDS HAVE SINCE REOPENED, re-measured 2026-09-08 from the umbrella root** (source): `bash scripts/continuation-check.sh` exits **1** at *7 PASS · 1 DRIFT · 0 UNDET · 15 NOTE* — “CONTINUATION.md IS STALE”; `bash scripts/verify-submodule-remote-sync.sh` exits **1** at *12 CURRENT / 1 DRIFT / 0 UNDETERMINED*, the single DRIFT row being `submodules/constitution` (gitlink `71ac4373…` vs remote `2db64ee8…`, **difference DETERMINED, direction NOT**, because the remote commit is absent from this object store). **Closing an instance is not closing the class, and this pin has now gone stale six times. Do not read T029’s tick as a green fleet.**

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T029.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T029`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/constitution. ## VSC-294 — 005-clone-and-clear-red T030 — [US2] Confirm the manifest and gitlinks moved together (FR-011). Re-measured 2026-09-08…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T030: [US2] Confirm the manifest and gitlinks moved together (FR-011). **Re-measured 2026-09-08** (source): `bash scripts/verify-manifest-pins.sh` exits **0** — **13 MATCH / 0 DRIFT / 0 UNDETERMINED** of 13 declared deps. C9 caught the manifest lagging its gitlinks **twice on 2026-09-08** (commits `bfe2931`, `3922e35`) and both were repaired; that is the gate working.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T030.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T030`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-135 — 005-clone-and-clear-red T036 — [TDD] [US3] Ship the B6/B7 detector for questions citing withheld material in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T036: [TDD] [US3] Ship the B6/B7 detector for questions citing withheld material in `workshop/pipeline/extract/verify_question_banks.py` (FR-012, SC-009). **Evidence** (source): 478 lines added in commit `c182e6a`; **B6** asserts every citation resolves in the registry AND is `redacted: false`, **B7** the same for every `lesson_sections` pid. The file records the mechanism in its own header: a question citing a redacted passage is withheld under `WithholdCitationRedacted`, **so a learner opening those areas was served a shorter test with nothing saying so.**

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T036.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T036`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-137 — 005-clone-and-clear-red T039 — [US3] Remove R7's structural obstacle — area documents never sectioned into the passage…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T039: [US3] Remove R7's structural obstacle — area documents never sectioned into the passage registry, so no citation could resolve and no question could be authored (FR-015, SC-011). **Evidence** (source): `git -C workshop ls-files 'docs/training/curriculum-areas/*.md'` returns **37** and … `*.sections.json` returns **37** — **37 of 37 sectioned**, against R7's baseline of 25 of 37 unsectioned. The obstacle is gone at source.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T039.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T039`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-138 — 005-clone-and-clear-red T043 — [TDD] [US4] Make workshop/platform/gates/verify-served-palette.sh read the SERVED bundle…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T043: [TDD] [US4] Make `workshop/platform/gates/verify-served-palette.sh` read the **SERVED bundle only**, through `lib/served_css.sh`, and never `src/styles/**` (FR-016, FR-018, SC-012). **Evidence** (source): stated as the gate's entire reason for existing — measured defect **D6** was that the token source's hue span was widened, nothing regenerated the served stylesheets,

and the token measurement was then reported as evidence about the interface. **“A check that read the token source to reach its verdict would have returned SUCCESS over exactly that defect.”**

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T043.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T043`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-304 — 005-clone-and-clear-red T044 — [US4] Family the colour an element paints of its own (paint), not only the ground behind…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T044: [US4] Family the colour an element **paints of its own** (`paint`), not only the ground behind it (`bg`) — defect **D-A** (FR-016, FR-018). **Evidence** (source): recorded in the same gate. For a `non-text` row the sampler sets `bg` to the ground *behind* the indicator, which is correct for contrast but meant **a coloured chip, wash, rule or fill could not contribute a hue family AT ALL, by construction**. The population excluded the very elements an interface uses to carry colour. A row with no `paint` still grades exactly as before, so an older sample is unaffected.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T044.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T044`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-305 — 005-clone-and-clear-red T045 — [US4] Define a hue family as a 30° bucket (12 buckets), with imperceptible-chroma…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T045: [US4] Define a hue family as a 30° bucket (12 buckets), with imperceptible-chroma colours collapsing into ONE `neutral` family counted once (FR-016, FR-018, SC-012). **Evidence** (source): stated in-gate — *"counting each grey as its own hue would let a monochrome interface pass"*. Two colour spaces are used on purpose: HSL for the hue ANGLE (it need only partition colours that already have a hue), and a different measure for whether a colour has a hue at all, because HSL saturation divides by a span that vanishes near white and black. **The floor of 6 is fixed by the specification, not chosen by the gate** — FR-010 applied to the instrument.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T045.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T045`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-141 — 005-clone-and-clear-red T048 — [TDD] [US4] Ship workshop/platform/gates/verify-served-contrast.sh with its paired…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T048: [TDD] [US4] Ship `workshop/platform/gates/verify-served-contrast.sh` with its paired prover, measuring text and non-text pairings separately in both presentations (FR-019, SC-013). **Evidence** (source): both `verify-served-contrast.sh` and `prove-served-contrast.sh` are tracked; `workshop/docs/design-system/contrast.py` (245 lines, commit `f11a3c1`) is the

measurement, and its own commit records that **nine of the specification's own colours were short** — the spec was wrong and the instrument found it.

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T048.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T048`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-142 — 005-clone-and-clear-red T051 — [TDD] Drive every palette mutation by data, not by altering the check (FR-021, SC-014)….

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T051: [TDD] Drive every palette mutation by **data**, not by altering the check (FR-021, SC-014). **Evidence** (source): 8 fixtures tracked under `workshop/platform/gates/fixtures/palette/` — `empty`, `flat`, `good`, `low-contrast`, `near-grey-ramp`, `scheme-split`, `indicator-only`, `boundary-ulp`. `indicator-only` is the fixture that pins defect D-A; `boundary-ulp` pins the bucket edge. **A gate green by construction is the inoperative-proof defect this project has already caught once.**

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T051.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T051`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-308 — 005-clone-and-clear-red T052 — Make the content-boundary gate carry evidence its corpus did not move during the…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 005-clone-and-clear-red task T052: Make the content-boundary gate carry evidence its corpus did not move during the measurement (FR-023). **Evidence** (source): both runs in `docs/content-boundary-class-a-judgement.md` report `corpus MOVED` with the changed-file count (66 of 14,891; 4 of 14,837) and are tied together by `--expect-corpus`. **The gate reports its own instability instead of absorbing it silently.**

HOW IT MANIFESTS — the task is tracked in specs/005-clone-and-clear-red/tasks.md as row T052.

HOW TO REPRODUCE — read specs/005-clone-and-clear-red/tasks.md and locate the row beginning `T052`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-310 — 006-session-record-and-qa-readiness T001 — [REVIEW] Publish the reusable content library as vasic-digital/curriculum-kit (PUBLIC),…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T001: [REVIEW] Publish the reusable content library as `vasic-digital/curriculum-kit` (PUBLIC), mount as a gitlink, declare in `helix-deps.yaml` with a real ref (FR-030, SC-013). **Evidence** (source): 82 files; content-boundary scan 0 prose / 0 name rows; `verify-standalone-clone.sh` 3 gaps → 2.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T001.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T001`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## CKT-006 — 006-session-record-and-qa-readiness T002 — Add Lesson.Body to submodules/curriculum-kit/pkg/curriculum/model.go as opaque marked-up…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T002: Add `Lesson.Body` to `submodules/curriculum-kit/pkg/curriculum/model.go` as opaque marked-up text the library neither parses nor renders (FR-013). **Evidence** (in_process): `go build`/`go test`/`go vet` rc 0; commit `07af6fb`.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T002.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T002`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path submodules/curriculum-kit. ## VSC-311 — 006-session-record-and-qa-readiness T003 — [P] Keep Body optional in the library and record why in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T003: [P] Keep `Body` **optional** in the library and record why in `TestValidateDoesNotRequireALessonBody` (FR-013). **Evidence**: a

materials-only lesson is legitimate, so “every lesson has a body” is a consumer policy the library may not impose; a future rule must change a test that explains its absence.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T003.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T003`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-312 — 006-session-record-and-qa-readiness T004 — [P] Assert Body and Summary have not collapsed into one value in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T004: [P] Assert `Body` and `Summary` have not collapsed into one value in `TestLessonBodyIsCarriedAndIsDistinctFromSummary`, including that an absent body decodes as `""` rather than a copy of the summary (FR-013).

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T004.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T004`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-144 — 006-session-record-and-qa-readiness T005 — [TDD] [REVIEW] Compute the publication decision once in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T005: [TDD] [REVIEW] Compute the publication decision once in `workshop/platform/backend/internal/api/area_publication.go` and consume it from all three surfaces (FR-023, FR-025). **Evidence** (population: unstated): `verify-area-publication-consistency.sh` rc 0 (6 passed); prover rc 0 (7 mutations); `TestAreaListAndDetailAgree` asserts the **pair**, which is what was missing while both handlers' own tests passed.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T005.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T005`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-145 — 006-session-record-and-qa-readiness T006 — Make catalog staleness four-valued in workshop/platform/backend/pkg/learning/catalog.go…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T006: Make catalog staleness four-valued in `workshop/platform/backend/pkg/learning/catalog.go` — `Fresh`/`Stale`/`StalenessUnknown`/`NoSource` (FR-026a). **Evidence**: `NoSource` is separate so an in-memory test catalog, having no directory to have drifted from, keeps its legitimate negatives.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T006.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T006`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-146 — 006-session-record-and-qa-readiness T007 — Guard every determined negative about the catalog in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T007: Guard every determined negative about the catalog in `workshop/platform/backend/internal/api/lessons.go` via `catalogNegativeRefused()` (FR-024, FR-026a). **Evidence** (population: unstated): stale ⇒ 503 with `catalog_snapshot: "stale"` and the changed filenames; polarity proven — guard off returns the false 404, guard on returns 503.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T007.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T007`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-147 — 006-session-record-and-qa-readiness T008 — Build the session-record derivation in workshop/platform/backend/pkg/sessionrecord/session…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T008: Build the session-record derivation in `workshop/platform/backend/pkg/sessionrecord/sessionrecord.go` — one place the rules live (FR-007, FR-012, SC-003). **Evidence** (source): `Resolve` has **no fourth branch**, so `vanished=0` holds by construction; a drop without a reason is refused and carries instead.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T008.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T008`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-313 — 006-session-record-and-qa-readiness T009 — [P] Order chapters by the existing curriculum.ChapterID.OrdinalPath rather than a new…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T009: [P] Order chapters by the existing `curriculum.ChapterID.OrdinalPath` rather than a new scheme (FR-002, FR-008). **Evidence**: a second ordering is a second thing to disagree.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T009.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T009`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-148 — 006-session-record-and-qa-readiness T010 — [US1] Reuse the existing producer workshop/pipeline/extract/meeting_notes.py rather than…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T010: [US1] Reuse the existing producer `workshop/pipeline/extract/meeting_notes.py` rather than forking it (FR-001, SC-001). **Evidence** (source): it already emitted all four sections into `curriculum/chapter-<slug>/knowledge/*.jsonl`; the brief's "0 matches in `chapters/`" was accurate and misleading — the material lives under `curriculum/`.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T010.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T010`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-149 — 006-session-record-and-qa-readiness T011 — [US1] Serve session_record on GET /api/chapters/{id} in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T011: [US1] Serve `session_record` on `GET /api/chapters/{id}` in `workshop/platform/backend/internal/api/chapters.go`, degrading on that key alone and never 503-ing the chapter (FR-005).

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T011.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T011`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-314 — 006-session-record-and-qa-readiness T012 — [US1] Split own_count from carried_count per section (FR-004, FR-009). Evidence…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T012: [US1] Split `own_count` from `carried_count` per section (FR-004, FR-009). **Evidence** (population: unstated): two sections carry `own_count=0` with an authored reason; without the split they would read as productive sessions.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T012.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T012`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-315 — 006-session-record-and-qa-readiness T013 — [US1] Require a reason when own_state is empty (FR-004). Evidence (population: unstated):…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T013: [US1] Require a `reason` when `own_state` is `empty` (FR-004). **Evidence** (population: unstated): 12 of 12 sections present, **0 empty-without-reason** — this is the property that lets a tester tell a defect from a blank.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T013.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T013`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-316 — 006-session-record-and-qa-readiness T014 — [P] [US1] Carry origin_chapter on every item (FR-003, SC-002).

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T014: [P] [US1] Carry `origin_chapter` on every item (FR-003, SC-002).

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T014.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T014`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-320 — 006-session-record-and-qa-readiness T020 — [US2] Derive plan(N) = unresolved(plan(N−1)) with slip+1 + next-meeting points of N−1…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T020: [US2] Derive `plan(N) = unresolved(plan(N−1)) with slip+1 + next-meeting points of N−1` in `pkg/sessionrecord` (FR-006, FR-008, FR-010, FR-012). **Evidence** (population: unstated): 66 planned · 0 covered · 66 carried · 0 dropped · **0 vanished**.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T020.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T020`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-321 — 006-session-record-and-qa-readiness T021 — [US2] Resolve absence of a coverage decision to carried, never to a silent drop (FR-007,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T021: [US2] Resolve absence of a coverage decision to `carried`, never to a silent drop (FR-007, SC-003). **Evidence**: `Resolve` has no fourth branch — the invariant holds by construction, not by diligence.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T021.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T021`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-322 — 006-session-record-and-qa-readiness T022 — [P] [US2] Emit marker: CARRIED-FORWARD and marker_label with the count (FR-009, FR-010,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T022: [P] [US2] Emit `marker: CARRIED-FORWARD` and `marker_label` with the count (FR-009, FR-010, SC-004). **Evidence** (population: unstated): 126 markers, 281 slip references on chapter 02.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T022.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T022`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-323 — 006-session-record-and-qa-readiness T023 — [US2] Serve the latest chapter's carry-forward as an outbox with is_outbox: true and a…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T023: [US2] Serve the latest chapter's carry-forward as an **outbox** with `is_outbox: true` and a stated reason (FR-011). **Evidence** (population: unstated): 42 points, `max_slip=2`.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T023.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T023`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-324 — 006-session-record-and-qa-readiness T024 — [US2] Record basis: undetermined for chapter 01 and compute no coverage percentage for it…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T024: [US2] Record `basis: undetermined` for chapter 01 and **compute no coverage percentage for it** (FR-006, FR-024). **Evidence**: no predecessor and no recorded intent; a percentage over an invented plan is a fiction with a denominator.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T024.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T024`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-152 — 006-session-record-and-qa-readiness T025 — [TDD] [US2] Prove the derivation with 16 corpus mutations in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T025: [TDD] [US2] Prove the derivation with 16 corpus mutations in `workshop/platform/gates/prove-session-record.sh` (FR-025, SC-011). **Evidence** (population: unstated): rc 0, 14 assertions — control green, vacuity refusal exits 2, duplicate planned point rc 1, reasonless drop refused.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T025.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T025`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-153 — 006-session-record-and-qa-readiness T029 — [US3] Write workshop/docs/qa/MANUAL-TEST-PLAN.md with every scenario's expected result…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T029: [US3] Write `workshop/docs/qa/MANUAL-TEST-PLAN.md` with every scenario's expected result stated **before** the action (FR-018, FR-019, FR-020, FR-022). **Evidence** (source): 82 scenarios across 11 surfaces; §0 is an "already known" table read first; §3 specifies seven mandatory defect-report fields.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T029.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T029`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-154 — 006-session-record-and-qa-readiness T030 — [US3] Write workshop/docs/qa/CLIENT-WALKTHROUGH.md, every step performed (population:…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T030: [US3] Write `workshop/docs/qa/CLIENT-WALKTHROUGH.md`, every step performed (population: unstated) (SC-015).

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T030.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T030`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-155 — 006-session-record-and-qa-readiness T035 — [US4] Emit "body" verbatim from workshop/pipeline/extract/ build_learning_catalog.py…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T035: [US4] Emit `"body"` verbatim from `workshop/pipeline/extract/ build_learning_catalog.py` (FR-013, SC-005). **Evidence** (source): the builder already parsed every body, used it only for `estimatedMinutes`, and discarded it — 339 of 339 now carry one, median 328 words, longest 4,563.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T035.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T035`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-156 — 006-session-record-and-qa-readiness T036 — [US4] Emit body unconditionally from workshop/platform/backend/pkg/learning/ wire.go…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T036: [US4] Emit `body` unconditionally from `workshop/platform/backend/pkg/learning/wire.go` (FR-013). **Evidence**: `""` is a determined “unauthored”; an absent key is indistinguishable from a transport fault.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T036.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T036`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-157 — 006-session-record-and-qa-readiness T037 — [US4] Render the body through the app’s existing markdown renderer in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T037: [US4] Render the body through the app’s existing markdown renderer in `workshop/platform/frontend/src/app/features/areas/area-lessons.component.ts` — **not** a second renderer and **not** `[innerHTML]` (FR-013).

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T037.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T037`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-332 — 006-session-record-and-qa-readiness T038 — [TDD] [US4] Ship verify-lesson-content.sh with two arms (FR-013, FR-023, FR-026)….

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T038: [TDD] [US4] Ship `verify-lesson-content.sh` with **two arms** (FR-013, FR-023, FR-026). **Evidence**: in-process 339/339 rc 0; **live rc 1 at `318 of 318 EMPTY` before the restart** — the red baseline on the broken artefact. A gate with only the passing arm proves nothing.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T038.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T038`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-158 — 006-session-record-and-qa-readiness T039 — [US4] Send X-Session from the learning client via the one exported header builder in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T039: [US4] Send `X-Session` from the learning client via the **one** exported header builder in `workshop/platform/frontend/src/app/core/api.ts` (FR-013, FR-014). **Evidence** (served): lessons and assessment 400 → 200; the entire surface was unreachable in a browser.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T039.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T039`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-333 — 006-session-record-and-qa-readiness T040 — [US4] Fix the assessment envelope read one level too high, so a healthy 200 no longer…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T040: [US4] Fix the assessment envelope read one level too high, so a healthy 200 no longer renders as `malformed_response` (FR-014).

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T040.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T040`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-334 — 006-session-record-and-qa-readiness T041 — [US4] Stop treating an empty questions array behind a shut gate as "no test exists" —…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T041: [US4] Stop treating an empty `questions` array behind a **shut gate** as "no test exists" — consult `question_count` and the required-lesson gate first (FR-014, FR-015).

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T041.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T041`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-335 — 006-session-record-and-qa-readiness T042 — [TDD] [US4] Ship verify-bank-reachability.sh — the population check that was missing…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T042: [TDD] [US4] Ship `verify-bank-reachability.sh` — the **population** check that was missing (FR-014, FR-023, FR-026). **Evidence** (population: unstated): the existing gate checked route mountedness against one fixture area, so 89 questions were unreachable while it passed.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T042.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T042`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-336 — 006-session-record-and-qa-readiness T043 — [US4] Make the no-test copy state only what the server established (FR-015, FR-026a,…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T043: [US4] Make the no-test copy state only what the server established (FR-015, FR-026a, SC-006). **Evidence** (population: unstated): it asserted *"there is genuinely none"* for 13 areas that had a bank — **confident prose asserting the opposite of the truth**.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T043.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T043`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-159 — 006-session-record-and-qa-readiness T045 — [US5] Withhold answer keys from the open practice route in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T045: [US5] Withhold answer keys from the open practice route in `workshop/platform/backend/internal/api/questions_graded.go` (FR-?). **Evidence** (population: unstated): the decks are the same rows — 224 of 224 match by prompt, 0 of 224 by id — so gating practice would delete a feature; the defect was the disclosure.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T045.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T045`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-338 — 006-session-record-and-qa-readiness T046 — [US5] Fail closed on a nil, unreadable or stale catalog (FR-024, FR-026a). Evidence: a…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T046: [US5] Fail closed on a nil, unreadable **or stale** catalog (FR-024, FR-026a). **Evidence**: a graded prompt the snapshot never saw would look “graded nowhere” to a literal index and be published.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T046.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T046`.

ACCEPTANCE CRITERIA — the row’s own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-160 — 006-session-record-and-qa-readiness T047 — [US5] Refuse a malformed submission in workshop/platform/backend/internal/api/assessment_s…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T047: [US5] Refuse a malformed submission in `workshop/platform/backend/internal/api/assessment_submit_body.go`, naming the offending key, before the store is touched (FR-014). **Evidence** (population: unstated): a misspelled key returned 200 and permanently recorded a 0% attempt; `responses: []` still grades.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T047.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T047`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-161 — 006-session-record-and-qa-readiness T048 — [US5] Assert word-span containment on both endpoints in…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T048: [US5] Assert word-span containment on **both** endpoints in `workshop/platform/backend/pkg/knowledge/wordjoin.go` (FR-?). **Evidence** (population: unstated): containment was checked on word *starts* while the published span was derived from word *ends*; 7 of 2158 joined segments could publish a span their own passage does not contain.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T048.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T048`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## WSP-162 — 006-session-record-and-qa-readiness T049 — [P] [US5] Fix the gate-server leak in workshop/platform/gates/lib/learning_stack.sh…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T049: [P] [US5] Fix the gate-server leak in `workshop/platform/gates/lib/learning_stack.sh` (FR-?). **Evidence** (population: unstated): `BASE="$(ls_start …)"` runs in a **subshell**, so `LS_PID=$!` never reached the caller and every trap read an empty variable and returned 0 — 21 orphans reaped from this host.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T049.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T049`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-341 — 006-session-record-and-qa-readiness T052 — Untrack the 54 video-archive parts with git rm –cached and gitignore the pattern…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T052: Untrack the 54 video-archive parts with `git rm --cached` and gitignore the pattern (FR-028). **Evidence** (source): tracked 54 → 0, on-disk bytes unchanged at 2,752,266,473, fresh checkout 2,711.7 MB → 87.0 MB. **`size-pack` did not fall and could not** — history rewriting is forbidden; the gate prints that limit itself.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T052.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T052`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-342 — 006-session-record-and-qa-readiness T053 — [P] Return rc 2 with TODO(storage-fetch) when archive parts are absent, and keep rc 1 for…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T053: [P] Return **rc 2** with `TODO(storage-fetch)` when archive parts are absent, and keep **rc 1** for a present-but-corrupt part (FR-024, SC-010). **Evidence**: a missing download is not a corrupt archive, and conflating them sent a previous investigation at the wrong thing.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T053.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T053`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## VSC-343 — 006-session-record-and-qa-readiness T054 — [P] Make _tools/watch-deploy.sh read its exit codes (FR-023, FR-025). Evidence…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T054: [P] Make `_tools/watch-deploy.sh` read its exit codes (FR-023, FR-025). **Evidence** (in_process): it could loop 240 times against a deploy failing every cycle and exit 0; the proof fails **6 of 8** against a reconstruction of the pre-fix watcher.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T054.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T054`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — no sub-project path named in the source row. ## WSP-163 — 006-session-record-and-qa-readiness T055 — [P] Fix the hardcoded checkout path in workshop/docs/training/curriculum-areas/16-*.md…

Status: Completed (→ Fixed.md) **Type:** Task **Severity:** unset **Created-By:** AI

WHAT — 006-session-record-and-qa-readiness task T055: [P] Fix the hardcoded checkout path in `workshop/docs/training/curriculum-areas/16-*.md` and regenerate its four derived artefacts (FR-?). **Evidence** (source): the document teaches pointer discipline and broke it; audit 22 occurrences → rc 0; 597 citations still resolve; 18 of 18 sidecar pids present in the registry.

HOW IT MANIFESTS — the task is tracked in specs/006-session-record-and-qa-readiness/tasks.md as row T055.

HOW TO REPRODUCE — read specs/006-session-record-and-qa-readiness/tasks.md and locate the row beginning `T055`.

ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names.

STATUS BASIS — CLOSURE EVIDENCE CLASS: the tracked task list marks this row [x]. The completion mark is the evidence; the work it claims was NOT re-verified by a run in the backfill session (§11.4.6).

SUB-PROJECT BASIS — the source row names the path workshop. ## VSC-382 — umbrella Go helper binaries (workable-items, site-build) are built only when absent: gates and deploy can run a stale tool

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-382.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

shared pattern `if [ ! -x BIN ]` then build (at :185 the build sits inside the if condition); no freshness guard, so verify-workable-items G4/G5 and its proof read the register through whatever workable-items binary exists, and deploy-langs runs whatever site-build exists one umbrella helper (for example scripts/lib) that always runs go build -o BIN (Go's build cache keeps it cheap) or rebuilds when go list -deps sources are newer than BIN; call it from the three sites

VSC-383 — export self-validation builds its golden PDF fixtures only when absent: a changed fixture recipe is never exercised

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-383.green.json **Severity:** low **Created-By:** AI **Assigned-To:** zero-gap-sweep

golden-good.pdf / golden-bad.pdf are rebuilt only when either file is missing; an edit to build-fixtures.sh leaves the old fixtures in place, so the harness validates the previous recipe rebuild fixtures when build-fixtures.sh (or its inputs) is newer than either PDF, or always rebuild into the run's $OUT

VSC-372 — Sweep classes cannot inspect in-tree tracked symlinks (unproven-checks, build-if-missing)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-372.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

the classes refuse every non-regular file as COULD-NOT-INSPECT, including a tracked symlink whose target is a regular file inside the same repository (submodules/qa/scripts/anti-bluff-scan.sh -> anti-bluff/bluff-scanner.sh), so population 838 is inspected 837 resolve a tracked symlink whose fully-resolved target stays inside the same repository and report on the target (or report the link as an alias of an already-inspected item); keep out-of-tree and dangling links COULD-NOT-INSPECT

VSC-374 — Tracked executables outside every declared scanroot (_tests/ x6, upstreams/GitHub.sh) have no registry row

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-374.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

the scanroot set (scripts, tests, _tools, _tools/translate, _tools/portfolio, _tools/containers) excludes _tests/ by a recorded deferral ('_tests/ IS STILL NOT SWEPT … under concurrent edit') and excludes upstreams/;

the deferral has no recheck date and the push recipe upstreams/GitHub.sh is not a check but has no exempt row either declare _tests as a scanroot (recursive per G-unregistered-scripts-01) and add check rows for the 5 validators/proofs (with their paired proofs, e.g. _tests/prove-preflight.sh is itself a proof => exempt-as-proof) and a row for retry.sh; add an exempt row with reason for upstreams/GitHub.sh (push recipe, not a check)

VSC-381 — Coverage map docs/zero-gap/coverage.tsv absent — the coverage-gaps class cannot inspect anything

Status: Implemented (→ Fixed.md) **Type:** Feature **Evidence:** ev/VSC-381.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

FR-010's module x test-kind matrix has not been generated (T052 not started), so the class population is 0 and both of its lines are COULD-NOT-INSPECT; until then no coverage gap is visible T052 generator + data, then T053 re-measure every cell; every gap cell then becomes its own cycle-2 item (FR-026 freeze)

VSC-377 — setup-agents-wizard test suite exits 0 when every case is skipped (verdict ignores executed count)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-377.green.json **Severity:** high **Created-By:** AI **Assigned-To:** zero-gap-sweep

the verdict is `[[ $FAIL -eq 0 ]] && exit 0 || exit 1` (line 1543); TOTAL counts skips, and no floor on PASS (executed) cases exists, so an all-SKIP run (e.g. every tool absent) exits 0 require PASS > 0 (or PASS >= a declared floor) for rc 0 and return rc 2 when every case skipped; add an all-skip planted case to the suite's registered proof

VSC-376 — zero_findings_sweep uncatalogued detector skips a missing scanroot with `continue` and passes an empty population

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-376.green.json
Severity: high **Created-By:** AI **Assigned-To:** zero-gap-sweep

the uncatalogued detector loops over registry scanroots; `[ -d "$ROOT/$d" ] || continue` (line 517 at f05817ba) silently drops a missing scanroot and the find-fed loop (line 525) emits nothing on an empty population, with no rc-2 refusal keyed on items walked treat a declared-but-absent scanroot as rc 2 (could not determine) and refuse a zero-item walk; add planted cases (missing scanroot, empty scanroot) to the sweep's proof

VSC-348 — README zero-findings badge states 23 while its ledger re-measure gives 41

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-348.green.json
Severity: high **Created-By:** AI **Assigned-To:** zero-gap-sweep

The badge value is typed by hand into README.md:3; docs/claim-ledger.tsv row readme-zero-findings-badge re-measures it and reads FALSE. Nothing regenerates the badge from scripts/audit/zero_findings_sweep.sh, so the public quality badge under-states the open finding count. Derive the badge value from the sweep output (a generator or the existing badge tooling reading class=TOTAL live=), never type it; re-run the ledger.

VSC-375 — Four governance audits enumerate with git ls-files only and never see untracked-not-ignored files, without stating the limit

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-375.green.json
Severity: medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

each builds its subject list from `git ls-files` (tracked only) and none mentions untracked files or –others anywhere in its source, so a file written but not yet `git add`-ed is invisible and a green result says nothing about it enumerate `git ls-files --cached --others --exclude-standard` (or print an explicit 'tracked files only' population line on every run where untracked coverage is deliberately out of scope), with a proof case planting an untracked violating file

VSC-366 — –build-bins pointed at the module directory leaves an un-ignored zg-chain binary (T014 N4)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-366.green.json **Severity:** low **Created-By:** AI **Assigned-To:** zero-gap-sweep

The binary lands in a tracked directory with no ignore rule; the commit wrapper runs git add ., so it can be committed (§11.4.30). Refuse a –build-bins inside the tree or add the ignore rule.

VSC-364 — Evidence argv policy misses percent-encoded keys and five credential-name shapes (T014 N1, N2)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-364.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

normalizeArg/redactURL do not decode %HH, and the name list lacks auth/creds/pat/NPM_AUTH/X-Auth shapes, so such values reach the (git-ignored) evidence chain unredacted. Decode %HH before matching; add the segments or list them explicitly under NOT caught.

VSC-363 — Gap store closure gate: six deferred input-validation cases (T008 minors)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-363.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

T008 fix rounds deferred six cases: empty evidence digest stored after a Stat/hash race; future-dated history rows accepted; reviewer on_date unbound; duplicate JSON keys accepted; parallel-close losers exit 2 instead of 1; O_NOFOLLOW only on the final component (parent swap). One hardening round, RED-first Go test per case; openat2(RESOLVE_BENEATH) with a unix build tag.

VSC-388 — credential scanning covers only feature 010's own records: 105 older spec files and the rest of the public tree are never scanned; within spec 007 the detector matches 1 of 15 lines

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-388.green.json **Severity:** high **Created-By:** AI **Assigned-To:** zero-gap-sweep

the class's population is 'every public record the programme produces', so pre-existing public text is outside every credential check in the sweep; the adjacency/value patterns need a password marker shape the other 14 lines do not carry add a sweep class (or widen this one) that runs the credential layer over every tracked text file of every public owned repository, and extend the value-pattern layer to the 'user (password: X)' and table shapes; planted placeholders only

VSC-384 — toolchain catalogue lacks rows for four optional or fallback tools (docs_chain, ifconfig, lumen, shellcheck)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-384.green.json **Severity:** low **Created-By:** AI **Assigned-To:** zero-gap-sweep

docs/zero-gap/toolchains.tsv has no row for these tools, so the class cannot tell whether their absence matters. Hand-read: docs_chain falls back to a built binary in the constitution submodule; ifconfig is the fallback after ip; shellcheck gates an optional check (:511); lumen absence records a FAIL at :666 (not rc 2) — see judgement call J4 add one catalogue row per tool with its role (optional / fallback / required) and container_route none, or record in the catalogue why it is optional; decide separately whether :666 reports rc 2 instead of FAIL

VSC-373 — check-registry R5 sweeps scanroots at maxdepth 1, so 9 scripts under _tools/ subdirectories are invisible (declared list stale by 2)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-373.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

R5 runs `find <scanroot> -mindepth 1 -maxdepth 1 -name '*.sh'` (verify-check-registry.sh:1041); scanroot `_tools` therefore misses its subdirectories; the registry's own comment declares 'SEVEN' such scripts but 9 exist today (_tools/hawkscan/run.sh and _tools/lib/translation-fleet.sh are missing from that list), so the declared boundary itself drifted make R5 recurse under each scanroot (or declare every subdirectory as a scanroot, derived not hand-listed), then add a check/debt/exempt row for each of the 9 (e.g. _tools/lib/translation-fleet.sh already has a proof, _tools/prove-translation-fleet.sh); delete the hand list from the comment; add an R5 –prove-failure case with a planted two-level-deep unregistered script

VSC-355 — doc-count-drift detector reports dated/commit-anchored task notes and subset counts as drift

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-355.green.json **Severity:** low **Created-By:** AI **Assigned-To:** zero-gap-sweep

Point-in-time is whole-document only (point-in-time.tsv). specs/008 tasks.md is a live task list whose notes carry “Measured 2026-09-03” or a commit id on the claim line (5 rows, true when written per rev-docs; truth at that date UNCONFIRMED here). module-page-walkthrough.md:91 “8 submodules” counts a subset (V-G8 roster gaps), not the total the rule compares with. Line-level dating: a claim line carrying “Measured ” or a commit anchor is point-in-time; a count qualified by a subset phrase is not compared with the total. Each with planted rows and clean controls.

VSC-365 — Exempt registry row fact_sha256 covers only the adapter script, not argvpolicy.go (T014 N5)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-365.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

A change to argvpolicy.go is not seen as drift by the exempt row, so the exemption can outlive the code it describes. Hash every file the exemption covers.

VSC-386 — private-in-public guessing detector: live precision 1/8 (normative rules, vocabulary mentions, sweep reports re-reporting other findings)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-386.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

the detector is line-level and not semantic: a normative modal rule line, a review line naming the forbidden vocabulary unquoted, and a sweep report that copies another class's description are all reported as causal guesses; the class reads progress.yml and its own baseline, so its count moves whenever the ledger grows (7 in the baseline, 8 live) exempt (a) lines whose term is the object of a rule about the vocabulary (quoted or listed), (b) the sweep's own report files (a finding description is not a statement of cause), and (c) normative modal use in rule/contract lines, each with planted clean controls; keep the 9 planted guessing rows detected

VSC-360 — Remote-sync gate never checks pushurls that publish to differently named repositories (milosvasic.ru 2, qa 3)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-360.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

scripts/verify-submodule-remote-sync.sh compares the gitlink with the origin FETCH URL only; origin also pushes to two other repositories (milosvasic.ru) and three HelixQA repositories (qa). A lagging push target reads CURRENT. Extend the gate to probe every pushurl (tip vs gitlink, three-valued, network failure = rc 2) with a paired –prove-failure case; or declare the mirrors in helix-deps.yaml and probe them. Do NOT change any remote of milosvasic.ru (live production publish path).

VSC-385 — unmeasured probability in the doc-count-drift population rationale (sweep-classes.tsv:21)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** ev/VSC-385.green.json **Severity:** low **Created-By:** AI **Assigned-To:** zero-gap-sweep

the rationale column asserts which claims are least prone to drift without a measurement (§11.4.6 guessing term); wording only, no effect on any class result replace the clause with a measured statement (for example the count of ledger-anchored claims and their measured drift) or mark it UNCONFIRMED

VSC-361 — Operator decision 2026-09-07 #16 still PENDING in its record, with no execution evidence and no options/cost

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-361.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

The decision record names one action (restart once when writers stop, then commit and push recursively) and status PENDING; nothing records whether it was executed or superseded. Re-measure: find the commits/restart that executed it and mark DONE with evidence, or mark superseded with the later decision; if genuinely open, record options and cost per FR-009.

VSC-350 — CONTINUATION.md section 3 dated session entries carry figures no rule marks as point-in-time

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-350.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

Section 3 (Active work) of CONTINUATION.md is a dated session log; its figures were measured at the time of each entry. The class has no point-in-time rule for dated entries (doc-count-drift has docs/zero-gap/point-in-time.tsv; stale-figures has none), so every such figure reads as unanchored. Choose ONE mechanism (operator judgement): (a) a tracked line-range/heading point-in-time rule for dated section-3 entries, with a reason per row and its own paired proof (a planted undated figure in a current-state section must still be reported), or (b) move closed session entries to a dated archive file listed as point-in-time. Not (c) ledger rows for 394 historical figures.

VSC-353 — stale-figures detector: known false negative (“14 declared”) and two false-positive families

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-353.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

The figure grammar has no shape for “ declared/owned” (rev-base-A: CLAUDE.md:315 says 14 declared while .gitmodules declares 22; reported only as the unanchored 0 DRIFT). FP families (rev-docs, 3/10): a withdrawn figure whose marker is on the next line; exit-code MEANING lines (“0 = clean”). Add the shapes with planted rows; add clean controls for the two FP families; restate the header precision.

VSC-352 — README.md records gate exit codes (exits 1) with no re-measure command

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-352.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

The instruments/governance sections of README.md state each gate’s current exit code in prose; only 3 ledger rows anchor README.md. Ledger rows re-running each named gate, or replace the stated rc with the command.

VSC-359 — Root carriers quote only historical commits of design-toolkit, containers, curriculum-kit and workshop; no current pin

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** ev/VSC-359.green.json **Severity:** medium **Created-By:** AI **Assigned-To:** zero-gap-sweep

Carrier prose cites the gitlink of the day it was written (e.g. “Re-measured at gitlink 7f59225”); the gitlinks moved (4ddc9645d140, 4a8f04e05f35, a57d6f157f18, e076fa6aa26f) and no ledger row asserts a

quoted pin. Drop “current pin” wording in favour of the re-derive command (git ls-files -s), or add a claim-ledger row per quoted current pin; recompose the four carriers once.

WSP-171 — workshop /api/suggest 503s under load: uncached catalogue leg, no cache, no pre-warm, no panic recover

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/releases/0.0.7.md **Severity:** high

Hardened in release 0.0.7: concurrent catalogue leg, result cache with LRU and singleflight, pre-warm before ready, panic recover. Evidence docs/releases/0.0.7.md and workshop/CHANGELOG.md; rare 503s under heavy host load remain possible per the release note.

WSP-172 — lesson prose contains dangling fragments and medium page areas lack titles

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/releases/0.0.7.md **Severity:** medium

Fixed in release 0.0.7: lesson prose fixes plus gate checks C41 (no dangling fragments) and C42 (medium page areas titled). Evidence docs/releases/0.0.7.md and workshop/CHANGELOG.md.

WSP-173 — glossary tombstones are undone by a rerun of the glossary generation

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/releases/0.0.7.md **Severity:** medium

Fixed in release 0.0.7: glossary tombstones now persist so that a rerun cannot undo them. Evidence docs/releases/0.0.7.md and workshop/CHANGELOG.md.

WSP-174 — duplicate tracked questions: no canonical question key; plan and progress disagree on reached

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/releases/0.0.7.md **Severity:** medium

Fixed in release 0.0.7: one tracked item per question via a canonical key, practice questions/next probe, and /plan and /progress agree on reached. Evidence docs/releases/0.0.7.md and workshop/CHANGELOG.md.

WSP-175 — materials pages use ad hoc buttons and seven generation unavailable states have no wording

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/releases/0.0.7.md **Severity:** low

Fixed in release 0.0.7 and workshop build 5641ea85: materials pages use the shared wk-btn buttons and seven unavailable states now carry wording. Evidence docs/releases/0.0.7.md and workshop/CHANGELOG.md.

VSC-399 — hosted-only TypeSafe Jev override recorded and Jev wired in shadow mode

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** docs/governance/OVERRIDE-JEV-HOSTED-ONLY.md **Severity:** high

Done 2026-10-28/29: override documented in docs/governance/OVERRIDE-JEV-HOSTED-ONLY.md in the umbrella and every owned submodule, merged to main; jev-setup.sh run in shadow mode with decisions logged enforced false. Evidence docs/governance/OVERRIDE-JEV-HOSTED-ONLY.md and docs/releases/0.0.7.md.

CON-010 — constitution pin moved to 6374feb7fa93 fast-forward only

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** docs/releases/0.0.7.md **Severity:** medium

Done for release 0.0.7: submodules/constitution fast-forwarded to 6374feb7fa93, Constitution.md 12420 to 12602 lines and 267 to 271 anchors, gitlink and helix-deps.yaml ref in one change. Evidence docs/releases/0.0.7.md and CONTINUATION.md.

VSC-400 — helix-constitution marketplace plugin unloadable in claude alias

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/releases/0.0.7.md **Severity:** medium

Repaired in claude_toolkit v1.34.0: helix-constitution marketplace repair, claude-sync-plugins and the unloadable report. Evidence docs/releases/0.0.7.md and CONTINUATION.md; not re-executed in the closing session.

VSC-401 — claude_toolkit v1.34.0 released and tagged

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** docs/releases/0.0.7.md **Severity:** medium

Done 2026-10-29: v1.34.0 tagged on all four remotes (claude_toolkit-1.34.0 at ac258e3), GitLab release created, Jev MCP framing fix included. GitHub release is tracked separately as blocked. Evidence docs/releases/0.0.7.md and CONTINUATION.md.

VSC-402 — release 0.0.7 tagged vasic-1.0.0-dev-0.0.7 across umbrella and 15 owned submodules

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** docs/releases/0.0.7.md **Severity:** high

Done 2026-10-29 on operator directive after QA sign-off: annotated tag at umbrella a31cb4c and the pinned commit of 15 owned submodule checkouts, pushed to every remote and verified with git ls-remote. Evidence docs/releases/0.0.7.md.

---

1. 0-9↩