Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (§11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	15
Feature	Implemented (→ Fixed.md)	1
Task	Completed (→ Fixed.md)	344
Task	Obsolete (→ Fixed.md)	1
TOTAL		**361**

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Completed (→ Fixed.md)	Task	—	AII-001 — WHAT — 001-workshop-curricu T057: [US3] [TDD] Prove gate **G-HTTP-7** (c §5) — the frontend half of the degradation API cannot enforce and which is therefore and tested here: render each of the three e the no-results copy does **not** appear for th and the unavailable copy does **not** appear **mutation**: restore the `ai_interviewing` err literally `error: () => loading.set(false)` (FR-019, FR-020, FR-032, SC-012) HOW IT M is tracked in specs/001-workshop-curricul as row T057. HOW TO REPRODUCE — read curriculum-platform/tasks.md and locate ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
2	—	Completed (→ Fixed.md)	Task	—	— CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar ai_interviewing. CKT-002 — WHAT — 004-authored-ai-area Create the reusable curriculum library in `kit/` — `Catalog → Area → Lesson → Materi` `Area.Assessment`, with `VideoAnchor{chapterId,startMillis,endMi` (FR-006, FR-013, FR-014). **Evidence**: 82 tra `test ./...` ok (in_process). HOW IT MANI tracked in specs/004-authored-ai-areas/tas HOW TO REPRODUCE — read specs/004-au tasks.md and locate the row beginning `T0` CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — the source row names the path su kit.
3	—	Completed (→ Fixed.md)	Task	—	CKT-003 — WHAT — 004-authored-ai-area library project-unaware by construction i `curriculum-kit/go.mod` — an empty requir import would not compile (FR-?). **Evidenc** not convention. HOW IT MANIFESTS — th specs/004-authored-ai-areas/tasks.md as r REPRODUCE — read specs/004-authored-a locate the row beginning `T002`. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOSU the tracked task list marks this row [x]. Th the evidence; the work it claims was NOT the backfill session (§11.4.6). SUB-PROJECT row names the path submodules/curriculu
4	—	Completed (→ Fixed.md)	Task	—	CKT-004 — WHAT — 004-authored-ai-area Implement `DecodeDocument` with `DisallowU` `submodules/curriculum-kit/pkg/curriculu` **Evidence**: a misspelled key fails the load l

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
5	—	Completed (→ Fixed.md)	Task	—	dropping its material silently. HOW IT MA tracked in specs/004-authored-ai-areas/tas HOW TO REPRODUCE — read specs/004-au tasks.md and locate the row beginning `T0` CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — the source row names the path su kit. CKT-005 — WHAT — 004-authored-ai-area **BLOCKED — operator decision.** Publish `kit` as a git repository and mount it as a gi `helix-deps.yaml`. It is currently a plain dir **to pin**, so a truthful manifest entry cannot fabricated `ref:` would be a bluff (FR-024, S (source): `git ls-files -s submodules/curr` `52f08af5abb396bce7d9679cb82eb0b9dd0246f` declares the path and url; `helix-deps.yaml` `52f08af5abb3...`; `bash scripts/verify-man` 13 MATCH / 0 DRIFT / 0 UNDETERMINED. to pin) is gone HOW IT MANIFESTS — the 004-authored-ai-areas/tasks.md as row T0 REPRODUCE — read specs/004-authored-a locate the row beginning `T053`. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOSU the tracked task list marks this row [x]. Th the evidence; the work it claims was NOT the backfill session (§11.4.6). SUB-PROJECT row names the path submodules/curriculu
6	—	Completed (→ Fixed.md)	Task	—	CKT-006 — WHAT — 006-session-record-a T002: Add `Lesson.Body` to `submodules/curr` `curriculum/model.go` as opaque marked-up neither parses nor renders (FR-013). **Evid** `build/go test/go vet` rc 0; commit `07af6fb` — the task is tracked in specs/006-session- readiness/tasks.md as row T002. HOW TO specs/006-session-record-and-qa-readiness

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
7	—	Completed (→ Fixed.md)	Task	—	the row beginning `T002`. ACCEPTANCE CRI stated outcome, evidenced per §11.4.5 aga names. STATUS BASIS — CLOSURE EVIDEN task list marks this row [x]. The completio the work it claims was NOT re-verified by session (§11.4.6). SUB-PROJECT BASIS — th the path submodules/curriculum-kit. CON-001 — WHAT — 005-clone-and-clear- Close the R2 continuation red and the R4 g (FR-011). **Evidence** (source): commit `f824c` `CONTINUATION.md` (+207 lines) and moved `su` three commits, the first move in six that w — the constitution gained anchor 11.4.272 figure in the four carriers was stale and w **BOTH REDS HAVE SINCE REOPENED, re- from the umbrella root** (source): `bash sc` `check.sh` exits **1** at *7 PASS · 1 DRIFT · 0 UNI* "CONTINUATION.md IS STALE"; `bash scri` `remote-sync.sh` exits **1** at *12 CURRENT / 1 I UNDETERMINED*, the single DRIFT row be `constitution` (gitlink `71ac4373…` vs remote **DETERMINED, direction NOT**, because th absent from this object store). **Closing an the class, and this pin has now gone stal read T029's tick as a green fleet.** HOW IT task is tracked in specs/005-clone-and-clea T029. HOW TO REPRODUCE — read specs/ red/tasks.md and locate the row beginning CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path su constitution.
8	medium	Completed (→ Fixed.md)	Task	—	CON-010 — Done for release 0.0.7: submod forwarded to 6374feb7fa93, Constitution.m and 267 to 271 anchors, gitlink and helix-d change. Evidence docs/releases/0.0.7.md a
9	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			PSG-001 — WHAT — 001-workshop-curric T008: [TDD] [REVIEW] Implement the ULI minter in `submodules/passage/pkg/passage` passage-contract.md — minted at ingest, n content-derived (FR-037, SC-016, FR-044, F MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T00 REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T0` CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path su
10	—	Completed (→ Fixed.md)	Task	—	PSG-002 — WHAT — 001-workshop-curric T009: [TDD] Implement the `<!-- pid: … -` reader/writer in `submodules/passage/pkg/p` (FR-037, SC-016) HOW IT MANIFESTS — th specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nam submodules/passage.
11	—	Completed (→ Fixed.md)	Task	—	PSG-003 — WHAT — 001-workshop-curric T010: [TDD] Implement the passage regist `passages.db`) in `submodules/passage/pkg/pa` with `content_hash` as a change-detection c documented as NOT identity (FR-037) HOW task is tracked in specs/001-workshop-curr tasks.md as row T010. HOW TO REPRODU workshop-curriculum-platform/tasks.md a beginning `T010`. ACCEPTANCE CRITERIA — outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
12	—	Completed (→ Fixed.md)	Task	—	marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — th the path submodules/passage. PSG-004 — WHAT — 001-workshop-curric T011: [TDD] **[PATH CORRECTED 2026-09-0 `submodules/passage/pkg/passage/resolve.` exist; the resolver landed in `registry.go` `func (r *Registry) Resolve(p PID) Resol` four `Outcome` constants at `:299–:308`]** Impl outcome resolver in `submodules/passage/p` `registry.go` per contracts/passage-contrac `redacted` · `not_in_registry` · `undetermined`, fuzzy text matching, nearest-neighbour lo or same-`content_hash` lookup. `undetermine` into `not_in_registry`: collapsing them mak database look like a curriculum that never passage. Every citation, cross-reference ar through this one function, and there is no FR-033, SC-016a) HOW IT MANIFESTS — th specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar submodules/passage.
13	—	Completed (→ Fixed.md)	Task	—	PSG-005 — WHAT — 001-workshop-curric T012: [TDD] **[TICKED 2026-09-03 ON MEA ~~NOT BUILT — `redaction.go` does not exis `Unredact` API anywhere. The WRITER is~~ whole 2026-09-02 note is WITHDRAWN B every clause of it is now false. `submodule` `redaction.go` EXISTS at exactly the path lines, and it IS the writer. Measured: `gre` `passage/redaction.go` returns the full AP `173`, `(*RedactionLog).Append :256`, `AppendF`**

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					49, `Purge :401` (§7.3 R6), `SyncDB :438`, plus `224`, `SuppressedPIDs :234`. The file's own h contract this task asks for — the bool is MATERIALISATION of the log's latest en mechanism, and `unredact` is an explicit a the deletion of the `redact` entry before it proven, not asserted: `go test -count=1 .` `passage` is `ok`, and `-run RED -v` shows 11 g RED-6 all PASS, of which 5 are paired m `1_PairedMutation_RewriteInsteadOfAppend` rewrite" clause and `TestGateRED4_Paired` `houtRebuild` is the "a bare column flip is clause, each named by this task. R2 is se against the REAL Chapter 1 corpus at 10 fields × 3 surfaces, `R2 violations 0` (see T append-only `redactions` log and the `passag` materialisation in `submodules/passage/pkg` per contracts/passage-contract.md §4.3 (`re` R2/R6 (FR-039) — a bare column flip is a co `unredact` is a new append rather than a re once a pid is redacted its `text` and `machine` every serialisation at every layer. This is th FR-039; propagation is T059, T061 and T07 (population: in_process) (FR-039) HOW IT is tracked in specs/001-workshop-curricul as row T012. HOW TO REPRODUCE — read curriculum-platform/tasks.md and locate t ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nam submodules/passage.
14	—	Completed (→ Fixed.md)	Task	—	PSG-006 — WHAT — 001-workshop-curric T013: [TDD] Prove the two survival guaran `passage/pkg/passage/pid_test.go` as gates (contracts/passage-contract.md §5.1, §5.2). passage, cite it, correct its text, re-run inge assert the pid is unchanged, the citation st

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					`machine_text` is byte-identical to before, ar change. **Paired mutation**: make ingest re- change — i.e. reproduce the measured Lu gate MUST go red, and the contract names that must never be skipped, because it is t whole contract exists to prevent. **G-PID-2**: measured D-SEARCH-1 run 3 by prependi transcript so every later section shifts by 4 every pid is unchanged **and** every affecte updated to the new lines — `source_ref` is a **Paired mutation**: key ingest matching on the gate MUST go red. (This is SC-016; both measured to fail — see research.md D-SEA FR-032, SC-012) HOW IT MANIFESTS — the specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nam submodules/passage.
15	—	Completed (→ Fixed.md)	Task	—	VDC-001 — WHAT — 001-workshop-curric T018: [P] [TDD] Implement three-valued e `submodules/verdict/pkg/verdict/verdict.` every command and endpoint (FR-033, SC- HOW IT MANIFESTS — the task is tracked workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T01` CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path su
16	—		Task	—	VSC-005 — WHAT — operator decision 5 o question put to the operator was: Four aut

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			(70% pass, mcq 2 / short 3, the 91–95 prefix attachment) DECISION — **Accept all four** MANIFESTS — the decision is recorded in DECISIONS-2026-09-07.md row 5; that doc operator-request ledger for the session. H read docs/OPERATOR-DECISIONS-2026-09- ACCEPTANCE CRITERIA — the obligation t discharged with captured evidence per §1 this item. STATUS BASIS — CLOSURE EVID operator-decision document ASSERTS this assertion was NOT re-verified by a run in (§11.4.6). SUB-PROJECT BASIS — no sub-pr the source row.
17	—	Completed (→ Fixed.md)	Task	—	VSC-020 — WHAT — operator decision 8 o question put to the operator was: 66 plan- decided DECISION — **Show all in one pas** — the decision is recorded in docs/OPERA DECISIONS-2026-09-08.md row 8; that doc operator-request ledger for the session. H read docs/OPERATOR-DECISIONS-2026-09- ACCEPTANCE CRITERIA — the obligation t discharged with captured evidence per §1 this item. STATUS BASIS — CLOSURE EVID operator-decision document ASSERTS this assertion was NOT re-verified by a run in (§11.4.6). SUB-PROJECT BASIS — no sub-pr the source row.
18	—	Completed (→ Fixed.md)	Task	—	VSC-024 — WHAT — operator decision 12 question put to the operator was: 8 rows r DECISION — **All 7 distinct points record** appears in two chapters). 5 carry evidence operator judgement with no locator and s field HOW IT MANIFESTS — the decision i OPERATOR-DECISIONS-2026-09-08.md row the §11.4.208 operator-request ledger for t REPRODUCE — read docs/OPERATOR-DEC table row 12. ACCEPTANCE CRITERIA — th decision states is discharged with capture recorded against this item. STATUS BASIS CLASS: the operator-decision document AS

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
19	—	Completed (→ Fixed.md)	Task	—	DONE. That assertion was NOT re-verified session (§11.4.6). SUB-PROJECT BASIS — n named in the source row.
20	—	Completed (→ Fixed.md)	Task	—	VSC-034 — WHAT — operator decision 22 question put to the operator was: Two que the evidence contradicts (an asserted abse “appears in neither transcript” where a re it) DECISION — **Rewrite both to what the** neither withdrawn. The second preserves WITHHELD distinction the platform is bui MANIFESTS — the decision is recorded in DECISIONS-2026-09-08.md row 22; that do operator-request ledger for the session. H read docs/OPERATOR-DECISIONS-2026-09- ACCEPTANCE CRITERIA — the obligation t discharged with captured evidence per §1 this item. STATUS BASIS — CLOSURE EVID operator-decision document ASSERTS this assertion was NOT re-verified by a run in (§11.4.6). SUB-PROJECT BASIS — no sub-pr the source row.
21	—	Obsolete (→ Fixed.md)	Task	—	VSC-035 — WHAT — operator decision 23 question put to the operator was: 52 flagge committed banks, unread DECISION — **Re** Result: 51 repaired, 1 confirmed already s PRECISION, which says nothing about reca — the decision is recorded in docs/OPERA DECISIONS-2026-09-08.md row 23; that do operator-request ledger for the session. H read docs/OPERATOR-DECISIONS-2026-09- ACCEPTANCE CRITERIA — the obligation t discharged with captured evidence per §1 this item. STATUS BASIS — CLOSURE EVID operator-decision document ASSERTS this assertion was NOT re-verified by a run in (§11.4.6). SUB-PROJECT BASIS — no sub-pr the source row.
					VSC-038 — WHAT — operator decision 26 question put to the operator was: ROOT CA its own “cite nothing outside the evidence

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					not cite its own evidence DECISION — **SUB** Originally “re-cut the packs on sentence b premise was measured false HOW IT MAN is recorded in docs/OPERATOR-DECISIONS that document is the §11.4.208 operator-re session. HOW TO REPRODUCE — read doc DECISIONS-2026-09-08.md, table row 26. A — the obligation the decision states is disc evidence per §11.4.5, recorded against this the source row is marked WITHDRAWN a superseding row SUB-PROJECT BASIS — n named in the source row.
22	—	Completed (→ Fixed.md)	Task	—	VSC-042 — WHAT — 001-workshop-curric T001: Create the module skeleton `workshop` `{backend,frontend,bin}` and `workshop/` `{curriculum,pipeline,docs,evidence}` per Decision — note NO `workshop/containers/` orchestration is consumed from `submodule` local container stack would violate §11.4.7 MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T00 REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T0` CRITERIA — the row’s own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names paths in m project (CNT, WSP), so it is attributed to th
23	—	Completed (→ Fixed.md)	Task	—	VSC-043 — WHAT — 001-workshop-curric T002: Initialise the Go module in `workshop/` `go.mod` (Go 1.26.2, matching `ai_interviewi` `go.mod`) (FR-013) HOW IT MANIFESTS — th specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row’s own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
24	—	Completed (→ Fixed.md)	Task	—	row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar one sub-project (AII, WSP), so it is attribut VSC-044 — WHAT — 001-workshop-curric T004: [P] Scaffold the Angular client in `wor frontend` mirroring `ai_interviewing/platf` conventions (package name, Karma/Jasmi framework) (FR-013) HOW IT MANIFESTS in specs/001-workshop-curriculum-platfor T004. HOW TO REPRODUCE — read specs/ curriculum-platform/tasks.md and locate ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar one sub-project (AII, WSP), so it is attribut
25	—	Completed (→ Fixed.md)	Task	—	VSC-053 — WHAT — 001-workshop-curric T036: [US1] Run the 5-minute calibration c sample; this settles research open items U (FR-?) HOW IT MANIFESTS — the task is tr workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T03` CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the
26	—	Completed (→ Fixed.md)	Task	—	VSC-055 — WHAT — 001-workshop-curric T043: [US2] [TDD] Implement `GET /api/cha chapters/{slug}` per contracts/http-api.md MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T04 REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T04` CRITERIA — the row's own stated outcome

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
27	—	Completed (→ Fixed.md)	Task	—	against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — no sub-project path named in the VSC-056 — WHAT — 001-workshop-curric T044: [US2] [TDD] Implement `GET /api/cha transcript` returning passages with pid, ti and uncertainty (FR-009, FR-002, FR-003, F MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T04 REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T04` CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — no sub-project path named in the
28	—	Completed (→ Fixed.md)	Task	—	VSC-057 — WHAT — 001-workshop-curric T048: [US2] [P] Reuse `design-system/learn` CSS (verified present, framework-free, on contract) rather than authoring new stylin MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T04 REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T04` CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — no sub-project path named in the
29	—	Completed (→ Fixed.md)	Task	—	VSC-058 — WHAT — 001-workshop-curric T053: [US3] [TDD] Implement `GET /api/su` LEXICAL path only — a query embedding under load, so semantics cannot meet SC-0 Gate **G-HTTP-8** (contracts/http-api.md §3.6 `suggest` calls and assert at the socket level reach the embedding endpoint, and that `l`

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					`{"lexical": …}`. **Paired mutation**: add an suggest path; the gate MUST go red (popul (FR-015, SC-005, FR-032, SC-012) HOW IT M is tracked in specs/001-workshop-curricul as row T053. HOW TO REPRODUCE — read curriculum-platform/tasks.md and locate ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
30	—	Completed (→ Fixed.md)	Task	—	VSC-059 — WHAT — 001-workshop-curric T056: [US3] [TDD] Parse and promote Lum `"No results found. | Warning: Index is` to `degraded`, never forward it as a result. G (contracts/http-api.md §5): feed the search string and assert `status=="ok"` with `degraded.semantic=="reindexing"` when le the raw upstream string appears **only** und **Paired mutation**: forward the upstream s `results[0].snippet`; the gate MUST go red SC-012) HOW IT MANIFESTS — the task is workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T05` CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the
31	—	Completed (→ Fixed.md)	Task	—	VSC-061 — WHAT — 001-workshop-curric T062: [US3] [P] [SUBAGENT] Build the sear in `workshop/platform/frontend/src/app/fe` MUST render the three states distinguisha pattern is `ai_interviewing/.../search.com` FR-019, FR-020) HOW IT MANIFESTS — the specs/001-workshop-curriculum-platform/

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
32	—	Completed (→ Fixed.md)	Task	—	HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar one sub-project (AII, WSP), so it is attribut VSC-062 — WHAT — 001-workshop-curric T066: [US3] [TDD] Prove SC-016 and gate **G** passage-contract.md §5.3) behaviourally – *greps a file for a string is not a test"*: correc re-index, and assert `content_hash` changed **every** stored citation and cross-reference resolves to the same row. **Paired mutatio** lookup key with `content_hash`; the gate MU `content_hash` is change detection and neve serialisation (SC-016, FR-037, FR-032, SC-01 — the task is tracked in specs/001-worksho platform/tasks.md as row T066. HOW TO F specs/001-workshop-curriculum-platform/ the row beginning `T066`. ACCEPTANCE CRI stated outcome, evidenced per §11.4.5 aga names. STATUS BASIS — CLOSURE EVIDEN task list marks this row [x]. The completio the work it claims was NOT re-verified by session (§11.4.6). SUB-PROJECT BASIS — no named in the source row.
33	—	Completed (→ Fixed.md)	Task	—	VSC-063 — WHAT — 001-workshop-curric T068: [US4] [TDD] [REVIEW] Implement th with adapters `none` (default), `extractive`, `o` `openai_compatible` in `workshop/platform/b` `provider.go` — copy the interface SHAPE f the dependency ~~(its module path is unrese relative-path `replace` on a sibling checkou es)~~. **[CLAIM WITHDRAWN 2026-09-02 — t struck rather than deleted so the reason `LLMProvider` is no longer unresolvable: su and `submodules/RAG` are declared gitlinks**

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					and `workshop/platform/backend/go.mod` no `digital.vasic.llmprovider v0.0.0` and re `digital.vasic.rag v0.0.0` with `replace` ta `submodules/LLMProvider` and `../../../sub` backend CONSUMES it — per that go.mo block, for the HTTP transport — so "cop dependency" is now a design choice abo not a workaround for a broken module unaffected: the seam was built and it sti source) (FR-023, FR-021) HOW IT MANIFES tracked in specs/001-workshop-curriculun row T068. HOW TO REPRODUCE — read sp curriculum-platform/tasks.md and locate ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar one sub-project (LLP, RAG, WSP), so it is at
34	—	Completed (→ Fixed.md)	Task	—	VSC-064 — WHAT — 001-workshop-curric T069: [US4] [TDD] Implement the `extracti` genuinely grounded, structurally unable t today with zero generative capability (pop (FR-021, FR-023) HOW IT MANIFESTS — th specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
35	—	Completed (→ Fixed.md)	Task	—	VSC-065 — WHAT — 001-workshop-curric T070: [US4] [TDD] Implement L1: the calib with BOTH `min_score` and `min_margin` — th catches the near-miss that scores high whi (FR-022, SC-010) HOW IT MANIFESTS — th

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
36	—	Completed (→ Fixed.md)	Task	—	specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. VSC-066 — WHAT — 001-workshop-curric T071: [US4] [TDD] Implement L2: JSON-sch generation where `"minItems": 1` on citatio claim structurally undecodable (FR-021, S MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T07 REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T07` CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the
37	—	Completed (→ Fixed.md)	Task	—	VSC-067 — WHAT — 001-workshop-curric T072: [US4] [TDD] Implement L3: determin membership against the LIVE generation **unreachable without this**; attaching a cit points at a real passage is a microsecond s FR-021) HOW IT MANIFESTS — the task is workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T07` CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the
38	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			VSC-068 — WHAT — 001-workshop-curric T074: [US4] [TDD] Any layer failing ⇒ refu never strip claims silently (FR-022, SC-010) — the task is tracked in specs/001-worksho platform/tasks.md as row T074. HOW TO F specs/001-workshop-curriculum-platform/ the row beginning `T074`. ACCEPTANCE CRI stated outcome, evidenced per §11.4.5 aga names. STATUS BASIS — CLOSURE EVIDEN task list marks this row [x]. The completio the work it claims was NOT re-verified by session (§11.4.6). SUB-PROJECT BASIS — n named in the source row.
39	—	Completed (→ Fixed.md)	Task	—	VSC-071 — WHAT — 001-workshop-curric T082: [US4] Implement the ingest exclusiv answering while search continues from th (D-LLM-10) (FR-025) HOW IT MANIFESTS - specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
40	—	Completed (→ Fixed.md)	Task	—	VSC-076 — WHAT — 001-workshop-curric T101: Update `CONTINUATION.md` and confirm `continuation-check.sh` is rc=0 (FR-035, §12 **2026-09-02 on a measured run. `CONTINUAT` the working tree (`git status --short CO` `bash scripts/continuation-check.sh` exits · 0 DRIFT · 0 UNDET · 4 NOTE and `CONTINU` including `[C7] §6 matches the live runn` `[C8] production facts hold`. Honest boun a measurement of that moment, and the this tree moves — re-run it before relyi** (population: in_process) (FR-035) HOW IT is tracked in specs/001-workshop-curricul

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
41	—	Completed (→ Fixed.md)	Task	—	as row T101. HOW TO REPRODUCE — read curriculum-platform/tasks.md and locate ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. VSC-077 — WHAT — 001-workshop-curric T103: [REVIEW] Run the whole gate suite g verify-governance-cascade (`+ --prove-fai` pins, continuation-check, audit-hardcoded environment-assumptions — **[TICKED 202 instrument this task names was RUN — inherited from a prior session's note —** (population: in_process) (FR-035) HOW IT is tracked in specs/001-workshop-curricul as row T103. HOW TO REPRODUCE — read curriculum-platform/tasks.md and locate ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
42	—	Completed (→ Fixed.md)	Task	—	VSC-080 — WHAT — 001-workshop-curric T117: [US3] [TDD] Prove gate **G-HTTP-6** (co §5): over 100 randomised search outcomes states, assert the `X-Workshop-Search-Statu` equals `body.status` on every single one — that can disagree hand a cache or a proxy than the reader gets. **Paired mutation**: ha `ok`; the gate MUST go red (FR-020, FR-032, S MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T11 REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T11` CRITERIA — the row's own stated outcome

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
43	—	Completed (→ Fixed.md)	Task	—	against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — no sub-project path named in the VSC-081 — WHAT — 002-knowledge-areas T003: [P] Scaffold the four new front-end f under HOW IT MANIFESTS — the task is t knowledge-areas-deep-linking/tasks.md as REPRODUCE — read specs/002-knowledge tasks.md and locate the row beginning `T00` CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — no sub-project path named in the
44	—	Completed (→ Fixed.md)	Task	—	VSC-082 — WHAT — 002-knowledge-areas T005: [P] Add a per-chapter word-timing d word sidecar is a **per-chapter** HOW IT MA tracked in specs/002-knowledge-areas-dee row T005. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
45	—	Completed (→ Fixed.md)	Task	—	VSC-083 — WHAT — 002-knowledge-areas T007: [TDD] [REVIEW] Implement minting kinds in HOW IT MANIFESTS — the task is knowledge-areas-deep-linking/tasks.md as REPRODUCE — read specs/002-knowledge tasks.md and locate the row beginning `T00` CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
46	—	Completed (→ Fixed.md)	Task	—	verified by a run in the backfill session (§1 BASIS — no sub-project path named in the VSC-084 — WHAT — 002-knowledge-areas T008: [TDD] Prove **G-KG-13** in `pkg/knowled` run every stage twice over HOW IT MANI tracked in specs/002-knowledge-areas-dee row T008. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
47	—	Completed (→ Fixed.md)	Task	—	VSC-085 — WHAT — 002-knowledge-areas T009: [TDD] Prove identifiers are neither c positional: rename an area, fix a HOW IT I is tracked in specs/002-knowledge-areas-d row T009. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
48	—	Completed (→ Fixed.md)	Task	—	VSC-086 — WHAT — 002-knowledge-areas T010: [TDD] Implement the mention mode `mention.go` with **precision as a HOW IT M is tracked in specs/002-knowledge-areas-d row T010. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
49	—	Completed (→ Fixed.md)	Task	—	SUB-PROJECT BASIS — no sub-project path row. VSC-087 — WHAT — 002-knowledge-areas T012: [TDD] Prove **G-KG-4** and **G-KG-15**: as carrying mention declares its HOW IT MA tracked in specs/002-knowledge-areas-dee row T012. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
50	—	Completed (→ Fixed.md)	Task	—	VSC-088 — WHAT — 002-knowledge-areas T013: [TDD] Implement segment-boundary occurrence crossing a seam emits **one H the task is tracked in specs/002-knowledge tasks.md as row T013. HOW TO REPRODU knowledge-areas-deep-linking/tasks.md ar beginning `T013`. ACCEPTANCE CRITERIA — outcome, evidenced per §11.4.5 against the STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — no named in the source row.
51	—	Completed (→ Fixed.md)	Task	—	VSC-089 — WHAT — 002-knowledge-areas T014: [REVIEW] Settle **U5** — do the 75 unjo scatter? Plot their time HOW IT MANIFEST in specs/002-knowledge-areas-deep-linkin HOW TO REPRODUCE — read specs/002-kn linking/tasks.md and locate the row begin ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					SUB-PROJECT BASIS — no sub-project path row.
52	—	Completed (→ Fixed.md)	Task	—	VSC-090 — WHAT — 002-knowledge-areas T015: [TDD] Wire all new-kind resolution **existing** resolution function with HOW IT is tracked in specs/002-knowledge-areas-d row T015. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
53	—	Completed (→ Fixed.md)	Task	—	VSC-091 — WHAT — 002-knowledge-areas T016: [TDD] Prove **G-KG-8**: delete a link ta outcome. **Paired HOW IT MANIFESTS — specs/002-knowledge-areas-deep-linking/ta HOW TO REPRODUCE — read specs/002-kn linking/tasks.md and locate the row begin ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
54	—	Completed (→ Fixed.md)	Task	—	VSC-092 — WHAT — 002-knowledge-areas T017: [TDD] Prove that **could not determi into not present**: make the HOW IT MANI tracked in specs/002-knowledge-areas-dee row T017. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
55	—	Completed (→ Fixed.md)	Task	—	SUB-PROJECT BASIS — no sub-project path row. VSC-093 — WHAT — 002-knowledge-areas T018: [TDD] Implement bidirectional trave `graph.go`, **derived from HOW IT MANIFE tracked in specs/002-knowledge-areas-dee row T018. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
56	—	Completed (→ Fixed.md)	Task	—	VSC-094 — WHAT — 002-knowledge-areas T019: [TDD] Prove **G-KG-6**: inspect every s its join key and assert none HOW IT MANI tracked in specs/002-knowledge-areas-dee row T019. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
57	—	Completed (→ Fixed.md)	Task	—	VSC-095 — WHAT — 002-knowledge-areas T020: [TDD] Implement cycle-safe traversa a depth bound, **reporting HOW IT MANI tracked in specs/002-knowledge-areas-dee row T020. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
58	—	Completed (→ Fixed.md)	Task	—	SUB-PROJECT BASIS — no sub-project path row. VSC-096 — WHAT — 002-knowledge-areas T021: [P] [TDD] Extend redaction propaga in `data-model.md` §5. HOW IT MANIFESTS - specs/002-knowledge-areas-deep-linking/ta HOW TO REPRODUCE — read specs/002-kn linking/tasks.md and locate the row begin ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
59	—	Completed (→ Fixed.md)	Task	—	VSC-098 — WHAT — 002-knowledge-areas T023: [US1] [TDD] [REVIEW] Implement **pr** existing prose areas in HOW IT MANIFEST in specs/002-knowledge-areas-deep-linkin HOW TO REPRODUCE — read specs/002-kn linking/tasks.md and locate the row begin ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
60	—	Completed (→ Fixed.md)	Task	—	VSC-099 — WHAT — 002-knowledge-areas T024: [US1] [TDD] Implement **P2**: an area a evidencing mentions **fails promotion HO the task is tracked in specs/002-knowledge tasks.md as row T024. HOW TO REPRODU knowledge-areas-deep-linking/tasks.md an beginning `T024`. ACCEPTANCE CRITERIA — outcome, evidenced per §11.4.5 against the STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					session (§11.4.6). SUB-PROJECT BASIS — n named in the source row.
61	—	Completed (→ Fixed.md)	Task	—	VSC-100 — WHAT — 002-knowledge-areas T027: [US1] [TDD] Implement the three re per contract §2.3: **R1 attaches**, HOW IT M tracked in specs/002-knowledge-areas-dee row T027. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate th ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
62	—	Completed (→ Fixed.md)	Task	—	VSC-101 — WHAT — 002-knowledge-areas T028: [US1] [TDD] Prove **G-KG-14**: seed a c appears in the report and HOW IT MANIF tracked in specs/002-knowledge-areas-dee row T028. HOW TO REPRODUCE — read sp areas-deep-linking/tasks.md and locate th ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row.
63	—	Completed (→ Fixed.md)	Task	—	VSC-102 — WHAT — 002-knowledge-areas T029: [US1] [TDD] Implement passage acc §2.4: `attached + classified_unattached HOW I is tracked in specs/002-knowledge-areas as row T029. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT029. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re`

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-103 — WHA areas-deep-linking task T030: [US1] [TD uncertainty marking: a low-confidence t markeduncertainHOW IT MANIFESTS — the t specs/002-knowledge-areas-deep-linking/ HOW TO REPRODUCE — read specs/002-knowl linking/tasks.md and locate the row beg ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 65 | — | Completed — | VSC-105 — WHAT — 002-knowledge-area T032: [US1] [TDD] Implement the authore every lesson section (FR-017, HOW IT M tracked in specs/002-knowledge-areas-de row T032. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 66 | — | Completed — | VSC-107 — WHAT — 002-knowledge-area T034: [US1] [TDD] Implement the publica its **staleness rule**: a review HOW I is tracked in specs/002-knowledge-areas as row T034. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT034. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					project path named in the source row. | (→ Fixed.md) | Task | — | VSC-108 — WHA areas-deep-linking task T035: [US1] [TD seven-section presence check across eve document HOW IT MANIFESTS — the task i 002-knowledge-areas-deep-linking/tasks. TO REPRODUCE — read specs/002-knowledge tasks.md and locate the row beginningTO CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 68 | — | Completed — | VSC-109 — WHAT — 002-knowledge-area T036: [US1] Implement the taxonomy sour byte-stability discipline the HOW IT M tracked in specs/002-knowledge-areas-de row T036. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 69 | — | Completed — | VSC-110 — WHAT — 002-knowledge-area T037: [US1] [TDD] ImplementGET /api/area §3.1, including **A3.1.2**: report HOW task is tracked in specs/002-knowledge- tasks.md as row T037. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT037. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. |

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(→ Fixed.md) | Task | — | VSC-112 — WHA areas-deep-linking task T039: [US1] [TD **A3.4.2**: a term whose last evidence **withdrawn HOW IT MANIFESTS — the tas 002-knowledge-areas-deep-linking/tasks. TO REPRODUCE — read specs/002-knowledge tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 71 | — | Completed — | VSC-113 — WHAT — 002-knowledge-area T040: [US1] Add route-manifest rows and every endpoint above (FR-059). HOW IT is tracked in specs/002-knowledge-areas as row T040. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT040. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-114 — WHA areas-deep-linking task T041: [US1] [RE checkpoint: the reconciliation of promo areas. HOW IT MANIFESTS — the task is knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 73 | — | Completed

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					– | VSC-116 – WHAT – 002-knowledge-area T043: [US2] [TDD] ImplementGET /api/area §3.3, with **precision required** HOW task is tracked in specs/002-knowledge- tasks.md as row T043. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT043. ACCEPTANCE CRITERIA – t outcome, evidenced per §11.4.5 against names. STATUS BASIS – CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | – | VSC-117 – WHA areas-deep-linking task T044: [US2] [TD **A3.3.3**: a redacted passage contribu omitted HOW IT MANIFESTS – the task is knowledge-areas-deep-linking/tasks.md a REPRODUCE – read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA – the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS – no sub- the source row. | | 75 | – | Completed – | VSC-118 – WHAT – 002-knowledge-area T045: [US2] [TDD] ImplementGET /api/pass knowledgeper §3.7 – the reverse direct MANIFESTS – the task is tracked in spec deep-linking/tasks.md as row T045. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT045. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS – CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | – | VSC-119 – WHA

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					areas-deep-linking task T046: [US2] [TD **A3.7.1**: every entry is reachable in response that HOW IT MANIFESTS — the t specs/002-knowledge-areas-deep-linking/ HOW TO REPRODUCE — read specs/002-knowl linking/tasks.md and locate the row beg ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 77 | — | Completed — | VSC-120 — WHAT — 002-knowledge-area T047: [US2] [TDD] Implement **A3.7.3**: says it is unattached **and why**, HOW task is tracked in specs/002-knowledge- tasks.md as row T047. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT047. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-121 — WHA areas-deep-linking task T048: [US2] [TD graph/traverseper §3.8 across all four (FR-033a, FR-059) HOW IT MANIFESTS — t specs/002-knowledge-areas-deep-linking/ HOW TO REPRODUCE — read specs/002-knowl linking/tasks.md and locate the row beg ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 79 | — | Completed — | VSC-122 — WHAT — 002-knowledge-area

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					T049: [US2] [TDD] Implement **A3.8.3**: cannot be resolved **reports its HOW I is tracked in specs/002-knowledge-areas as row T049. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT049. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-124 — WHA areas-deep-linking task T051: [US2] [TD over the **whole** relationship set, no HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 81 | — | Completed — | VSC-126 — WHAT — 002-knowledge-area T053: [US2] [TDD] Prove **SC-010**: rep survival experiment extended to all HO task is tracked in specs/002-knowledge- tasks.md as row T053. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT053. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-127 — WHA areas-deep-linking task T054: [US2] [P]

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					rows and contract sections for the endp (FR-059) HOW IT MANIFESTS — the task i 002-knowledge-areas-deep-linking/tasks. TO REPRODUCE — read specs/002-knowledge tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 83 | — | Completed — | VSC-128 — WHAT — 002-knowledge-area T055: [US2] [P] [SUBAGENT] Build the tr affordance in the existing HOW IT MANI tracked in specs/002-knowledge-areas-de row T055. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 84 | — | Completed — | VSC-129 — WHAT — 002-knowledge-area T056: [US2] [REVIEW] Review the link mo contract before the surface consumes it MANIFESTS — the task is tracked in spec deep-linking/tasks.md as row T056. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT056. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-130 — WHA areas-deep-linking task T057: [US3] [TD kinds —area,term,lesson_section,questio

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					— the task is tracked in specs/002-know linking/tasks.md as row T057. HOW TO R 002-knowledge-areas-deep-linking/tasks. beginningT057. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-131 — WHA areas-deep-linking task T058: [US3] [TD kinds in the corpus block, and prove ** MANIFESTS — the task is tracked in spec deep-linking/tasks.md as row T058. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT058. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-132 — WHA areas-deep-linking task T059: [US3] [RE before implementing offsets: does the f expose HOW IT MANIFESTS — the task is knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 88 | — | Completed — | VSC-133 — WHAT — 002-knowledge-area T060: [US3] [TDD] Implement match offse lexical leg HOW IT MANIFESTS — the tas 002-knowledge-areas-deep-linking/tasks.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					TO REPRODUCE — read specs/002-knowledge tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 89 | — | Completed — | VSC-134 — WHAT — 002-knowledge-area T061: [US3] [TDD] Implement **C4.1.4**: reports that it **cannot** produce HOW task is tracked in specs/002-knowledge- tasks.md as row T061. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT061. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-135 — WHA areas-deep-linking task T062: [US3] [TD on every hit per **C4.1.2**, and withho IT MANIFESTS — the task is tracked in s areas-deep-linking/tasks.md as row T062 read specs/002-knowledge-areas-deep-lin locate the row beginningT062. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC knowledge-areas-deep-linking task T063: **SC-014** over **every** hit of the be without a HOW IT MANIFESTS — the task 002-knowledge-areas-deep-linking/tasks. TO REPRODUCE — read specs/002-knowledge

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 92 | — | Completed — | VSC-137 — WHAT — 002-knowledge-area T064: [US3] [TDD] Implement kind and ar **C4.1.5**, echoing the applied filter — the task is tracked in specs/002-know linking/tasks.md as row T064. HOW TO R 002-knowledge-areas-deep-linking/tasks. beginningT064. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-138 — WHA areas-deep-linking task T065: [US3] [TD names to suggestions per **C4.2.1**, an HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 94 | — | Completed — | VSC-139 — WHAT — 002-knowledge-area T066: [US3] Build the ≥20-query benchma in the platform's existing benchmark H task is tracked in specs/002-knowledge- tasks.md as row T066. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					beginningT066. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-142 — WHA areas-deep-linking task T069: [US3] [P] search view for the new kinds, the filt IT MANIFESTS — the task is tracked in s areas-deep-linking/tasks.md as row T069 read specs/002-knowledge-areas-deep-lin locate the row beginningT069. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC knowledge-areas-deep-linking task T070: route manifest and contract for the cha suggest HOW IT MANIFESTS — the task is knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTO CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 97 | — | Completed — | VSC-144 — WHAT — 002-knowledge-area T071: [US4] [TDD] Implement the questio assessment/question.go, porting the HO task is tracked in specs/002-knowledge- tasks.md as row T071. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT071. ACCEPTANCE CRITERIA — t

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-145 — WHA areas-deep-linking task T072: [US4] [TD KG-2**: a question is served **only** i HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 99 | — | Completed — | VSC-146 — WHAT — 002-knowledge-area T073: [US4] [TDD] Implement **Q2 / G-KG question cites **more than one HOW IT is tracked in specs/002-knowledge-areas as row T073. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT073. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-147 — WHA areas-deep-linking task T074: [US4] [TD every question names the lesson section HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					§11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 101 | — | Completed — | VSC-148 — WHAT — 002-knowledge-area T077: [US4] [TDD] Implement the assembl **Q4 / A3.5.4** — a client must not HO task is tracked in specs/002-knowledge- tasks.md as row T077. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT077. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-149 — WHA areas-deep-linking task T078: [US4] [TD areas/{area}/questionsper §3.5, includin MANIFESTS — the task is tracked in spec deep-linking/tasks.md as row T078. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT078. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-150 — WHA areas-deep-linking task T079: [US4] [TD areas/{area}/coverageper §3.6: **per-are MANIFESTS — the task is tracked in spec deep-linking/tasks.md as row T079. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT079. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-151 — WHA areas-deep-linking task T080: [US4] [TD enumerating every served question and r MANIFESTS — the task is tracked in spec deep-linking/tasks.md as row T080. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT080. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-152 — WHA areas-deep-linking task T081: [US4] [TD the question-to-moment-and-back round t IT MANIFESTS — the task is tracked in s areas-deep-linking/tasks.md as row T081 read specs/002-knowledge-areas-deep-lin locate the row beginningT081. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC knowledge-areas-deep-linking task T082: progress to areas and question sets, an progress HOW IT MANIFESTS — the task i 002-knowledge-areas-deep-linking/tasks. TO REPRODUCE — read specs/002-knowledge tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 107 | — | Completed — | VSC-154 — WHAT — 002-knowledge-area T083: [US4] [P] Add route-manifest rows for the assessment endpoints (FR-059) task is tracked in specs/002-knowledge- tasks.md as row T083. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT083. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-156 — WHA areas-deep-linking task T085: [US5] **E existing capabilities — chapter list, t HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 109 | — | Completed — | VSC-157 — WHAT — 002-knowledge-area T086: [US5] [P] [SUBAGENT] Build the ar detail views (FR-040) HOW IT MANIFESTS in specs/002-knowledge-areas-deep-linki T086. HOW TO REPRODUCE — read specs/00 deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 110 | — | Completed — | VSC-158 — WHAT — 002-knowledge-area T087: [US5] [P] [SUBAGENT] Build the pr question-to-moment jump and return (FR- MANIFESTS — the task is tracked in spec deep-linking/tasks.md as row T087. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT087. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-159 — WHA areas-deep-linking task T088: [US5] [P] progress view across areas (FR-039, FR- — the task is tracked in specs/002-know linking/tasks.md as row T088. HOW TO R 002-knowledge-areas-deep-linking/tasks. beginningT088. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-160 — WHA areas-deep-linking task T089: [US5] [P] study-plan view (FR-040) HOW IT MANIFE tracked in specs/002-knowledge-areas-de row T089. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 113 | — | Completed

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					– | VSC-161 – WHAT – 002-knowledge-area T090: [US5] Subordinate the existing me per **D2** – reachable from within HOW task is tracked in specs/002-knowledge- tasks.md as row T090. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT090. ACCEPTANCE CRITERIA – t outcome, evidenced per §11.4.5 against names. STATUS BASIS – CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | – | VSC-162 – WHA areas-deep-linking task T091: [US5] [TD against T085's written list: every enum HOW IT MANIFESTS – the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE – read specs/002-knowledge-ar tasks.md and locate the row beginningTC CRITERIA – the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS – no sub- the source row. | | 115 | – | Completed – | VSC-163 – WHAT – 002-knowledge-area T093: [US5] [TDD] Prove **SC-022** with design toolkit's token conformance HOW task is tracked in specs/002-knowledge- tasks.md as row T093. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT093. ACCEPTANCE CRITERIA – t outcome, evidenced per §11.4.5 against names. STATUS BASIS – CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | – | VSC-164 – WHA

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					areas-deep-linking task T094: [US5] Imp motion from the platform's ranked, HOW task is tracked in specs/002-knowledge- tasks.md as row T094. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT094. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-165 — WHA areas-deep-linking task T095: [US5] [TD motion support: final visual state pres IT MANIFESTS — the task is tracked in s areas-deep-linking/tasks.md as row T095 read specs/002-knowledge-areas-deep-lin locate the row beginningT095. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC knowledge-areas-deep-linking task T096: **SC-021**: an automated audit per view traversal HOW IT MANIFESTS — the task 002-knowledge-areas-deep-linking/tasks. TO REPRODUCE — read specs/002-knowledge tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 119 | — | Completed — | VSC-167 — WHAT — 002-knowledge-area T097: [US6] Port the export toolchain d

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					it from the **capability probe** in HO task is tracked in specs/002-knowledge- tasks.md as row T097. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT097. ACCEPTANCE CRITERIA – t outcome, evidenced per §11.4.5 against names. STATUS BASIS – CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | – | VSC-168 – WHA areas-deep-linking task T098: [US6] [TD KG-9**: an unavailable toolchain yields determine**, HOW IT MANIFESTS – the ta specs/002-knowledge-areas-deep-linking/ HOW TO REPRODUCE – read specs/002-knowl linking/tasks.md and locate the row beg ACCEPTANCE CRITERIA – the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS – no sub- the source row. | | 121 | – | Completed – | VSC-169 – WHAT – 002-knowledge-area T099: [US6] [TDD] Implement the publica area without a review exports HOW IT M tracked in specs/002-knowledge-areas-de row T099. HOW TO REPRODUCE – read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA – the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS – no sub- the source row. | | 122 | – | Completed – | VSC-170 – WHAT – 002-knowledge-area T100: [US6] [TDD] Implement citation pr four formats (FR-047) (FR-047) HOW IT

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					is tracked in specs/002-knowledge-areas as row T100. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT100. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-172 — WHA areas-deep-linking task T102: [US6] [TD the file-existence matrix must be **com HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningT1 CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 124 | — | Completed — | VSC-173 — WHAT — 002-knowledge-area T103: [US6] [TDD] Prove **SC-025** by * diffing**, not by byte comparison — HO task is tracked in specs/002-knowledge- tasks.md as row T103. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT103. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-174 — WHA areas-deep-linking task T104: [US7] Ext **existing** chapter-addition procedure the HOW IT MANIFESTS — the task is tra

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningT1 CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 126 | — | Completed — | VSC-175 — WHAT — 002-knowledge-area T105: [US7] [TDD] Implement three-value resumability on every new stage (S3, S4 MANIFESTS — the task is tracked in spec deep-linking/tasks.md as row T105. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT105. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-176 — WHA areas-deep-linking task T106: [US7] [TD taxonomy **update** path (S6): establis HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningT1 CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 128 | — | Completed — | VSC-177 — WHAT — 002-knowledge-area T107: [US7] [TDD] Prove **SC-015d**: ca before and after, assert **0** HOW IT is tracked in specs/002-knowledge-areas

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					as row T107. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT107. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-178 — WHA areas-deep-linking task T108: [US7] Bui chapter** fixture — synthetic, because HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningT1 CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 130 | — | Completed — | VSC-180 — WHAT — 002-knowledge-area T110: [US7] [TDD] Prove **G-KG-18 / SC- required input; assert the run names H task is tracked in specs/002-knowledge- tasks.md as row T110. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT110. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-181 — WHA areas-deep-linking task T111: [US7] [TD stage writes to a source. Assert every HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningT1 CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 132 | — | Completed — | VSC-182 — WHAT — 002-knowledge-area T112: [US7] [TDD] Prove **S8**: evidenc outcome, **especially** could not HOW task is tracked in specs/002-knowledge- tasks.md as row T112. HOW TO REPRODUCE knowledge-areas-deep-linking/tasks.md a beginningT112. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-183 — WHA areas-deep-linking task T113: [TDD] Ext generation** — over the new kinds (C4.3 HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningT1 CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 134 | — | Completed — | VSC-184 — WHAT — 002-knowledge-area T114: [REVIEW] Settle **U4**: does an e on this host? Three-valued exit. The H task is tracked in specs/002-knowledge- tasks.md as row T114. HOW TO REPRODUCE

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					knowledge-areas-deep-linking/tasks.md a beginningT114. ACCEPTANCE CRITERIA – t outcome, evidenced per §11.4.5 against names. STATUS BASIS – CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | – | VSC-185 – WHA areas-deep-linking task T115: [TDD] Imp against-question** HOW IT MANIFESTS – specs/002-knowledge-areas-deep-linking/ HOW TO REPRODUCE – read specs/002-knowl linking/tasks.md and locate the row beg ACCEPTANCE CRITERIA – the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS – no sub- the source row. | | 136 | – | Completed – | VSC-186 – WHAT – 002-knowledge-area T116: [TDD] Implement **C4.3.4**: a ver MANIFESTS – the task is tracked in spec deep-linking/tasks.md as row T116. HOW specs/002-knowledge-areas-deep-linking/ the row beginningT116. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS – CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | – | VSC-187 – WHA areas-deep-linking task T117: Update th document to name **every** open defect, measured HOW IT MANIFESTS – the task i 002-knowledge-areas-deep-linking/tasks. TO REPRODUCE – read specs/002-knowledge tasks.md and locate the row beginningT1 CRITERIA – the row's own stated outcome

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					§11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 138 | — | Completed — | VSC-188 — WHAT — 002-knowledge-area T118: [TDD] Prove **SC-026**: cross-che against the limits document; an HOW IT is tracked in specs/002-knowledge-areas as row T118. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT118. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-190 — WHA areas-deep-linking task T120: Register check registry (SC-027). Note the regis IT MANIFESTS — the task is tracked in s areas-deep-linking/tasks.md as row T120 read specs/002-knowledge-areas-deep-lin locate the row beginningT120. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC knowledge-areas-deep-linking task T121: documentation set — quickstart, user gu the HOW IT MANIFESTS — the task is tra knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningT1 CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 141 | — | Completed — | VSC-195 — WHAT — 002-knowledge-area T125: [TDD] [REVIEW] Gate **G-OCR-2** — a **passage kind** in HOW IT MANIFESTS in specs/002-knowledge-areas-deep-linki T125. HOW TO REPRODUCE — read specs/00 deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 142 | — | Completed — | VSC-213 — WHAT — 002-knowledge-area T143: Build **G-KG-1-changed** and its assert that every §4 HOW IT MANIFESTS in specs/002-knowledge-areas-deep-linki T143. HOW TO REPRODUCE — read specs/00 deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 143 | — | Completed — | VSC-217 — WHAT — 003-chapter-hierar Implement and prove the grammar[1]{2,}(.[0- MANIFESTS — the task is tracked in specs/ tasks.md as row T005. HOW TO REPRODU chapter-hierarchy/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 144 | — | Completed (→ Fixed.md — WHAT — 003-chapter-hierarchy task T0 ordinal type] Implement `ParentID`, `Deptl HOW IT MANIFESTS — the task is tracked hierarchy/tasks.md as row T006. HOW TO specs/003-chapter-hierarchy/tasks.md and beginning `T006`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — n named in the source row. | | 145 | — | Co | Task | — | VSC-219 — WHAT — 003-cha T007: [TDD] Implement `ChildIDs` and `Or **set** of present ids. These are the HOW task is tracked in specs/003-chapter-hierar T007. HOW TO REPRODUCE — read specs/ tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the — | Completed (→ Fixed.md) | Task | — | 003-chapter-hierarchy task T010: [TDD] Im `cmd/workshop-server/main.go:2094` (`list MANIFESTS — the task is tracked in specs/ tasks.md as row T010. HOW TO REPRODU chapter-hierarchy/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 147 | — | Completed (→ Fixed.md — WHAT — 003-chapter-hierarchy task T0

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					two-scope fixture registry under the r test data: HOW IT MANIFESTS — the task chapter-hierarchy/tasks.md as row T013. H — read specs/003-chapter-hierarchy/tasks. beginning `T013`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — n named in the source row. | | 148 | — | Co | Task | — | VSC-225 — WHAT — 003-chap T014: [TDD] Prove **G-CH-6**: the redacti covers exactly the `01` artifacts HOW IT M tracked in specs/003-chapter-hierarchy/tas HOW TO REPRODUCE — read specs/003-ch tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the — | Completed (→ Fixed.md) | Task | — | 003-chapter-hierarchy task T015: [TDD] Pr read this one carefully because it asserts a MANIFESTS — the task is tracked in specs/ tasks.md as row T015. HOW TO REPRODU chapter-hierarchy/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 150 | — | Completed (→ Fixed.md — WHAT — 003-chapter-hierarchy task T0 NOT BY THIS FEATURE — verify and close reimplement.** HOW IT MANIFESTS — th specs/003-chapter-hierarchy/tasks.md as r REPRODUCE — read specs/003-chapter-hie

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					locate the row beginning `T018`. ACCEPTA row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOSU the tracked task list marks this row [x]. Th the evidence; the work it claims was NOT the backfill session (§11.4.6). SUB-PROJECT project path named in the source row. | | (→ Fixed.md) | Task | — | VSC-235 — WH hierarchy task T026: [BLOCKED: ordinal ty (`chapters.go:755`), which renders `02` and — the task is tracked in specs/003-chapter- row T026. HOW TO REPRODUCE — read sp hierarchy/tasks.md and locate the row beg ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 152 | — | Completed (→ Fixed.md — WHAT — 003-chapter-hierarchy task T0 `derivation.ordinal` (`chapters.go:141`) in t T025. It currently HOW IT MANIFESTS — t specs/003-chapter-hierarchy/tasks.md as r REPRODUCE — read specs/003-chapter-hie locate the row beginning `T027`. ACCEPTA row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOSU the tracked task list marks this row [x]. Th the evidence; the work it claims was NOT the backfill session (§11.4.6). SUB-PROJECT project path named in the source row. | | (→ Fixed.md) | Task | — | VSC-239 — WH hierarchy task T030: Add the `hierarchy` o `GET /api/chapters` — `parent_id`, `depth`, the task is tracked in specs/003-chapter-hi row T030. HOW TO REPRODUCE — read sp hierarchy/tasks.md and locate the row beg ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 154 | — | Completed (→ Fixed.md — WHAT — 004-authored-ai-areas task T0 `Area.Assessment` a pointer so "under con representable, and have `Validate` emit `C letting the absence pass unnoticed (FR-008 **Evidence** (population: unstated): 37 C none suppressed. HOW IT MANIFESTS — t specs/004-authored-ai-areas/tasks.md as r REPRODUCE — read specs/004-authored-a locate the row beginning `T004`. ACCEPTA row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOSU the tracked task list marks this row [x]. Th the evidence; the work it claims was NOT the backfill session (§11.4.6). SUB-PROJECT project path named in the source row. | | (→ Fixed.md) | Task | — | VSC-247 — WH areas task T009: [P] Keep `proposer` and `r review store, both defaulting to the pipeli **Evidence**: honest description of a run audit; `--reviewer` is passed only when a h HOW IT MANIFESTS — the task is tracked ai-areas/tasks.md as row T009. HOW TO R specs/004-authored-ai-areas/tasks.md and beginning `T009`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — no named in the source row. | | 156 | — | Co | Task | — | VSC-248 — WHAT — 004-auth T011: [US1] Disclose a derived title/tags/su **refusal** where one is derivable, in the (FR-018b). **Evidence**: the reported sym reading only "withheld pending review"; a missing review has a perfectly good name — the task is tracked in specs/004-authore

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					row T011. HOW TO REPRODUCE — read sp areas/tasks.md and locate the row beginni ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 157 | — | Completed (→ Fixed.md — WHAT — 004-authored-ai-areas task T0 include=held_back` so withholding never unreachable (FR-018b). HOW IT MANIFEST in specs/004-authored-ai-areas/tasks.md as REPRODUCE — read specs/004-authored-a locate the row beginning `T012`. ACCEPTA row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOSU the tracked task list marks this row [x]. Th the evidence; the work it claims was NOT the backfill session (§11.4.6). SUB-PROJECT project path named in the source row. | | (→ Fixed.md) | Task | — | VSC-250 — WH areas task T013: [P] [US1] Emit `tags` as an `null`, in the area wire type (FR-003, FR-01 breaks the field the interface filters on. HO the task is tracked in specs/004-authored-a row T013. HOW TO REPRODUCE — read sp areas/tasks.md and locate the row beginni ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 159 | — | Completed (→ Fixed.md — WHAT — 004-authored-ai-areas task T0 vacuity refusals **B9/B10** — no lesson o or a test gated on nothing, must exit **2**, FR-029). HOW IT MANIFESTS — the task is authored-ai-areas/tasks.md as row T019. H read specs/004-authored-ai-areas/tasks.md

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					beginning `T019`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — n named in the source row. | | 160 | — | Co | Task | — | VSC-252 — WHAT — 004-auth T021: [US2] Build the taking projection as answer field at all** in the same file — not fields omitted, so no future upstream field (FR-010, FR-012a, SC-009). HOW IT MANIF tracked in specs/004-authored-ai-areas/tas HOW TO REPRODUCE — read specs/004-au tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the — | Completed (→ Fixed.md) | Task | — | 004-authored-ai-areas task T022: [P] [US2] against the closed vocabulary and return unknown kind (FR-013). **Evidence**: an "there are none", which is a different and IT MANIFESTS — the task is tracked in spe areas/tasks.md as row T022. HOW TO REP 004-authored-ai-areas/tasks.md and locate `T022`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 162 | — | Completed (→ Fixed.md — WHAT — 004-authored-ai-areas task T0 bank's `correct_index` to a choice **id** d (FR-012). **Evidence**: the kit rejects the HOW IT MANIFESTS — the task is tracked ai-areas/tasks.md as row T025. HOW TO R

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					specs/004-authored-ai-areas/tasks.md and beginning `T025`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — n named in the source row. | | 163 | — | Co | Task | — | VSC-255 — WHAT — 004-auth T026: [US2] Exclude the 10 `flashcard` row them onto graded items, and report the ex **Evidence**: mapping a study aid onto a promotion. HOW IT MANIFESTS — the tas 004-authored-ai-areas/tasks.md as row T0 REPRODUCE — read specs/004-authored-a locate the row beginning `T026`. ACCEPTA row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOSU the tracked task list marks this row [x]. Th the evidence; the work it claims was NOT the backfill session (§11.4.6). SUB-PROJECT project path named in the source row. | | (→ Fixed.md) | Task | — | VSC-256 — WH areas task T032: [US3] Emit `end` **only w **only for a Crockford-shaped ULID**, in t (FR-014, FR-015). **Evidence**: the consu malformed span, so producing one yields correctly and does nothing. HOW IT MANI tracked in specs/004-authored-ai-areas/tas HOW TO REPRODUCE — read specs/004-au tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the — | Completed (→ Fixed.md) | Task | — | 004-authored-ai-areas task T033: [US3] Em `unresolved_reason` + intact anchor + a co chapter (FR-016, FR-017, SC-007). **Eviden

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					205 resolved, 0 unresolved. HOW IT MANI tracked in specs/004-authored-ai-areas/tas HOW TO REPRODUCE — read specs/004-au tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — no sub-project path named in the — | Completed (→ Fixed.md) | Task | — | 004-authored-ai-areas task T040: [US4] Bu style extracted from `design-system/diagra `<title>`, `<desc>`, `role="img"` and `aria-lab 33 references (FR-013). **Evidence** (sour rc 0; no external font, image or script. HOW task is tracked in specs/004-authored-ai-ar T040. HOW TO REPRODUCE — read specs/ tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the worl verified by a run in the backfill session (§1 BASIS — no sub-project path named in the — | Completed (→ Fixed.md) | Task | — | 004-authored-ai-areas task T041: [P] [US4] with `chapter_id`, `start_millis`, `end_millis `transcript_anchor`, `chapter_slug` and `hr HOW IT MANIFESTS — the task is tracked ai-areas/tasks.md as row T041. HOW TO R specs/004-authored-ai-areas/tasks.md and beginning `T041`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — no named in the source row. | | 168 | — | Co | Task | — | VSC-264 — WHAT — 004-auth T051: [P] [US6] Add `verify-standalone-clo

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					`workshop/scripts/` and `ai_interviewing/s FR-026, SC-012). HOW IT MANIFESTS — th specs/004-authored-ai-areas/tasks.md as r REPRODUCE — read specs/004-authored-a locate the row beginning `T051`. ACCEPTA row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOSU the tracked task list marks this row [x]. Th the evidence; the work it claims was NOT the backfill session (§11.4.6). SUB-PROJECT row names paths in more than one sub-pr attributed to the parent. | | 169 | — | Com Task | — | VSC-265 — WHAT — 004-autho Confirm `GET /api/areas` returns **42**, n container still holds in memory from start SC-001). — EVIDENCE (served): `GET http:/ areas` -> **200**, `contract.total_areas = 42 `len(held_back) = 3`; every id in `areas` car `GET /api/areas/{first}` -> 200 HOW IT MAN tracked in specs/004-authored-ai-areas/tas HOW TO REPRODUCE — read specs/004-au tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — no sub-project path named in the — | Completed (→ Fixed.md) | Task | — | 004-authored-ai-areas task T057: Exercise over HTTP against authored content. Ever measured through the server's own loade HTTP surface is unmeasured (plan.md gap FR-009, FR-010, FR-012a, FR-013, SC-006, S (served): all six exercised over HTTP with probe` on 2026-09-08: `GET /api/areas/{a}/l `GET /api/areas/{a}/lessons/{l}` 200 (carries `position`), `POST /api/areas/{a}/lessons/{l}/ (`complete_of_required` 0 -> 1), `GET /api/a (+ `?kind=<unknown>` -> **400**, T022 on areas/{a}/assessment` 200 (`available:false

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					lesson list), `POST /api/areas/{a}/assessmen with the availability envelope, never a zer MANIFESTS — the task is tracked in specs/ tasks.md as row T057. HOW TO REPRODU authored-ai-areas/tasks.md and locate the ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 171 | — | Completed (→ Fixed.md — WHAT — 005-clone-and-clear-red task T guard measure the CHECKOUT PAYLOAD c path, and report full history as a NOTE onl **Evidence** (source): recorded in-file — history would demand a remedy nobody i and a gate whose remedy is forbidden is d MANIFESTS — the task is tracked in specs/ red/tasks.md as row T008. HOW TO REPRO 005-clone-and-clear-red/tasks.md and loca `T008`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 172 | — | Completed (→ Fixed.md — WHAT — 005-clone-and-clear-red task T half-finished untracking — a path `.gitignc still tracks it (FR-002, FR-004). **Evidence** an explicit exit-1 finding in the guard's cor mode where the rule was added and `git r the rule does nothing and the bytes ship a MANIFESTS — the task is tracked in specs/ red/tasks.md as row T009. HOW TO REPRO 005-clone-and-clear-red/tasks.md and loca `T009`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — no sub-project path row. | | 173 | — | Completed (→ Fixed.md — WHAT — 005-clone-and-clear-red task T `_tools/watch-deploy.sh` read its exit codes into a three-valued verdict (FR-006, FR-008 (source, from `scripts/check-registry.tsv` an verdict is 0 clean / 2 a cycle could not run / failed, **failure outranking could-not-dete the watcher discarded `$?and could loop deploy failing every cycle and still ex MANIFESTS — the task is tracked in spec red/tasks.md as row T015. HOW TO REPRO clone-and-clear-red/tasks.md and locate beginningT015. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-281 — WHA clear-red task T016: [TDD] [US2] Ship_to deploy-verdict.sh, the §1.1 paired proof rather than by editing its subject (FR- **Evidence** (in_process, recorded insc registry.tsv): **9 passed / 0 failed / 8 the current watcher, and **3 passed / 6 reconstruction of the pre-fix watcher — reportinggot 0where a verdict was owed. exit codes viaWATCH_DEPLOY_CMD; th sourcesha256is captured before the batt after, so a mutation that edited the su proof. HOW IT MANIFESTS — the task is clone-and-clear-red/tasks.md as row T01 read specs/005-clone-and-clear-red/task row beginningT016. ACCEPTANCE CRITERIA stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-282 — WHA clear-red task T017: [US2] Rewrite the_ deploy.shregistry exemption to carry its WITHDRAW the expired reason (FR-007). * (source):scripts/check-registry.tsv— the p judges nothing"* is marked WITHDRAWN by and the change that expired it. **An ex justification expired still looks revie for that class. HOW IT MANIFESTS — the specs/005-clone-and-clear-red/tasks.md REPRODUCE — read specs/005-clone-and-cl locate the row beginningT017. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC clone-and-clear-red task T018: [US2] Wr adapters for the two hosts that had non gitflic.ruandgitverse.ru(FR-011c, SC-005). (source):scripts/verify-provider-ci.shgrew commitf824cd1; both adapters speak HTTP neither host ships a CLI, and each decl ceiling in-file (gitflic **cannot** rea construction and says so on every row; route set established empirically). HO task is tracked in specs/005-clone-and- row T018. HOW TO REPRODUCE — read spec red/tasks.md and locate the row beginni CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 177 | — | Completed — | VSC-284 — WHAT — 005-clone-and-clea

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					[US2] Prove the two adapters with the M including the case that stops an adapte from passing (FR-011c, FR-021). **Evide verify-provider-ci.sh:408-540– M8 unreach row UNVERIFIED; **M9 a control that goe the row NONE. Without M9 the battery wo adapter that can only ever say no. HOW task is tracked in specs/005-clone-and- row T019. HOW TO REPRODUCE — read spec red/tasks.md and locate the row beginni CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 178 | — | Completed — | VSC-286 — WHAT — 005-clone-and-clea Judge the content-boundary class A INWA allow-listing them (FR-007, FR-011, SC- (source):docs/findings/content-boundary- judgement.jsonlholds **1,933 rows, ever NOT_A_DISCLOSURE, 0 unjudged** — ver file's own verdict field, not by transc boundary-class-a-judgement.mdgroups th group reason. **Nothing was redacted, a baselined, andscripts/verify-content-boun edited. The gate still exits 1, and it MANIFESTS — the task is tracked in spec red/tasks.md as row T021. HOW TO REPRO clone-and-clear-red/tasks.md and locate beginningT021. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-287 — WHA clear-red task T022: [US2] Judge the ** runs' INWARD rows, not the more conveni

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					SC-007). **Evidence** (source): both ru content-boundary-class-a-judgement.md– 9,945, tied together with–expect-corpus only in run 2** and are included. Judgi stops a moving tree quietly dropping a queue. HOW IT MANIFESTS — the task is clone-and-clear-red/tasks.md as row T02 read specs/005-clone-and-clear-red/task row beginningT022. ACCEPTANCE CRITERIA stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-288 — WHA clear-red task T023: [US2] Attribute th than banking it (FR-011, FR-023). **Evi same document tests four candidate mech → 9,945 drop in 39 minutes and states * to achieve it"*. **An unexplained fall red.** HOW IT MANIFESTS — the task is clone-and-clear-red/tasks.md as row T02 read specs/005-clone-and-clear-red/task row beginningT023. ACCEPTANCE CRITERIA stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-289 — WHA clear-red task T024: [US2] Report the d five populations whose totals differ by (FR-011, FR-018). **Evidence** (source) 79.7 / 79.3 / 79.1 / 80.2 / 82.1 % ever move; the direction does not** — that i on, and it is what bounded the reading MANIFESTS — the task is tracked in spec red/tasks.md as row T024. HOW TO REPRO clone-and-clear-red/tasks.md and locate

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					beginningT024. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-290 — WHA clear-red task T025: [TDD] [US2] Regist content-boundary-judgement.shas a chec failurepaired proof (FR-020, FR-021, SC- (source): row added inscripts/check-regis commitf824cd1; the gate is 450 lines. the task is tracked in specs/005-clone- as row T025. HOW TO REPRODUCE — read s clear-red/tasks.md and locate the row b ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 183 | — | Completed — | VSC-291 — WHAT — 005-clone-and-clea Install the pre-push gate hook, since.gi and a fresh clone runs no gates (FR-020 (source):.git/hooks/pre-pushis present, bytes, dated 2026-09-08 10:58. **Honest verifystill bypasses it with no record, protects only this checkout. HOW IT MA tracked in specs/005-clone-and-clear-re T026. HOW TO REPRODUCE — read specs/00 tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 184 | — | Completed — | VSC-292 — WHAT — 005-clone-and-clea

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Take the R3 hardcoded-path red to green re-baseline (FR-011, FR-011a, SC-007). 2026-09-08** (source):bash scripts/audit-paths.shexits **0** — *"no machine-spec paths"*, 16 file(s) explicitly allowed. live occurrences is cleared. HOW IT MA tracked in specs/005-clone-and-clear-re T027. HOW TO REPRODUCE — read specs/00 tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 185 | — | Completed — | VSC-294 — WHAT — 005-clone-and-clea Confirm the manifest and gitlinks moved **Re-measured 2026-09-08** (source):bas manifest-pins.shexits **0** — **13 MATCH UNDETERMINED** of 13 declared deps. C9 lagging its gitlinks **twice on 2026-09 (commitsbfe2931,3922e35) and both were gate working. HOW IT MANIFESTS — the t specs/005-clone-and-clear-red/tasks.md REPRODUCE — read specs/005-clone-and-cl locate the row beginningT030. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC clone-and-clear-red task T044: [US4] Fa element **paints of its own** (paint), behind it (bg) — defect **D-A** (FR-016 **Evidence** (source): recorded in the textrow the sampler setsbgto the ground indicator, which is correct for contras coloured chip, wash, rule or fill could

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					family AT ALL, by construction**. The p very elements an interface uses to carr nopaintstill grades exactly as before, unaffected. HOW IT MANIFESTS — the tas 005-clone-and-clear-red/tasks.md as row REPRODUCE — read specs/005-clone-and-cl locate the row beginningT044. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC clone-and-clear-red task T045: [US4] De 30° bucket (12 buckets), with impercept collapsing into ONEneutralfamily counte FR-018, SC-012). **Evidence** (source): *"counting each grey as its own hue wou interface pass"*. Two colour spaces are for the hue ANGLE (it need only partiti already have a hue), and a different me colour has a hue at all, because HSL sa span that vanishes near white and black fixed by the specification, not chosen applied to the instrument. HOW IT MANI tracked in specs/005-clone-and-clear-re T045. HOW TO REPRODUCE — read specs/00 tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 188 | — | Completed — | VSC-308 — WHAT — 005-clone-and-clea the content-boundary gate carry evidenc move during the measurement (FR-023). * both runs indocs/content-boundary-class- judgement.mdreportcorpus

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					MOVEDwith the changed-file count (66 14,837) and are tied together by–expect reports its own instability instead of silently.** HOW IT MANIFESTS — the tas 005-clone-and-clear-red/tasks.md as row REPRODUCE — read specs/005-clone-and-cl locate the row beginningT052. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC session-record-and-qa-readiness task T0 the reusable content library asvasic-dig kit(PUBLIC), mount as a gitlink, declare deps.yamlwith a real ref (FR-030, SC-01 (source): 82 files; content-boundary sc rows;verify-standalone-clone.sh3 gaps → 2. HOW IT MANIFESTS — in specs/006-session-record-and-qa-read T001. HOW TO REPRODUCE — read specs/00 qa-readiness/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 190 | — | Completed — | VSC-311 — WHAT — 006-session-record T003: [P] KeepBody**optional** in the library an inTestValidateDoesNotRequireALessonBo **Evidence**: a materials-only lesson i "every lesson has a body" is a consumer may not impose; a future rule must chan explains its absence. HOW IT MANIFESTS in specs/006-session-record-and-qa-read T003. HOW TO REPRODUCE — read specs/00

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					qa-readiness/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 191 | — | Completed — | VSC-312 — WHAT — 006-session-record T004: [P] Assert`Body` and `Summary` have n value in `TestLessonBodyIsCarriedAndIsDi` including that an absent body decodes a of the summary (FR-013). HOW IT MANIFE tracked in specs/006-session-record-and as row T004. HOW TO REPRODUCE — read s record-and-qa-readiness/tasks.md and lo beginning `T004`. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-313 — WHA record-and-qa-readiness task T009: [P] existing `curriculum.ChapterID.OrdinalPat` scheme (FR-002, FR-008). **Evidence**: second thing to disagree. HOW IT MANIF tracked in specs/006-session-record-and as row T009. HOW TO REPRODUCE — read s record-and-qa-readiness/tasks.md and lo beginning `T009`. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-314 — WHA record-and-qa-readiness task T012: [US1 Split `own_count` from `carried_count` per sec

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					FR-009). **Evidence** (population: unst carryown_count=0with an authored reasc they would read as productive sessions. the task is tracked in specs/006-sessio readiness/tasks.md as row T012. HOW TO specs/006-session-record-and-qa-readine the row beginningT012. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-315 — WHA record-and-qa-readiness task T013: [US1 areasonwhenown_stateisempty(FR-004). * (population: unstated): 12 of 12 sectio without-reason** — this is the property tell a defect from a blank. HOW IT MAN tracked in specs/006-session-record-and as row T013. HOW TO REPRODUCE — read s record-and-qa-readiness/tasks.md and lo beginningT013. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-316 — WHA record-and-qa-readiness task T014: [P] Carryorigin_chapteron every item (FR-00 MANIFESTS — the task is tracked in spec and-qa-readiness/tasks.md as row T014. read specs/006-session-record-and-qa-re locate the row beginningT014. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6).

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC session-record-and-qa-readiness task T0 Deriveplan(N) = unresolved(plan(N−1)) wi meeting points of N−1inpkg/sessionrecord FR-010, FR-012). **Evidence** (populati planned · 0 covered · 66 carried · 0 dr vanished**. HOW IT MANIFESTS — the tas 006-session-record-and-qa-readiness/tas HOW TO REPRODUCE — read specs/006-sessi readiness/tasks.md and locate the row b ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 197 | — | Completed — | VSC-321 — WHAT — 006-session-record T021: [US2] Resolve absence of a covera tocarried, never to a silent drop (FR-0 **Evidence**:Resolvehas no fourth branc holds by construction, not by diligence the task is tracked in specs/006-sessio readiness/tasks.md as row T021. HOW TO specs/006-session-record-and-qa-readine the row beginningT021. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-322 — WHA record-and-qa-readiness task T022: [P] CARRIED-FORWARDandmarker_labelwith FR-010, SC-004). **Evidence** (populati markers, 281 slip references on chapter — the task is tracked in specs/006-sess readiness/tasks.md as row T022. HOW TO specs/006-session-record-and-qa-readine

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the row beginningT022. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-323 — WHA record-and-qa-readiness task T023: [US2 chapter's carry-forward as an **outbox* trueand a stated reason (FR-011). **Evi unstated): 42 points,max_slip=2. HOW I task is tracked in specs/006-session-re tasks.md as row T023. HOW TO REPRODUCE session-record-and-qa-readiness/tasks.m beginningT023. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-324 — WHA record-and-qa-readiness task T024: [US2 undeterminedfor chapter 01 and **compu percentage for it** (FR-006, FR-024). * predecessor and no recorded intent; a p invented plan is a fiction with a denom MANIFESTS — the task is tracked in spec and-qa-readiness/tasks.md as row T024. read specs/006-session-record-and-qa-re locate the row beginningT024. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC session-record-and-qa-readiness task T0 Shipverify-lesson-

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					content.shwith **two arms** (FR-013, FR **Evidence**: in-process 339/339 rc 0; 318 EMPTYbefore the restart** — the re broken artefact. A gate with only the p nothing. HOW IT MANIFESTS — the task i 006-session-record-and-qa-readiness/tas HOW TO REPRODUCE — read specs/006-sessi readiness/tasks.md and locate the row b ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 202 | — | Completed — | VSC-333 — WHAT — 006-session-record T040: [US4] Fix the assessment envelope high, so a healthy 200 no longer render asmalformed_response(FR-014). HOW IT is tracked in specs/006-session-record- tasks.md as row T040. HOW TO REPRODUCE session-record-and-qa-readiness/tasks.m beginningT040. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-334 — WHA record-and-qa-readiness task T041: [US4 emptyquestionsarray behind a **shut gat exists" — consultquestion_countand the first (FR-014, FR-015). HOW IT MANIFES tracked in specs/006-session-record-and as row T041. HOW TO REPRODUCE — read s record-and-qa-readiness/tasks.md and lo beginningT041. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-335 — WHA record-and-qa-readiness task T042: [TDD bank-reachability.sh— the **population** missing (FR-014, FR-023, FR-026). **Evi unstated): the existing gate checked ro against one fixture area, so 89 questio while it passed. HOW IT MANIFESTS — th specs/006-session-record-and-qa-readine T042. HOW TO REPRODUCE — read specs/00 qa-readiness/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 205 | — | Completed — | VSC-336 — WHAT — 006-session-record T043: [US4] Make the no-test copy state established (FR-015, FR-026a, SC-006). (population: unstated): it asserted *"t none"* for 13 areas that had a bank — * asserting the opposite of the truth**. the task is tracked in specs/006-sessio readiness/tasks.md as row T043. HOW TO specs/006-session-record-and-qa-readine the row beginningT043. ACCEPTANCE CRIT stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR project path named in the source row. | (→ Fixed.md) | Task | — | VSC-338 — WHA record-and-qa-readiness task T046: [US5 nil, unreadable **or stale** catalog (F **Evidence**: a graded prompt the snaps look "graded nowhere" to a literal inde

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					HOW IT MANIFESTS — the task is tracked record-and-qa-readiness/tasks.md as row REPRODUCE — read specs/006-session-reco tasks.md and locate the row beginningTO CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 207 | — | Completed — | VSC-341 — WHAT — 006-session-record T052: Untrack the 54 video-archive part —cachedand gitignore the pattern (FR-02 (source): tracked 54 → 0, on-disk bytes 2,752,266,473, fresh checkout 2,711.7 M packdid not fall and could not** — hist forbidden; the gate prints that limit i MANIFESTS — the task is tracked in spec and-qa-readiness/tasks.md as row T052. read specs/006-session-record-and-qa-re locate the row beginningT052. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). no sub-project path named in the source Completed (→ Fixed.md) | Task | — | VSC session-record-and-qa-readiness task T0 2** withTODO(storage-fetch)when archive parts are absent, and present-but-corrupt part (FR-024, SC-01 missing download is not a corrupt archi them sent a previous investigation at t IT MANIFESTS — the task is tracked in s record-and-qa-readiness/tasks.md as row REPRODUCE — read specs/006-session-reco tasks.md and locate the row beginningTO CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 209 | — | Completed — | VSC-343 — WHAT — 006-session-record T054: [P] Make_tools/watch-deploy.shread (FR-023, FR-025). **Evidence** (in_proc 240 times against a deploy failing ever the proof fails **6 of 8** against a re pre-fix watcher. HOW IT MANIFESTS — th specs/006-session-record-and-qa-readine T054. HOW TO REPRODUCE — read specs/00 qa-readiness/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — no sub- the source row. | | 210 | high | Fixed | VSC-348 — The badge value is typed by README.md:3; docs/claim-ledger.tsv row badge re-measures it and reads FALSE. N badge from scripts/audit/zero_findings_ public quality badge under-states the o Derive the badge value from the sweep o the existing badge tooling reading clas type it; re-run the ledger. | | 211 | m Fixed.md) | Task | — | VSC-350 — Sectio CONTINUATION.md is a dated session log; measured at the time of each entry. The in-time rule for dated entries (doc-cou zero-gap/point-in-time.tsv; stale-figur such figure reads as unanchored. Choose (operator judgement): (a) a tracked lin in-time rule for dated section-3 entrie row and its own paired proof (a planted current-state section must still be rep closed session entries to a dated archi point-in-time. Not (c) ledger rows for

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					figures. | | 212 | medium | Completed (| VSC-352 — The instruments/governance state each gate's current exit code in rows anchor README.md. Ledger rows re-r gate, or replace the stated rc with the medium | Completed (→ Fixed.md) | Task figure grammar has no shape for "<n> de base-A: CLAUDE.md:315 says 14 declared declares 22; reported only as the unanc families (rev-docs, 3/10): a withdrawn on the next line; exit-code MEANING lin the shapes with planted rows; add clean FP families; restate the header precisi Completed (→ Fixed.md) | Task | — | VSC is whole-document only (point-in-time.t tasks.md is a live task list whose note 2026-09-03" or a commit id on the claim when written per rev-docs; truth at tha here). module-page-walkthrough.md:91 "8 subset (V-G8 roster gaps), not the tota with. Line-level dating: a claim line c <date>" or a commit anchor is point-in- qualified by a subset phrase is not com Each with planted rows and clean contro Completed (→ Fixed.md) | Task | — | VSC cites the gitlink of the day it was wri measured at gitlink 7f59225"); the gitl (4ddc9645d140, 4a8f04e05f35, a57d6f157f no ledger row asserts a quoted pin. Dro wording in favour of the re-derive comm <path>), or add a claim-ledger row per recompose the four carriers once. | | 2 Completed (→ Fixed.md) | Task | — | VSC submodule-remote-sync.sh compares the g FETCH URL only; origin also pushes to t (milosvasic.ru) and three HelixQA repos lagging push target reads CURRENT. Exte every pushurl (tip vs gitlink, three-va = rc 2) with a paired --prove-failure c mirrors in helix-deps.yaml and probe th remote of milosvasic.ru (live productio

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					217 | medium | Completed (→ Fixed.md) | The decision record names one action (r writers stop, then commit and push recu PENDING; nothing records whether it was superseded. Re-measure: find the commit executed it and mark DONE with evidence with the later decision; if genuinely o and cost per FR-009. | | 218 | medium | Fixed.md) | Task | — | VSC-363 — T008 f cases: empty evidence digest stored aft future-dated history rows accepted; rev duplicate JSON keys accepted; parallel- instead of 1; O_NOFOLLOW only on the fi swap). One hardening round, RED-first G openat2(RESOLVE_BENEATH) with a unix bu medium | Completed (→ Fixed.md) | Task normalizeArg/redactURL do not decode %H lacks auth/creds/pat/NPM_AUTH/X-Auth sh reach the (git-ignored) evidence chain before matching; add the segments or li under NOT caught. | | 220 | medium | Co Task | — | VSC-365 — A change to argvpo drift by the exempt row, so the exempti code it describes. Hash every file the 221 | low | Completed (→ Fixed.md) | Ta binary lands in a tracked directory wit commit wrapper runs git add ., so it ca (§11.4.30). Refuse a --build-bins insid ignore rule. | | 222 | medium | Complet | — | VSC-372 — the classes refuse ever COULD-NOT-INSPECT, including a tracked is a regular file inside the same repos scripts/anti-bluff-scan.sh -> anti-bluf so population 838 is inspected 837 reso whose fully-resolved target stays insid and report on the target (or report the an already-inspected item); keep out-of links COULD-NOT-INSPECT | | 223 | mediu | Bug | — | VSC-373 — R5 runsfind -mind -name '*.sh'(verify-check-registry.sh:104 refore misses its subdirectories; the r

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					declares 'SEVEN' such scripts but 9 exi hawkscan/run.sh and _tools/lib/translat missing from that list), so the declare drifted make R5 recurse under each scan subdirectory as a scanroot, derived not add a check/debt/exempt row for each of lib/translation-fleet.sh already has a translation-fleet.sh); delete the hand add an R5 --prove-failure case with a p unregistered script | | 224 | medium | Bug | — | VSC-374 — the scanroot set (s _tools/translate, _tools/portfolio, _to excludes _tests/ by a recorded deferral NOT SWEPT ... under concurrent edit') a upstreams/; the deferral has no recheck recipe upstreams/GitHub.sh is not a che row either declare _tests as a scanroot unregistered-scripts-01) and add check validators/proofs (with their paired pr prove-preflight.sh is itself a proof => a row for retry.sh; add an exempt row w upstreams/GitHub.sh (push recipe, not a medium | Fixed (→ Fixed.md) | Bug | — | its subject list fromgit ls-files(tracked mentions untracked files or --others an so a file written but not yetgit add-ed green result says nothing about it enum –others –exclude-standard(or print an explicit 'tracked population line on every run where untr deliberately out of scope), with a proo untracked violating file | | 226 | high | Bug | — | VSC-376 — the uncatalogued registry scanroots;[-d “ROOT/ROOT/d”] at f05817ba) silently drops a missing s fed loop (line 525) emits nothing on an with no rc-2 refusal keyed on items wal but-absent scanroot as rc 2 (could not a zero-item walk; add planted cases (mi scanroot) to the sweep's proof | | 227 Fixed.md) | Bug | — | VSC-377 — the ver

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					&& exit 0 || exit 1(line 1543); TOTAL cou floor on PASS (executed) cases exists, (e.g. every tool absent) exits 0 requir a declared floor) for rc 0 and return r skipped; add an all-skip planted case t registered proof | | 228 | medium | Imp | Feature | — | VSC-381 — FR-010's modu has not been generated (T052 not starte population is 0 and both of its lines a until then no coverage gap is visible T then T053 re-measure every cell; every its own cycle-2 item (FR-026 freeze) | (→ Fixed.md) | Bug | — | VSC-382 — shar BIN]then build (at :185 the build sits condition); no freshness guard, so veri G5 and its proof read the register thro items binary exists, and deploy-langs r build exists one umbrella helper (for e that always runs go build -o BIN (Go's cheap) or rebuilds when go list -deps s BIN; call it from the three sites | | 2 Fixed.md) | Bug | — | VSC-383 — golden- bad.pdf are rebuilt only when either fi to build-fixtures.sh leaves the old fix harness validates the previous recipe r build-fixtures.sh (or its inputs) is ne or always rebuild into the run's $OUT | Completed (→ Fixed.md) | Task | — | VSC toolchains.tsv has no row for these too cannot tell whether their absence matte docs_chain falls back to a built binary submodule; ifconfig is the fallback aft gates an optional check (:511); lumen a at :666 (not rc 2) — see judgement call row per tool with its role (optional / and container_route none, or record in is optional; decide separately whether instead of FAIL | | 232 | low | Fixed (| VSC-385 — the rationale column assert least prone to drift without a measurem term); wording only, no effect on any c

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the clause with a measured statement (f of ledger-anchored claims and their mea it UNCONFIRMED | | 233 | medium | Compl Task | — | VSC-386 — the detector is li semantic: a normative modal rule line, the forbidden vocabulary unquoted, and copies another class's description are guesses; the class reads progress.yml a so its count moves whenever the ledger baseline, 8 live) exempt (a) lines whos of a rule about the vocabulary (quoted sweep's own report files (a finding des statement of cause), and (c) normative contract lines, each with planted clean planted guessing rows detected | | 234 Fixed.md) | Task | — | VSC-388 — the cl 'every public record the programme prod public text is outside every credential the adjacency/value patterns need a pas other 14 lines do not carry add a sweep one) that runs the credential layer ove file of every public owned repository, pattern layer to the 'user (password: X planted placeholders only | | 235 | hig Fixed.md) | Task | — | VSC-399 — Done 2 documented in docs/governance/OVERRIDE- the umbrella and every owned submodule, setup.sh run in shadow mode with decisi false. Evidence docs/governance/OVERRID and docs/releases/0.0.7.md. | | 236 | m Fixed.md) | Bug | — | VSC-400 — Repaire v1.34.0: helix-constitution marketplace plugins and the unloadable report. Evid 0.0.7.md and CONTINUATION.md; not re-ex session. | | 237 | medium | Completed (| VSC-401 — Done 2026-10-29: v1.34.0 ta remotes (claude_toolkit-1.34.0 at ac258 created, Jev MCP framing fix included. tracked separately as blocked. Evidence 0.0.7.md and CONTINUATION.md. | | 238 | Fixed.md) | Task | — | VSC-402 — Done 2

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					directive after QA sign-off: annotated a31cb4c and the pinned commit of 15 own checkouts, pushed to every remote and v remote. Evidence docs/releases/0.0.7.md Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T003: digital.vasic.containers => ../../../submodule p/platform/backend/go.modper §11.4.76(builds (FR-046) HOW IT MANIFESTS — the specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-works platform/tasks.md and locate the row be ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 240 | — | Completed (→ Fi WSP-002 — WHAT — 001-workshop-curriculu [P] Createworkshop/pipeline/requiremen whisper+ctranslate2, andworkshop/pipeli ng a project-local venv — **[TICKED 202 NOT BUILT]note is WITHDRAWN BY NAME:wo setup.shnow EXISTS, and the venv build a header.**requirements.txtwas already unchanged — it pinsfaster-whisper==1.2.1 ss 23==pins. The new script makes the f that was documented in that file's head CHECKABLE, which is the half that was o bearing evidence is a REAL FRESH BUILD, workshop/pipeline/venv-setup.sh –venv /t venv from nothing and exited **0** in * (time, 20.58 user / 1.62 sys), installi packages **from wheels only** (–only-bi script offers no flag to relax) and the perandctranslate2– because a wheel that wheel that runs, which is research item required. The throwaway prefix was remo **Three-valued exit DEMONSTRATED, all f 2026-09-04**:–verifyagainst the real har

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(23 of 23 installed at their pinned versions nonexistent/nv-> **2**;–python /nonexis **2**;–bogus-> **2**;–verifyagainst an hese modules do not import: faster_whisp version-drift check compares every==pin adata.versionso an import that succeeds version is a failure, not a pass. The s interpreter INSIDE the venv by absolute consultsPATHfor an engine –/usr/bin/ whisperon this host is a GTK notificati d -v whispersucceeds and proves nothing in BOTH directions, which is the eviden discriminates rather than merely redden after the file was createdbash worksho verify-check-registry-001.shwent to rc ** UNREGISTERED — pipeline/venv-setup.sh scanroot but appears in no check, sibling row; after anexemptrow was added it r **40 PASS / 0 FAIL / 3 DEBT / 0 UNDET** files (was 36). It isexempt, notcheck, it PROVISIONS an environment and assert module, and a host without wheels for i a finding about this curriculum. **Hone this does NOT close T051.** T051 needs to-running run against SC-004's 15-minu measured is that ONE step of it — the v this host with a warm pip cache, and is fresh clone at all, which it was not be in_process) (FR-012, SC-004) HOW IT MA tracked in specs/001-workshop-curriculu row T005. HOW TO REPRODUCE — read spec curriculum-platform/tasks.md and locate 5. ACCEPTANCE CRITERIA — the row's own evidenced per §11.4.5 against the artef BASIS — CLOSURE EVIDENCE CLASS: the tra this row [x]. The completion mark is th it claims was NOT re-verified by a run session (§11.4.6). SUB-PROJECT BASIS — the path workshop. | | 241 | — | Comple Task | — | WSP-003 — WHAT — 001-worksho task T007: [REVIEW] Verifyworkshop/sti

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					workshop ls-files | grep -E '^.github/workf be empty, and `bash scripts/pre-push-gates (FR-034, SC-014) HOW IT MANIFESTS — th specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 242 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [REVIEW] **[TICKED 2026-09-03 ON MEAS SETTLED AND THE PRODUCER IS NAMED. `workshop/pipeline/detect_symbols.sh` do equivalent landed anywhere; measured 20 outcome is recorded under `workshop/evi note is WITHDRAWN BY NAME: both halv `workshop/pipeline/detect_symbols.sh` exi executable) and a default run exits **`0`**, pipeline/symbols (go/parser, owned by fea option **(b)**. Candidate **(a)** (Lumen's **REJECTED** on evidence, not on prefere (file_path, symbol) key(s) across 15108 Go not identify a passage`, A4 `0 of 3104 Go m §6.2-shaped receiver`. Candidate (b) passe B2 emits §6.2's package-prefixed, receiver- `(path, symbol)` unique across **2329** sy B4 byte-identical across two runs · B5 surv insertion and a reorder · B6 a rename MO can see it. **Three-valued exit demonstrat default `0`; `--real-tree /nonexistent` → `2` w `NOT_TESTED` and B3 `UNDETERMINED`. `--prove-failure` → rc 0, `PROVE: 5 mutation (M1 duplicate key → B3 FAIL, M2 nondeter position-encoded → B5, M4 rename-blind shape → B2). **Evidence recorded and TRA `workshop/evidence/`** as this task requir README.md` (line 7: *"Outcome: exit `0`. T

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					`pipeline/symbols`"*) and `evidence/p-u1/r ls-files`. The producer itself is `workshop/p (`main.go`, `go.mod`). Registered as check ` in `workshop/platform/gates/check-registr boundary (§11.4.6): the TRACKED `evidenc the working tree currently holds the outpu real-tree /nonexistent` UNDET PROBE (`"ex the README disagree — the README carr JSON carries a probe artefact. A5/A6 rema because `--reindex-probe` writes to a share run. Neither touches the verdict: candidat A4 alone, and (b) is confirmed on B1–B6. `T are therefore UNBLOCKED — they are unw blocked work]** Settle **P-U1** before an begins ([contracts/passage-contract.md](./c contract.md) §10): §6.2 keys code identity **that key has no confirmed producer** – symbol table through its CLI or MCP surfa symbol figure comes from its internal stor supported interface. Choose and prove exa `workshop/pipeline/detect_symbols.sh`: eit SQLite store directly and confirm the syml reindex unchanged, or (b) extract symbols parser owned by this feature. Three-value confirmed and named · `1` both candidates neither yields a stable symbol path · `2` ne Record the outcome and its evidence unde `. **T015, T016 and T017 are blocked until Global Constraints (population: in_process FR-040, FR-032, SC-012) HOW IT MANIFEST in specs/001-workshop-curriculum-platfor T014. HOW TO REPRODUCE — read specs/ curriculum-platform/tasks.md and locate t `T014`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 243 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Wire `workshop/pipeline/transcribe/reass EXISTING `workshop/scripts/extract-video already implemented there with per-part, video hash verification; do not reimpleme BUILT — `workshop/pipeline/transcribe/re exist, nor does the `transcribe/` directory. ` extract-videos.sh` DOES exist, exactly as th invoked — but by `workshop/scripts/git-ho (installed by `workshop/scripts/install-hoo documented command in `workshop/docs by any pipeline stage. The one pipeline file `workshop/pipeline/calibrate.sh:67`, prints instruction on an exit-`2` path and does no wiring is what is missing, not the target — extraction**. **RE-MEASURED 2026-09-03: accurate.** `workshop/pipeline/transcribe `chunker.py` and T032's `pdf_notes.py` land directory is no longer the obstacle — but ` it, and `grep -rn 'extract-videos'` over `wor shows the only invokers are `scripts/git-ho `scripts/self-test.sh` and `scripts/extract-vid pipeline stage calls it.** UNWRITTEN, noth **BLOCKER:** none but the work — the w `extract-videos.sh` is unwritten · **OWNER — unblocked today — EVIDENCE: DONE a the contracted `workshop/pipeline/transcr does not exist, but the wiring this task ask EXISTING extractor, do not reimplement) l scripts/setup.sh:271` `do_extract_chapters` `workshop/scripts/extract-videos.sh` and p status through unchanged (`:288`-`:295`). E `bash workshop/scripts/extract-videos.sh w `skip (intact)` + `sidecar ... (verified)` for all (population: in_process) (FR-007, FR-006) E the task is tracked in specs/001-workshop- tasks.md as row T023. HOW TO REPRODU workshop-curriculum-platform/tasks.md a beginning `T023`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against the STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — th the path workshop. | | 244 | — | Complet | — | WSP-008 — WHAT — 001-workshop task T024: [US1] [TDD] **[PATH CORRECTE task named `workshop/pipeline/transcribe not exist; the detector landed at `worksho audio_energy.py`, reading PCM directly an from the recording's own noise floor (`FLO `:33`) rather than hardcoding a dBFS const silence detection in `workshop/pipeline/au producing the non-speech span set (the 8 r totalling 41.33 s are a free test fixture) (po (FR-001, SC-001) HOW IT MANIFESTS — th specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 245 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [TDD] Implement ≤300 s chunking that cu silence, in `workshop/pipeline/transcribe/c **[TICKED 2026-09-03 ON MEASUREMENT neither `chunker.py` nor the `transcribe/` d equivalent landed anywhere~~ — WITHDI exist. `workshop/pipeline/transcribe/chunk its own line 3 names this task — *"cut a re chunks, INSIDE measured silence (T025)"* `DEFAULT_MAX_SECONDS = 300.0` at `:97`, rather than a constant so it is overridable consumes `pipeline/audio_energy.py` (T024 a second silence detector. Three-valued ex finding (no qualifying silence in an over-lo `2` for could-not-determine; an over-long s pause is refused with `code: "no_silence_in remedy, not silently force-cut. **§1.1 paire

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					2026-09-03**: `bash workshop/pipeline/tra chunker.sh` → rc **0**, `PROVE: 8 mutation including M3 ceiling ignored → `V2_length measured silence → `V3_in_silence`, **M5 evidence → `V3_in_silence`** (the invarian trusted), M6 tail chunk dropped → `V1_tili input → rc **2**, not 1. Registered as check in `workshop/platform/gates/check-registr probe `/nonexistent.wav`]** (population: i SC-001) HOW IT MANIFESTS — the task is workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T026: CORRECTED 2026-09-02 — this task named transcribe/asr.py`, which does not exist; th `workshop/pipeline/run_faster_whisper.py `condition_on_previous_text=False` at `:107 `:153`]** Implement the faster-whisper dri pipeline/run_faster_whisper.py` with `condition_on_previous_text=False` — the makes it resumable also suppresses repeti (FR-001, FR-003, FR-029) HOW IT MANIFES tracked in specs/001-workshop-curriculum row T026. HOW TO REPRODUCE — read sp curriculum-platform/tasks.md and locate `T026`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nam | | 247 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					[TDD] **[PATH CORRECTED 2026-09-02 — `workshop/pipeline/transcribe/confidence exist; the work landed SPLIT ACROSS TWO emission in `workshop/pipeline/run_faster (`avg_logprob`, `no_speech_prob` per segm `workshop/platform/backend/cmd/ingest-t main.go:77`–`:78` (`Uncertain`, `UncertainR `:313`–`:322`]** Map engine confidence (`av `no_speech_prob`) to the `uncertain` flag a pipeline/run_faster_whisper.py` and `work backend/cmd/ingest-transcript/main.go` — marking, never guessing (FR-003) HOW IT is tracked in specs/001-workshop-curricul as row T027. HOW TO REPRODUCE — read curriculum-platform/tasks.md and locate `T027`. ACCEPTANCE CRITERIA — the row evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nam | | 248 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo **[TICKED 2026-09-03 ON MEASUREMENT `pdf_notes.py` and the `transcribe/` directo gazetteer exists anywhere: `grep -rli gazett zero files~~ — WITHDRAWN BY NAME: all today. `workshop/pipeline/transcribe/pdf_ and its own lines 3–4 name this task — *"r PDF for SECTION STRUCTURE and a PROP and for nothing else (T032)"*. The **ONLY turns on is enforced structurally rather th *"THE NOTES ARE NOT GROUND TRUTH, A BUILT SO THEY CANNOT BECOME IT"* — `NOT_GROUND_TRUTH` stamped on **eve (`:82`–`:85`, `:19`), `detect_sections` labelled and the gazetteer at `:250`. It also carries a guard this task did not ask for and needs: proper-noun gazetteer of a private meetin list of people's names, so `--gazetteer` and git-TRACKED destination. **§1.1 paired pr

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					`bash workshop/pipeline/transcribe/prove **0**, `PROVE: 9 mutations, 9 caught, 0 mis scanned PDF with no text layer → rc 1 nan capability, M5 tracked destination refused M7 the summary carries no term (counts a and **M9 guard removed ⇒ harm occurs - in a TRACKED path, so the guard is load-be decorative**. Registered as check `transcri `workshop/platform/gates/check-registry-0 probe `--pdftotext /nonexistent`. **Honest l run against the real Chapter 1 notes PDF v tick** — the module and its nine-mutation the extraction of that particular document M9's own design its output may not land in Extract the notes PDF text layer in `worksh pdf_notes.py` for section structure and a p ONLY — never ground truth; it is a summa "Spatkit" for SpecKit (population: in_proce HOW IT MANIFESTS — the task is tracked workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T033: **[PATH CORRECTED 2026-09-02 — this ta pipeline/accuracy/score.py`; neither it nor directory exists. The scorer landed as `wor accuracy.sh`, driving `workshop/pipeline/c (`align` `:113`, `norm_word` `:52`) and `work audit_windows.py` (`a_words_in`), importe accuracy.sh:170`–`:178`, with `--windows`/`- recorded so the sample reproduces]** Imp in `workshop/scripts/verify-accuracy.sh` ov compare_engines.py` and `workshop/pipel sampling the AUDIO TIMELINE (≥30 strat

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					passages — sampling passages makes who structurally invisible and biases accuracy the transcript is worst (FR-004, SC-002) HO the task is tracked in specs/001-workshop- tasks.md as row T033. HOW TO REPRODU workshop-curriculum-platform/tasks.md a beginning `T033`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — th the path workshop. | | 250 | — | Complet | — | WSP-018 — WHAT — 001-workshop task T038: [US1] [TDD] **[THE `PATH NOT WITHDRAWN — re-measured 2026-09-03 read *"`workshop/scripts/redact.sh` does n equivalent landed anywhere; it also deper which is itself unbuilt"* and both halves a `workshop/scripts/redact.sh` is present and (2026-09-02 20:38), it forwards to `platform workshop-redact` with the child's exit stat untouched, and the append-only logs it wr passage records (`curriculum/redactions.js record (`curriculum/redactions-spans.json against Chapter 1 — evidence `workshop/_ runs, the applying one exit **0** at `target ~~**The box stays unticked and this is NO what was measured is existence and one s not this task's full contract — the `--pids-fil the exit-`1` and exit-`2` branches and the § were not exercised here.~~ — **BLOCKER — the `PATH NOT BUILT` note was already exists · **OWNER:** **implementer** — u EVIDENCE: `workshop/scripts/redact.sh` (f backend/cmd/workshop-redact`, exit passe exit values DRIVEN 2026-09-08: `--help` -> r <absent>` -> rc **1** `PROBLEM: passage: registry`; `WORKSHOP_EVIDENCE_DIR=/no review --chapter 01` -> rc **2** (E2 pre-flig work). Full contracted surface present at `

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					file`, `--span`, `--unredact`, `--ratify`, `--revie review`, `--list-derived-leaks`, `--dry-run`. It `workshop/curriculum/redactions.jsonl` ho `redactions-spans.jsonl` 1. Paired-mutation required entry point of registered check `v propagation.sh`, run 2026-09-08 -> rc **0** in_process) (FR-039) HOW IT MANIFESTS - specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nam | | 251 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [TDD] **[TICKED 2026-09-03. THE `PATH N WITHDRAWN — re-measured 2026-09-03 read *"`redact.sh` does not exist, and `find 'redaction-review.json'` returns zero files"* returns exactly one file, `workshop/chapte review.json` (3,219 B, `schema: redaction-r `reviewed_at: 2026-09-02T19:51:23Z`, `deci redactions_recorded`), and `bash worksho check-review --chapter 01` exits **0** with for chapter 01"*. **Publish precondition B 01** — the statement to the contrary in `re summary.md` was withdrawn there on the (population: in_process) (FR-039) HOW IT is tracked in specs/001-workshop-curriculu as row T039. HOW TO REPRODUCE — read curriculum-platform/tasks.md and locate `T039`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nam | | 252 | — | Completed (→ Fixed.md) | Ta

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					WHAT — 001-workshop-curriculum-platfo [REVIEW] **[TICKED 2026-09-03 ON MEAS THREE PARTS CLOSED. PART 2, THE DEFE see the note below for the counts and for t NOT close with it.]** Record the Chapter 1 apply whatever it identifies, BEFORE the t published, served or committed (FR-039). not a hypothetical: the Chapter 1 recordin identifiable third party, which is the reaso emit `workshop/curriculum/chapter-01/tra redaction and assert that no redacted pass `machine_text` appears anywhere in it (§7 may publish, export or serve Chapter 1 un review.json` exists and is newer than the t HOW IT MANIFESTS — the task is tracked workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T042: CORRECTED 2026-09-02 — this task named backend/internal/store/chapter.go`; neithe store/` directory exists. The store landed a backend/pkg/curriculum/curriculum.go` (` `ComputeCoverage` at `:428`), with its HTT chapters.go`. It is therefore in `pkg/`, which Structure row that argued for `internal/` — reconciled here]** Implement the chapter `workshop/platform/backend/pkg/curricul [data-model.md](./data-model.md) (FR-008 — the task is tracked in specs/001-worksho platform/tasks.md as row T042. HOW TO R specs/001-workshop-curriculum-platform/ the row beginning `T042`. ACCEPTANCE CR own stated outcome, evidenced per §11.4.5

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					names. STATUS BASIS — CLOSURE EVIDEN task list marks this row [x]. The completio the work it claims was NOT re-verified by session (§11.4.6). SUB-PROJECT BASIS — th the path workshop. | | 254 | — | Complet | — | WSP-023 — WHAT — 001-workshop task T045: [US2] [TDD] **[PATH CORRECTE task named `workshop/platform/backend/ neither it nor the `pkg/media/` directory ex landed at `workshop/platform/backend/int recording.go`, delegating to `http.ServeCon `Accept-Ranges` (`:769`), `206`, `Content-Ran (`:724`) and `If-Range`, with multi-range re it reaches `ServeContent`]** Implement loc serve with seek in `workshop/platform/ba recording.go` — a local file with HTTP ran D3), NOT a streaming service (FR-009, SC-0 MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T04. REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T046: Build the chapter list and detail views in `w frontend/src/app/features/chapters/` (FR-0 MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T04 REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Completed (→ Fixed.md) | Task | — | WSI workshop-curriculum-platform task T047: Build the transcript reader with timestam `workshop/platform/frontend/src/app/feat (FR-009, FR-002, SC-003) HOW IT MANIFES tracked in specs/001-workshop-curriculun row T047. HOW TO REPRODUCE — read sp curriculum-platform/tasks.md and locate `T047`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 257 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [TDD] Persist reader position/progress per 2026-09-02 after independent re-measurer `workshop/platform/backend/internal/api/ ProgressStore` `:46`, `Get` `:90`, `Put` `:110`, serving `MethodGet` `:167` and `MethodPos live and gated: `cmd/workshop-server/web fails if `POST /api/progress` 404s, and `:364 verb to 404. Frontend: `workshop/platform core/progress.ts:4` cites FR-010 (T049) over store. Honest boundary (§11.4.6): no Go te for this tick — the assertions were read, no source) (FR-010) HOW IT MANIFESTS — th specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 258 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [TDD] Prove SC-003: transcript passage → within 5 s, in `workshop/platform/fronten

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					transcript/seek.spec.ts` (SC-003, FR-002) HO the task is tracked in specs/001-workshop- tasks.md as row T050. HOW TO REPRODU workshop-curriculum-platform/tasks.md a beginning `T050`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — th the path workshop. | | 259 | — | Complet | — | WSP-029 — WHAT — 001-workshop task T052: [US3] [TDD] Implement the lexi `workshop/platform/backend/pkg/search/l p95 9.58 ms; FTS5 works in `modernc.org/s dependency, so no new library (populatio SC-005) HOW IT MANIFESTS — the task is workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T054: Implement the semantic leg in `workshop/ search/semantic.go` over the passage regis SC-008) HOW IT MANIFESTS — the task is workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcom against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					workshop-curriculum-platform task T055: **[PATH CORRECTED 2026-09-02 — this ta platform/backend/pkg/search/verdict.go`, the three-state contract landed at `worksh pkg/search/envelope.go` (`StatusNoMatch` and named at `:432`–`:435`, I2/I3 at `:372`) `service.go` and the reindexing promotion Implement the three-state contract in `wor backend/pkg/search/envelope.go` per [con contracts/http-api.md) invariants I1–I9 — `no_match` requires EVERY enabled leg to leg failed and survivors found nothing, tha never "no results". Three gates land here ( (./contracts/http-api.md) §5). **G-HTTP-1** endpoint at a closed port and assert `GET / returns **503** with `status:"unavailable" **paired mutation**: make the handler re on backend error. **G-HTTP-2**: on that sa response body has **no** `results` key at a mutation**: add `"results": []` to the unava HTTP-3**: fail the semantic leg, let lexical assert `status == "unavailable"` with `reaso "partial_failure_zero_results"`; **paired m rule to emit `no_match` when any leg succ three mutations MUST turn its gate red — the invariant most likely to be "simplified" FR-033, FR-032, SC-012) HOW IT MANIFES in specs/001-workshop-curriculum-platfor T055. HOW TO REPRODUCE — read specs/ curriculum-platform/tasks.md and locate `T055`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 262 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [TDD] Implement index generations with a atomic swap in `workshop/platform/backe generation.go` — measured necessity: dur

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					`chunks` moved while `last_indexed_at` sti previous generation (FR-020) HOW IT MA tracked in specs/001-workshop-curriculun row T058. HOW TO REPRODUCE — read sp curriculum-platform/tasks.md and locate `T058`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 263 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [TDD] Implement cross-reference derivati `workshop/platform/backend/pkg/crossref spec edge case (FR-018) HOW IT MANIFES' in specs/001-workshop-curriculum-platfor T060. HOW TO REPRODUCE — read specs/ curriculum-platform/tasks.md and locate `T060`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 264 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [TDD] Enforce redaction rule **R3** in `w backend/pkg/crossref/` and in `GET /api/pa ([contracts/passage-contract.md](./contrac §7.3, [contracts/http-api.md](./contracts/ht cross-reference whose endpoint is redacte traversal and counted in `redacted_omitte never the pids and never the content. Rep honest that something was suppressed; re shorter list is not (FR-039, FR-018) HOW IT task is tracked in specs/001-workshop-curr tasks.md as row T061. HOW TO REPRODU workshop-curriculum-platform/tasks.md a beginning `T061`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — th the path workshop. | | 265 | — | Complet | — | WSP-035 — WHAT — 001-workshop task T063: [US3] [P] [TDD] WCAG 2.1 AA + operability for search (FR-041, FR-042, SC- playwright` is already a dependency of `_t evidence/a11y-audit/run-audit.js` as prece 2026-09-02 after independent re-measurer at `workshop/platform/frontend/e2e/a11y- which cites T063/FR-041/FR-042/SC-017 at ` route set in BOTH themes (`:71` light, `:79` `keyboard operability` block at `:89` coveri chapter-card traversal, the search combob visible focus rings, and SC-021 deep-link tr header at `:8`–`:11` refuses to read "axe fou page is accessible", which is the honesty th Honest boundary (§11.4.6): **no Playwrigh this tick** — the assertions were read, not artifacts exist under `workshop/platform/f test-results/` whose current status was NO (population: source) (FR-041, FR-042, SC-01 — the task is tracked in specs/001-worksho platform/tasks.md as row T063. HOW TO R specs/001-workshop-curriculum-platform/ the row beginning `T063`. ACCEPTANCE CR own stated outcome, evidenced per §11.4.5 names. STATUS BASIS — CLOSURE EVIDEN task list marks this row [x]. The completio the work it claims was NOT re-verified by session (§11.4.6). SUB-PROJECT BASIS — th the path workshop. | | 266 | — | Complet | — | WSP-036 — WHAT — 001-workshop task T064: [US3] **[PATH NOT BUILT — `re exist; that directory holds `questions.tsv` a `workshop/pipeline/benchmark/retrieval_ `run_retrieval_benchmark.py` for it: that r disclaims this scope, stating it measures sp explicitly NOT SC-007/SC-008. No zero-liter

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					column exists anywhere]** Build the ≥20- benchmark in `workshop/platform/backer retrieval.tsv` (TSV, `subset<TAB>query<TA a comment header, matching the shipped — see the benchmark-location correction including ≥8 queries sharing no literal wo flagged in the `subset` column so the zero- selectable rather than judged by eye (SC-0 **[TICKED 2026-09-04. The `[PATH NOT BU WITHDRAWN BY NAME.** `workshop/plat benchmark/retrieval.tsv` holds **27 data r contracted `subset<TAB>query<TAB>expe a comment header matching the shipped ` `lexical` 16 / **`zero_overlap` 11**, clearing >=8 zero-overlap). **Every claim below I r rather than accepting on report.** (1) **Al values exist in `curriculum/passages.jsonl` invented pid; one candidate was dropped file because it was `redacted:true`, which E index at build time. (2) **The zero-overlap selectable and mechanically RE-DERIVED, `bash workshop/scripts/bench-retrieval.sh -> rc **0**, *"27 row(s), 11 zero-overlap fla all true"*, contacting no service so no retri **A false-positive of my own is recorded h correction is the lesson:** an independent reported only 2 of 11 clean, because my ac stop-word removal — the 9 apparent collis `is`, `it`, `not`. The harness subtracts a **clo `STOPWORDS` set (`bench-retrieval.sh:212 splitting on non-alphanumerics, dropping stemming, and it PRINTS the raw pre-subt row so a reader can see exactly what was normalisation all 11 rows share **0 conte "literal word overlap" without declaring a a measurement, and this file declares one in_process) (SC-007, SC-008) HOW IT MAN tracked in specs/001-workshop-curriculun row T064. HOW TO REPRODUCE — read sp curriculum-platform/tasks.md and locate `T064`. ACCEPTANCE CRITERIA — the row'

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 267 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [TDD] **[PATH CORRECTED + TICKED 202 named two scripts, `workshop/scripts/ben `workshop/scripts/bench-search.sh`; NEITH endpoints landed in ONE Go binary, `work backend/cmd/bench/main.go`, selected by search` (`:49`) with `-keystrokes 500` (`:50`), and `p50_ms`/`p95_ms`/`p99_ms` emitted at HTTP boundary, plus `loadavg_before` and (`:110`). The figures are recorded in `works limits.md:216`–`:218`: `/api/suggest` p95 **1 p95 **2 094.8 ms**, `/api/health` p95 **2.2 **Read for the record, not a defect in this t breaches SC-006's 2 s budget**, and `limits same-day spread — the measurement is d met, and those are different statements]** p95 latencies for suggest and search (SC-00 harness [quickstart.md](./quickstart.md) U `cmd/bench -endpoint suggest -keystrokes -endpoint search -queries 20 -repeat 5`, bo **p95** and p99 measured **at the HTTP the FTS5 call — the measured FTS5 p95 of 190 ms of SC-005's budget for HTTP, seriali is that remainder where the budget is actu `bench-search.sh`'s report MUST also recor and whether an index build was in flight: word embed calls, model resident, minute 20.16 s / 11.05 s / 0.10 s at load 8.25, a 200× by queue contention, so a p95 without its l interpretable (population: served) (SC-005 MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T06 REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcome

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T077: question adversarial unanswerable set as `workshop/platform/backend/testdata/ben ~~(which exists and already holds 10 `U` re the `U` half meets SC-010's count, the `A` ha SC-009's ≥20** and that shortfall is this tas **[FIGURE WITHDRAWN 2026-09-02 — sta and the shortfall it described is closed. Re- 'NR>1 && !/^#/ && NF' … | cut -f1 | sort | and 33 `U` rows**. SC-010's ≥10 unanswera answerable are both met ON COUNT. Wha itself — ~~the run at `bench-expanded-202 `SC-010 NOT met (3 fabrications)`~~ **that WITHDRAWN, not restated: re-measured 2 `workshop/platform/backend/evidence/an question-verifier-ab-2026-09-02.tsv:28`, `SC fabrication)` on a corpus the old run did n why 3 → 1 is not the improvement it looks T078's work, not this task's; and SC-009's c T079's]** using the taxonomy (near-miss a uncomputable aggregate, misattributed sp overlapping-but-unanswerable, redacted p segment) — ten astrophysics questions wo and prove nothing (population: source, se HOW IT MANIFESTS — the task is tracked workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					workshop-curriculum-platform task T089: CORRECTED 2026-09-02 — this task named chapter-prompt.md`, which does not exist `workshop/docs/prompts/add-a-chapter.md extension prompt in `workshop/docs/prom — the operator-facing artifact requested ( MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T08 REPRODUCE — read specs/001-workshop- tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T091: `workshop/docs/user-guide.md` (FR-030) H the task is tracked in specs/001-workshop- tasks.md as row T091. HOW TO REPRODU workshop-curriculum-platform/tasks.md a beginning `T091`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — th the path workshop. | | 271 | — | Complet | — | WSP-050 — WHAT — 001-workshop task T092: [P] [SUBAGENT] Write `worksho (operator) (FR-030) HOW IT MANIFESTS — specs/001-workshop-curriculum-platform/ HOW TO REPRODUCE — read specs/001-w platform/tasks.md and locate the row begi ACCEPTANCE CRITERIA — the row's own s evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nam

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					| | 272 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo [SUBAGENT] Write `workshop/docs/faq.mo MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T09 REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T094: the training material under `workshop/do CORRECTED + ONE HALF NOT BUILT, mea `workshop/docs/training.md` does not exis DIRECTORY, `workshop/docs/training/`, ho and-Taxonomy.md` plus `areas/`, `curriculu `diagrams/`. `workshop/docs/tutorial-quick NOT BUILT]** — `find workshop -iname '* files. Whether `workshop/docs/quickstart.m to absorb that second artifact is **CANNOT the tree. The tick is left as it was found; thi where the files are]** (population: source) MANIFESTS — the task is tracked in specs/ curriculum-platform/tasks.md as row T09 REPRODUCE — read specs/001-workshop-c tasks.md and locate the row beginning `T0 CRITERIA — the row's own stated outcome against the artefact it names. STATUS BASI EVIDENCE CLASS: the tracked task list ma completion mark is the evidence; the work verified by a run in the backfill session (§1 BASIS — the source row names the path w Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T100: zero CI added anywhere as gate **G-CLI-1 pipeline-cli.md](./contracts/pipeline-cli.md assert no `.github/workflows/*.yml` file exi

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					`workshop/`, and that `bash scripts/pre-pus green across the fleet (SC-014, FR-034, §11. mutation**: add one workflow file under ` workflows/`; the gate MUST go red — gate fleet from `helix-deps.yaml`, so the umbrel (FR-034, SC-014, FR-032, SC-012) HOW IT M is tracked in specs/001-workshop-curricul as row T100. HOW TO REPRODUCE — read curriculum-platform/tasks.md and locate `T100`. ACCEPTANCE CRITERIA — the row' evidenced per §11.4.5 against the artefact — CLOSURE EVIDENCE CLASS: the tracked row [x]. The completion mark is the evide was NOT re-verified by a run in the backfi SUB-PROJECT BASIS — the source row nar | | 275 | — | Completed (→ Fixed.md) | Ta WHAT — 001-workshop-curriculum-platfo `workshop/`'s four governance carriers re `bash scripts/verify-governance-cascade.sh **[TICKED 2026-09-02 on a measured run. governance-cascade.sh` exits **rc=0** at ` 8 NOTE`, with C8 reporting that all 11 own four agent carriers with byte-identical bod header is normalised. Honest boundary (§ prints NOTEs about known-unclearable th which it excludes from its verdict rather th read them; and this rc is a dated observati fact]** (population: in_process) (FR-035) H the task is tracked in specs/001-workshop- tasks.md as row T102. HOW TO REPRODU workshop-curriculum-platform/tasks.md a beginning `T102`. ACCEPTANCE CRITERIA outcome, evidenced per §11.4.5 against th STATUS BASIS — CLOSURE EVIDENCE CLA marks this row [x]. The completion mark i work it claims was NOT re-verified by a ru session (§11.4.6). SUB-PROJECT BASIS — th the path workshop. | | 276 | — | Complet | — | WSP-063 — WHAT — 001-workshop task T108: Implement `workshop/scripts/b pipeline-cli.md](./contracts/pipeline-cli.md

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					order: the `workshop-boot` adapter into `$WORKSHOP_BOOT_BIN, then the Go ba frontend intoworkshop/platform/bin/, th image(s) the compose file names — **thr submodule, never a directpodman build* Three-valued exit:0everything built ·1c image-build failure, a real problem in compose definition ·2toolchain missing container runtime detected**), network unreachable, or disk full. "No containe emphatically2and never1: the host could which is not a finding about the code (SC-013) HOW IT MANIFESTS — the task is workshop-curriculum-platform/tasks.md a REPRODUCE — read specs/001-workshop-cur tasks.md and locate the row beginningT1 CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 277 | — | Completed (→ Fi WSP-064 — WHAT — 001-workshop-curriculu Implementworkshop/scripts/restart.shper | cli.md](./contracts/pipeline-cli.md) §4 stop.shthenstart.sh, with the same argume sh. It is **not** a composerestart: a fu makes the restart honest about picking file or a rebuilt image. Its exit issta **except** that astop.shexit of1or2shor propagates unchanged — restarting on to could not be stopped would report succe which is standing rule 2's failure shap layer (FR-012, FR-033) HOW IT MANIFEST tracked in specs/001-workshop-curriculu row T109. HOW TO REPRODUCE — read spec curriculum-platform/tasks.md and locate 9. ACCEPTANCE CRITERIA — the row's own evidenced per §11.4.5 against the artef BASIS — CLOSURE EVIDENCE CLASS: the tra

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					this row [x]. The completion mark is th it claims was NOT re-verified by a run session (§11.4.6). SUB-PROJECT BASIS – the path workshop. | | 278 | – | Comple Task | – | WSP-065 – WHAT – 001-worksho task T110: [TDD] Prove gate **G-CLI-16* pipeline-cli.md](./contracts/pipeline-c **consumption, not reimplementation** (that no lifecycle path underworkshop/ invokespodman,docker,podman-compose bring the stack up or down, and that ev goes throughworkshop-boot, which reach through the submodule'spkg/compose. Re on a failure path – tailing a dead cont exempt, and the gate MUST **show** each rather than assert it. **Paired mutatio compose up -dfallback tostart.shfor wher missing; the gate MUST go red, because fallback for a missing binary is exactl implementation the clause forbids and i takes (FR-046, FR-032, SC-012) HOW IT is tracked in specs/001-workshop-curric as row T110. HOW TO REPRODUCE – read s curriculum-platform/tasks.md and locate 0. ACCEPTANCE CRITERIA – the row's own evidenced per §11.4.5 against the artef BASIS – CLOSURE EVIDENCE CLASS: the tra this row [x]. The completion mark is th it claims was NOT re-verified by a run session (§11.4.6). SUB-PROJECT BASIS – the path workshop. | | 279 | – | Comple Task | – | WSP-067 – WHAT – 001-worksho task T112: [US1] [TDD] Implement thewo accuracy.sh wrapper per [contracts/pipel contracts/pipeline-cli.md) §4.2 over T0 e(required),–windows 30,–seed(recorded reproducible),–normaliser(whose SHA-256 frozen hash) and–min-accuracy– writingo accuracy.json, which is publish precondi CLI-5** (§4.2, §5): run with–referencep nonexistent file and assert exit2. **Pa

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					`return0withwer: 0.0when the reference is MUST go red. This is the most important absence of a human reference is2, never command that cannot measure accuracy mu accuracy is fine, and until this has ru accuracy`reports`measured: false, wer: null **RUN 2026-09-03, and the "most importa for real rather than only in a gate:bas verify-accuracy.sh 01exits2withUNDETER required, writes noaccuracy.json, and sa words. The tick was already earned by t is that the behaviour is now confirmed chapter and not only against the G-CLI- plan`path producedworkshop/chapters/01/t plan.json– 30 of 30 seeded, stratified w boundary (§11.4.6), and it belongs to T wrapper emits no confidence interval an T037 requires — see T037's own note** (in_process) (FR-004, SC-002, FR-033, SC HOW IT MANIFESTS — the task is tracked curriculum-platform/tasks.md as row T11 read specs/001-workshop-curriculum-plat locate the row beginningT112. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). the source row names the path workshop. Completed (→ Fixed.md) | Task | — | WSP workshop-curriculum-platform task T118: NOT BUILT –workshop/scripts/bench-retrie and neither does its input: T064'sretrie there is no query set to measure SC-007 Buildworkshop/scripts/bench-retrieval.sh quickstart.md) US3 step 3 and measure * **SC-008** with it against T064's query hit/miss against the expected pid, ≥90% returning the expected passage in the t the **zero-literal-overlap subset** suc MUST be identified in the benchmark fil`

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					by a mechanical check that query and ta after normalisation — "obviously differ eye is not a measurement. **Paired muta benchmark against an **empty index gene MUST collapse to 0% and the run MUST ex benchmark that still scores well withou the fixture rather than the system. ~~O recorded here rather than resolved: [qu quickstart.md) namesworkshop/platform/ benchmark.jsonlas this harness's input kshop/pipeline/benchmark/queries.yaml, owned by another agent this session.~~ 2026-09-01**: neither path existed on d shipped with a working gate, and the ca orkshop/platform/backend/testdata/bench **both** documents — see the benchmark- File Structure — **[TICKED 2026-09-04. ote is WITHDRAWN BY NAME — and read the carefully, because the harness is DONE NOT MET, which are different statements T065).**workshop/scripts/bench-retrieval executable and parses. It ran to comple generation **68** / pid_count **12979** = 51.9% (14/27) against a >=90% bar — N (0/11) against a >=80% bar — NOT MET.** query** outcomes printed and written to backend/evidence/retrieval/bench-2026-09 **The figure is trustworthy, and the re valued contract doing its job:** two ea returned rc **2** — one died onRemote e without response, one on a/api/healthtim reported COULD NOT DETERMINE rather tha completed run had all 27 queries return **none**unavailable, and a direct re-pr {lexical: ok, lumen: skipped, semantic: ok} measurement of a healthy two-leg system one. **PAIRED MUTATION VERIFIED BY ME** **0**, PROVE: 11 mutations, 11 caught, 0 r stub — it starts a secondworkshop-server(the same binary the stack runs) on its own port, asserts the resultingg

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					passages / liveshape, and only then credi both figures to 0.0%; the production co touched. Other mutations caught: a fals prow, an invented pid, a sub-20-row ben subset token, and — the important ones unreadable corpus / unreachable service 0% score**. **A REAL DEFECT WAS FOUND A VERIFICATION**: the battery'scleanup()EX ocalfrom an already-returned function, ork: unbound variableandrm -rfNEVER RAN leaked on every battery run. Fixed by h global; re-run gives 11/11 caught, rc 0 leaked directories. **THE FINDING TO CA a system finding rather than a task def means meaning-based retrieval of a SPEC working on this deployment.** Every zer returned a full set of plausible neighb around ~0.68 with the expected passage Queries were written against targets ch FIRST and measured once — not tuned aga narrowed and the file says so: targets apter-01/exercise-01.mdsections; transcr deliberately not targets]** (population (SC-007, SC-008, FR-014, FR-033, FR-032 MANIFESTS — the task is tracked in spec curriculum-platform/tasks.md as row T11 read specs/001-workshop-curriculum-plat locate the row beginningT118. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). the source row names the path workshop. Completed (→ Fixed.md) | Task | — | WSP knowledge-areas-deep-linking task T001: platform/backend/pkg/knowledge/andpkg/ not HOW IT MANIFESTS — the task is tra knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTC

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 282 | — | Completed (→ Fi WSP-075 — WHAT — 002-knowledge-areas-de Createworkshop/pipeline/{extract,mentio the existing pipeline HOW IT MANIFESTS in specs/002-knowledge-areas-deep-linki T002. HOW TO REPRODUCE — read specs/00 deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 283 | — | Completed (→ Fi WSP-076 — WHAT — 002-knowledge-areas-de [P] Extend the capability probe inwork _capabilities.shto HOW IT MANIFESTS — th specs/002-knowledge-areas-deep-linking/ HOW TO REPRODUCE — read specs/002-knowl linking/tasks.md and locate the row beg ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 284 | — | Completed (→ Fi WSP-077 — WHAT — 002-knowledge-areas-de [REVIEW] Confirm the module still adds workshop ls-filesmust show no HOW IT MA tracked in specs/002-knowledge-areas-de row T006. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 285 | — | Completed (→ Fi WSP-078 — WHAT — 002-knowledge-areas-de [TDD] Implement the word-sidecar time j pipeline/mentions/join.pyHOW IT MANIFEST tracked in specs/002-knowledge-areas-de row T011. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 286 | — | Completed (→ Fi WSP-079 — WHAT — 002-knowledge-areas-de [US1] [TDD] Implement the significance pipeline/extract/significance.pyHOW IT MAN tracked in specs/002-knowledge-areas-de row T025. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 287 | — | Completed (→ Fi WSP-080 — WHAT — 002-knowledge-areas-de [US1] [TDD] Implement area and term ext pipeline/extract/derive.py. HOW IT MANIF tracked in specs/002-knowledge-areas-de row T026. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 288 | — | Completed (→ Fi WSP-081 — WHAT — 002-knowledge-areas-de [US4] Author the short and long questio workshop's own passages** (Q5). HOW IT is tracked in specs/002-knowledge-areas as row T075. HOW TO REPRODUCE — read s areas-deep-linking/tasks.md and locate beginningT075. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR source row names the path workshop. | | (→ Fixed.md) | Task | — | WSP-082 — WHA areas-deep-linking task T076: [US4] [TD KG-16**: plant one reference question i HOW IT MANIFESTS — the task is tracked knowledge-areas-deep-linking/tasks.md a REPRODUCE — read specs/002-knowledge-ar tasks.md and locate the row beginningTO CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 290 | — | Completed (→ Fi WSP-083 — WHAT — 002-knowledge-areas-de [US5] Give the workshop its own token * shared contract. **Do not HOW IT MANIF tracked in specs/002-knowledge-areas-de row T092. HOW TO REPRODUCE — read spec deep-linking/tasks.md and locate the ro ACCEPTANCE CRITERIA — the row's own sta per §11.4.5 against the artefact it nam CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 291 | — | Completed (→ Fi WSP-084 — WHAT — 003-chapter-hierarchy [REVIEW] Createworkshop/platform/backe kg/, not HOW IT MANIFESTS — the task i 003-chapter-hierarchy/tasks.md as row T — read specs/003-chapter-hierarchy/task row beginningT004. ACCEPTANCE CRITERIA stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR source row names the path workshop. | | (→ Fixed.md) | Task | — | WSP-089 — WHA areas task T005: Measure module evidenc recordings inworkshop/pipeline/extract/ measure_module_evidence.py(FR-005, FR SC-016). **Evidence** (source): rc 0; 0 zero evidence, 0 of 137 terms matching strong / 9 moderate / 12 thin. HOW IT is tracked in specs/004-authored-ai-are T005. HOW TO REPRODUCE — read specs/00 tasks.md and locate the row beginningTC CRITERIA — the row's own stated outcome §11.4.5 against the artefact it names. CLOSURE EVIDENCE CLASS: the tracked tas [x]. The completion mark is the evidenc was NOT re-verified by a run in the bac (§11.4.6). SUB-PROJECT BASIS — the sou workshop. | | 293 | — | Completed (→ Fi WSP-090 — WHAT — 004-authored-ai-areas already-written "title non-empty when p shop/pipeline/extract/publication_policy.p pipeline reconcile stage, so a re-run r FR-018, FR-018b, SC-001). **Evidence** 819 → 42; nothing deleted, withheld row curriculum/unpublished-areas.jsonl. HOW task is tracked in specs/004-authored-a row T006. HOW TO REPRODUCE — read spec areas/tasks.md and locate the row

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					beginningT006. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR source row names the path workshop. | | (→ Fixed.md) | Task | — | WSP-091 — WHA areas task T007: [TDD] [REVIEW] Compute decision **once** inworkshop/platform/l area_publication.go(AreaPublicationOf) a all three surfaces (FR-018, FR-018a, SC (in_process):verify-area-publication-cons passed);prove-area-publication-consisten 7 mutations); GoTestAreaListAndDetailAg **pair**, which is what was missing whi tests passed. HOW IT MANIFESTS — the t specs/004-authored-ai-areas/tasks.md as REPRODUCE — read specs/004-authored-ai- locate the row beginningT007. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). the source row names the path workshop. Completed (→ Fixed.md) | Task | — | WSP authored-ai-areas task T008: [P] Promot subjects through the real minting bridg pipeline/extract/promote_curriculum_area lexicon evidence finder instead of the (FR-001, FR-002, FR-005a, SC-002). **Ev 0, 37 published / 0 failed; reviews 2 → — the task is tracked in specs/004-auth as row T008. HOW TO REPRODUCE — read s areas/tasks.md and locate the row beginningT008. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the backfill session (§11.4.6). SUB-PR source row names the path workshop. | | (→ Fixed.md) | Task | — | WSP-093 — WHA areas task T010: [US1] Servareas[]as ex set, withheld_back[], the reason table same response, inworkshop/platform/bac 18, FR-018b, SC-001). **Evidence** (pop 817 unopenable → 3. HOW IT MANIFESTS — in specs/004-authored-ai-areas/tasks.md REPRODUCE — read specs/004-authored-ai- locate the row beginningT010. ACCEPTAN row's own stated outcome, evidenced per artefact it names. STATUS BASIS — CLOS the tracked task list marks this row [x is the evidence; the work it claims was run in the backfill session (§11.4.6). the source row names the path workshop. Completed (→ Fixed.md) | Task | — | WSP authored-ai-areas task T014: [US1] Deri summaries inworkshop/platform/backend/ presentation.go(FR-003, FR-018b). HOW I task is tracked in specs/004-authored-a row T014. HOW TO REPRODUCE — read spec areas/tasks.md and locate the row beginningT014. ACCEPTANCE CRITERIA — t outcome, evidenced per §11.4.5 against names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR source row names the path workshop. | | (→ Fixed.md) | Task | — | WSP-095 — WHA areas task T015: [US1] Add atagsfield t model inworkshop/platform/frontend/src/ — it modelstermsand **has no field for tags are discarded before any component (FR-019, SC-005). — EVIDENCE (source):v frontend/src/app/features/areas/curriculu aCard.tags,normaliseAreaCard) +area-de PATH DRIFT: delivered in a second norma knowledge.ts, which still dropstags; th

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					holds. Frontend unit suite 298/298 SUCC 2026-09-08 HOW IT MANIFESTS — the task 004-authored-ai-areas/tasks.md as row T — read specs/004-authored-ai-areas/task row beginningT015. ACCEPTANCE CRITERIA stated outcome, evidenced per §11.4.5 a names. STATUS BASIS — CLOSURE EVIDENCE task list marks this row [x]. The compl evidence; the work it claims was NOT re the backfill session (§11.4.6). SUB-PR source row names the path workshop. | | (→ Fixed.md) | Task | — | WSP-096 — WHA areas task T016: [US1] Render title, su area detail page inworkshop/platform/fr features/— 3 of 4 render branches emit t the heading (SC-003, FR-003, FR-019, SC (source):workshop/platform/frontend/src area-detail.component.ts:111single
357	high	Fixed (→ Fixed.md)	Bug	—	WSP-171 — Hardened in release 0.0.7: con result cache with LRU and singleflight, pre panic recover. Evidence docs/releases/0.0.7 CHANGELOG.md; rare 503s under heavy l possible per the release note.
358	medium	Fixed (→ Fixed.md)	Bug	—	WSP-172 — Fixed in release 0.0.7: lesson p checks C41 (no dangling fragments) and C4 titled). Evidence docs/releases/0.0.7.md an CHANGELOG.md.
359	medium	Fixed (→ Fixed.md)	Bug	—	WSP-173 — Fixed in release 0.0.7: glossary persist so that a rerun cannot undo them. 0.0.7.md and workshop/CHANGELOG.md.
360	medium	Fixed (→ Fixed.md)	Bug	—	WSP-174 — Fixed in release 0.0.7: one trac via a canonical key, practice questions/nex /progress agree on reached. Evidence docs workshop/CHANGELOG.md.
361	low	Fixed (→ Fixed.md)	Bug	—	WSP-175 — Fixed in release 0.0.7 and wor materials pages use the shared wk-btn but unavailable states now carry wording. Evi 0.0.7.md and workshop/CHANGELOG.md.

1. 0-9↩