Issues_Summary

Open workable items (current_location = Issues), regenerated from the SQLite single-source-of-truth (§11.4.12).

Counts by Type × Status

Type	Status	Count
Bug	Operator-blocked	21
Bug	Queued	10
Feature	Queued	2
Task	In progress	1
Task	Operator-blocked	29
Task	Queued	202
TOTAL		**265**

Items

ATM ID	Type	Status	Severity	Description
AII-002	Task	Queued	low	Counts whose subject no rule of the class noun-to-measure table resolves (“recorded, not drift”): nothing re-measures them. Many sit in dated session reports, plans and evidence files that were true when written. Per document: (a) a docs/zero-gap/point-in-time.tsv row with the reason from the document header when it is dated; (b) a noun-to-measure rule when the subject is measurable in the tree; (c) otherwise replace the count with its derive command. Fi in the repository that owns the document.
AII-003	Bug	Operator-blocked	medium	platform/qa/challenges/api-challenges.sh and scripts/validate-exports.sh carry no proof arm and no sibling proof (validate-exports.sh is referenced only by build-all.sh and verify-

ATM ID	Type	Status	Severity	Description
				standalone-clone.sh, which are not proofs) ad –prove-failure arms (validate-exports: a deliberately corrupted export must fail; api-challenges: a stub server returning a wrong status must fail) and register them in the module’s gate surface
AII-004	Bug	Operator-blocked	high	both scripts guard the build with an existence test of the binary and no freshness test, so a source change after the first build is never compiled; build.sh:5 is a plain go build with n identity stamp. Precedent recorded in helix-deps.yaml (2026-09-17 entry): the deployed aicur was 9 days stale and lacked the auth middleware its source had port the workshop build-freshness guard (workshop commit 185fb15, ‘build-freshness guard (rebuild trap)’ into ai_interviewing: rebuild when the binary embedded source identity differs from HEAD any tracked backend source is newer, or alway run go build (incremental, cached); one share helper used by start.sh and ingest.sh; commit inside ai_interviewing, return as a gitlink bum
AII-005	Bug	Operator-blocked	medium	ai_interviewing/platform/scripts/build.sh:5 is a plain go build with no identity stamp and the backend exposes no source_commit (0 Go files mention it, vs workshop’s cmd/workshop-server/build_identity.go); the embedded vcs.revision 923779e06397 is an umbrella commit (git cat-file: commit in the umbrella, n an object in ai_interviewing). Why Go stamped the enclosing repository’s revision: UNCONFIRMED port the workshop’s build identity (ldflags stamp of the ai_interviewing commit and dirty flag, /api/health source_commit + source_dirty) into ai_interviewing; build with vcs stamping bou to the submodule; gitlink bump
CKT-001	Task	Queued	—	WHAT — operator decision 1 of 2026-09-07. Th question put to the operator was: `submodules/curriculum-kit` is not a git repository; `go.mod` reaches outside the repo and no truthful manifest entry can be written DECISION —

ATM ID	Type	Status	Severity	Description
				Publish as `vasic-digital/curriculum-kit`, PUBLIC, mount as a gitlink, declare in `helix-deps.yaml` HOW IT MANIFESTS — the decision recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 1; that docume is the §11.4.208 operator-request ledger for th session. HOW TO REPRODUCE — read docs/ OPERATOR-DECISIONS-2026-09-07.md, table row 1. ACCEPTANCE CRITERIA — the obligatio the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — the source row names the path submodules/curriculum-kit.
CNT-001	Task	Queued	—	WHAT — operator decision 10 of 2026-09-07. The question put to the operator was: `tessera` absent (gate 5 → rc 2); `bundle/bundler/jekyll` absent (gate 6 asserts against an 8-file fragmen DECISION — **Provide both — CONTAINERISED, through `submodules/containers`**, not host packages. Operator directive: *“Make sure everything runs in containers, use our containers Submodule for a containers related work!”* HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 10; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 10. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — the source row names the path submodules/containers.
CON-002	Task	Queued	medium	The pin went stale again (the carrier records five green-then-red cycles). Baseline remote ti

ATM ID	Type	Status	Severity	Description
				647f7553533a; re-probed 2026-09-26: origin HEAD now 0ff780dc4e4f. Under the STANDING AUTHORIZATION of 2026-09-09: fetch inside th submodule, require merge-base –is-ancestor TRUE and 0 divergent, git merge –ff-only, repo diff –stat, re-measure Constitution.md on both sides (blob, lines, anchors, bytes, sha256), stag gitlink + helix-deps.yaml ref together, never push. Any divergence: stop and report.
CON-003	Bug	Queued	high	the guard's host-power gate matches only `systemctl|loginctl <verb>`, `pm-*` and `shutdow` the bare binaries reboot, halt and poweroff match no pattern, so the rule declared no-override lets them through upstream: add bar binary alternatives (reboot|halt|poweroff, incl. absolute-path and command-substitution forms) to the host-power block with RED fixtures; project side: G-guard-gaps-07 mitigation
CON-004	Bug	Queued	high	the guard's git-push rule keys on –force/–force with-lease/+refspec only and there is no rule f local ref deletion; the FORCE_MSG text names 'history rewrite' but no pattern implements it upstream: extend the push rule to –delete/-d and `:<ref>` refspecs; add a ref-destruction rule (branch -D/–delete –force, update-ref -d) and a history-rewrite rule (filter-branch, filter-repo), RED fixtures per form
CON-005	Bug	Queued	high	the guard has no working-tree-discard class; th project's own .specify/memory/constitution.md 'Shared-Tree Discipline Is Wider Than stash' names these as destructive on a shared tree, b nothing enforces it at tool-call time upstream: add a shared-tree discard rule (reset –hard, checkout [–] ., restore ., clean -f*, stash with no pathspec); RED fixtures; decide override policy (allow-marker or none)
CON-006	Bug	Queued	high	no bulk-staging rule exists; on a tree shared by parallel agents bulk staging captures other agents' uncommitted files (closure-wave protocol (f) bans `add -A`) upstream: add a bulk staging rule for agent tool calls (add -A/–all/.,

ATM ID	Type	Status	Severity	Description
				commit -a); note the operator’s `commit` wrappe stages with `git add .` internally and is not a tool-call string, so it is unaffected
CON-007	Bug	Queued	high	no process-signalling rule exists; §11.4.174 (verify the process is ours) and §11.4.263 (process-group signal safety) forbid name/ pattern kills, and a reviewer’s `pkill -f` alread killed its own shell once (progress.yml process slip ruling) upstream: add a name/pattern signalling rule (pkill, killall, kill - -); RED fixtur incl. `pkill -f` with -u
CON-008	Bug	Queued	high	no bulk-removal rule exists; §9 names bulk fil removal as a pre-op-backup operation, yet `rm -rf /` and `rm -rf ~` exit 0 from the guard upstream: add a recursive-removal rule for /, $HOME and bare top-level targets (with --no- preserve-root forms); RED fixtures; keep scope build-dir removals allowed (benign control rm -rf ~/Projects/x/build) | | CON-009 | Bug | Queued | high | 68 surviving unjudged gate rows (0 name-class rows) under 6 path classes private source by path: counted with group C. The constitution is upstream (data-model: thir party includes the governance source); this repository never commits into it (FR-021) — th reporting route is HelixDevelopment/ HelixConstitution. no row was judged; nothing here clears a row per the operator's option on G-content-boundary-rows-01: read and judge each row in this group (redact real disclosures in the public file, record a reasoned judgemen for the rest); allow-listing is option 2 and hides the row | | CON-011 | Task | Operator-blocke | medium | git status in the umbrella shows submodules/constitution modified and nested submodule checkouts with empty worktrees and staged deletions. Restoring needs git resto or reset --hard, which the project guard blocks No restore was attempted. | | DOC-001 | Task Operator-blocked | medium | The local main and the mirror main are diverged: 125 commi ahead and 1 behind. Nothing was touched. Fas

ATM ID	Type	Status	Severity	Description
				forward only policy forbids force; an integration decision is needed. Source CONTINUATION.md final state section. | | DTK-001 | Task | Queued | — | WHAT — operator decision 15 of 2026-09-07. The questi put to the operator was: `design-toolkit` GitLa mirror 7 commits behind, recipe deliberately `.disabled` DECISION — **Enable the recipe ar sync the mirror** HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 15; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 15. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — the source row names the path design-toolkit. | | HLP-001 | Task | Operator-blocked | medium | Owned gitlink not bumped. Observation: HelixDevelopment/ LLMProvider and vasic-digital/LLMProvider (submodules/LLMProvider) report the SAME t e05ec64ebc48; whether two gitlinks of one history are intended is UNCONFIRMED. Operator decides per bump; separately decide whether both gitlinks should exist (never remove without an explicit operator decision, §11.4.122). | | HQA-001 | Task | Queued | low Counts whose subject no rule of the class nou to-measure table resolves ("recorded, not drift nothing re-measures them. Many sit in dated session reports, plans and evidence files that were true when written. Per document: (a) a docs/zero-gap/point-in-time.tsv row with the reason from the document header when it is dated; (b) a noun-to-measure rule when the subject is measurable in the tree; (c) otherwise replace the count with its derive command. Fi

ATM ID	Type	Status	Severity	Description
				in the repository that owns the document. | | LLP-001 | Task | Operator-blocked | medium Owned gitlink not bumped after upstream commits; 4 remotes (github, gitlab, origin, upstream) show the same tip. Operator decide per bump: fast-forward (merge --ff-only, stage gitlink and helix-deps.yaml ref together) or hold. | | LMV-001 | Task | Operator-blocked | medium | Owned gitlink not bumped. Operato decides per bump (ff-only; gitlink + helix-deps.yaml ref staged together). | | LMV-002 | Bug | Operator-blocked | medium | the modu carries its own run_*_challenge.sh family (5), run_challenges.sh, verify-deployment.sh, security-audit.sh, verify_day1_completion.sh, verify_providerinit_fix.sh and two copies of validate_implementation.sh (root and tests/, different blobs) with no proof convention or registry triage first (which are gates vs one-sh historical scripts: verify_day1_completion / verify_providerinit_fix look historical — retire only via §11.4.122 operator decision), then add proof arms to the real gates and dedupe the tw validate_implementation.sh copies | | LMV-00 | Bug | Operator-blocked | medium | `if [ ! -f/- BIN ]` then go build, no freshness guard; the challenge harness then scores providers with stale binary fix in vasic-digital/LLMsVerifier (always go build, or freshness test), return as a gitlink bump | | MON-001 | Task | Queued | low | Counts whose subject no rule of the clas noun-to-measure table resolves ("recorded, no drift"): nothing re-measures them. Many sit in dated session reports, plans and evidence files that were true when written. Per document: (a a docs/zero-gap/point-in-time.tsv row with the reason from the document header when it is dated; (b) a noun-to-measure rule when the subject is measurable in the tree; (c) otherwise replace the count with its derive command. Fi in the repository that owns the document. | | MVR-001 | Task | Queued | — | WHAT — operator decision 13 of 2026-09-07. The questi

ATM ID	Type	Status	Severity	Description
				put to the operator was: `milosvasic.ru/_site/` tracked: 8 files, 1 page, answers 1 of 525 sitem URLs DECISION — **Untrack it, keep the ignor rule** HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 13; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 13. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — the source row names the path milosvasic.ru. | | MVR-002 | Task | Queued | — | WHAT — operator decision 14 c 2026-09-07. The question put to the operator was: 21 repositories have Actions enabled whi declaring zero workflow files DECISION — **Sweep the 20, exclude `milosvasic.ru`** — it `pages.yml` is the sole publish path for the live site HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 14; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 14. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — the source row names the path milosvasic.ru. | | PSG-007 | Bug | Queued | low | os.WriteFile truncates then writes. A writer stopped between the truncate and the last byte (the workshop ingest wrappe TERMs ingest-transcript when an operator sto

ATM ID	Type	Status	Severity	Description
				a run) or failing with ENOSPC/EFBIG leaves a SHORT passages.jsonl that is still valid JSONL and is accepted by every reader. Found by independent review rev5-w2 (finding 3). A consumer cannot fix this without committing into the public passage module, so the change REPORTED, not made: a ready patch (temp file in the same directory, mode and owner kept, fsync, rename; tests incl. an RLIMIT_FSIZE failure injection) is at ~/.cache/agent-scratch/w lows/passage-atomic-write.diff against base 1e361bd6d6fa; RED TestRegistryWriteJSONLIsAtomic on the base, GREEN go test ./... with the patch (measured 2026-10-15). The evidence path is the defect's own source file. | | VSC-001 | Task | Queued | high | WHAT — this repository tracked work i prose (docs/OPERATOR-DECISIONS-*.md, specs */tasks.md) with no §11.4.93 single source of truth, which §11.4.93 calls a release blocker. HOW IT MANIFESTS — no item carried a stabl id, a closed-set status or a closed-set type, so n query could answer what is open. HOW TO REPRODUCE — before this item, git ls-files doc workable_items.db returned nothing. ACCEPTANCE CRITERIA — a tracked docs/ workable_items.db exists, every item carries a valid status, type and prefixed id, the identifie roster is derived from .gitmodules, and a registered gate with a paired mutation proves the integrity check is not a bluff gate. | | VSC-002 | Task | Queued | — | WHAT — operator decision 2 of 2026-09-07. The questio put to the operator was: 3 area documents fail publication review on 62/54/58 uncited claim blocks DECISION — **Operator reads them.** Produce a bounded per-document list of exact which claim blocks lack citations first HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-07.md row 2; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-

ATM ID	Type	Status	Severity	Description
				DECISIONS-2026-09-07.md, table row 2. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-003 | Task | Queued | — | WHAT — operator decision 3 of 2026-09-07. The question put to the operator was: Only 5 of 42 areas carry a test DECISION **Author senior banks for the 25 strongly + moderately evidenced areas**, against real transcript evidence, area by area. The 12 thin areas stay honestly without tests HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-07.md row 3; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 3. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-004 | Task | Queued | — | WHAT — operator decision 4 of 2026-09-07. The question put to the operator was: FR-002 asked for a topical classification t reviews decline to make DECISION — **Build an automated topical classifier**, recorded wi its confidence and given its own review HOW MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-07.md row 4; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 4. ACCEPTANCE CRITERIA — the obligation the

ATM ID	Type	Status	Severity	Description
				decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-006 | Task | In progress | — | WHAT — operator decision of 2026-09-07. The question put to the operato was: SC-010 hue floor: gate reported 4 families over a defective instrument DECISION — **Fi the gate, then judge the real number.** Fixed; the corrected gate reports **2** HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-07.md row 6; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 6. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row is split — par DONE, part still OPEN — so neither a terminal status nor Queued is true; recorded as In progress SUB-PROJECT BASIS — no sub-projec path named in the source row. | | VSC-007 | Task | Queued | — | WHAT — operator decision 7 of 2026-09-07. The question put to t operator was: Two chapter-card implementations; `/chapters` never uses the component extracted for it DECISION — **Converge onto the shared component** HO IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md ro 7; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 7. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a

ATM ID	Type	Status	Severity	Description
				DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-008 | Task | Queued | — | WHAT — operator decision 8 of 2026-09-07. The question put to the operator was: The 37-area lexicon is chapter-01-derived chapters 02 and 02.01 were never mined DECISION — **Mine both, propose new areas* operator approves additions before they publish HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 8; that docume is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 8. ACCEPTANCE CRITERIA — the obligatio the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-009 | Task | Queued | — | WHAT — operator decision 9 of 2026-09-07. The question put to the operator was: 12 documents' ingested `.sections.json` ar stale; regenerating mints new passage ids DECISION — **Leave stale, record it explicitly. All 251 ids resolve; regenerating would churn the corpus and break existing citations HOW I MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-07.md row 9; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 9. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete

ATM ID	Type	Status	Severity	Description
				SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-010 | Task | Queued | — | WHAT — operator decision 11 o 2026-09-07. The question put to the operator was: Content-boundary gate red at ~15,300 matches; decision packet never acted on DECISION — **Judge the ~1,540 class-A inward rows** — 1,084 against private source, 68 against teaching material, three public files holding 1,120 HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 11; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 11. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this iter STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-011 | Task | Queued | — | WHAT — operator decision 12 o 2026-09-07. The question put to the operator was: `deploy-langs.sh` downgrades a failed Jekyll build to a warning and still exits 0 DECISION — **Fail the deploy on a failed build**, behind a flag for deliberate override HOW IT MANIFESTS — the decision is recorde in docs/OPERATOR-DECISIONS-2026-09-07.md row 12; that document is the §11.4.208 operato request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 12. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this iter STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path

ATM ID	Type	Status	Severity	Description
				named in the source row. | | VSC-012 | Task | Queued | — | WHAT — operator decision 16 o 2026-09-07. The question put to the operator was: Nothing committed this session; containe serves the old binary DECISION — Restart onc when all writers stop, then commit and push recursively HOW IT MANIFESTS — the decisio is recorded in docs/OPERATOR-DECISIONS-2026-09-07.md row 16; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-07.md, table row 16. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-013 | Task | Queued | — | WHAT — operator decision 1 of 2026-09-08. The question put to the operator was: Semantic-search leg needs an embedder; local models now off DECISION — **Keep semantic OFF.** Measured identical quality (top-1 18/22, top-5 19/22) at 9.4x the speed. Reversible with one env var HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-08.md row 1; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 1. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-014 | Task | Queued | — | WHAT — operator decision 2 of

ATM ID	Type	Status	Severity	Description
				2026-09-08. The question put to the operator was: `meeting-notes` route deliberately NOT_BUILT on one undecided row DECISION - **Brainstorm fully, then implement — includi Meeting Notes** HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 2; that docume is the §11.4.208 operator-request ledger for th session. HOW TO REPRODUCE — read docs/ OPERATOR-DECISIONS-2026-09-08.md, table row 2. ACCEPTANCE CRITERIA — the obligatio the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-015 | Task | Queued | — | WHAT — operator decision 3 of 2026-09-08. The question put to the operator was: 3 documents unpublished on W2 violations DECISION — **Cite them, then publish** HOW IT MANIFESTS — the decision recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 3; that docume is the §11.4.208 operator-request ledger for th session. HOW TO REPRODUCE — read docs/ OPERATOR-DECISIONS-2026-09-08.md, table row 3. ACCEPTANCE CRITERIA — the obligatio the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-016 | Task | Queued | — | WHAT — operator decision 4 of 2026-09-08. The question put to the operator was: 12 served areas carry no assessment DECISION — **Fill / generate what is missing. "Stick to common sense"** HOW IT MANIFEST — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 4; that docume

ATM ID	Type	Status	Severity	Description
				is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 4. ACCEPTANCE CRITERIA — the obligatio the decision states is discharged with captured evidence per §11.4.5, recorded against this iter STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-017 | Task | Queued | — | WHAT — operator decision 5 of 2026-09-08. The question put to the operator was: The one flagged span (id `01M1H9DKFTVEJMW5YFZ1GC7PYN`) DECISIO — **Serve it.** Operator inspected the span an judged it carries nothing private. Add a reason code for "flagged withheld-only by corpus statistics, judged not private" and record the decision against the row HOW IT MANIFESTS the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 5; that docume is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 5. ACCEPTANCE CRITERIA — the obligatio the decision states is discharged with captured evidence per §11.4.5, recorded against this iter STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-018 | Task | Queued | — | WHAT — operator decision 6 of 2026-09-08. The question put to the operator was: The word-run rule that flagged it DECISION — **Keep the rule as-is.** It caught genuine rows because it is wide. Future flags route to the operator as judgements HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-08.md row 6; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE —

ATM ID	Type	Status	Severity	Description
				read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 6. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-019 | Task | Queued | — | WHAT — operator decision 7 of 2026-09-08. The question put to the operator was: `meeting-notes` contract shape DECISION — **Match the three siblings exactly** — sam cumulative `count` vs `own_count` split, same status set HOW IT MANIFESTS — the decision recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 7; that docume is the §11.4.208 operator-request ledger for th session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 7. ACCEPTANCE CRITERIA — the obligatio the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-021 | Task | Queued | — | WHAT — operator decision 9 of 2026-09-08. The question put to the operator was: Sequencing against the QA session DECISION — **One batch, then QA.** Land everything, restart once, run the second adversarial review, then hand over HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-08.md row 9; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 9. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured

ATM ID	Type	Status	Severity	Description
				evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-022 | Task | Queued | — | WHAT — operator decision 10 c 2026-09-08. The question put to the operator was: 20-passage evidence floor sorts on the wrong quantity (r = -0.066 against actual authorability) DECISION — **Re-baseline the floor onto anchored usable citable passages at and author the banks.** REVISES decision #3 c 2026-09-07 on measured grounds HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-08.md row 10; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 10. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-023 | Task | Queued | — | WHAT — operator decision 11 c 2026-09-08. The question put to the operator was: Filling every area empties the M4 proof arm's population DECISION — **Fill everythin give M4 a synthetic no-bank fixture** so the arm keeps detecting HOW IT MANIFESTS — th decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 11; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 11. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite

ATM ID	Type	Status	Severity	Description
				STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-025 | Task | Queued | — | WHAT — operator decision 13 c 2026-09-08. The question put to the operator was: 11 plan rows are ASR fragments naming no deliverable DECISION — **Fix the extracto retire the 11 as extraction defects** — NOT as `dropped`, which would put them in the commitment ledger HOW IT MANIFESTS — th decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 13; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 13. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite
				STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-026 | Task | Queued | — | WHAT — operator decision 14 c 2026-09-08. The question put to the operator was: `MIN_SEGMENTS_FOR_INFORMATIVE_ABSEN = 500` makes `not_covered` unreachable for short chapters DECISION — **Scale the guard chapter length**, with its own validation and a paired mutation HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 14; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE – read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 14. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite

ATM ID	Type	Status	Severity	Description
				STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-027 | Task | Queued | — | WHAT — operator decision 15 c 2026-09-08. The question put to the operator was: Document 04's last 8 blocks cite evidence that has no passage id DECISION — **Ingest `pipeline/ {README,CALIBRATION,AUDIT}.md`.** Operator rejected deleting the 8 measured claims and rejected the editorial exemption HOW IT MANIFESTS — the decision is recorde in docs/OPERATOR-DECISIONS-2026-09-08.md row 15; that document is the §11.4.208 operato request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 15. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-028 | Task | Queued | medium | A decided audit with no execution record; the register item was Queue with no measurable target. Proposed fix: Execute the audit in the owning module and record the per-citation relevance verdict. | | VSC-029 | Task | Queued | — | WHAT — operator decision 17 of 2026-09-08. The questi put to the operator was: `publication-reviews.jsonl` / `area-materials.jsonl` gitignore — the files gating what is served are not in version control DECISION — **Track them** HOW IT MANIFESTS — the decision is recorde in docs/OPERATOR-DECISIONS-2026-09-08.md row 17; that document is the §11.4.208 operato request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-

ATM ID	Type	Status	Severity	Description
				DECISIONS-2026-09-08.md, table row 17. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-030 | Task | Queued | — | WHAT — operator decision 18 c 2026-09-08. The question put to the operator was: Every graded question answerable by shape alone: 138/138 keys are the longest opti (100%), 122/138 at position 1 (88%), pass mark 70%, no shuffle anywhere in the serving path DECISION — **Fix properly: deterministic shuffle AND distractor rebalancing**, plus a gate that fails if either heuristic beats chance, with a paired mutation and a control HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-08.md row 18; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 18. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-031 | Task | Queued | — | WHAT — operator decision 19 c 2026-09-08. The question put to the operator was: The producer/verifier split is process-scoped only; two invocations 2s apart publish on same-minted citations, and the prover's key arm is inverted so it passes with the protection removed DECISION — **Make it durable, fix th prover**, register it in the check registry, and close the `promote_curriculum_areas.py --appl path that wrote 37 of 41 live review rows with

ATM ID	Type	Status	Severity	Description
				no citation checking HOW IT MANIFESTS — th decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 19; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 19. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-032 | Task | Queued | — | WHAT — operator decision 20 c 2026-09-08. The question put to the operator was: QA session timing given the above DECISION — **Fix the blockers first, then QA.* The shape leak and the split are fixable in hours; everything else is measured and sound HOW IT MANIFESTS — the decision is recorde in docs/OPERATOR-DECISIONS-2026-09-08.md row 20; that document is the §11.4.208 operato request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 20. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-033 | Task | Queued | — | WHAT — operator decision 21 c 2026-09-08. The question put to the operator was: 32 answer keys appear verbatim in the lesson section the question links to (31 of 290) all against area-document prose, never a transcript DECISION — **Separate study mode from assessment mode.** Keep the keys and th study links; suppress `lesson_sections` in

ATM ID	Type	Status	Severity	Description
				assessment/interview rendering. Rewording 3 correct keys was rejected as degrading good prose to defend a property only one mode needs HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 21; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 21. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-036 | Task | Queued | — | WHAT — operator decision 24 c 2026-09-08. The question put to the operator was: Areas 26 (5 anchored) and 23 (6) serve te while 19 (5), 27 (6) and 28 (6) are refused — authorship date, not evidence, is the selector DECISION — **Author banks for 19, 27 and 28 match.** Level up rather than withdraw two real banks. An agent may still decline any of th three if the evidence genuinely cannot suppor one HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 24; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 24. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-037 | Task | Queued | — | WHAT — operator decision 25 c

ATM ID	Type	Status	Severity	Description
				2026-09-08. The question put to the operator was: Four `kg_*` kinds (226 rows of TODOs, meeting notes, open questions, next-meeting points) exist in the index but were never in th advertised vocabulary DECISION — **Make them first-class searchable.** This is the sessio record content built today — reachable throug chapter routes but not through search HOW IT MANIFESTS — the decision is recorded in docs OPERATOR-DECISIONS-2026-09-08.md row 25; that document is the §11.4.208 operator-reque ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 25. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this ite STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-039 | Task | Queued | — | WHAT — operator decision 26a 2026-09-08. The question put to the operator was: Re-measured: there is NO pack producer and NO artefact — the pack is derived by reading a Markdown file, and NO gate ever enforced membership (B1–B8 check resolution redaction and lesson-section path, never pack membership). Only 30.6% of outside-pack citations sit at distance 1; the rest reach up to 644 segments away. Best closure admits 41.3% at 3.75× pack growth. Corpus re-cut separately proven unsafe: one merged pair moves `root_hash` `62e62eea…` → `960db1d2…`, orphans an anchor, and models are off so nothing can be re-embedded DECISION — **Withdraw the constraint entirely.** Replacement rule: cite the passage that carries the fact; admissible iff it RESOLVES UNREDACTED and AN AUTHOR HAS READ IT against the prompt. The constraint is wrong in KIND, not granularity HOW IT MANIFESTS —

ATM ID	Type	Status	Severity	Description
				the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 26a; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 26a. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this iter STATUS BASIS — the source row records a DECISION, not an execution: the decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | | VSC-040 | Task | Queued | — | WHAT — operator decision 26b 2026-09-08. The question put to the operator was: The withdrawn constraint's prose still stands verbatim in 6 banks, instructing future authors to obey the rule that caused the defect DECISION — **The agent already reading thos files corrects the 6 `$commentblocks in-pass* — recording what the rule said, that it is withdrawn, and why, rather than deleting it silently HOW IT MANIFESTS — the decision i recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 26b; that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 26b. ACCEPTANCE CRITERIA — the obligation the decision states is discharge with captured evidence per §11.4.5, recorde against this item. STATUS BASIS — the sour row records a DECISION, not an execution: t decision is made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path named in the source row. | VSC-041 | Task | Queued | — | WHAT — operat decision 27 of 2026-09-08. The question put to the operator was: 182 older-bank questio the screen never flagged, unread. Precision is 98%; recall is known poor (reading found 73% where the screen flagged 37.5%) DECISI

ATM ID	Type	Status	Severity	Description
				— **Read all 182.** The measured defect rat in the UNFLAGGED population is the first honest estimate of the screen's recall HOW IT MANIFESTS — the decision is recorded in docs/OPERATOR-DECISIONS-2026-09-08.md row 2 that document is the §11.4.208 operator-request ledger for the session. HOW TO REPRODUCE — read docs/OPERATOR-DECISIONS-2026-09-08.md, table row 27. ACCEPTANCE CRITERIA — the obligation the decision states is discharged with captured evidence per §11.4.5, recorded against this item. STATUS BASIS — the source row record a DECISION, not an execution: the decision made and the work is not evidenced complete SUB-PROJECT BASIS — no sub-project path nam in the source row.		VSC-045	Task	Queued	—	WHAT — 001-workshop-curriculum platform task T006: [P] Configure linting/ formatting to match the reference module (gofmt, Angular ESLint config) — **[UNWRITTEN, AND THE TASK CONTRADICTS ITSELF. Measured 2026-09-03; NEW note.** Neither half is configured. Frontend: workshop/platform/frontend/ has **no**.eslintrc *and* ***no**eslint.config.*; package.json declares 11 scripts and **none is lint**; its devDependencies contain **no** package whose name matches lint or prettier. Go: nothing in workshop/ runs gofmt as a gate, and gofmt -l workshop/platform/backend reports **3** unformatted files today (cmd/knowledge-registry-backfill/main.go, internal/api/ publication.go, internal/api/ passages_publication_test.go), which is a li demonstration that no gate is enforcing it. **The self-contradiction, and it needs an operator to resolve rather than an agent to guess:** this task says *"match the referen module"*, and the reference is ai_interviewing/platform/frontend (plan.md Structure Decision) — measured, **that modu

ATM ID	Type	Status	Severity	Description
				has no ESLint config either**: 5 scripts, nonelint, zero lint devDependencies. So "match the reference" and "Angular ESLint config" point in opposite directions and cannot both be satisfied. Adopt ESLint and DIVERGE from the reference, or match the reference and drop the ESLint half; either defensible, neither is this note's to choos Thegofmthalf has no such ambiguity and is unblocked work]** — **BLOCKER:** the task contradicts itself — it says "match the reference module", and the reference (ai_interviewing/platform/frontend) has NO ESLint config either, so there is nothing t match · **OWNER:** **operator** — pick a li baseline, or withdraw the "match the reference" clause (FR-013) HOW IT MANIFEST — the task is tracked in specs/001-workshop curriculum-platform/tasks.md as row T006. HOW TO REPRODUCE — read specs/001-workshop- curriculum-platform/tasks.md and locate the row beginningT006. ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names. STATUS BASIS — the tracked task list marks this row [ ] — not started or not finished SUB-PROJECT BASIS — the source row names paths in more than one sub-project (AII, WSP), so it is attributed to the parent. | VSC-046 | Task | Queued | — | WHAT — 001- workshop-curriculum-platform task T015: [TD **[PATH NOT BUILT —symbol.godoes not exist Measured 2026-09-02, only the SCHEMA landed inregistry.go:Symbol *stringat:73,CREATE UNIQUE INDEX … passages_symbol_key ON passages(path, symbol)at:934,CREATE TABLE symbol_aliasesat:966. No code reads or writessymbol_aliases—registry.go:1091names i among the tables this package never writes so the behaviour this task contracts is sti owed at the path named here]** Implement th code-passage matching key(path, symbol)and thesymbol_aliasestable insubmodules/passag

ATM ID	Type	Status	Severity	Description
				pkg/passage/symbol.goper [contracts/passage contract.md](./contracts/passage-contract.m §6.2, §6.4 and the §4.3symbol_aliasesDDL (SC-016a) –originseparatesauthored(written by the maintainer performing the rename; authoritative) fromdetected(ingest's heuristic, which can mis-attach two similar helpers), so a reviewer can see exactly whi links rest on a guess. ~~**Conditional on T014**~~ **– UNBLOCKED 2026-09-03. T014 now exits0and names the producer (pipeline/ symbols, ago/parserextractor owned by this feature, atworkshop/pipeline/symbols/); see T014's own note for the A3/A4 rejection of Lumen's store and the B1–B6 confirmation of this one. This task is therefore UNWRITTEN WORK, not blocked work, and the block that used to excuse it is gone** – **BLOCKER:** none but the work – only the SCHEMA landed inregistry.go;symbol.gois unwritten · **OWNER:** **implementer** – unblocked toda (SC-016a, FR-037) HOW IT MANIFESTS – the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T015. HOW TO REPRODUCE – read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginningT015. ACCEPTANCE CRITERIA – the row's own stated outcome, evidenced per §11.4.5 against the artefact it names. STATUS BASIS – the tracked task list marks this row [ ] – not started or not finished SUB-PROJECT BASIS – the source row names paths in more than one sub-project (PSG, WSP), so it is attributed to the parent. | VSC-047 | Task | Queued | – | WHAT – 001-workshop-curriculum-platform task T016: [TD **[PATH NOT BUILT –ingest_match.godoes not exist and no equivalent landed anywhere]** Implement the §8 ingest matching branches f code passages insubmodules/passage/pkg/ passage/ingest_match.go– R2 attach on(path, symbol)· R3 attach throughsymbol_aliases, recording WHICH alias was used

ATM ID	Type	Status	Severity	Description
				sodetectedlinks stay reviewable · R4 an unaliased rename ⇒ **exit1** forworkshop/-owned code (§6.6 makes anauthoredalias a mandatory step of any rename inside the tree) and, for code outsideworkshop/, mint a new pid and recor the orphaned old one so the broken citation is LOUD. Minting stays the last branch (M4) ~~**Conditional on T014**~~ **— UNBLOCKED 2026-09-03. T014 now exits0and names the producer (pipeline/symbols, ago/ parserextractor owned by this feature, atworkshop/pipeline/symbols/); see T014's own note for the A3/A4 rejection of Lumen's store and the B1–B6 confirmation of this on This task is therefore UNWRITTEN WORK, not blocked work, and the block that used to excuse it is gone** — **BLOCKER:** none but the work –ingest_match.gois unwritten and n equivalent landed anywhere · **OWNER:** **implementer** — unblocked today (SC-016a, FR-037) HOW IT MANIFESTS — the task is tracked in specs/001-workshop-curriculum-platform/tasks.md as row T016. HOW TO REPRODUCE — read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginningT016. ACCEPTANCE CRITERIA — the row's own stated outcome, evidenced per §11.4.5 against the artefact it names. STATUS BASIS — the tracked task list marks this row [ ] — not started or not finished SUB-PROJECT BASIS — the source row names paths in more than one sub-project (PSG, WSP), so it is attributed to the parent. | VSC-048 | Task | Queued | — | WHAT — 001-workshop-curriculum-platform task T017: [TD **[PATH NOT BUILT –symbol_test.godoes not exist; measured 2026-09-02 the identifierG-PID-4appears nowhere insubmodules/ passage]** Prove **SC-016a** via gate **G-PID-4** insubmodules/passage/pkg/passage/ symbol_test.go([contracts/passage-contract.md](./contracts/passage-contract.m

ATM ID	Type	Status	Severity	Description
				§6.5, §6.6): rename aworkshop/-owned symbo WITH anauthoredalias and assert the pid is preserved and its citations still resolve; then rename one WITHOUT an alias and assert the old pid resolvesnot_in_registry– a loud dead link – and that ingest reports the unaliased rename as exit1. **Paired mutation**: make unaliased renames mint a n pid silently and re-point the old citation nearest-text match; the gate MUST go red. 100% of stale code references failing loudl is the entire criterion – a confident link the wrong code is the failure it exists to prevent. ~~**Conditional on T014**~~ **– UNBLOCKED 2026-09-03. T014 now exits0and names the producer (pipeline/symbols, ago/ parserextractor owned by this feature, atworkshop/pipeline/symbols/); see T014's own note for the A3/A4 rejection of Lumen's store and the B1–B6 confirmation of this on This task is therefore UNWRITTEN WORK, not blocked work, and the block that used to excuse it is gone** – **BLOCKER:** **predecessor T015 + T016** – G-PID-4 tests code that does not exist yet · **OWNER:** **implementer**, after T015/T016 (SC-016a, FR-032, SC-012) HOW IT MANIFESTS – the tas is tracked in specs/001-workshop-curriculum platform/tasks.md as row T017. HOW TO REPRODUCE – read specs/001-workshop-curriculum-platform/tasks.md and locate the row beginningT017. ACCEPTANCE CRITERIA – the row's own stated outcome, evidenced per §11.4.5 against the artefact it names. STATUS BASIS – the tracked task list marks this row [ ] – not started or not finished SUB-PROJECT BASIS – the source row names paths in more than one sub-project (PSG, WSP), so it is attributed to the parent. | VSC-049 | Task | Queued | – | WHAT – 001-workshop-curriculum-platform task T021: [P] **[PARTIAL – ONE OF ITS TWO GATES IS BUILT AND PROVEN, THE OTHER EXISTS NOWHERE.

ATM ID	Type	Status	Severity	Description
				Measured 2026-09-03; NEW note.** The script and the adapter are real:workshop/scripts/start.sh,stop.sh,status.shand the Go adapterworkshop/platform/orchestration/cmd/workshop-boot/main.go, which reportsRUNNING/STOPPED/DEGRADED*"or exit 2 when it cannot tell"* (:126). **G-CLI-17 is DONE**:bash workshop/platform/gates/verify-status-exit-contract.sh→ rc **0**,PASS=3 FAIL=0 UNDET=0— A1 an absent project printsSTOPPEDand exits **1**, A2status.shpasses the control plane's code through unchanged, A3RUNNING → 0whileSTOPPED → 1are distinguishable by exit code alone; and its **§1.1 paired mutation**prove-status-exit-contract.sh→ rc **0**,CAUGHT=2 MISSED=0, seeding **MS1** (STOPPEDexits 0 — the exactreturn nilregression this task names) and **MS2** (STOPPEDfiled as 2), each proven to COMPI and LINK before being judged, then the tree restored. **G-CLI-12 IS UNBUILT, and so is the behaviour it would gate.**grep -rn 'G-CLI-12'overworkshop/ returns **zero** files — no gate, no fixtur no registry row — and the branch itself doe not exist:grep -rn 'unidentif\
WSP-165	Bug	Queued	high	Counts are typed into the four lockstep workshop carriers, workshop/README.md an workshop/docs/work-register.md; nothing re-measures them. Inside the workshop repository: replace each count with its derive command or add a workshop-side re-measure check; update all four carriers together. Retur to the umbrella as a gitlink bump.
WSP-166	Task	Queued	low	Counts whose subject no rule of the class nou to-measure table resolves ("recorded, not drift"): nothing re-measures them. Many sit in dated session reports, plans and evidence files that were true when written. Per document: (a a docs/zero-gap/point-in-time.tsv row with the reason from the document header when it is

ATM ID	Type	Status	Severity	Description
				dated; (b) a noun-to-measure rule when the subject is measurable in the tree; (c) otherwise replace the count with its derive command. Fi in the repository that owns the document.
WSP-167	Bug	Operator-blocked	high	Per the 2026-09-09 record the gate exits 0 whil the proposal prose and the committed JSON disagree, because it never reads the prose (a false-green, §11.4.201). Current state UNCONFIRMED (not re-run this session). Make the gate read and compare the prose count; paired mutation proof.
WSP-168	Bug	Operator-blocked	medium	two tracked scripts matching the gate-name heuristic carry no proof arm and no sibling proof; whether pipeline/run_audit.sh is a verdict gate at all is UNCONFIRMED (name-heuristic population; its only in-repo referrers are a doc and a Python helper, neither a proof for each: confirm gate or not; gate => add proo arm + register in the workshop's own gate surface; not a gate => record why the heuristic should not flag it (class exemption with reason
WSP-169	Bug	Operator-blocked	medium	container 42c12e533a91 started 2026-09-25T09:06:32Z serving source_commit 185fb158c4f4; e076fa6 was committed 10:18:1 and nothing redeployed; scripts/qa-up.sh reus a running stack without restarting it (header line 32). Measured: git diff –name-only 185fb158c4f4 e076fa6aa26f lists 3 *_test.go file only, so the production source is equal (identic binary output UNCONFIRMED) OPERATOR: redeploy the workshop stack from the committed tree (bash workshop/scripts/ restart.sh, answering stays OFF by default). AGENT (follow-up): qa-up warns or refuses when it adopts a stack whose /api/health source_commit differs from workshop HEAD
WSP-170	Task	Queued	medium	Evidence owed before answering waivers WVR-2026-10-27-deepseek-qa (expires 2026-11-26) and WVR-2026-10-28-deepseek-qa-llm (expires 2026-11-27) lapse: see workshop docs/work-items/WSP-170.md. Row created

ATM ID	Type	Status	Severity	Description
				2026-10-29 at hand-off; id 170 matches the waiver roster tracked_item.
WSP-176	Task	Operator-blocked	high	On the 0.0.7 release build 5641ea85 the studen surface gate reports 35 pass, 0 fail, 4 UNDETERMINED; the four checks C05, C13, C1 C15 need the admin password, which only the operator holds. Undetermined is not a pass. Source docs/releases/0.0.7.md.
WSP-177	Task	Queued	medium	The materials upload to Yandex Disk was running at about 40 to 90 KB per second and is not complete; workshop-storage verify –deep has not been run and pushes used the storage offline reason. Nothing has been untracked. Source CONTINUATION.md 2026-10-27 and 2026-10-29 sections.