

Constitution

basic Constitution

INHERITED FROM submodules/constitution/ Constitution.md

This constitution **extends** the Helix Universal Constitution at submodules/constitution/Constitution.md. All clauses there apply unless explicitly overridden below.

Path note. The constitution’s own template and prose write the submodule path as constitution/. This repository places it at submodules/constitution/ — the §11.4.28 dependency-layout form that submodules/constitution/find_constitution.sh resolves natively (its candidate list is ("constitution" "submodules/constitution"), lines 41–46). Every constitution/<file> in a quoted universal clause means submodules/constitution/<file> here. This substitution is the only systematic edit made while instantiating submodules/constitution/templates/Constitution.project.md.template.

Field	Value
Instantiated from	submodules/constitution/templates/Constitution.project.md.template
Created	2026-08-26
Last re-measured	2026-09-01
Governance submodule	submodules/constitution @ 902979027a907051dc036668a9c353bd27aedf47 (git describe → helixconstitution-v68-51-g9029790); corpus measures 11,700 lines / 1.7 MB / 252 ### § anchors. The pin moved from 448981ae... (v1.0.0-51-g448981a), which this row carried until 2026-09-01;

Field	Value
	whether that move was a fast-forward was not verified. The pin is BEHIND its remote — see the warning under “The set in detail”.
Peer carriers	CLAUDE.md, AGENTS.md, QWEN.md, GEMINI.md (bodies byte-identical from line 24; verify with <code>tail -n +24 <file> \ sha256sum</code>) — §11.4.157 five-carrier lockstep. Measured 2026-09-01: 520 lines each, shared digest a1f3a936e0ff6817ce05a9c3ba59b4a84aa57ba3d4b15308a6818befdcc5e2b4.
Verification	tests/test_constitution_inheritance.sh, scripts/verify-all-constitution-rules.sh
Dependency manifest	helix-deps.yaml (§11.4.31)

§11.4.65 **disclosure.** This document ships without its .html and .pdf siblings. That is a known, disclosed deviation of the same class docs/constitution-adoption/INVENTORY.md already records as gap G8 — not an oversight, and not a claim of compliance.

Project Articles

§101. The constitution submodule lives at submodules/constitution/, and nothing is copied out of it

Every governance artifact this repository relies on is inherited **by reference**: the universal Constitution.md, the four canonical per-agent mirrors, find_constitution.sh, scripts/post_update_hook.sh, scripts/hooks/guard-forbidden-commands.sh, and everything under scripts/gates/. No file in this repository restates the universal corpus.

The one bounded exception is the nine-item “Critical base rules restated” block reproduced in the four root carriers. That block is authored by the constitution itself, at submodules/constitution/templates/AGENTS.project.md.template, for exactly that purpose. Reproducing it is the prescribed mechanism (§11.4.35 invariant 6 declares the native-import and pointer-block forms equivalent), not a duplication of the corpus.

Consequence for agents: a rule that is not in one of the five root carriers is not absent — read it from `submodules/constitution/Constitution.md` before acting. Do not assume, and do not re-author a §11.4.X anchor at this layer (§11.4.35 invariant 7).

§102. Owned-submodule propagation is staged in the umbrella and applied by the operator, submodule-first

§3 of the universal constitution requires the submodule commit and push to land **before** the parent captures the pointer. This repository therefore never writes a governance carrier directly into an owned submodule working tree from the umbrella. Carriers are prepared as drafts under `docs/constitution-adoption/propagation/<submodule>/` with a `.staged` suffix (the suffix is required: the propagation gates discover carriers by exact filename, so a draft named `CLAUDE.md` inside this repository would be counted as a real carrier and fail the gate), and the operator applies them following `docs/constitution-adoption/propagation/APPLY.md`.

Until that application happens, the propagation gaps are **open**, and this document says so rather than implying coverage that does not exist. See Known open gaps below.

Status update 2026-09-01: the application HAS happened.

Propagation is no longer staged-and-unapplied. All **seven** owned submodules carry all four carriers — **28 of 28** — verified by `bash scripts/verify-governance-cascade.sh` (exit 0; C2 presence, C3 canonical-predicate acceptance, C8 in-submodule lockstep). G7 is **CLOSED**. The staging mechanism and the submodule-first ordering described above remain the governing procedure for any *future* carrier change; only the “gaps are open” sentence is superseded.

§103. Third-party gitlinks are never edited from this repository

Two repositories reachable from this checkout are outside the owned set and outside every operator-listed org:

- `submodules/superspec` → `git@github.com:WangX0111/superspec.git`
- `milosvasic.ru/Upstreamable` → `git@github.com:red-elf/Upstreamable.git` (a gitlink of the `milosvasic.ru` submodule, i.e. a fourth-level repository)

Neither receives a governance carrier, neither is tagged under §4, and neither is edited to make a gate pass. Files inside them that a propagation gate discovers and reports as MISSING are recorded as **known-excluded** in this document, never “fixed” by writing into a repository this project does not own (§11.4.156(C) applies the same reasoning to their CI config: a third-party config is out of scope and MUST NOT be mass-edited).

Overrides of Universal Constitution

(rare — every override MUST be justified explicitly here)

None. No clause of the Helix Universal Constitution is overridden, weakened, or relaxed by this project. The four root carriers state the same thing in their closing section.

Any future override MUST be recorded here in the template’s form:

Override §X.Y — <reason>

<the override>

An unresolved contradiction between this repository’s live state and a universal clause is **not** an override. Such a contradiction is recorded in Open conflicts below, which is where the active-CI conflict lived — precisely because nobody had decided to override anything.

Update 2026-08-27 — an Override §11.4.156 was sought and found structurally unavailable. OC-1 and OC-2 below previously listed “*record an explicit Override §11.4.156*” as one of three resolutions. That resolution does not exist, for two independent reasons. **(1)** §11.4.156’s closing formula does not merely set a high bar; it names and refuses the exemption vocabulary — “*No escape hatch — no --allow-ci, --enable-workflow, --keep-pipeline, --remote-ci-OK, --ci-exempt flag.*” A project-local override is a --ci-exempt by another spelling. **(2)** The inheritance contract this repository’s carriers state — “*Project-specific rules below extend them — they do NOT weaken or override any universal clause*” — makes a project-local override of an inherited clause structurally impossible, not merely disfavoured. Compliance was therefore the only path left that does not amend shared governance, and the operator chose

it. This section remains “None”, and it is now known that it cannot become anything else for §11.4.156. Full record: [docs/constitution-adoption/DECISION-11-4-156-COMPLY.md](#).

Addendum, same day (revision 2). The compliance decision was then **partially reversed**: [milosvasic.ru/.github/workflows/pages.yml](#) is the sole publish path for a live production website, so it stays **ACTIVE**, and [vasic.digital](#) triggers provider-side Pages runs with no workflow file to disable. Both are recorded in Open conflicts as **OC-2** and **OC-2b**. **Neither is an override, and neither may be written up as one.** An override claims a clause no longer applies; these admit the clause applies and is knowingly unmet, with the reason on the record. That is exactly the distinction the paragraph above this box already draws — “*an unresolved contradiction ... is **not** an override*” — and it is why this section still reads “None” even though two surfaces are now knowingly non-compliant.

Owned-submodule set

(per Universal §4 — list the submodules this project owns and tags)

ai_interviewing
design-toolkit
milosvasic.ru
monetization
vasic.digital

Third-party submodules excluded.

The set in detail

Pinned commits below were re-measured on **2026-09-01** with `git ls-tree HEAD` and each was re-checked against `git ls-remote <url> HEAD`. **Eight of nine match their remote tip; submodules/constitution does NOT** — see the warning under the table. `bash scripts/verify-manifest-pins.sh` reports 8 MATCH / 0 DRIFT / 0 UNDETERMINED against `helix-deps.yaml`, but that measures the manifest against the **local gitlink**, not against the remote; the two questions are different and only one is gated. Two rows are new since this table was first written (workshop, submodules/containers) and every pre-existing row had moved — re-derive rather than trusting the table.

Path	Upstream (.gitmodules)	Pinned commit
ai_interviewing	git@github.com:milos85vasic/ ai_interviewing.git	5ef07e08f202f75f6c0a9d7eda193f
design-toolkit	git@github.com:vasic-digital/ design-toolkit.git	efd2c3fb2f880aaf2baf7f4819ce28
milosvasic.ru	git@github.com:milos85vasic/ milosvasic.ru.git	8166fdb295dedc3114188c56e8424
monetization	git@github.com:milos85vasic/ monetization.git	54ed7b0f5add52821d18866facb5ee
vasic.digital	git@github.com:vasic-digital/ vasic-digital.github.io.git	0bc25012cc33202ced47788a9c301b
workshop	git@github.com:milos85vasic/ workshop_curriculum.git	55076bf943a5158c91dede839ac319
submodules/ containers	git@github.com:vasic-digital/ containers.git	4dab992582666a64a4353cd593704c
submodules/ constitution	git@github.com:HelixDevelopment/ HelixConstitution.git	902979027a907051dc036668a9c353
submodules/ superspec	git@github.com:WangX0111/ superspec.git	c20ac6c1ba069cc9a72dacb8044b7b

The governance source is pinned BEHIND its upstream (measured 2026-09-01). submodules/constitution is checked out at 902979027a90 while `git ls-remote git@github.com:HelixDevelopment/HelixConstitution.git HEAD` returns f16ea779b82a. Every anchor quotation, line count and gate population recorded anywhere in this repository describes 902979027a90, **not what upstream currently ships**. Whether f16ea779b82a is a fast-forward of the pin is **UNVERIFIED** — answering it needs a `git fetch` inside the submodule, a mutating command that was not run without authorization. **No cascade check catches this:** C9 and `scripts/verify-manifest-pins.sh` compare the manifest to the **local gitlink**, so a pin stale against its remote passes both.

submodules/containers (vasic-digital/containers) is mandated by **§11.4.76** for ANY containerised workload, which also forbids reimplementing it — a hand-rolled Containerfile would be a violation, not merely an inferior choice. Its four carriers were a §11.4.157(B) lockstep break upstream and were repaired **at source** and pushed as

4dab992 (“govern(carriers): restore §11.4.157(B) four-carrier lockstep”); they now measure 703 lines each and cascade check C8 accepts them. **Honest boundary (§11.4.6): nothing in this repository has yet been built or run in a container.** The submodule is present for the workload specs/001-workshop-curriculum-platform/ plans but has not implemented.

submodules/constitution — the governance submodule itself

submodules/constitution is an own-org repository (HelixDevelopment/HelixConstitution), but it is **not** a product submodule of this project. It is the constitution this project consumes. It is listed above for completeness and is declared in helix-deps.yaml as a dependency, and it is deliberately **not** in the §4 tag-mirroring block: mirroring a vasic release tag onto the universal constitution would tag a repository whose release cadence belongs to a different project, and its own tag line (v1.0.0...) is unrelated to this repository’s (v1.7.1, v1.7.2, v1.8.0).

The universal §4 wording is “*every owned submodule*” and does not carve out a governance submodule explicitly. **This carve-out is therefore a project decision recorded here, not a universal rule.** It is stated openly so it can be reversed by the operator rather than discovered later as an unexplained omission.

submodules/superspec — excluded, with the reason

submodules/superspec is a gitlink to git@github.com:WangX0111/superspec.git. The WangX0111 account is outside every operator-listed org (milos85vasic, vasic-digital, HelixDevelopment), so the repository is third-party under the universal §4 sentence “*Third-party submodules (libraries not under the project’s control) are excluded.*”

Concretely, the exclusion means:

1. **No §4 tag mirroring.** A vasic release tag is never pushed to it — this project has no push rights and no release authority over it.
2. **No §11.4.157 carrier propagation.** No CLAUDE.md / AGENTS.md / QWEN.md / GEMINI.md is written into it.
3. **No §11.4.156 CI action.** Its root .github/workflows/ci.yml is a third-party config this project neither authors nor pushes; §11.4.156(C) puts it explicitly out of scope and forbids mass-editing it.

4. **No §11.4.31 manifest entry.** `helix-deps.yaml` declares `own-org` deps; a third-party gitlink is recorded there as a comment, not as a deps entry.

Two carriers vendored inside it — `submodules/superspec/examples/static-landing-page/CLAUDE.md` and its mirror at `.specify/extensions/superspec/examples/static-landing-page/CLAUDE.md` — are example fixtures of that third-party project. The propagation gates discover them by filename and report them MISSING. They are known-excluded; see [Known-excluded gate findings](#).

Project-specific remotes

Repo	Remotes
Main (vasic)	origin, github, upstream — all three fetch and push git@github.com:milos85vasic/vasic.git. One distinct URL.
ai_interviewing	origin, github, upstream — all three fetch and push git@github.com:milos85vasic/ai_interviewing.git. One distinct URL.
design-toolkit	origin only — fetch and push git@github.com:vasic-digital/design-toolkit.git. One distinct URL.
milosvasic.ru	origin fetch git@github.com:milos85vasic/milosvasic.ru.git; origin push ×2 → git@gitflic.ru:milosvasic/milosvasic-net-v-2.git, git@github.com:milos85vasic/milosvasic.net.v2.git. gitflic ↔ git@gitflic.ru:milosvasic/milosvasic-net-v-2.git. github ↔ git@github.com:milos85vasic/milosvasic.net.v2.git. upstream ↔ git@gitflic.ru:milosvasic/milosvasic-net-v-2.git. ⚠ fetch/push asymmetry — see below.

Repo	Remotes
monetization	origin fetch git@github.com:milos85vasic/ monetization.git; origin push ×4 → git@gitflic.ru:milosvasic/ monetization.git, git@github.com:milos85vasic/ monetization.git, git@gitlab.com:milos85vasic/ monetization.git, ssh:// git@gitverse.ru:2222/milosvasic/ monetization.git. Named peers: gitflic, github, gitlab, gitverse (each fetch+push its own URL), upstream ↔ gitflic. origin, github, upstream — all three fetch and push
vasic.digital	git@github.com:vasic-digital/ vasic-digital.github.io.git. One distinct URL.
submodules/constitution	origin fetch git@github.com:HelixDevelopment/ HelixConstitution.git; origin push ×6 → git@gitflic.ru:helixdevelopment/ helixconstitution.git, git@github.com:HelixDevelopment/ HelixConstitution.git, git@gitlab.com:helixdevelopment1/ helixconstitution.git, git@gitverse.ru:helixdevelopment/ HelixConstitution.git, git@github.com:vasic-digital/ HelixConstitution.git, git@gitlab.com:vasic-digital/ HelixConstitution.git. Named peers: gitflic, github, gitlab, gitverse, vasic_digital_github, vasic_digital_gitlab, upstream ↔ gitflic.
submodules/superspec (<i>third-party, not ours</i>)	origin only — fetch and push git@github.com:WangX0111/ superspec.git. Recorded for

Repo	Remotes
	completeness; this project pushes nothing here.

Source: `git remote -v` run in each working tree on 2026-08-26. All URLs are SSH; there is not one `https://` remote in the set.

⚠ Hazard — `milosvasic.ru` fetches from a URL it never pushes to

`milosvasic.ru`'s origin **fetches** from `git@github.com:milos85vasic/milosvasic.ru.git` and **pushes** to two entirely different URLs (`gitflic.ru:milosvasic/milosvasic-net-v-2` and `github.com:milos85vasic/milosvasic.net.v2`). `milosvasic.ru.git` is not in origin's push list, and no other remote in that working tree pushes to it.

This is a real operational hazard, not a cosmetic naming quirk:

- Work pulled from `milosvasic.ru.git` and pushed back will **never** reach `milosvasic.ru.git`. The fetch source silently diverges from the three repositories that actually receive commits.
- The `.gitmodules` entry pins the submodule URL to `git@github.com:milos85vasic/milosvasic.ru.git`, so a fresh `git submodule update --init` clones the repository that receives **no** pushes. A fresh clone and a long-lived working tree can therefore be looking at different histories.
- §2.1 ("a commit that lives on only one remote is a future operational risk") is satisfied on the push side — two remotes receive every commit — but the fetch side points at a third repository that receives none.

Reconciling this is an **operator decision** (add `milosvasic.ru.git` to origin's push list, or repoint the fetch URL / `.gitmodules` entry at `milosvasic.net.v2`). It is recorded here rather than silently normalised, because either fix rewrites remote configuration this project must not change on its own authority.

§2.1 honest boundary — three repositories have exactly one remote URL

§2.1 is a **SHOULD** for consuming projects (*“Consuming projects SHOULD do the same for their own multi-remote topology”*), so the single-URL topologies below are not violations. They are recorded because §11.4.6 forbids implying a multi-upstream posture that does not exist:

- Main vasic — three remote names, one URL. A GitHub outage makes the umbrella unreachable.
- ai_interviewing — three remote names, one URL.
- vasic.digital — three remote names, one URL.
- design-toolkit — one remote, one URL.

monetization (4 push URLs), submodules/constitution (6 push URLs), and milosvasic.ru (2 push URLs) do have genuine fan-out.

Open conflicts with the Universal Constitution

Not specified by Constitution.project.md.template. The template offers `## Overrides` and nothing else. An override is a decision; the items below are undecided contradictions, and recording them as overrides would claim an authorization nobody has given. §11.4.6 forbids reporting a state that was not verified, and §11.4.156 names silence as the one option it does not allow — so this section exists. It is an addition to the template, marked as such.

OC-1 — Active CI at the repository root contradicts §11.4.156(A)

RESOLVED 2026-08-27 by operator decision — the text below is retained as the original record and is no longer the current state. Decision, verbatim: *“Comply — disable both, enforce locally.”* `.github/workflows/ci.yml` is renamed to a non-active `.disabled` name per §11.4.156(B), and the gates it ran move to a **local pre-push hook**. ⚠ **Scope note (added 2026-08-27, revision 2): the “disable both” half of that decision now applies only to `ci.yml`.** The `pages.yml` half was reversed the same day on an overriding operator directive — see **OC-2** below. OC-1 itself is

unaffected: `ci.yml` publishes nothing, so disabling it costs no production uptime, and it remains disabled. **Resolution 2 below — record an Override §11.4.156 — turned out not to exist.** §11.4.156's closing formula refuses the exemption vocabulary by name ("*No escape hatch ... --ci-exempt*"), and the inheritance contract this repository's carriers state ("*extend them — they do NOT weaken or override any universal clause*") makes a project-local override of an inherited clause structurally impossible. With the override gone, compliance was the only remaining option that does not amend shared governance; no constitution amendment was made. Resolution 1's precondition ("stand up the §11.4.75 layers first") is honoured by C3 of the decision record, and resolution 3 was rejected because §11.4.156 makes non-compliance "*a release blocker regardless of context*". **Honest boundary (§11.4.6):** renaming the file stops FILE-triggered runs. It does **not** reach provider-side settings — org-default required workflows, branch-protection required checks, the GitHub Pages source setting, provider-side scheduled exports. Those are operator-only manual steps in the provider UI and are **not done**. G4 therefore moves to **PARTIAL**, not **CLOSED**. **What is lost:** no server-side enforcement on push or PR. The gates now depend on a local hook, and `.git/hooks/` is not tracked by git, so a fresh clone has **no** protection until the install step is run. Full record, including the four options and the complete loss analysis: [docs/constitution-adoption/DECISION-11-4-156-COMPLY.md](#). CI surface inventory: [docs/constitution-adoption/CI-INVENTORY-11-4-156.md](#).

Clause. §11.4.156(A) (submodules/constitution/Constitution.md:9548):

(A) Zero active CI at the repository root. No active `.github/workflows/*.yml|*.yaml`, no `.gitlab-ci.yml`, no `.gitlab/**` pipeline include, nor any equivalent provider config may exist at the **ROOT** of any governed repository/submodule — the only location a provider executes.

and its closing formula:

Non-compliance is a release blocker regardless of context. No escape hatch — no `--allow-ci`, `--enable-workflow`, `--keep-pipeline`, `--remote-ci-OK`, `--ci-exempt` flag.

Live state at the time this conflict was recorded. `.github/workflows/ci.yml` exists at this repository's root (9,526 bytes — stale; measured **12,421 B** on 2026-08-27) with live on: push [main] / on: pull_request [main] triggers, and README.md:3 advertises it with a status badge. *(Both the file and the badge are removed by the 2026-08-27 decision.)*

Why this is a conflict of intent and not neglect. The workflow's own header records why it was added:

Before this workflow existed, the ONLY GitHub Actions in play was `milosvasic.ru/.github/workflows/pages.yml` — a Jekyll *deploy*. Nothing ran the test suite, so a regression could only be caught by hand.

Two documented purposes collide: §11.4.156 moves enforcement to the local §11.4.75 five-layer git-hook ritual; this repository has **none** of those five layers (INVENTORY gap G5 — no non-sample hook in `.git/hooks/`, no commit wrapper). Disabling the workflow today would remove the only mechanical check that exists here and put nothing in its place.

Status: UNRESOLVED — operator decision. Deliberately not acted on. SUPERSEDED 2026-08-27 — resolution 1 chosen; see the banner above. The three resolutions as originally recorded, none of which an agent could pick unilaterally (resolution 2 has since been shown not to exist at all):

1. Disable per §11.4.156(B) — rename to `ci.yml.disabled-local-only` — **and** stand up the §11.4.75 local layers first, so enforcement is moved rather than deleted.
2. Record an explicit Override §11.4.156 in the Overrides section above, with the operator's justification.
3. Keep both and accept the release-blocker state knowingly.

Nothing in this repository disables, edits, or re-enables that workflow. **Superseded 2026-08-27:** resolution 1 was chosen and the workflow is being renamed to a non-active `.disabled` name under the decision record.

OC-2 — `milosvasic.ru/.github/workflows/pages.yml` — the same clause, in an owned submodule

STATUS: OPEN — PERMANENT DOCUMENTED DEVIATION (2026-08-27). NOT an override.

RESOLVED 2026-08-27 by the same operator decision — “Comply — disable both, enforce locally.” `pages.yml` is renamed to a non-active `.disabled` name per §11.4.156(B). **That half of the decision was reversed the same day.** A material fact emerged after it was recorded:

```
$ gh api repos/milos85vasic/milosvasic.ru/pages
... "build_type":"workflow", "status":"built",
"html_url":"https://milosvasic.ru/" ...
```

`build_type: "workflow"` means GitHub Pages publishes that **live production site** exclusively by running `pages.yml`. There is no `gh-pages` branch, no `docs/` folder, and the repository root is Jekyll SOURCE (Liquid + front matter), so it cannot be served raw from a branch. `_tools/deploy-langs.sh` is **not** a substitute — it generates, commits and pushes source and then sleeps waiting for the server to rebuild; it covers none of the publish step. Disabling `pages.yml` does not downgrade the deploy to manual: it **ends** it.

Operator’s overriding directive, verbatim: “Make sure all pages websites work flawlessly! No website can be broken! All websites we have here are running deployed in production!”

Current state (verified 2026-08-27): `pages.yml` is **ACTIVE**, byte-identical to the version publishing today (submodule `git status` clean, `git diff HEAD` empty, YAML parses, build and deploy jobs both intact). **It will not be disabled.**

This is a DEVIATION, not an Override §11.4.156. §11.4.156 forbids an override by name (“*No escape hatch*”), and the Overrides section above explains why a project-local one is structurally impossible. An override would claim the clause no longer applies; it does apply, this repository is knowingly breaking it, and §11.4.156’s characterisation of that as “*a release blocker regardless of context*” is accepted here rather than argued away. **Never record, report, or rationalise this as an override.**

The recommendation in `docs/constitution-adoption/REMOTE-ASYMMETRY.md` §9 — to extend an Override §11.4.156 to cover this file — remains **void**: there is no override to extend, and this deviation is not one either. Full record: `docs/constitution-adoption/DECISION-11-4-156-COMPLY.md` §0.

OC-2b — vasic.digital triggers CI with no workflow file at all

STATUS: OPEN — PROVIDER-LEVEL NON-COMPLIANCE WITH NO FILE-LEVEL REMEDY (verified 2026-08-27).

vasic.digital (vasic-digital/vasic-digital.github.io) contains **zero** workflow files — it has no .github/ directory. It is nonetheless §11.4.156-non-compliant, because its GitHub Pages source setting alone starts an Actions run on every push:

```
$ gh api repos/vasic-digital/vasic-digital.github.io/pages
... "build_type":"legacy", "status":"built",
"html_url":"https://vasic.digital/" ...
$ gh api "repos/vasic-digital/vasic-digital.github.io/
actions/runs?per_page=3"
pages build and deployment | dynamic/pages/pages-build-
deployment | dynamic | 2026-08-27T00:14:51Z
pages build and deployment | dynamic/pages/pages-build-
deployment | dynamic | 2026-08-10T13:46:15Z
```

§11.4.156(A) is about files at a repository root; there is no file here to disable, so **no change to that repository’s tree can make it compliant**. Only the operator, in the GitHub Pages UI, could stop those runs, and doing so would unpublish a live production site — which the directive quoted in OC-2 forbids. Recorded, not resolved; and, like OC-2, **not an override**.

milosvasic.ru is an **owned** submodule and carries an active root workflow, so §11.4.156(A) and (C) apply to it exactly as they apply to OC-1. It is listed separately because resolving it means committing inside a submodule working tree, which §102 above reserves to the operator.

submodules/superspec/.github/workflows/ci.yml is **not** listed as a conflict: §11.4.156(C) scopes the clause to “*repositories we author + push*”, and superspec is third-party.

OC-3 — §11.4.32 step 1 had no cascade verifier to re-run — RESOLVED 2026-08-27

§11.4.32’s sweep contract, step 1, requires the sweep to “*Re-run the existing governance-cascade verifier (scripts/verify-governance-cascade.sh)*”.

Original conflict (retained for history): that file did not exist, so `scripts/verify-all-constitution-rules.sh` reported step 1 as an explicit **SKIP with reason** naming the missing file, never counting it as a pass.

Resolution. `scripts/verify-governance-cascade.sh` now exists, is tracked and executable, and was committed in 9ed96fb. Measured: **10 PASS, 0 FAIL, 0 ENV, 3 NOTE, exit 0**. It is not a vacuous gate — `--prove-failure` runs a paired mutation proof against throwaway copies: a golden-good control passes, five seeded violations are each caught as `rc=1`, and a deliberately broken environment returns `rc=2` rather than accusing the tree.

Two honest boundaries are recorded rather than papered over. First, §11.4.32’s phrase “*every §11.9 + CONST-* anchor*” is not implementable against the pinned corpus: §11.9 occurs exactly once — inside §11.4.32’s own sentence — and no `CONST-NNN` defining heading exists anywhere; the sixteen `CONST-*` ids appear only as cross-references. The verifier therefore proves the §11.4.35 *pointer* mechanism those anchors cascade through, rather than enumerating an anchor list that does not exist. Second, §11.4.32 clause 4’s Issues-tracker population (§11.4.15 Status: Reopened / Type: Bug) is not implemented; the verifier prints directed FAIL lines with fixes, but writes to no tracker.

The step-1 **caller** was fixed in the same pass: it had mapped any non-zero `rc` to `STEP1 FAIL`, collapsing this verifier’s documented three-valued contract (0 pass / 1 violation / 2 could-not-verify) and so reporting a broken *check* as a violation of the *tree*. It now branches on `rc`, with a distinct ERROR state that exits non-zero without accusing the tree — consistent with the sweep’s existing `err` counter convention for blind instruments.

Known-excluded gate findings

`scripts/verify-all-constitution-rules.sh` runs the constitution’s own gates against this checkout. Some findings are structural and are **not** this repository’s to fix. They are listed here so that a reader can tell an excluded finding from a real regression — and note that the sweep still **exits non-zero** on them. Exclusion means “not ours to fix”, never “suppressed”.

Observed on 2026-08-26 (bash scripts/verify-all-constitution-rules.sh --quiet, constitution HEAD 448981ae3498229c734dc60719f4b19f01d7a75f): **58 gates run — 37 PASS, 21 FAIL, 0 ERROR**, sweep exit 1. The 21 failures are exactly the 17 cm_covenant_114*_propagation.sh gates (each reporting the same five carriers in section A below — $17 \times 5 = 85$ MISSING lines, and no sixth carrier anywhere) plus the four constitution-internal gates in section B. Nothing else failed.

A. Five carriers the propagation gates report MISSING

Every cm_covenant_114*_propagation.sh gate discovers governance carriers by filename under --root and reports these five:

Carrier	Owning repository	Why excluded
milosvasic.ru/ Upstreamable/ AGENTS.md	red-elf/Upstreamable (third-party, a gitlink of the milosvasic.ru submodule)	§103 — this project does not own or push it
milosvasic.ru/ Upstreamable/ CLAUDE.md	red-elf/Upstreamable (same)	§103
submodules/ superspec/examples/ static-landing-page/ CLAUDE.md	WangX0111/superspec (third-party)	§103 — vendored example fixture
.specify/extensions/ superspec/examples/ static-landing-page/ CLAUDE.md	vendored copy of the same superspec fixture	§103
vasic.digital/ QWEN.md	vasic-digital/vasic- digital.github.io — owned	§102 — the fix is staged at docs/ constitution- adoption/ propagation/ vasic.digital/ QWEN.insert-block.md and awaits operator application; it is not applied from the umbrella

Only the last is an owned-repository gap. The first four are third-party.

B. Four gate failures inside the constitution submodule's own tree

These fail against submodules/constitution itself, are unrelated to this repository's adoption, and cannot be fixed from here without writing into a submodule working tree:

Gate	Finding
cm_continuum_resume_engine_present.sh	project-specific literal inside the engine: submodules/continuum/ test/e2e/e2e_test.go (decoupling violation, §11.4.28(B))
cm_gate_ledger_ratchet.sh	ratchet violated — unimplemented=432 exceeds checked-in baseline=420
cm_track_branch_label.sh	ALIAS-VALIDATION: labeler yielded xhigh, not the expected synthetic alias
cm_track_branch_label_mutation_test.sh	its paired §1.1 mutation test, failing because the gate above fails

Per §11.4.26 these belong upstream in HelixDevelopment/
HelixConstitution, as does the missing QWEN.project.md.template /
GEMINI.project.md.template pair (INVENTORY gap G7b) that forces
every consumer to hand-derive two of the five carriers §11.4.157
makes equal.

Known open gaps (§11.4.6 honest boundary)

This repository is **not** fully constitution-compliant. The full audit is
[docs/constitution-adoption/INVENTORY.md](#); identifiers below are the
inventory's own. Gaps closed since it was written are marked.

Authority note (added 2026-09-01). This table is **not** the authoritative gap ledger and is not machine-compared to anything. The authority is the - G<n> – <STATUS> lines in the four root carriers, which scripts/continuation-check.sh C4 holds in agreement with CONTINUATION.md §4 on every run. If this table disagrees with those, **this table is the defect**. Rows below were reconciled against the carriers on 2026-09-01.

Gap	State
G1 — no consumer governance layer	CLOSED — CLAUDE.md, AGENTS.md, QWEN.md, GEMINI.md at the root
G2 — no inheritance pointer	CLOSED — all four carriers plus this file open with ## INHERITED FROM
G3 — no post-pull validation sweep	CLOSED — scripts/verify-all-constitution-rules.sh and scripts/verify-governance-cascade.sh both exist and run; step 1 re-measured 2026-09-01 as 12 PASS / 0 FAIL / 0 ENV / 7 NOTE, exit 0 , mutation-proven — OC-3 resolved. Grew from 10 to 12 checks with C8 (four carriers INSIDE each owned submodule agree, per-agent header normalised) and C9 (every helix-deps.yaml deps[].ref equals its live gitlink; standalone as scripts/verify-manifest-pins.sh). This closes the sweep contract ; for the sweep’s own verdict see the note under this table.
G4 — active CI contradicts §11.4.156	OPEN — OC-1/OC-2, operator decision → PARTIAL (2026-08-27, revised same day). Decided “Comply — disable both, enforce locally.”, then partially reversed . OC-1: .github/workflows/ci.yml → ci.yml.disabled, gates moved to a local pre-push hook — umbrella root compliant at file level. OC-2: milosvasic.ru/.github/

Gap	State
G5 — no §11.4.75 mechanical enforcement layers	workflows/pages.yml stays ACTIVE — it is the sole publish path (build_type: "workflow") for a live production site; operator directive: <i>“Make sure all pages websites work flawlessly! No website can be broken! All websites we have here are running deployed in production!”</i> Permanent documented deviation, NOT an override. OC-2b: vasic.digital triggers pages build and deployment on every push from its Pages source setting alone (build_type: "legacy", zero workflow files) — non-compliant at the provider level with no file-level remedy. Not CLOSED and will not close: §11.4.156(B)’s real test is <i>“a push triggers ZERO runs”</i>, and the remaining provider-side settings (org-default required workflows, branch-protection required checks, scheduled exports) are operator-only and unverified. <u>Decision record</u> PARTIALLY CLOSED (row corrected 2026-09-01; the previous “OPEN — no git hook, no commit wrapper at this root” was wrong on the wrapper half and is withdrawn). A commit wrapper exists: commit on PATH → \$SUBMODULES_HOME/Upstreamable/commit → Software-Toolkit/Utils/Git/commit.sh + push_all.sh, driven by the tracked upstreams/GitHub.sh. It runs git add ., so keep .gitignore accurate before using it. What is still missing is git

Gap	State
	hooks as a tracked, travelling artefact: <code>.git/hooks/pre-push</code> is installed and executable in the current working tree, but <code>.git/hooks/</code> is not tracked, so a fresh clone runs nothing until <code>bash scripts/pre-push-gates.sh --install</code> .
G6 — no <code>helix-deps.yaml</code>	CLOSED — <code>helix-deps.yaml</code> at the root
	CLOSED (measured 2026-09-01; 28 of 28). No longer staged — applied. <code>bash scripts/verify-governance-cascade.sh</code> exits 0 : C1 classifies all 9 declared gitlinks from evidence (7 owned, 1 governance source, 1 third-party, no hardcoded roster); C2 finds all $7 \times 4 = 28$ owned-submodule carriers present and non-empty; C3 finds all 28 accepted by the canonical <code>is_pointer_carrier</code> predicate; C6 finds <code>helix-deps.yaml</code> and <code>.gitmodules</code> in agreement both ways; C8 finds every owned submodule internally in four-carrier lockstep. Superseded figures, withdrawn not restated: “20/20 CLOSED” (hardcoded five-submodule list, missed workshop), “PARTIAL 20/24”, and a verbally circulated “24/24” (6×4 , before submodules/containers joined the fleet).
G7 — no propagation to owned submodules	
G8 — §11.4.65 markdown export mandate	OPEN — no <code>.html</code> / <code>.pdf</code> siblings anywhere, this file included
G9 — §11.4.212 README-orphan	OPEN — <code>README.md</code> links to nothing but the CI badge
G10 — §4 tag mirroring incomplete	

Gap	State
	OPEN — v1.8.0 is on milosvasic.ru and vasic.digital only
G11 — design-toolkit checked out twice	OPEN — declared in helix-deps.yaml; the shas match today
G12 — §11.4.109 anti-forgetting layer absent	OPEN — the canonical guard script is present in the submodule and wired nowhere

The sweep's own verdict is not this table (added 2026-09-01). G3 above closes the *contract* that a sweep exists, runs, and is mutation-proven. It says nothing about how many gates the sweep passes. scripts/verify-all-constitution-rules.sh discovers its gates dynamically and that population moved **57 → 286** when the constitution pin was fast-forwarded, so **every split published before the fast-forward is withdrawn and none is comparable to a present-day run**. The most recent measurement on record is **186 PASS / 95 FAIL / 6 ERROR of 287 gates**, recorded here as a *reported prior measurement*: a re-run started 2026-09-01 had not completed when this text was written, so no fresh split is claimed. Its failures are known to include two classes no commit this repository can make will clear — (1) third-party and staged carriers (submodules/superspec/examples/..., milosvasic.ru/Upstreamable/..., the vendored spec-kit copy under .specify/extensions/), which verify-governance-cascade.sh reports as *known-unclearable* and excludes from its own verdict while the sweep's propagation-gate family still counts them as FAILs — excluded means **not double-counted, never suppressed**; and (2) defects internal to the constitution submodule, which is upstream code this project consumes rather than owns.

Provider-side CI remains unverified (§11.4.6). File-level disabling stops FILE-triggered runs. It cannot reach org-default required workflows, branch-protection required checks, the GitHub Pages source setting, or provider-side scheduled exports. Those are **operator-only, in a provider UI**, and their current state is not known to this document. bash scripts/verify-provider-ci.sh measures on demand — **exit 2 means COULD NOT DETERMINE and is never a pass**.

Do not claim this repository passes a gate you have not actually run. Do not treat the absence of a gate as a pass.