

OPERATOR-DECISIONS-2026-09-09

Operator decisions — 2026-09-09

Recorded per §11.4.208 so a decision is not re-litigated and not silently reinterpreted. Each row states the question, the decision, and what it obliges.

CONTENT BOUNDARY. This is a PUBLIC repository. Rows referring to private workshop / ai_interviewing / monetization material name it BY IDENTIFIER OR PATH ONLY. No transcript text, no note text, no area title, no question text and no person’s name appears here.

How this list was assembled. docs/workable_items.db has an operator_block_details table and it holds **0 rows** — nothing was ever recorded there. The real register is the two dated decision documents (OPERATOR-DECISIONS-2026-09-07.md, -09-08.md), the “Honest boundary” and “not yet put to the operator” sections of the four carriers, and CONTINUATION.md §3. Twelve items were open across those sources. All twelve were put to the operator interactively and all twelve were answered.

The decisions

#	Blocked item	Decision	Status
1	Content-boundary incident 2026-09-01: private material committed and PUSHED to this PUBLIC repo. Working	Leave the history, document permanently. The content is public irreversibly. docs/content-boundary-incident-2026-09-01.md stays the standing record and the gate stays red. Repo is NOT rotated, NOT	DECIDED

#	Blocked item	Decision	Status
	tree redacted; history is not. §11.4.113 forbids force- push and history rewrite absolutely, so excision is structurally unavailable	made private, and no §11.4.113 waiver is sought	
2	verify- content- boundary.sh rc 1 at ~15,300 matches; packet option 3 (teach the gate direction) never decided	Build direction- awareness into the gate — port the class-A probe as a subtraction pass with its RECALL COST printed, same shape as the existing already-public-key subtraction	DECIDED
3	Constitution pin has gone stale within a day on four consecutive occasions, each needing a separate authorization	STANDING AUTHORIZATION, fast- forward-only, scoped to s ubmodules/constitution alone. Fetch and ff without asking, but ONLY at 0 divergent, ONLY via merge --ff-only, with the diff --stat reported and Constitution.md re- measured on BOTH sides, and gitlink + helix- deps.yaml staged together	DECIDED
4	Gate 6 asserts against a fragment: bundle, bundler and jekyll all absent from PATH, so Jekyll cannot	Containerise the Jekyll build through submodules /containers, extending decision #10 of 09-07. No apt-get on the host	DONE

#	Blocked item	Decision	Status
	build here at all		
5	Three actionable FAILs in verify-all-constitution-rules.sh	Build ALL THREE: README badge row (§11.4.259), scripts/audit/zero_findings_sweep.sh (§11.4.261), docs/findings/zero_findings_ratchet.tsv (§11.4.261(C))	PREMISE FALSE — all three already existed; see below
6	G8 (§11.4.65 Markdown export mandate) and G12 (no PreToolUse guard wired), both “unchanged, no work in flight”	Both. G12 first — the canonical guard already ships with its own test harness, so wiring is configuration plus verification, not authorship	G12 CLOSED · G8 IN FLIGHT
7	Two §11.4.76 violations closeable only by an upstream primitive submodules/containers did not have	Contribute the ephemeral-run primitive upstream to vasic-digital/containers — §11.4.76(4) forbids a parallel implementation here	SUPERSEDED — see below
8	Decision #14 of 09-07 (sweep the repositories with Actions enabled and zero workflow files) was never executed	DRY-RUN ONLY. List, do not change. No provider setting moves until the operator approves the list	DONE (sheet produced)
9	Document 05’s four	Ingest public umbrella governance output into	IN FLIGHT

#	Blocked item	Decision	Status
10	umbrella-facts have no citation path from inside the private corpus	the private corpus. Direction is PUBLIC -> PRIVATE, which carries no disclosure risk	IN FLIGHT
	Document 04's nine calibration blocks uncitable; ingest blocked by a DETERMINED NEGATIVE (models off, no embedding endpoint, passages would enter vectorless and be silently absent from semantic retrieval)	Turn models on just long enough to embed, then off. No vectorless passages, no silent asymmetry. Decision #1 of 09-08 — semantic stays OFF for SERVING — is unchanged	
11	Served redactions table holds 0 rows against 162 logged effective suppressions; no text exposed, but the artifact cannot state WHY a row is withheld	Materialise it — the index rebuild is authorised. Hard constraint: root_hash and passage ids MUST NOT move; a corpus re-cut was separately proven unsafe	IN FLIGHT
12	-question- verify none unrecognised (focus llm), so	All three: make none legal meaning deliberately-off, read and confirm the 8 rows, AND add a gate	DONE — none already landed in 5642dd6; gate

#	Blocked item	Decision	Status
	L5 reports UNWIRED; and 8 weakest evidence rows unread	making UNWIRED and DELIBERATELY-OFF mechanically distinguishable	D19-l5- disposition- distinct is new

Decisions that overruled a recommendation

Recorded because a recommendation overruled is worth more than one accepted.

- **#1, the leak history.** I set out the three alternatives that do not conflict with §11.4.113 — rotate to a fresh repo, flip private, or seek a formal waiver — and the operator took none of them. **Leave it and document it.** The obligation that follows: the incident note and the red gate are now the ONLY remediation this repository has, so neither may be quietly retired. A future session that finds `verify-content-boundary.sh` red must not “fix” it.

Superseded by measurement, before any work was done

- **#7 is WITHDRAWN as posed.** The primitive was measured to already exist upstream: `submodules/containers` sits at `7f5922563d8b`, not the `d940b51fc247` the carriers were written against, and `Run(ctx, image, cmd, opts...)` with `WithRunStdin` landed in `6d13ad03528c` on 2026-09-04. Proven on this host at 7 passed / 0 failed against `podman 5.7.0`, through `runtime.AutoDetect` with no frozen literal. **Nothing was built and nothing was committed.** What REMAINS open is narrower and must not be lost in the correction: `Exec` still takes no stdin, and `remote.RemoteRuntime.Run` explicitly REFUSES stdin, so the **remote-stdin gap is still open.** Consequently `_tools/helixtranslate-container/run.sh` is now convertible in principle and its exception reason no longer holds, while `_tools/helixtranslate-container.sh` is still not convertible and its exception stands. **Neither script is converted.** `podman images | grep -i helixtranslate` matches zero here and both remote hosts return `rc 255` — absent image, unreachable hosts, `rc 2`, and `rc 2` is never a pass. A working script is not replaced by an unverified rewrite.

What #8 obliges — read before approving the sweep

The dry run measured **21 distinct repositories** (the remediation list names 22, but vasic-digital/Containers and vasic-digital/containers are one repository, and HelixDevelopment/HelixConstitution redirects to HelixDevelopment/constitution). Two carve-outs, for different reasons:

- milos85vasic/milosvasic.ru is **already excluded by construction** — it has an active workflow file, so it fails the “zero workflow files” criterion. Its pages.yml is the sole publish path for a live production site.
- vasic-digital/vasic-digital.github.io should be **carved out**, and the reason is an honest UNCONFIRMED rather than a finding. Whether disabling Actions stops a build_type=legacy Pages build **could not be established** — the probe’s own remediation lists only Pages-settings remedies for legacy mode and never proposes the Actions switch, GitHub’s documentation settles neither direction, and no repository in this fleet has that combination to measure. If the claim is true, sweeping it buys nothing; if false, it takes down the live vasic.digital site. One branch is worthless and the other is an outage.

The sweep does not change the exit code. verify-provider-ci.sh will still be rc 1 on the one CONFIRMED row and still print 6 UNVERIFIED rows for gitflic.ru / gitverse.ru. Anyone approving it expecting green should be told that first. It is also not reversible without a second decision.

EXECUTED — 2026-09-09, on operator authorization given three times

The carve-out recommended above was **overruled by the operator**, in writing, after the risk was stated twice. The sweep was executed on **all 21** repositories, vasic-digital/vasic-digital.github.io and vasic-digital/LLMProvider included. milos85vasic/milosvasic.ru and WangX0111/superspec were **not** touched, and both were re-checked afterwards.

Auth: gh auth status — logged in to github.com as milos85vasic, scopes admin:public_key, gist, read:org, repo.

Pre-state — every one of the 21 read {"enabled":true,"allowed_actions":"all"}. NOT ONE was already disabled, so the sweep's effect is not overstated by a single row: all 21 transitions are real.

Live-site baseline, captured BEFORE any mutation (2026-09-09T08:35:41Z):

```
https://vasic.digital/    -> 200
https://milosvasic.ru/    -> 200
vasic-digital.github.io  pages: status=built build_type=legacy
                             source=main:/ cname=vasic.digital
                             https_certificate.state=approved
milos85vasic/milosvasic.ru pages: status=built build_type=workflow
```

Execution order and result. One `gh api -X PUT repos/<owner>/<name>/actions/permissions -F enabled=false` per repository, the 19 low-risk first, then LLMPProvider, then .github.io last. **All 21 returned rc 0, and each was read back as {"enabled":false}:**

#	Repository	Before	After
1	milos85vasic/vasic	enabled=true	enabled=false
2	HelixDevelopment/constitution	enabled=true	enabled=false
3	vasic-digital/HelixConstitution	enabled=true	enabled=false
4	vasic-digital/design-toolkit	enabled=true	enabled=false
5	milos85vasic/ai_interviewing	enabled=true	enabled=false
6	milos85vasic/monetization	enabled=true	enabled=false
7	milos85vasic/workshop_curriculum	enabled=true	enabled=false
8	vasic-digital/containers	enabled=true	enabled=false
9	vasic-digital/RAG	enabled=true	enabled=false
10	vasic-digital/verdict	enabled=true	enabled=false
11	vasic-digital/passage	enabled=true	enabled=false
12	vasic-digital/curriculum-kit	enabled=true	enabled=false

#	Repository	Before	After
13	vasic-digital/ token_optimizer	enabled=true	enabled=false
14	vasic-digital/ session_orchestrator	enabled=true	enabled=false
15	vasic-digital/ continuum	enabled=true	enabled=false
16	vasic-digital/ anti_bluff	enabled=true	enabled=false
17	HelixDevelopment/ helix_perf_cache	enabled=true	enabled=false
18	vasic-digital/ docs_chain	enabled=true	enabled=false
19	red-elf/Upstreamable	enabled=true	enabled=false
20	vasic-digital/ LLMProvider	enabled=true	enabled=false
21	vasic-digital/vasic- digital.github.io	enabled=true	enabled=false, then REVERSED to enabled=true — see the carve-out below

ROW 21 IS CARVED OUT AND REVERSED. THE PARAGRAPH THAT STOOD HERE IS WITHDRAWN, AND IT WAS WRONG IN THE DIRECTION THAT FLATTERED THE SWEEP. It read “*the UNCONFIRMED risk did NOT materialise*”, resting on <https://vasic.digital/> -> 200 and pages: status=built immediately after the mutation and again 26 seconds later. Those readings are real and are kept below. **What is withdrawn is the inference drawn from them.**

The measurements taken were structurally incapable of detecting this failure. A concurrent root-cause investigation established that this repository’s **only** publish path IS an Actions workflow run — dynamic/pages/pages-build-deployment, workflow id 203369021, accounting for **64 runs = 100%** of its run history, with real jobs, steps and logs. Disabling Actions therefore left the live vasic.digital site **one push away from going stale, silently**. Already-published content keeps serving, so the site would have continued answering 200 indefinitely while every new commit failed to publish. **The rollback trigger this**

sweep was given — “if the site stops answering 200” — would never have fired. A trigger that cannot fire is not a safety net, and treating a 200 as evidence of a healthy publish path was the error.

The operator REVERSED row 21 on that new evidence. Actions were re-enabled on `vasic-digital/vasic-digital.github.io` by the coordinator, not by this session. Re-verified read-only at 2026-09-09T08:48:35Z, and **nothing in this tree touched it again:**

```
vasic-digital.github.io actions:
{"enabled":true,"allowed_actions":"all"}
pages: status=built build_type=legacy
https://vasic.digital/ -> 200
https://milosvasic.ru/ -> 200
```

vasic-digital/vasic-digital.github.io is now CARVED OUT of this sweep and must be left enabled. The other 20 rows stand, and all 20 were re-verified `enabled=false` in the same read-only pass.

Record the briefing’s own defect, because it is the transferable lesson. The authorization this session executed under stated the risk as “*disabling Actions MIGHT stop the live site publishing (UNCONFIRMED)*” and paired it with a health check that could not observe that outcome. **The briefing under-stated the risk and specified an insufficient rollback trigger.** The correct probe was never “does the site answer 200” but “is there a publish path that a push can still traverse” — which is a question about run history and workflow identity, answerable before any mutation, and it was not asked. **Do not present this sweep as clean. Row 21 was executed, was wrong, and was reversed by someone else’s investigation rather than by this session’s own checks.**

Two facts imported from that investigation, recorded rather than re-derived, and neither changed what was done:

- **vasic-digital/LLMProvider’s single 2026-03-19T13:01:15Z run is NOT a Pages build.** It is a Dependabot dependency-graph submission (`path=dynamic/dependabot/update-graph`, `actor=dependabot[bot]`). It is harmless, and that repository remains **in scope and disabled**. The claim written earlier in this session that the run is “*foreclosed rather than explained*” is **superseded**: it is now explained, and foreclosing it costs a Dependabot graph submission, not an unknown.
- **milos85vasic/milosvasic.ru’s provider-generated runs number 43, not 34,** and they are explained: the legacy Pages builder failing on a broken recursive submodule while `pages.yml` ran in parallel

for six weeks. Any figure of 34 in this repository's carriers is superseded. That repository stays excluded and was re-verified `enabled=true`.

Excluded repositories re-verified after the sweep: `milos85vasic/milosvasic.ru` still reads `{"enabled":true,"allowed_actions":"all"}` — its `pages.yml` publish path is untouched. `WangX0111/superspec` returns HTTP 403 to this token (no read permission on its Actions policy), which is a measured non-access, not a mutation; it was never called with PUT.

The exit code did not move, exactly as forecast. `bash scripts/verify-provider-ci.sh` still exits **1**:

```
window: last 30 day(s)   repos: 23   upstream rows: 44
rows: 1 CONFIRMED · 6 UNVERIFIED · 0 HISTORICAL · 36 no-trigger ·
1 out-of-scope
VERDICT: provider-side triggering CONFIRMED on 1 upstream row(s).
(rc=1)
```

This is not a failure of the sweep, and must not be reported as one. The single CONFIRMED row is `vasic-digital/vasic-digital.github.io`, and the probe's own detail line now shows both facts side by side — `actions-enabled=false` **and** STANDING TRIGGER: Pages `build_type=legacy` — the provider queues a 'pages build and deployment' Actions run on every push to 'main', with 6 provider-generated runs still in the 30-day window (newest 2026-09-04T07:11:47Z, i.e. all of them PRE-DATE this sweep). **The Actions switch and the legacy-Pages trigger are separate settings**, and turning the first off left the second standing. Closing the CONFIRMED row is still a Pages-settings decision, still operator-only, and still carries the outage risk the carve-out named.

What the sweep DID change is visible across the fleet: every other owned row in the probe now reports `actions-enabled=false`, including `submodules/LLMProvider`, whose 2026-03-19T13:01:15Z provider-generated run is now **explained** — a Dependabot dependency-graph submission, not a Pages build (see the carve-out block above). It is foreclosed by the sweep and the operator accepted that cost explicitly.

Two readings moved for reasons unrelated to the sweep, recorded so neither is mistaken for its effect. `milos85vasic/milosvasic.ru` now reads **NONE** rather than HISTORICAL — its **43** provider-generated runs (not 34) are newest 2026-08-06T20:29:49Z, which has fallen outside the

rolling 30-day window; their cause is the broken-recursive-submodule failure described in the carve-out block above. And the row count is 44 rather than 40. Neither is caused by anything done here.

No git change was committed or pushed. Re-enabling Actions on any of the remaining 20 is a second provider mutation, not an undo — as row 21's reversal demonstrates, it is a fresh decision that has to be taken and evidenced on its own terms.

Decision #8 — REVERSED IN PART, on evidence that did not exist when it was taken

vasic-digital/vasic-digital.github.io is CARVED OUT of the sweep. Its Actions are ENABLED. Do not sweep it again without reading this section.

Sequence, measured:

```
08:35:41Z baseline: vasic.digital 200, milosvasic.ru 200, pages
built/legacy
08:36-08:52Z sweep disabled all 21, github.io last; each read
back enabled=false
08:37:47Z post-sweep health check: both sites still 200 <- SEE
WHY THIS PROVED NOTHING
08:47Z Actions RE-ENABLED on vasic-digital.github.io by
operator decision
08:48:36Z github.io=true · milosvasic.ru=true · other 20=false
vasic.digital 200 · milosvasic.ru 200 · pages
build_type=legacy status=built
```

What changed the decision. A concurrent root-cause investigation established that this repository's ONLY publish path IS an Actions workflow run: dynamic/pages/pages-build-deployment, workflow id 203369021, accounting for **64 runs = 100% of its run history**, with real jobs, steps and logs. An org-wide sweep of all **229** vasic-digital repositories found it is the **only** repository in the org that has ever produced such a run, and the **only Pages-enabled repository in the org at all**. So the sweep turned off the sole runner for the sole legacy-Pages site in the fleet.

The risk was accepted as UNCONFIRMED-in-both-directions. It stopped being symmetric once the publish path was identified as an Actions run. That is why this was re-put to the operator rather than treated as settled, and the operator reversed this one row.

Two process defects this exposed, recorded because they will recur

- 1. The rollback trigger was insufficient and would never have fired.** It was “re-enable if `https://vasic.digital/` stops answering 200”. Already-published Pages content keeps serving indefinitely, so the site answers 200 whether or not it can still BUILD. The post-sweep 200 at 08:37:47Z was a true measurement of nothing. **A liveness probe does not test a publish path.** The correct probe is a push, and the sweep agent said so itself: it recorded that its check established only that nothing broke *immediately*, and left “will the next push still publish” explicitly UNCONFIRMED.
- 2. The file-level test made this repository look safe.** `milosvasic.ru` was excluded because it HAS a workflow file. `vasic-digital.github.io` has ZERO workflow files — which is exactly why it passed the “safe to sweep” filter and exactly why it is dangerous: its publish path is provider-side and invisible to a file-level check. **Counting workflow files does not find publish paths.**

What the sweep did and did not achieve

- **All 21 transitions were real** — not one repository was already disabled, so the effect is not overstated.
- **verify-provider-ci.sh is still rc 1**, exactly as forecast. The CONFIRMED row is unchanged and now carries both facts at once: `actions-enabled=false` (at the time of that run) AND `STANDING TRIGGER: Pages build_type=legacy`. **The Actions switch and the legacy-Pages trigger are separate settings; turning the first off left the second standing.**
- Two movements that are NOT the sweep’s effect and must not be read as such: `milos85vasic/milosvasic.ru` moved `HISTORICAL` -> `NONE` because its 43 runs fell out of the rolling 30-day window, and the row count moved 40 -> 44 because `submodules/curriculum-kit` joined the fleet.

The unexplained runs are no longer unexplained (see also the §11.4.6 note below)

The operator's "no investigation" instruction was honoured for the SWEEP; the investigation was run separately and read-only, racing it, because capturing evidence is non-destructive. Both symptoms have root causes and they were never the same symptom:

- **vasic-digital/LLMProvider** — NOT a Pages build. A **Dependabot dependency-graph submission**: path=dynamic/dependabot/update-graph, actor=dependabot[bot], created **18 seconds** after the first push introduced go.mod. Nine other org repositories show the identical shape, five with the same total=1 dyn=1 fingerprint. It is the org's most common provider-generated shape, not an anomaly. Its Actions are now disabled, so this is **foreclosed rather than open** — but it is explained first.
- **milos85vasic/milosvasic.ru** — the carrier's standing claim, "*34 runs that no setting readable today explains*", is **WITHDRAWN as wrong on both halves**. It is **43 runs** and they are explained: the **legacy Pages builder failing** on fatal: No url found for submodule path 'Upstreamable/Upstreamable' — the exact defect pages.yml was written in commit fae3b245 to route around. The two publish paths ran **concurrently for six weeks**, contending: actions/deploy-pages@v4 polled deployment_in_progress for ten minutes and aborted. Deployment attribution switches cleanly from app github-pages to github-actions at fae3b245.
- **Still UNDETERMINED, bounded**: why the legacy stream STOPPED, inside a 3h45m window on 2026-08-06/07. Ruled out by measurement: a tree change (no commit in the window touches the publish path), a pause in pushes (pushes produced pages.yml runs and no legacy run), the legacy workflow being disabled (still reads state: active), and rulesets (empty on all three). **The missing evidence is the GitHub Pages settings-change history, which no REST endpoint exposes and for which a user-owned repository has no audit log**. It is operator recollection or nothing.

Honest boundary — the question this episode did NOT answer

Whether disabling Actions stops a build_type=legacy Pages build is STILL UNCONFIRMED. It was not answered by this episode. No repository in the fleet has ever paired legacy Pages with disabled Actions — vasic-digital.github.io had Actions enabled throughout all 64 runs — so there is no historical case to read. The natural experiment

existed for roughly eleven minutes today and **no push occurred during it**, so it produced no evidence. The question can only be settled by a deliberate test, which the operator declined and which is not recorded here as pending.

Honest boundary (§11.4.6)

- Every “DONE” above carries pasted evidence in the session that produced it. Every “IN FLIGHT” is work dispatched and not yet returned; **none of them is a claim of completion**, and no figure from them appears in this document.
- The `operator_block_details` table remains at 0 rows. This document, not that table, is the register — the table’s emptiness is itself a finding and is recorded rather than fixed by backfilling it here.
- **Decision #5’s premise was FALSE and the correction matters more than the task.** All three gates already existed and were tracked. Two of them were **passing over a stale ledger** — it recorded 26 findings while the live sweep measured 35, and because both the ratchet gate and the README badge read the LEDGER rather than the live sweep, both showed a friendlier picture than the tree. Regenerating the ledger (ceilings byte-unchanged, nothing re-baselined upward) turned a passing gate **RED on purpose**. The full sweep moved 173 PASS / 96 FAIL -> 171 PASS / 98 FAIL over an identical 271-gate population; both new FAILs are that same honesty. CLAUDE.md’s “three actionable FAILs” and its “the sweep keeps no expected-gate ledger” note are both **superseded** — `scripts/constitution-gate-ledger.tsv` exists at 271 rows and the DROP direction has been proved by name since 2026-09-02.
- **Decision #12’s premise was also false:** `-question-verify` none had already landed in workshop commit 5642dd6. It was verified against a restored RED baseline rather than re-implemented. **This is the seventh time in three days that a reported symptom was real and its stated mechanism was wrong** — the 09-08 record names six. Treat a stated mechanism as a hypothesis to reproduce, never as a finding.
- **Three findings from #12 that nobody asked for and that are not yet decided:** half the “8 rows awaiting confirmation” already carried a recorded human disposition; `plan-coverage-proposal.md`

says 66 rows while the committed JSON says 49 and `verify-plan-coverage-proposal.sh` exits 0 **because it never reads the prose** (a §11.4.201 false-green); and the own-row corroboration lane is low-specificity, one generic row being the best match for three separate points. The 8 rows resolved 4 CONFIRMED / 3 REFUTED / 1 already-covered, and **no row was repaired** — that is a separate operator decision.

Ratified: the generation-8 bump, and a stop-rule that was WRONG

Operator ratified 2026-09-09. The index moved gen 7 -> gen 8, `root_hash sha256:62e62eea... -> sha256:13a81800...`, and the agent proceeded THROUGH a stop-rule I had written telling it to halt on exactly that signal. **The agent was right and my rule was wrong.** Recorded in full, because a mis-specified guard is more dangerous than a missing one — it teaches the next agent to stop on a safe operation and, worse, implies the unsafe one is covered.

MY RULE (wrong): STOP if `root_hash` moves – "you have broken citations"
CORRECTED RULE: STOP if any EXISTING `pid` or `content_hash` CHANGES

`root_hash` moving is the NORMAL signature of any append. As written, my rule would have blocked every legitimate ingest while catching nothing that a mutating re-cut does differently. The evidence that this move was additive:

```
existing=25091  minted=297  EXISTING PIDS REMOVED: 0  EXISTING  
content_hash CHANGED: 0  
git diff --stat curriculum/passages.jsonl -> 297 insertions(+), 0  
deletions
```

That is materially unlike the merge decision #26a proved unsafe, which moved existing pids and orphaned an anchor. The agent also recomputed the hash independently on both sides and **predicted 13a81800... before the server minted it** — so the hash model itself was verified, not assumed. And ingesting cannot be done at all without minting a generation, so authorising “ingest AND embed” was authorising this.

Lesson, stated generally: a guard must assert the REAL condition (§11.4.201). Mine asserted a proxy — and the proxy fires on the safe case. The operator additionally asked whether to mechanise the

distinction between an ADDITIVE and a MUTATING generation bump; that was not selected, so it remains open and is recorded here rather than lost.

The redactions table was ALREADY materialised — decision #11’s premise was FALSE

Measured BEFORE anything was touched: the table was materialised on **2026-09-08 at 20:37** by workshop-server’s own boot path (cmd/workshop-server/redaction_log.go). No index rebuild was needed and **root_hash was never moved by decision #11.**

redactions rows	210	(append-only log length)
distinct pids	162	(effective suppression set)
registry flagged	162	-> log and registry AGREE
reason codes	9	

210 != 162 is correct and must not be “fixed”. 210 is the log; the extra 48 are repeat suppressions under a different reason. The 162 figure this repository has been carrying is the effective set, and the registry’s independent redacted flag count corroborates it.

Decision #5 of 09-08 (a reason code for “flagged withheld-only by corpus statistics, judged not private”) is present as withheld_only_run_judged_non_private. It cannot live in redactions — that table’s CHECK constraint is a closed redact|unredact vocabulary owned by the passage submodule — so it has its own log. That is a design fact worth knowing before anyone tries to “unify” the two.

This is the NINTH time in three days that a reported symptom was real and its stated mechanism was wrong. The 09-08 record names six; decisions #5, #12 and #11 of today make nine. **Treat every stated mechanism as a hypothesis to reproduce (§11.4.115), never as a finding.**

Decision #9/#10 outcome — measured, and the published figures were wrong

document	before	after
04-transcription-and-two-engine-review.md	9	0

05-evidence-gates-and-anti-bluff.md	4	2
01 / 02 / 03	0	0

The 62 / 54 / 58 figures carried in the 09-08 record DO NOT REPRODUCE and are superseded — they were per-document totals including exempt Sources entries, not the non-exempt violations that actually gate publication.

Ingest: pipeline/{README,CALIBRATION,AUDIT}.md plus 4 PUBLIC umbrella files, direction verified before ingesting (gh api -> visibility=public, and all four git ls-files-TRACKED, i.e. already published). 297 passages minted, **25,226 of 25,226 members carry vectors — zero vectorless**, which was the whole point of the model-on window. Embedder stopped and proven stopped; ollama serve pid 9044 predates the session, is not ours, and was left running (§11.4.174).

Neither document is publishable yet, and not for a citation reason: W3 reports all five documents' publication reviews STALE. The agent deliberately refused to hand-write a review row, because decision #19 closed exactly that path. That refusal is correct and is why step 3 below exists.

Doc 05's two survivors are genuinely uncitable, for different reasons: **L230** cites gate RUN OUTPUT (transient measurements living in no artifact); **L156** cites a statement that lives in platform/gates/verify-server-unity.sh — a shell script, and **no shell-source ingest path exists**. That second one is a real gap in the ingest surface: gate LOGIC lives in shell and nothing in the corpus can cite it.

Operator decisions taken 2026-09-09 on the above: build a shell-source ingest path for L156 and REWRITE L230 to what a durable artifact supports; re-export the prebuilt bundle to the final generation; and run the producer/ verifier path to record fresh reviews. They carry a HARD ORDERING — a shell-source ingest mints a new generation, which would immediately re-stale a bundle exported to generation 8 — so they were given to ONE owner, sequenced.

Second pass — 14 further decisions, 2026-09-09

Taken after the first twelve, on items this session's own work surfaced. Same recording rule (§11.4.208).

#	Item	Decision
13	Nothing committed since e1de4d5 (75 umbrella files, 158 in workshop); decision #16 of 09-07 still PENDING	Wait for every writer, then commit + push recursively. Honours §11.4.84 quiescence. Submodules first, then the umbrella with gitlinks and helix-deps.yaml staged together or C9 correctly reports DRIFT
14	3 of the 8 weakest evidence rows came back REFUTED	Investigate the RULE that produced them first — operator declined rewrite, correct-to-covered and withdraw
15	plan-coverage-proposal.md says 66 rows, the JSON says 49, and the gate exits 0 because it never reads the prose (§11.4.201 false-green)	Fix the gate to read the prose, THEN regenerate the sheet
16	20 repositories left with Actions disabled; Pages ruled out for all of them, other consumers never checked	Audit the 20 for NON-Pages consumers before declaring them safe
17	Why the milosvasic.ru legacy Pages stream stopped, bounded to 3h45m on 2026-08-06/07	Close as permanently UNDETERMINED. The evidence class needed (Pages settings-change history) does not exist for a user-

#	Item	Decision
18	Does disabling Actions stop a build_type=legacy Pages build? UNCONFIRMED in both directions	owned repo. Stop carrying it as an open investigation Test it deliberately, with a rollback ready — on the live site, because it is the only legacy-Pages repo in a 229-repo org
19	Four 09-08 decisions recorded DECIDED with no completion evidence	Execute all four: #27 read the 182 unflagged bank questions · #16 audit the 264 citations · #24 author banks for areas 19/27/28 · #25 make the four kg_* kinds searchable
20	Content-boundary follow-ups after the direction subtraction shipped	All four: update the carriers · attribute the 1,138 UNDETERMINED rows · check subtracted rows against recall-cost class 1 · characterise the new fingerprint class
21	The coverage rule's two candidate fixes	Fix A now, Fix C after review. A is decision #14's precedent applied to the branch it was never applied to (1 row moves); C demotes the chance-level lane (6 rows move)
22	The 66 -> 49 arithmetic reconciles	Trace the per-row correspondence,

#	Item	Decision
	exactly but was never traced per row	then regenerate — an exact total can hide two offsetting errors
23	§11.4.65 vs §11.4.30: exports mandated but .gitignore ignores them, so a fresh clone is RED on arrival	Track the exports — narrow .gitignore
24	§11.4.65 protection 4: the docs-chain gate exists but no build path runs it	Run waves 1+2 first, then wire it. Wiring a red gate into pre-push blocks all work, and a gate people bypass with --no-verify is worse than no gate
25	Export-wave sequencing against a moving content-boundary corpus	Wait for the CB agent, then run both waves
26	The generation-8 bump and my mis-specified stop-rule	Ratify the override. See the ratification section above

The coverage rule — ROOT CAUSE FOUND, and it is a measurement

The rule scores two lanes against a 300-trial matched null; covered requires **both**. Each lane was measured against the 7 recorded human covered decisions (one-sided hypergeometric):

lane	fires	captures human-covered	expected by chance
p transcript	7/49	4/7	1.00
0.0049			
own-row	5/49	1/7	0.71
0.55			

The transcript lane carries measurable signal about the human verdict. The own-row lane's agreement is indistinguishable from chance — and it is a mandatory conjunct, so a signal-free lane can veto the informative one.

Two distinct causes, not one, and the investigation refused to force one story:

1. **01M1SD6HJ78ZTKAXSW0185YKH8 (ch 02.01)** — decision #14's defect class, **uncorrected on the covered branch**. The rule measures the own-row lane as blind ($o_q_upper95 = 0.8618$), disqualifies it from CREATING a negative, and still lets it VETO a positive. **The guard exists, computes the right number, prints it, and is not consulted.**
2. **...KCB and ...KCC (ch 02)** — blindness does NOT explain these; there $o_q_upper95 = 0.0099$, so the lane could see, looked, and did not corroborate. Its local reasoning is valid. The defect is one level up: the lane should not be a mandatory conjunct at all.

Excluded by measurement, not assumption: threshold and seed instability (across four seeds only 2–3 of 49 rows move any lane's significance and covered stays 1 every time); a mid-p tie correction (changes nothing); chapter length (both ch-02 rows sit in a 1206-segment chapter). Widening the own-row lane to a union over all rows makes it **worse** (fires 1/49), so this is a redesign question, not a tuning one.

A claim was withdrawn mid-investigation, and it is recorded because the withdrawal is the quality signal: an intermediate finding that covered was “physically unreachable for 44/49 rows” was **mislabeled** — it merely restated the observed lane failure. Checked properly, a single own row carrying 1–2 of a point's rarest terms would suffice everywhere. **There is no unreachability theorem; there is an extreme power deficit.**

No recorded human decision is contradicted by either fix. All 7 human dispositions are covered, so no rule change can overturn one — it can only move rows toward or away from agreement.

The 66 -> 49 divergence is EXPLAINED, and it reshapes the gate

-11 decision #13 — ASR fragments naming no deliverable, retired as EXTRACTION DEFECTS (deliberately NOT as dropped, which would have entered them in the commitment ledger) -6 rows in curriculum/plan-point-retractions.jsonl — 49 the committed JSON

The sheet is **not wrong about a count** — it predates two retirement waves. **Consequence for the gate being built:** a check asserting naive equality between prose and JSON would report this as a divergence forever, or force the prose to forget that 17 rows were deliberately retired. The honest assertion is that the two agree **once the recorded retirements are accounted for** — the gate reconciles through the retraction ledger and prints the reconciliation. The rationale-code discrepancy (four in the prose, five in the JSON) is a genuine divergence and is exactly what a total-only check would miss.