

DECISION-11-4-156-COMPLY

Decision — §11.4.156: comply at the umbrella root; pages.yml stays ACTIVE

Field	Value
Revision	2
Created	2026-08-27
Last modified	2026-08-27 (revision 2 — partial reversal, see §0)
Status	active — decision made and then partially reversed the same day; C1/C3 applied and measured, C2 REVERSED (pages.yml restored to ACTIVE and staying active), provider-side steps (§5) not done The operator decided the §11.4.156 conflict recorded as OC-1 and OC-2. First decision: comply — disable both, enforce locally. A material fact then emerged (§0) and the operator issued an overriding directive prioritising production uptime. Net result: .github/workflows/ci.yml (umbrella root) is renamed to ci.yml.disabled and its gates are wired into a local pre-push hook — the umbrella root complies.
Status summary	

Field	Value
	milosvasic.ru/.github/workflows/pages.yml is RESTORED TO ACTIVE and will not be disabled, because it is the sole publish path for a live production website; that submodule is a known, documented deviation. No amendment to the shared constitution is made, and no project-local Override §11.4.156 is recorded — the second was sought and found structurally unavailable, and the deviation in §0 is emphatically not one. The plan previously recorded in Constitution.md OC-1 option 2, docs/constitution-adoption/README.md §7 OC-1 option 2, docs/constitution-adoption/INVENTORY.md G4, and docs/constitution-adoption/REMOTE-ASYMMETRY.md §9 — all of which describe recording an Override §11.4.156 as an available resolution. It is not.
Supersedes	<u>CI-INVENTORY-11-4-156.md</u> — the per-file CI surface inventory for this decision, produced separately. It did not exist when this record was first drafted; it is now present (40,232 B, 2026-08-27 21:34) and is the authority for the per-file surface list. This record does not restate its contents.
Cross-reference	
Continuation	Operator-only provider-side steps (§5) and the hook-install step (§6) remain open. The milosvasic.ru deviation (§0) is not scheduled for closure.

0. Revision 2 — the partial reversal (read this before anything below)

Revision 1 of this record, and roughly a dozen documents reconciled with it, stated that **both** workflows were disabled. **That is no longer true, and for milosvasic.ru it will not become true again.** Revision 1's text is retained below rather than deleted, so the decision history stays legible; every place it is now falsified carries an inline correction.

0.1 The material fact that forced the reversal

`milosvasic.ru/.github/workflows/pages.yml` is not merely *a* publish path for `https://milosvasic.ru/`. It is the **only** one. Measured 2026-08-27:

```
$ gh api repos/milos85vasic/milosvasic.ru/pages
{... "status":"built", "cname":"milosvasic.ru",
  "html_url":"https://milosvasic.ru/",
  "build_type":"workflow", "source":
{"branch":"main","path":"/"}, ...}
```

`build_type: "workflow"` means GitHub Pages publishes that site **exclusively** by running that workflow. Three facts close every alternative:

1. There is **no gh-pages branch** and **no docs/ folder** to serve from.
2. The repository root is Jekyll **SOURCE** — Liquid templates and YAML front matter — so it cannot be served raw from a branch even if the source setting were switched. The built output (`_site/`) is git-ignored by design.
3. **`_tools/deploy-langs.sh` is NOT a substitute.** It regenerates content, commits, and pushes the source, and then sleeps waiting for the server to rebuild. It covers generation and push; it covers **none** of the publish step. Reading it as a replacement deploy path was the error that made revision 1 look survivable.

Renaming `pages.yml` to `pages.yml.disabled` therefore does not “remove an automated deploy” that a human could perform by hand later. It **takes a live production website offline at its next content change** — the site freezes at whatever was last published and never updates again.

0.2 The operator’s overriding directive, verbatim

“Make sure all pages websites work flawlessly! No website can be broken! All websites we have here are running deployed in production!”

That directive overrides the pages.yml half of “Comply — disable both, enforce locally.” It does not touch the ci.yml half, which publishes nothing and therefore costs no uptime.

0.3 The state that actually stands

Surface	State	§11.4.156 posture
.github/workflows/ci.yml (umbrella root)	DISABLED — renamed ci.yml.disabled; gates relocated to tracked scripts/pre-push-gates.sh + an installed .git/hooks/pre-push shim. Stands.	COMPLIANT at file level (clause (A)+(B)); clause (B)’s “a push triggers ZERO runs” still unproven pending §5
milosvasic.ru/.github/workflows/pages.yml	ACTIVE. Restored, byte-identical to the version publishing today. Verified 2026-08-27: git status clean, git diff HEAD empty, YAML parses, both build and deploy jobs intact, on: push [main] + workflow_dispatch. It will NOT be disabled.	NOT COMPLIANT — known, documented deviation
vasic.digital	Zero workflow files in its tree. Pages source is build_type: "legacy", and every push triggers a provider-side pages	NOT COMPLIANT at the PROVIDER level — no file-level remedy exists

Surface	State	§11.4.156 posture
	build and deployment run (dynamic/pages/ pages-build- deployment; runs observed 2026-08-27, 2026-08-10).	

0.4 This is a DEVIATION, not an Override — and the distinction is load-bearing

§11.4.156’s closing formula forbids an exemption by name: “*No escape hatch — no --allow-ci, --enable-workflow, --keep-pipeline, --remote-ci-OK, --ci-exempt flag.*” §2 of this record shows at length why an Override §11.4.156 is structurally unavailable. **Nothing in revision 2 changes that.** The `milosvasic.ru` state is not an override, not an exemption, and not a resolution:

- An **override** would claim the rule no longer applies. It still applies.
- A **deviation** admits the rule applies, is being knowingly broken, and says why. §11.4.156 makes that “*a release blocker regardless of context*” — that characterisation is accepted here, not argued away.

`milosvasic.ru` is therefore recorded as **permanently non-compliant with §11.4.156(A) by explicit operator decision, prioritising production uptime over the clause.** Anyone writing this up as an Override §11.4.156 — in this file, in the project Constitution.md, in a carrier, or in a report — is introducing a governance error. Do not do it.

`vasic.digital` cannot be made compliant by any change to its tree at all: it has no workflow file to disable, and the runs come from the Pages **source setting**. Only the operator, in the GitHub UI, could change that, and doing so would unpublish the site.

1. The conflict, stated precisely

§11.4.156 — “*All CI/CD automation (GitHub Actions / GitLab pipelines / equivalents) MUST be disabled*” (User mandate, 2026-06-15) — clause (A):

(A) Zero active CI at the repository root. No active `.github/workflows/*.yml|*.yaml`, no `.gitlab-ci.yml`, no `.gitlab/**` pipeline include, nor any equivalent provider config may exist at the ROOT of any governed repository/submodule — the only location a provider executes.

clause (B), which defines what “disabled” means:

(B) Disabled means a push triggers ZERO runs. Delete the config OR rename it to a non-active name (the §11.4.75 `.disabled / .disabled-local-only` convention — a provider ignores any name that is not its exact trigger filename); a workflow left with `live on: triggers` but `if: false` jobs still queues runs and is NOT compliant.

clause (C), which scopes it:

(C) Scope = repositories we author + push. [...] the test is “does a push to one of OUR upstreams trigger a run?” — yes ⇒ disable, structurally-inert ⇒ document + leave (§11.4.6 — verify inertness as FACT, never assume).

and its closing formula, which is the sentence that killed the previous plan:

Non-compliance is a release blocker regardless of context. No escape hatch — no `--allow-ci`, `--enable-workflow`, `--keep-pipeline`, `--remote-ci-OK`, `--ci-exempt` flag.

The two files in conflict, as measured in the working tree on 2026-08-27 before any rename landed:

File	Size	Triggers	§11.4.156(C) test	Conflict ID
<code>.github/workflows/ci.yml</code>	12,421 B	<code>on: push [main],</code> <code>on: pull_request [main]</code>	authored and pushed by this project ⇒ in scope	OC-1
<code>milosvasic.ru/.github/workflows/pages.yml</code>	1,333 B	<code>on: push [main],</code> <code>workflow_dispatch</code>	owned submodule, authored and pushed ⇒ in scope	OC-2

Revision 2 note. OC-2 remains in scope and remains a conflict. What changed is the resolution, not the diagnosis: `pages.yml` is the sole publish path for a live production site (§0.1), so it stays **ACTIVE** and OC-2 stays **open as a documented deviation** (§0.4). OC-1 is unaffected and was resolved by compliance.

`submodules/superspec/.github/workflows/ci.yml` remains **out of scope** and is not touched: §11.4.156(C) scopes the clause to “*repositories we author + push*”, and `superspec` (WangX0111/superspec) is third-party. The same holds for its vendored mirror under `.specify/extensions/superspec/.github/`, which is not at a repository root and is therefore structurally inert.

2. Why an Override was not available

The previously recorded plan — visible in `Constitution.md` OC-1 option 2 and mirrored in three other documents — was to “*record an explicit Override §11.4.156 in the project Constitution.md, with the operator’s justification.*” That option does not exist. Two independent reasons, either of which alone is sufficient:

Reason 1 — the rule forbids one by name. §11.4.156’s closing formula does not merely set a high bar for exemption; it enumerates and refuses the exemption vocabulary: “*No escape hatch — no --allow-ci, --enable-workflow, --keep-pipeline, --remote-ci-OK, --ci-exempt flag.*” A project-local `Override §11.4.156` is precisely a `--ci-exempt` by another spelling. Writing one would not resolve the conflict; it would restate it in the document that is supposed to resolve it.

Reason 2 — the inheritance contract makes a project-local override structurally impossible. This repository inherits by the portable pointer form, and every carrier states the contract in the same words. From this repository’s own `CLAUDE.md` / `AGENTS.md` / `QWEN.md` / `GEMINI.md`:

Project-specific rules below extend them — they do NOT weaken or override any universal clause.

When this file disagrees with the constitution submodule, the constitution wins.

and from the constitution’s own consumer scaffold `submodules/constitution/templates/AGENTS.project.md.template`:

This file extends them with project-specific rules; it never weakens them.

A project carrier that recorded an `Override §11.4.156` would be weakening an inherited universal clause, which is the one thing the inheritance contract says a consumer carrier cannot do. The project `Constitution.md` had already reached the same conclusion in general terms before this decision, in its `## Overrides` section:

An unresolved contradiction between this repository’s live state and a universal clause is **not** an override.

So the override path was never a path. Recording one would have been a governance error dressed as a resolution.

Consequence. Once the override is unavailable, compliance is the only remaining option that does not amend shared governance. That is the whole of the reasoning: not that compliance was preferred on its merits over an override, but that there was nothing to prefer it over.

3. The four options and the choice

Options 1, 3 and 4 below are the three already on record in `Constitution.md` OC-1; option 2 is the amendment path, which becomes the only alternative once the project-local override is disqualified. The operator’s decision is quoted verbatim; the option framing is reconstructed from the recorded conflict plus the two disqualifiers in §2 above, and is labelled as such rather than presented as a transcript.

#	Option	Outcome
1	Comply. Disable both workflows per §11.4.156(B) (rename to a <code>.disabled</code> name), and move the same gates to the local §11.4.75 layer so enforcement is <i>relocated</i> rather than deleted.	CHOSEN — then partially reversed the same day (§0). Applied to <code>ci.yml</code> and ^x standing. Reversed for <code>pages.yml</code> .
2	Amend the shared constitution. Edit submodules/	Not taken. It would change governance for every

#	Option	Outcome
	constitution/ Constitution.md to create an exemption for this class of workflow.	consuming project, not just this one, and submodules/ constitution fans out to six push URLs . The decision *explicitly states no constitution amendment is being *made.
3	Record a project- local Override §11.4.156.	Structurally unavailable — see §2.
4	Keep both workflows and knowingly accept the release-blocker state.	Not taken. §11.4.156 makes non- compliance “ <i>a release blocker regardless of context</i> ”, and names silence as the one posture it does not permit.

Operator decision, verbatim: “*Comply — disable both, enforce locally.*”

Overriding operator directive, issued later the same day, verbatim:

“**Make sure all pages websites work flawlessly! No website can be broken! All websites we have here are running deployed in production!**”

The second directive does not reopen the option table. It removes `pages.yml` from the scope of option 1 on a ground the table never weighed — that disabling it takes a **production website** offline, because it is the site’s only publish path (§0.1). Option 1 stands for `ci.yml`. For `pages.yml` the outcome is a **fifth** posture the original table did not contain: **knowing, documented non-compliance**, which is option 4’s *state* accepted deliberately and on the record, without option 3’s false claim of an override.

4. What is changed as a result

Three mechanical changes, all applied by other actors in the same work window. Each row states what was **measured**, and when.

#	Change	Clause satisfied	State
			APPLIED.
C1	<code>.github/workflows/ci.yml → .github/workflows/ci.yml.disabled</code>	§11.4.156(A) + (B)	Measured 2026-08-27 21:36 — <code>.github/workflows/</code> contains exactly one entry, <code>ci.yml.disabled</code> (15,164 B); no <code>.yml/.yaml</code> remains. <code>git status</code> shows the rename staged as RM. <i>(Earlier in this same session the file was still <code>ci.yml</code>, 12,421 B, with live on: <code>push / on: pull_request triggers</code> — this row was rewritten from PENDING once the rename landed.)</i>
			REVERSED — NOT APPLIED, and will not be. The rename was briefly present in the submodule working tree (measured 2026-08-27 21:28) and was never committed or pushed , so the live site was never interrupted. It has been undone. Verified 2026-08-27 21:41: <code>milosvasic.ru/.github/workflows/</code> contains exactly one entry, <code>pages.yml</code> (1,333 B,
C2	<code>milosvasic.ru/.github/workflows/pages.yml → pages.yml.disabled</code>	§11.4.156(A) + (B), in an owned submodule	

#	Change	Clause satisfied	State
			ACTIVE); git status in the submodule is clean and git diff HEAD is empty, i.e. the file is byte-identical to the version publishing today; the YAML parses and both the build and deploy jobs are intact. Reason: build_type: "workflow" makes this the sole publish path for a production website — see §0. APPLIED on this machine. Measured 2026-08-27 21:30 — .git/hooks/pre-push exists (1,224 B, executable). It is a thin shim that execs the tracked scripts/pre-push-gates.sh, installed by bash scripts/pre-push-gates.sh --install. The runner reproduces the disabled workflow's gates in order and adds a gate E implementing §11.4.156(E)'s own pre-push self-check. ⚠ The hook is per-clone local state — see §6.
C3	The gates the umbrella workflow ran are wired into a local pre-push hook	§11.4.75 Layer 5 / §11.4.156's <i>"Enforcement migrates to the LOCAL §11.4.75 five-layer git-hook ritual"</i>	

§11.4.156(E) self-check, executed 2026-08-27:

```
$ git ls-files | grep -E '^\.github/workflows/.*\.ya?ml$'
(no output)
```

Empty output is the compliant result for clause (E) at the umbrella root. Note what this proves and what it does not: it proves no *tracked, root-level, actively-named* workflow file remains. It does not prove clause (B)'s actual test — “a push triggers ZERO runs” — which depends on the provider-side settings in §5.

The gate set relocated by C3 is the one the umbrella workflow ran, which README.md documents as runnable from a fresh clone and which scripts/pre-push-gates.sh now runs in the same order — Gate 0 (hardcoded path audit), Gate 1 (Go unit tests), Gate 2 (hardcoding audit), Gate 3 (translate reproducibility self-test), Gate 4 (portfolio §1.1 self-validation), Gate 5 (harness self-validation), Gate 6 (Playwright chromium) — **plus a gate E** that the remote runner could not perform: §11.4.156(E)'s own pre-push check that no root-level active CI file has reappeared.

One audit finding carries over and should be tracked against the runner rather than the retired workflow: CI-WORKFLOW-AUDIT.md **S2** records that Gate 2's _tools/audit-hardcoding.sh has a **vacuous-pass path** (set -uo pipefail without -e, and a generator loop whose exit status is never checked). That finding is now more load-bearing, not less, because the local hook is the only thing running it.

pages.yml is not a test workflow. It is a Jekyll *deploy* — it publishes <https://milosvasic.ru/>. Disabling it does not relocate an enforcement check; it removes an automated deploy. ~~Publishing that site becomes a local/manual step (_tools/deploy-langs.sh is the existing local deploy path).~~

Corrected in revision 2 — this was the decisive error. _tools/deploy-langs.sh is **not** a local deploy path for the *published* site. It regenerates content, commits, and pushes **source**, then sleeps waiting for the server to rebuild. The rebuild it waits for **is** the workflow. With build_type: "workflow" and no gh-pages branch, no docs/ folder, and a Jekyll-source repository root, there is **no** manual or local substitute at all — disabling pages.yml does not degrade the deploy to manual, it **ends** it. That is why C2 was reversed (§0).

That asymmetry between OC-1 and OC-2 was already recorded in REMOTE-ASYMMETRY.md §9 and survives this decision unchanged — indeed revision 2 sharpens it into the reason the two conflicts now end differently. Only the override recommendation in that section is superseded.

The per-file inventory of every CI surface considered under this decision — including the ones ruled structurally inert — is [CI-INVENTORY-11-4-156.md](#), produced separately and not yet present when this record was written.

5. Honest boundary (§11.4.6) — what this decision does NOT reach

§11.4.156 states this boundary itself, and it is reproduced here because it is the difference between “compliant” and “the file was renamed”:

Honest boundary (§11.4.6): file-level disabling stops FILE-triggered runs; it does NOT disable provider-side server settings the agent cannot reach (org-default required workflows, branch-protection required checks, provider-side scheduled exports) — those MUST be turned off in provider settings by the operator, and the agent documents what it cannot reach rather than claiming a completeness it did not achieve.

Applied to this repository, the following are **operator-only manual steps in a provider web UI**. None of them is done. None of them can be done from this working tree, and no rename in §4 touches any of them.

What HAS changed since this table was written: the “State” column is no longer the only way to know. Every row below is a dated observation from 2026-08-27. Changing a provider setting is still operator-only, but *reading* one is not — it was the file-level checks that were blind to these surfaces, not the repository. Re-measure before quoting any row as current:

```
bash scripts/verify-provider-ci.sh
# 0 = no provider-generated triggering found
# 1 = provider-side triggering CONFIRMED
# 2 = COULD NOT DETERMINE – not a pass, and never to be recorded as one
```

It enumerates the owned repositories from this checkout’s own remotes (so a new remote is covered without editing a list) and queries the provider for Pages build_type, provider-generated pages build and deployment runs, branch protection / required checks, and Actions enablement. scripts/setup-agents-wizard.sh runs it as

Step 9 and turns a confirmed finding into a manual step. A NOT VERIFIED below therefore means “nobody has run the check since”, not “unknowable”.

#	Provider-side surface	Where it lives	State
P1	Org-default / required workflows that GitHub can inject into a repository without a file in that repository’s tree	GitHub org settings for milos85vasic, vasic-digital, HelixDevelopment	NOT VERIFIED, NOT DISABLED. Not reachable from the working tree.
P2	Branch-protection required status checks on main — a required check whose workflow no longer exists blocks merges rather than passing them	GitHub repo settings → Branches	NOT VERIFIED, NOT DISABLED. If CI is configured as a required check, renaming ci.yml will make PRs unmergeable until the requirement is removed.
P3	The GitHub Pages “source” setting for milosvasic.ru	GitHub repo settings → Pages	NOW VERIFIED (2026-08-27), and deliberately NOT DISABLED. gh api repos/milos85vasic/milosvasic.ru/pages → build_type: "workflow", source: {branch: main, path: /}, status: "built", cname:

#	Provider-side surface	Where it lives	State
P3b	The GitHub Pages “source” setting for vasic.digital	GitHub repo settings → Pages	milosvasic.ru. This is the finding that reversed C2: the setting does not fall back to the built-in action — it delegates publishing entirely to pages.yml. Disabling the workflow would leave the site with no publisher. Permanent documented deviation, not an override (\$0.4). VERIFIED (2026-08-27), NOT DISABLED and not disable-able from the tree. gh api repos/vasic-digital/vasic-digital.github.io/pages → build_type: "legacy", and the Actions run list shows pages build and deployment (dynamic/pages/pages-build-deployment, event dynamic) on 2026-08-27 and 2026-08-10. So vasic.digital triggers provider-side Actions runs

#	Provider-side surface	Where it lives	State
P4	Provider-side scheduled exports / cron-like automation not expressed as a workflow file	Provider settings, per host	on every push with zero workflow files in its tree. §11.4.156(A) is unsatisfiable there by any file-level change; only the operator, in the Pages UI, could stop it, and that would unpublish the site. Documented provider-level non-compliance. NOT VERIFIED, NOT DISABLED. Note that milosvasic.ru, monetization and submodules/constitution push to GitFlic, GitLab and GitVerse as well as GitHub; each host has its own automation settings.

Therefore: this repository is not §11.4.156-compliant, and will not become so. Stated per surface, so no reader can round it up:

- **Umbrella root** — *file-level* compliant after C1+C3. Clause (B)’s actual test, “*a push triggers ZERO runs*”, remains unproven until **P1, P2 and P4** are checked in the provider UIs by the operator.
PARTIAL, never **CLOSED**.
- **milosvasic.ru** — **NOT compliant, permanently, by decision.** P3 is verified and the answer is that the workflow must stay.
Documented deviation (§0.4), not an override.

- **vasic.digital** — **NOT compliant at the provider level**, verified at P3b, with **no file-level remedy** available to any agent or to this tree.

Recording any of this as “§11.4.156 CLOSED” would be exactly the completeness claim §11.4.6 forbids. G4 moves from **OPEN** to **PARTIAL** and stays there.

6. What is lost by this decision

Stated plainly, because it is the real cost and the operator should read it here rather than discover it later:

There is no longer any server-side enforcement on push or pull request.

The headline cost, stated once and up front so it is not buried in the list below: the umbrella’s seven gates now depend on a hook living in `.git/hooks/`, **which git does not track**. Two consequences follow directly, and neither has a technical fix inside this repository:

1. **A fresh clone has NO enforcement whatsoever** until somebody runs `bash scripts/pre-push-gates.sh --install` by hand. Not weaker enforcement — none. Nothing in the repository can detect a clone where that step was skipped, and nothing warns the person pushing.
2. **git push --no-verify bypasses the hook entirely**, silently, leaving no record that anything was skipped.

The enforcement guarantee this repository now has is therefore **“someone remembered, and chose not to skip”** — not “the system checks”. That is a categorically weaker property than the workflow provided, and it is the price of §11.4.156 compliance at this root.

The itemised breakdown follows.

1. **The gates become opt-in.** They run only if the local pre-push hook is installed on the machine doing the push. Nothing on the server checks anything. A push from a machine without the hook is unchecked, and the provider will accept it silently.

2. **.git/hooks/ is not tracked by git.** It is per-clone local state; it is not part of the repository's content and cannot be. **A fresh clone therefore has zero protection until this is run by hand:**

```
bash scripts/pre-push-gates.sh --install
```

The design mitigates this as far as it can — the *logic* lives in the tracked, reviewable `scripts/pre-push-gates.sh`, and only a thin shim is written into `.git/hooks/pre-push` — but the shim itself can never be tracked. This is not a defect in the hook; it is a property of git. It means the enforcement guarantee this repository now has is **“someone remembered”**, not “the system checks”. Nothing in the repository can detect a clone where the install step was skipped.

3. **Pull requests lose their check entirely.** A pre-push hook fires on the push that *creates or updates* a branch; it does not run when a PR is opened, when a PR is merged through the GitHub UI, or on any push made from a different clone, from a web editor, or by a bot. The umbrella workflow ran on `pull_request`. Nothing replaces that.
4. **A pre-push hook is bypassable by design.** `git push --no-verify` skips it, with no record that it was skipped.
5. **The gap this workflow was created to fill returns.** The workflow's own header records why it was added: *“Before this workflow existed, the ONLY GitHub Actions in play was `milosvasic.ru/.github/workflows/pages.yml` — a Jekyll deploy. Nothing ran the test suite, so a regression could only be caught by hand.”* Compliance with §11.4.156 restores that condition, mitigated only by the local hook and by the §11.4.40 pre-tag sweep.
6. ~~**milosvasic.ru loses its automated deploy**~~ (see the note in §4). The site is published by whoever runs the local deploy path, when they run it. **Revision 2: this cost is NOT paid, because it turned out to be unaffordable.** There is no “local deploy path” for the published site to fall back to (§0.1). The real cost of disabling `pages.yml` was not a downgrade to manual publishing but the **permanent freezing of a live production website**, and that is why C2 was reversed. What is lost instead is compliance: `milosvasic.ru` stays knowingly outside §11.4.156(A), on the record, indefinitely.
7. **The repository can no longer claim §11.4.156 as a whole.** Two of three surfaces are non-compliant and are staying that way — one by decision (`milosvasic.ru`), one by provider mechanics with no file-level remedy (`vasic.digital`). Any future gate, report, or release

checklist that asserts “§11.4.156 satisfied” for this repository is asserting something false. It may only assert it of the **umbrella root**, and only at file level.

The `ci.yml` half of the decision is still correct — the rule permits nothing else there, and §11.4.156 makes that trade deliberately, moving enforcement from a remote runner to a local ritual. But the trade is real, and the mitigation (item 2) is the weakest link: **install the hook on every clone, or the compliance is nominal**. The `pages.yml` half is no longer claimed at all: it was attempted, found to cost a production outage, and withdrawn under the operator’s directive quoted in §0.2.

7. Documents reconciled with this decision

Every document below previously stated something this decision falsifies. Each now carries the reversal alongside the original text; none was silently rewritten.

Revision 2 addendum. The same documents were reconciled a *second* time on 2026-08-27, because revision 1 propagated the claim that **both** workflows were disabled. Every one of them now states: `ci.yml` disabled with gates local; `pages.yml` **ACTIVE and staying active**; `milosvasic.ru` a **documented deviation, not an override**; `vasic.digital` non-compliant at the provider level with no file-level remedy. The stale “both disabled” text is struck through in place rather than deleted, so the decision history remains readable.

Document	What was stale
<code>Constitution.md</code> (project)	OC-1 / OC-2 recorded as unresolved with an Override §11.4.156 among the resolutions; ## Overrides reasoning; G4 gap row
<code>docs/constitution-adoption/README.md</code>	§7 OC-1 / OC-2, and the G4 row in the gap table
<code>docs/constitution-adoption/INVENTORY.md</code>	G4 (“ <i>or record an explicit Override §11.4.156</i> ”) and the §11.4.156 compliance row
<code>docs/constitution-adoption/REMOTE-ASYMMETRY.md</code>	§9 — a recommendation to extend the Override §11.4.156 to <code>pages.yml</code>

Document	What was stale
docs/SESSION-REPORT.md	§6.3 OC-1 / OC-2 rows, which list the override as decision option 2
docs/setup-agents-wizard/CI-WORKFLOW-AUDIT.md	§6 — “ <i>still marked OPEN — operator decision</i> ” CI status badge; the .github/workflows/ci.yml path row; “ <i>The commands below mirror .github/workflows/ci.yml exactly</i> ”; “ <i>versions match CI</i> ”
README.md (root)	§2.1 CORRECTIVE row naming
docs/setup-agents-wizard/RESIDUAL-PATHS-AUDIT.md	.github/workflows/ci.yml — path note only; occurrences and verdict unchanged “ <i>The gates mirror .github/workflows/ci.yml</i> ” and the G4
CLAUDE.md, AGENTS.md, QWEN.md, GEMINI.md	bullet naming the override as an option — corrected in lockstep per §11.4.157
docs/constitution-adoption/GATE-TRIAGE.md and docs/constitution-adoption/POST-APPLY-STATE.md were searched and make no §11.4.156, CI, workflow, OC-1, OC-2 or G4 claim. They needed no change.	