

INVENTORY

Constitution Adoption — Inventory & Gap Analysis

Field	Value
Revision	2
Created	2026-08-26
Last modified	2026-09-01
Status	active — historical record plus a current status ledger
How to read it	The §8 G-headings are the ORIGINAL 2026-08-26 discovery evidence and are deliberately not rewritten as gaps move. Current statuses live in §8.0 Current status ledger, and the authority above that is the - G<n> – <STATUS> lines in the four root carriers. Never quote a G-heading as a current status. Phase-1 read-and-map inventory of submodules/constitution (HelixConstitution) and its adoption state in the vasic umbrella. Read-only pass: no existing file was modified.
Status summary	Headline finding — the umbrella repository has zero agent-instruction files at its root, so the constitution's prescribed inheritance mechanism is not wired at all.

Field	Value
Issues	12 ranked gaps (G1–G12)
Issues summary	G1 no consumer governance layer; G2 no inheritance pointer; G3 no post-pull validation sweep; G4 active CI contradicts §11.4.156; G5 no mechanical enforcement; G6 no helix-deps.yaml; G7 no submodule propagation; G8 §11.4.65 export gap (265 .md, 0 .html); G9 §11.4.212 README-orphan gap; G10 §4 tag-mirroring gap; G11 duplicate design-toolkit checkout; G12 anti-forgetting hook — CLOSED 2026-09-09.
Fixed	—
Fixed summary	—
Continuation	Phase 2 — apply the proposed inheritance design in §7 below.

Scope of this document. This is a **read-only inventory**. Per the task that produced it, no existing file in this repository was modified and no mutating git command was run. Every claim below cites a real path and, where the claim is a quotation, exact text. Anything that could not be verified from the checkout is marked **unverified** together with what would verify it.

Table of contents

- 1. Method and honesty contract
- 2. What the constitution submodule actually is
- 3. Nested submodules of the constitution
- 4. Mandatory vs advisory — the exact wording
- 5. The prescribed adoption mechanism (quoted)
- 6. Agent instruction files across the umbrella and every submodule
- 7. Proposed minimal inheritance design
- 8. Gaps and violations, ranked by severity
- 9. Full mandatory-rule table
- 10. Unverified items

1. Method and honesty contract

Everything in this document was produced by reading files in the checkout at <ext-volume-host>/Projects/vasic and running **read-only** shell commands (ls, cat, sed, grep, git ls-files, git grep, git submodule status, git tag, git remote -v, find). No git fetch, pull, checkout, commit, push, or submodule update was run.

Three verdict values are used and they mean exactly this:

- **Yes** — a concrete artifact in the checkout satisfies the rule, and the artifact is named.
- **No** — the required artifact is demonstrably absent or demonstrably contradicted, and the check that proves it is named.
- **Unknown** — **needs verification** — the rule is conditional, or checking it requires running the project's own gates / network access, neither of which this pass did. The verifying action is stated in §10.

Where a verdict is inherited from the pre-existing audit at _analysis/constitution-compliance.md (dated 2026-08-05, re-verified 2026-08-10), that is stated explicitly rather than re-claimed as first-hand.

Self-referential caveat. §11.4.65 (Universal Markdown export mandate) requires every non-source .md in the project to carry synchronized .html and .pdf siblings. This document is docs/constitution-adoption/INVENTORY.md and therefore falls inside that scope. It ships **without** those siblings because the task that produced it permitted the creation of exactly one file. That is a known, deliberate, disclosed §11.4.65 deviation, not an oversight.

2. What the constitution submodule actually is

It is not empty and it does define enforceable rules. This needs saying up front because the task allowed for the opposite finding.

Property	Value
Path in this repo	submodules/constitution
Upstream	git@github.com:HelixDevelopment/ HelixConstitution.git (.gitmodules:3)

Property	Value
Pinned commit	448981ae3498229c734dc60719f4b19f01d7a75f (git ls-files -s)
git describe	v1.0.0-51-g448981a — 51 commits past the only semver tag, i.e. not pinned to a tag
Checked out?	Yes, fully, including all 7 of its own nested submodules
Canonical rule text	submodules/constitution/Constitution.md — 11,101 lines / 1.53 MB

Top-level governing documents (each also exported to .html, .pdf, .docx per its own §11.4.65):

File	Lines	Role (per submodules/ constitution/README.md “Contents” table)
Constitution.md	11101	“ The canonical universal constitution. All clauses are project-agnostic.”
CLAUDE.md	2998	“Universal CLAUDE.md for Claude Code agents. Imports Constitution.md by reference.”
AGENTS.md	2738	“Universal AGENTS.md for every other CLI agent (Codex, Cursor, Aider, OpenCode, Crush, Kimi CLI).”
QWEN.md	1089	“Universal QWEN.md for the Qwen Code CLI agent.”
GEMINI.md	497	Gemini CLI carrier; made a first-class peer by §11.4.157.
CLAUDE_ANCHORS_FULL.md	790	Full anchor corpus companion.
submodules-catalogue.md	229	“Canonical inventory of every owned-by-us repository under vasic-digital + HelixDevelopment (142 repos at landing time).”
helix-deps.yaml	—	§11.4.31 machine-readable dependency manifest for the constitution’s own 7 deps.
templates/	3 files	AGENTS.project.md.template, CLAUDE.project.md.template,

File	Lines	Role (per submodules/ constitution/README.md “Contents” table)
		Constitution.project.md.template — the consumer-side scaffolds.
find_constitution.sh	—	Parent-walk resolver; already supports the submodules/constitution/ layout (see below).
meta_test_inheritance.sh	—	Mutation meta-test that proves a consumer’s inheritance gate is not a bluff gate.
scripts/hooks/guard-forbidden-commands.sh	29,705 B	The canonical §11.4.109(A) PreToolUse guard. Present, executable, never invoked from this repo .
scripts/post_update_hook.sh	20,975 B	The canonical §11.4.164 post-pull hook. Present, never invoked from this repo .

Scale of the rule corpus (mechanically counted over Constitution.md):

Measure	Count
Distinct numbered anchors (headings + bold-anchor paragraphs)	261
Top-level articles §1–§12	12
§11.4.N covenant anchors	234
Anchors declaring a CM-COVENANT-114-N-PROPAGATION gate	175
Occurrences of the token MUST	1,542
Occurrences of the token SHOULD	15
Occurrences of “No escape hatch”	200
Occurrences of “release blocker”	176

The 1,542-to-15 MUST/SHOULD ratio is the quantitative answer to “mandatory vs advisory”: this corpus is almost entirely mandatory.

Layout note that matters. `submodules/constitution/`
`find_constitution.sh` already resolves this repository’s layout. Lines 41–46:

```
# Candidate relative locations of the constitution
submodule, in
# priority order. The canonical top-level `constitution/` is
kept
# for backward compatibility; `submodules/constitution/` is
the
# §11.4.28 dependency-layout form (all owned submodules
under a
# root `submodules/` directory, §11.4.29 snake_case).
local rels=( "constitution" "submodules/constitution" )
```

So the *path* is fine. What is missing is everything the path was supposed to be wired into.

3. Nested submodules of the constitution

`submodules/constitution/.gitmodules` registers 7 submodules. All 7 are populated. An eighth directory, `clickup_sync`, exists on disk but is **not a git submodule** — it has no `.git` file and no `.gitmodules` entry.

Submodule	Path	Purpose (from its own README)	Own agent files	Cit cor
anti_bluff	submodules/constitution/submodules/anti_bluff	“mechanical anti-bluff seams for any Helix-constitution project” — executable guards that refuse on a real condition; wires a status-custody seam into a consumer’s tracker SQLite DB. Design law quoted in its	none	Yes (\$1 \$11 \$11 \$11

Submodule	Path	Purpose (from its own README)	Own agent files	Cit
continuum	.../submodules/continuum	README: “Prose does not bind; seams do.” “Continuum — instant-resume continuation engine”. Content-addressed multi-stream snapshot store; resume cost 0 (changed streams). Go stdlib only. “A reusable, license-clean design-capability layer that combines with OpenDesign to produce unique, enterprise-grade, non-repeatable UI/UX”. Ships 11 design-specialist agent recipes under agents/. Status: “FIRST INCREMENT — review-ready local scaffold.”	none	Yes \$11 \$11 \$11
design-toolkit	.../submodules/design-toolkit	“A reusable, license-clean design-capability layer that combines with OpenDesign to produce unique, enterprise-grade, non-repeatable UI/UX”. Ships 11 design-specialist agent recipes under agents/. Status: “FIRST INCREMENT — review-ready local scaffold.”	11 recipe .md under agents/, none canonical	Yes (\$1
docs_chain	.../submodules/docs_chain	Universal Go bidirectional document-and-	AGENTS.md, CLAUDE.md,	Yes lev

Submodule	Path	Purpose (from its own README)	Own agent files	Cit cor
		database dependency-propagation engine; content-hash change detection with Kahn topological ordering and atomic-rename commits. Phases 1–5 implemented; 6–7 PLANNED.	QWEN.md, CONSTITUTION.md	
helix_perf_cache	.../submodules/helix_perf_cache	“A project-agnostic reusable engine for LLM inference-performance measurement and caching”. Honest two-track framing separating local KV-cache reuse from hosted-API prompt caching.	AGENTS.md, CLAUDE.md, GEMINI.md, QWEN.md	Yes lev
session_orchestrator	.../submodules/session_orchestrator	“A project-agnostic, fully decoupled Go engine for coordinating a <i>flowing pool</i> of session aliases behind a <i>floating orchestrator</i> ”	none	No “co ma top

Submodule	Path	Purpose (from its own README)	Own agent files	Cit
token_optimizer	.../submodules/token_optimizer	<i>role</i>". Same-session failover explicitly NOT implemented. "Project-agnostic Go engine that minimizes the token / cost / byte footprint of LLM request pipelines". Only pkg/config implemented so far. Not a submodule. Docs-only directory. Its docs/design/DESIGN.md states: "DESIGN ONLY (Phase 0). NO implementation code, NO repo creation, NO ClickUp writes, NO main-tree source edits exist as a result of this document."	none	No "co ma top
clickup_sync	.../submodules/clickup_sync	NO implementation code, NO repo creation, NO ClickUp writes, NO main-tree source edits exist as a result of this document."	none	Yes unc

Pin state (git -C submodules/constitution submodule status): design-toolkit at v0.2.2-4-g16e4e76 and docs_chain at helixcode-v1.1.0-9-g9510e01 are **past** their tags; the other five track heads/main.

4. Mandatory vs advisory — the exact wording

4.1 The blanket mandatory declaration

submodules/constitution/Constitution.md:124-127:

This document defines mandatory, non-negotiable rules for every project that includes this constitution submodule. Every AI agent and every human contributor MUST comply. Violations are blockers.

Constitution.md:129-132:

Project-specific constitutions extend this document. When a project Constitution (e.g. docs/guides/PROJECT_CONSTITUTION.md) and this universal Constitution differ, the project Constitution may extend or tighten — but NEVER weaken — the universal rules below.

4.2 The per-anchor mandatory formula

175 of the 234 §11.4.N anchors close with a three-part formula. Representative instance, Constitution.md:9569-9573 (§11.4.157):

Canonical authority: constitution submodule Constitution.md §11.4.157.

Non-compliance is a release blocker regardless of context. No escape hatch — no --skip-gemini-md, --gemini-optional, --gemini-lag-OK, --four-carrier-suffices flag.

The same formula appears 176 times (“release blocker”) and 200 times (“No escape hatch”). Each also names its enforcement gate, e.g. the same clause:

Propagation gate CM-COVENANT-114-157-PROPAGATION (literal 11.4.157 across the consumer fleet, GEMINI.md INCLUDED)

4.3 The single most important rule

Constitution.md:163-164 (§1.1):

This is the **single most important rule in this Constitution**.
Every subsequent §11.4.x clause is downstream of it.

Referring to (Constitution.md:147-160) mutation-paired gates: a gate that cannot be made to FAIL by breaking its assertion “is a sham and must be rewritten.”

4.4 What is genuinely advisory

Only 15 SHOULD tokens exist. The load-bearing advisory items relevant here:

- **Tag pinning is recommended, not mandatory.** submodules/constitution/README.md (“How to consume” → step 1): “# Pin to a tag for reproducibility (recommended)”. So this repo’s v1.0.0-51-g448981a floating pin is *not* a violation.
- **Multi-upstream for the consumer is SHOULD.** Constitution.md:196-198: “Consuming projects SHOULD do the same for their own multi-remote topology.” (For the constitution submodule itself it is MUST — §2.1 / Appendix C.)
- **Parent-walk helper is SHOULD.** Appendix B, Constitution.md:10230-10238: “every project SHOULD provide a helper that walks up parents until it finds constitution/Constitution.md”.
- **Changelog export script is SHOULD.** Constitution.md:243-245: “The project SHOULD provide a script (scripts/testing/export_changelog.sh <tag> or equivalent)”. The changelog *entries* themselves are MUST (§5).
- **CM-CANONICAL-ROOT-CLARITY is “recommended, per consuming project”** (Constitution.md:2933) — the gate is recommended; the underlying §11.4.35 inheritance-pointer requirement it checks is MUST.

Some clauses are **conditionally applicable** rather than advisory — e.g. §11.4.47 (Firebase data review), §11.4.51 (Live-ADB-First), §11.4.128 (device recording) presuppose an Android/device product. §11.4.169 explicitly contemplates this by requiring a *justified* N/A per required test type. The pre-existing audit at _analysis/constitution-compliance.md uses an “Applies?” column for exactly this reason.

5. The prescribed adoption mechanism (quoted)

The constitution DOES prescribe an adoption mechanism. It is not invented here. It has five parts.

5.1 Part 1 — add the submodule (submodules/constitution/README.md, “How to consume” §1)

```
git submodule add git@github.com:HelixDevelopment/
    HelixConstitution.git constitution

# Pin to a tag for reproducibility (recommended)
cd constitution
git checkout v1.0.0          # whatever the current stable
                             tag is
```

Status in this repo: DONE (at submodules/constitution rather than constitution, which find_constitution.sh explicitly supports).

5.2 Part 2 — wire the inheritance (submodules/constitution/README.md, “How to consume” §2)

```
Add a clearly-marked pointer at the top of your project's root
CLAUDE.md:

## INHERITED FROM constitution/CLAUDE.md

All rules in `constitution/CLAUDE.md` (and the
    `constitution/Constitution.md`
it references) apply unconditionally. Project-specific rules
    below
extend them.

@constitution/CLAUDE.md

Same for AGENTS.md (any AI-agent tooling) and (since 2026-05-20)
QWEN.md for Qwen Code:

> Base agent rules: `constitution/AGENTS.md` — READ IT
    FIRST.
> The base file is authoritative for any topic not covered
    here.

And for your project Constitution:
```

This constitution ****extends**** the Helix Universal Constitution at ``constitution/Constitution.md``. All clauses there apply unless explicitly overridden below with an explicit ``Override $X.Y`` section.

The normative form of the same requirement is §11.4.35 invariant 6, Constitution.md:2919-2925:

1. `@constitution/CLAUDE.md` **import (Claude-Code-style) and the pointer-block fallback (Aider/Codex/Gemini-style) are equivalent**. The consumer's CLAUDE.md **MUST** start with one of:
 - The native import: `@constitution/CLAUDE.md`
 - The portable pointer-block per the `## INHERITED FROM constitution/CLAUDE.md` heading defined in `constitution/CLAUDE.md` “How inheritance works”.

And the canonical-root definition, Constitution.md:2861-2874:

The three files in **this constitution submodule** (`constitution/Constitution.md`, `constitution/CLAUDE.md`, `constitution/AGENTS.md`) are the **canonical root** — also called the **parent** files. [...] The three files in **the consuming project's repository root** (`<project-root>/CLAUDE.md`, `<project-root>/AGENTS.md`, optionally `<project-root>/Constitution.md` or equivalent) are the **consumer extensions**. They **MUST** start with the inheritance pointer [...]

§11.4.157 (Constitution.md:9564) widens the carrier set from three to five:

Every governance addition or edit **MUST** land in ALL FIVE carriers in lockstep: the canonical Constitution.md PLUS each per-agent mirror CLAUDE.md + AGENTS.md + QWEN.md + GEMINI.md

Status in this repo: NOT DONE. See §6.

5.3 Part 3 — templates to instantiate

The submodule ships the exact consumer-side scaffolds:

- `submodules/constitution/templates/CLAUDE.project.md.template` — opens with `## INHERITED FROM constitution/CLAUDE.md`, the “constitution wins” sentence, and the bare `@constitution/CLAUDE.md` import line.

- `submodules/constitution/templates/AGENTS.project.md.template` — opens with the `>` Base agent rules live at `constitution/AGENTS.md` ... **`**READ THOSE FIRST.**`** blockquote, then a “Critical base rules restated (for agents that don’t follow `@imports`)” list of 9 items.
- `submodules/constitution/templates/Constitution.project.md.template` — the “extends the Helix Universal Constitution” opener, plus `## Owned-submodule` set and `## Project-specific remotes` sections required by §4 and §2.1.

There is **no** `QWEN.project.md.template` or `GEMINI.project.md.template` despite §11.4.157 mandating five-carrier lockstep. That is a gap in the constitution submodule itself (recorded as G7b in §8).

5.4 Part 4 — verify with an automated test (`submodules/constitution/README.md`, “How to consume” §4)

Every consuming project should ship a test that verifies the constitution submodule is present, at the expected pinned revision, and that the project’s `CLAUDE.md` / `AGENTS.md` / `QWEN.md` / `Constitution` all reference the submodule. See:

- The ATMOSphere project’s `test_constitution_inheritance.sh` for the reference implementation pattern.
- The Herald project’s `tests/test_constitution_inheritance.sh` + paired `tests/test_i6_refinement_meta.sh` [...]
- The Herald `scripts/audit_antibluff.sh` for the canonical anti-bluff audit pattern [...]

That gate must itself be mutation-proven by `submodules/constitution/meta_test_inheritance.sh`, whose in-source header states its contract:

```
# Pattern (mutation testing – Constitution §1.1):
# 1. Take a snapshot of Constitution.md.
# 2. Mutate: delete the §11.4 anchor block.
# 3. Run the consuming project's inheritance gate.
# 4. Assert the gate now reports FAIL.
# 5. Restore.
```

Status in this repo: NOT DONE. No `test_constitution_inheritance.sh` exists under `tests/`, `scripts/`, or `_tests/`; `git grep meta_test_inheritance` returns no hit outside the submodule itself.

5.5 Part 5 — the post-pull transaction (§11.4.164 + §11.4.32)

§11.4.164, Constitution.md:9743:

The canonical hook script lives at constitution/scripts/post_update_hook.sh and is inherited by reference (§11.4.28) — NEVER copied locally.

and its consumer obligation:

Every project that fetches/pulls the constitution submodule MUST invoke the post-update hook after the fetch completes. [...] A project that pulls the constitution and does NOT invoke the hook is non-compliant

§11.4.32, Constitution.md:2044-2050:

Validation sweep contract. The sweep is implemented as scripts/verify-all-constitution-rules.sh (canonical name) which: 1. Re-runs the existing governance-cascade verifier (scripts/verify-governance-cascade.sh) covering every §11.9 + CONST-* anchor across every owned submodule (recursive per CONST-047).

and, Constitution.md:2085-2090:

Composition. §11.4.32 is the **enforcement engine** for every other §11.4.x and CONST-NNN rule. Without it, new rules cascade as anchors but never get enforced in the codebase.

Status in this repo: NOT DONE. Neither script exists.

5.6 Summary answer

The constitution prescribes a concrete, named, five-part adoption mechanism. Nothing needs to be invented. Of the five parts, exactly one (adding the submodule) is done in this repository; the other four are entirely unwired.

6. Agent instruction files across the umbrella and every submodule

Enumerated with `ls -a`, `git ls-files`, and `find . -maxdepth 3` for `AGENTS.md`, `CLAUDE.md`, `QWEN.md`, `GEMINI.md`, `AGENT.md`, `Constitution.md`, `CONSTITUTION.md`, `CONVENTIONS.md`, `.cursorrules`, `.clinerules`, `.windsurfrules`.

6.1 Umbrella root — the headline finding

Expected file	Consumed by	Present?
CLAUDE.md	Claude Code	ABSENT
AGENTS.md	Codex, Cursor, Aider, OpenCode, Crush, Kimi CLI	ABSENT
QWEN.md	Qwen Code	ABSENT
GEMINI.md	Gemini CLI	ABSENT
Constitution.md	humans + all agents	ABSENT
.cursorrules	Cursor (legacy)	ABSENT
CONTINUATION.md (§12.10)	all agents	ABSENT
helix-deps.yaml (§11.4.31)	consumer tooling	ABSENT

The only Markdown file at the repository root is `README.md`, and it does not mention the constitution.

`README.md`:41-44 goes further and states affirmatively that the constitution is *not* consumed by anything:

It is excluded from the Jekyll build anyway, and the other submodules (constitution/, design-toolkit/) are not read by any gate — so only these two are fetched.

`README.md`:35-36 also instructs a fresh clone **not** to initialize it:

```
git submodule update --init vasic.digital milosvasic.ru
```

`_analysis/OPENDESIGN-ADOPTION-PLAN.md`:79 records the same state as a known open item:

Wire the constitution as a submodule of the vasic umbrella (submodules/constitution OR constitution/) so find_constitution.sh resolves and the gates actually apply here (today it governs by reference only, NOT checked out).

That note is now half-stale — the submodule is checked out and mapped in .gitmodules — but its substantive claim (“governs by reference only”) remains accurate: nothing reads it.

6.2 Every agent instruction file that exists anywhere in the tree

Path	Consumed by	Inherits the constitution?	Evidence
submodules/constitution/CLAUDE.md	Claude Code	N/A — it IS the canonical root	§11.4.35: “The files in this constitution submodule are the canonical root (Constitution)
submodules/constitution/AGENTS.md	all other CLI agents	N/A — canonical root	same
submodules/constitution/QWEN.md	Qwen Code	N/A — canonical root	QWEN.md:34 “Qwen is the authoritative and authoritative is Constitution in this repository.”
submodules/constitution/GEMINI.md	Gemini CLI	N/A — canonical root	GEMINI.md:19 “GEMINI ARE the canonical per §11.4.35, consumer ex
submodules/constitution/Constitution.md	humans + all agents	N/A — canonical root	—
vasic.digital/QWEN.md	Qwen Code	No	grep -in con vasic.digital → 0 hits. 55 lines describing the script and Up GitHub.sh.
milosvasic.ru/Upstreamable/AGENTS.md	Codex/Cursor/etc.	Yes — pointer form	Lines 3-8: “> agent rules:

Path	Consumed by	Inherits the constitution?	Evidence
<code>milosvasic.ru/Upstreamable/CLAUDE.md</code>	Claude Code	Yes — pointer form	module is consumed inside a project; includes the Constitution submodule, the constitution AGENTS.md is authoritative; topic not covered here. Locate any nested documents using the constitution's find_constit helper.” Line 6 heading: Helix Constitution inheritance; reference constitution CLAUDE.md, constitution Constitution find_constit All five of its .md match “constitution README state consumed as part of the HelixConstitution submodule”. All six top-level match; cites constitution submodules/ helix_perf_c §11.4.28(C), § Sizes 5,417–5 the same content mirrored per
<code>submodules/constitution/submodules/docs_chain/{AGENTS,CLAUDE,QWEN}.md + CONSTITUTION.md</code>	respective agents	Yes	
<code>submodules/constitution/submodules/helix_perf_cache/{AGENTS,CLAUDE,GEMINI,QWEN}.md</code>	respective agents	Yes	

Path	Consumed by	Inherits the constitution?	Evidence
.specify/memory/constitution.md	spec-kit / speckit.constitution	No — unrelated artifact	It is the unfiled kit template # [PROJECT_M Constitution [PRINCIPLE_1 placeholders to do with HelixConstitution
.specify/extensions/superspec/examples/static-landing-page/CLAUDE.md	example fixture	No	Vendored example inside a third submodule.

6.3 Submodules with no agent instruction file at all

ai_interviewing/, monetization/, design-toolkit/ (umbrella copy), submodules/superspec/, and the constitution’s anti_bluff, continuum, session_orchestrator, token_optimizer.

Note that session_orchestrator and token_optimizer contain **zero** references to the constitution in any top-level .md — they are the only two engines in the constitution’s own dependency set that do not acknowledge it.

6.4 The mechanical consequence

§11.4.35 invariant 5 (Constitution.md:2913-2918) defines what the propagation gates check:

The existing CM-COVENANT-114-N-PROPAGATION gate family verifies that anchor TEXT for §11.4.N exists in EVERY CLAUDE.md and AGENTS.md across the project.

There are **175** such gates. The umbrella has **zero** CLAUDE.md and **zero** AGENTS.md. Therefore **all 175 propagation gates fail by construction** — not as a judgement call, but as an arithmetic fact. git grep for the literal 11.4.<N> across umbrella-owned files finds 62 distinct anchors mentioned, all of them inside _analysis/, _tests/, README.md, .github/workflows/ci.yml and .gitignore — **none** inside an agent context carrier, because none exists.

7. Proposed minimal inheritance design

Design principles, in priority order:

- 1. **Reference, never copy.** §11.4.164 states the rule for hook scripts verbatim — “inherited by reference (§11.4.28) — NEVER copied locally” (Constitution.md:9743) — and §11.4.35 invariant 7 forbids re-authoring an anchor in the wrong layer: “AI agents MUST NOT silently re-author a §11.4.X anchor in the wrong layer and call it propagation.” A 1.5 MB copy of Constitution.md into the umbrella would diverge on the next upstream commit and would itself become a §11.4.35 violation.
- 2. **Path-correct.** Every template and every quoted snippet says constitution/.... In this repo the real path is submodules/constitution/.... Every pointer written must use the real path, or the @import silently resolves to nothing. This is the single highest-risk detail in the whole change.
- 3. **Five carriers, not three.** §11.4.157(A) requires CLAUDE + AGENTS + QWEN + GEMINI + Constitution in lockstep.
- 4. **Additive only.** No existing file’s meaning changes; README.md gains links, .claude/settings.json gains a hook.

7.1 New files at the umbrella root (5)

File	Content	Source
CLAUDE.md	Instantiate submodules/ constitution/templates/ CLAUDE.project.md.template, replacing every constitution/ with submodules/constitution/. Its first content line must be the ## INHERITED FROM submodules/ constitution/CLAUDE.md heading; the import line @submodules/ constitution/CLAUDE.md follows.	§11.4.35 inv. 6
AGENTS.md	Instantiate AGENTS.project.md.template, path- corrected. Keeps the template’s “Critical base rules restated” block verbatim — that block is the constitution’s own prescribed restatement for agents that ignore	README “How to consume” §2

File	Content	Source
	@imports, so reproducing it is sanctioned, not duplication.	
QWEN.md	No template ships. Use the AGENTS.md pointer form, which submodules/constitution/README.md explicitly prescribes for QWEN: > Base agent rules: submodules/constitution/QWEN.md – READ IT FIRST. plus the same restated-rules block.	README “How to consume” §2 + §11.4.157
GEMINI.md	No template ships. Use the pointer block that submodules/constitution/GEMINI.md:31-38 itself prescribes for consumers: ## INHERITED FROM constitution/GEMINI.md → path-corrected.	§11.4.157(A)
Constitution.md	Instantiate Constitution.project.md.template, path-corrected. Must populate ## Owned-submodule set with the six owned gitlinks (milosvasic.ru, vasic.digital, design-toolkit, ai_interviewing, monetization, submodules/constitution) and mark submodules/superspec third-party (upstream git@github.com:WangX0111/superspec.git, outside every operator-listed org).	§4 + §11.4.28

Each of the five is a pointer plus a project-specific delta. None restates the 234 anchors. Total added text should be on the order of 150–300 lines, not 15,000.

7.2 The exact pointer block

For CLAUDE.md, the first lines of the file:

```
# vasic – CLAUDE.md
```

```
## INHERITED FROM submodules/constitution/CLAUDE.md
```

All rules in ``submodules/constitution/CLAUDE.md`` and the

``submodules/constitution/Constitution.md`` it references apply unconditionally to this project. Project-specific rules below extend them – they do NOT weaken or override any universal clause.

When this file disagrees with the constitution submodule, the constitution wins.

@submodules/constitution/CLAUDE.md

For AGENTS.md / QWEN.md / GEMINI.md, the portable blockquote form, since those runtimes do not all honour @import:

```
> Base agent rules: `submodules/constitution/AGENTS.md` – READ IT FIRST.
> The base file is authoritative for any topic not covered here.
> Locate it from any nested depth with `submodules/constitution/find_constitution.sh`.
```

7.3 Propagation to submodules

Per §11.4.28(B) an owned submodule “MUST remain **fully decoupled** from any specific consuming project” and be “**Project-not-aware**” (Constitution.md:2411-2418). So the submodule-side pointer must be the **conditional** form already proven in this repo at milosvasic.ru/Upstreamable/AGENTS.md:3-12 — which names no consuming project and degrades gracefully:

When this module is consumed standalone (no constitution submodule reachable in any parent), only the module-local notes below apply.

That existing file is the reference implementation for the propagation work. Targets that need it, in dependency order:

Target	Needs
vasic.digital/	CLAUDE.md, AGENTS.md, GEMINI.md created; existing QWEN.md gains the pointer block above its current content
milosvasic.ru/ (root)	all four carriers — only Upstreamable/ currently has any
design-toolkit/	all four carriers
ai_interviewing/	all four carriers
monetization/	all four carriers

Target	Needs
submodules/constitution/ submodules/session_orchestrator	all four carriers (currently zero constitution awareness)
submodules/constitution/ submodules/token_optimizer	all four carriers (currently zero constitution awareness)
submodules/constitution/ submodules/ {anti_bluff,continuum,design-toolkit}	carriers absent though READMEs cite the constitution
submodules/superspec	none — third-party, excluded per §4

Ordering matters: §3 (Constitution.md:203-215) requires the submodule commit and push to land **before** the parent captures the pointer.

7.4 Enforcement wiring (without which the pointers are decoration)

Artifact	Purpose	Mandated by
scripts/verify-governance-cascade.sh	Assert each of the 5 carriers exists, opens with the pointer, and that every owned submodule carries one.	§11.4.32 step 1
scripts/verify-all-constitution-rules.sh	The canonical post-pull sweep that calls the above plus each implementable gate.	§11.4.32 (canonical name given verbatim)
tests/ test_constitution_inheritance.sh	The presence/revision/reference gate.	README “How to consume” §4
A meta-test calling bash submodules/constitution/	Proves the gate above is	

Artifact	Purpose	Mandated by
meta_test_inheritance.sh 'bash tests/ test_constitution_inheritance.sh'	not a bluff gate.	§1.1 + meta_test_inheritance.sh usage header
PreToolUse hook in .claude/settings.json → submodules/constitution/scripts/hooks/guard-forbidden-commands.sh	Blocks force-push / sudo / host-power at the tool-call boundary. Reference the submodule path; do not copy.	§11.4.109(A)
docs/AGENT_GUARDRAILS.md	The subagent constitutional preamble the orchestrator pastes into every dispatch.	§11.4.109(B)
A post-pull invocation of submodules/constitution/scripts/post_update_hook.sh	Completes the governance-update transaction.	§11.4.164
helix-deps.yaml at the umbrella root	Declares the umbrella's own six owned deps. Model it on submodules/constitution/helix-deps.yaml.	§11.4.31

7.5 Why referencing beats copying — stated plainly

- A copy of Constitution.md is 1.53 MB and 11,101 lines. It would be stale the moment upstream lands anchor §11.4.239.
- §11.4.35 invariant 7 names the failure mode: “duplicates silently diverge over time”, and the prescribed remedy for a misfiled rule is `git mv + commit`, explicitly *not* “leave both copies in place to be safe”.

- The @import / pointer-block pair is the constitution’s own answer to the only real objection (agents that do not resolve imports), and §11.4.35 invariant 6 declares the two forms **equivalent**.
- The restated-rules block in AGENTS.project.md.template is a deliberate, bounded 9-item safety net authored by the constitution itself — using it is following the mechanism, not duplicating the corpus.

8. Gaps and violations, ranked by severity

Severity uses the constitution’s own vocabulary: a “release blocker” clause violated is CRITICAL.

8.0 Current status ledger — READ THIS BEFORE THE G-HEADINGS BELOW

The G-headings in §8.1 onward are the ORIGINAL 2026-08-26 discovery evidence and are deliberately NOT rewritten as gaps move. That is what makes this document a forensic record: it preserves what was actually observed on the day, including the observations that later turned out to be wrong. Several of them are now stale by design.

Never quote a G-heading below as a current status. Use the ledger in this subsection, and treat even it as dated — the authority is the - G<n> – <STATUS> lines in the four root carriers, which scripts/continuation-check.sh C4 holds in agreement with CONTINUATION.md §4 mechanically on every run. This ledger is not machine-compared to those; if it disagrees with them, **this ledger is the defect**.

Reconciled against the carriers and re-measured on 2026-09-01:

Gap	Status now	Measured how
G1	CLOSED	Four root carriers exist (CLAUDE.md, AGENTS.md, QWEN.md, GEMINI.md), 520 lines each, sharing the line-24-to-EOF digest a1f3a936e0ff6817....
G2	CLOSED	All four plus root Constitution.md open

Gap	Status now	Measured how
G3	CLOSED	with ## INHERITED FROM; cascade C5 ROOT-CARRIERS PASS. Cascade step 1 exits 0 at 12 PASS / 0 FAIL / 0 ENV / 7 NOTE, with a --prove-failure paired mutation. Closes the sweep CONTRACT, not the sweep's verdict — see G-note below. Umbrella root complies (.github/workflows/ci.yml.disabled, local pre-push hook). milosvasic.ru/.github/workflows/pages.yml stays ACTIVE as a documented deviation, never an override — it is the sole publish path for a live production site. vasic.digital is non-compliant at the provider level with no file-level remedy. Provider-side settings are operator-only and unverified; scripts/verify-provider-ci.sh measures on demand and its exit 2 is not a pass.
G4	PARTIAL, and will not reach CLOSED from inside this tree	The commit wrapper exists (commit on PATH, driven by the tracked upstreams/GitHub.sh); it runs git add .. Missing: git hooks as a tracked, travelling artefact — .git/hooks/
G5	PARTIALLY CLOSED	

Gap	Status now	Measured how
G6	CLOSED	pre-push is installed here but .git/hooks/ is untracked, so a fresh clone is unprotected. helix-deps.yaml exists at the root and parses under yaml.safe_load. bash scripts/verify-governance-cascade.sh exits 0. C2 finds all $7 \times 4 = 28$ owned-submodule carriers present; C3 finds all 28 accepted by the canonical is_pointer_carrier predicate; C8 finds each owned submodule internally in lockstep. The fleet is DERIVED from
G7	CLOSED — 28 of 28	.gitmodules + helix-deps.yaml, never hardcoded. The §8 G7 heading below, and the staged-but-unapplied propagation / note, are both superseded. Withdrawn figures: “20/20”, “20/24”, and a verbally circulated “24/24” (which was 6×4, before submodules/containers joined the fleet).
G8	OPEN	§11.4.65 markdown/export mandate unmet across the repository. No work in flight.
G9		Not carried in the carriers’ gap list. Do

Gap	Status now	Measured how
	NO VERIFIED CURRENT STATUS	not report it closed or open without re-auditing.
G10	NO VERIFIED CURRENT STATUS	As G9.
G11	NO VERIFIED CURRENT STATUS	The duplicate design-toolkit checkout is still <i>described</i> in helix-deps.yaml around its design-toolkit entry, with a two-command re-derivation recipe. A description is not a status.
G12	CLOSED (2026-09-09)	The PreToolUse guard is wired in the TRACKED .claude/settings.json, by reference to the canonical submodule script. Proven firing: bash scripts/verify-pretooluse-guard.sh rc 0 at 8 PASS / 0 FAIL / 0 UNDET, its --prove-failure battery rc 0 at 15/15, and the upstream hermetic harness rc 0 at 70 PASS / 0 FAIL. docs/AGENT_GUARDRAILS.md now carries §11.4.109(B) and (C).

G-note — the sweep’s own verdict. G3 closing means a sweep exists, runs, and is mutation-proven. It does **not** mean the sweep passes. scripts/verify-all-constitution-rules.sh discovers its gates dynamically and that population moved **57 → 286** when the constitution pin was fast-forwarded, so every split published before the fast-forward is withdrawn and none is comparable to a present-day run. The most recent measurement on record is **186 PASS / 95 FAIL / 6 ERROR of 287 gates** — recorded as a *reported prior measurement*,

because a re-run started 2026-09-01 had not completed when this was written. Its failures are known to include third-party and staged carriers that no commit here can clear, and defects internal to the constitution submodule itself.

Also open, and not a numbered gap: scripts/audit-environment-assumptions.sh exits **1** — 7 frozen GNU-vs-BSD environment assumptions in scripts/verify-check-registry.sh (6) and scripts/verify-manifest-pins.sh (1), plus 699 baselined occurrences across 18 files. A baseline is recorded debt, not compliance.

G1 — CRITICAL — The umbrella has no consumer governance layer at all

Rule: §11.4.35 (Constitution.md:2861-2874), §11.4.157(A) (Constitution.md:9564). **Evidence:** ls at the repository root returns exactly one .md file, README.md. CLAUDE.md, AGENTS.md, QWEN.md, GEMINI.md, and Constitution.md are all ABSENT. git ls-files confirms none is tracked. **Consequence:** every one of the 175 CM-COVENANT-114-N-PROPAGATION gates fails by construction, and no agent invoked in this repository is exposed to any constitutional rule.

G2 — CRITICAL — No inheritance pointer exists anywhere in the umbrella

Rule: §11.4.35 invariant 6 (Constitution.md:2919-2925). **Evidence:** git grep -e '@constitution/CLAUDE.md' -e 'INHERITED FROM constitution' returns zero hits in any governance file. The only matches for find_constitution.sh are marketing copy in _content*/products/HelixConstitution.md and _analysis/content-briefs/HelixConstitution.md — the repo *describes* the mechanism as a product feature while not using it.

G3 — CRITICAL — No post-pull validation sweep; the enforcement engine is missing

Rule: §11.4.32 (Constitution.md:2026-2094), which describes itself as “the **enforcement engine** for every other §11.4.x and CONST-NNN rule. Without it, new rules cascade as anchors but never get enforced in the codebase.” **Evidence:** scripts/verify-all-constitution-rules.sh

ABSENT, scripts/verify-governance-cascade.sh ABSENT. ls scripts/
returns only install_skills.sh, rollback-agents-wizard.sh, setup-
agents-wizard.sh, test-setup-agents-wizard.sh.

G4 — CRITICAL — Active CI directly contradicts §11.4.156

Rule: §11.4.156 (Constitution.md:9542-9557): “**(A) Zero active CI at the repository root.** No active `.github/workflows/*.yaml|*.yml ...` may exist at the ROOT of any governed repository/submodule”. “Non-compliance is a release blocker regardless of context. No escape hatch — `no --allow-ci, --enable-workflow, --keep-pipeline, --remote-ci-OK, --ci-exempt flag.`” **Evidence:** `.github/workflows/ci.yml` exists at the root with live triggers, and `README.md:3` advertises it with a status badge. Note this is a *genuine conflict of intent*, not mere neglect: the workflow’s own header documents why it was added (“Nothing ran the test suite, so a regression could only be caught by hand”). Resolving it is an operator decision — either disable per §11.4.156(B) (rename to `ci.yml.disabled-local-only`) and migrate to the §11.4.75 local five-layer hook ritual, or record an explicit `Override §11.4.156` in the new project `Constitution.md`. Silently leaving it is the one option the constitution forbids.

UPDATE 2026-08-27 — decided, and one of the two options above was wrong. This section is a Phase-1 snapshot and is retained as written. Two corrections:

1. **The `Override §11.4.156` option does not exist.** It was sought and disqualified twice over. §11.4.156’s closing formula names and refuses the exemption vocabulary — “*No escape hatch — `no --allow-ci, --enable-workflow, --keep-pipeline, --remote-ci-OK, --ci-exempt flag`*” — so a project-local override is a `--ci-exempt` by another spelling. And the inheritance contract every carrier here states — “*Project-specific rules below extend them — they do NOT weaken or override any universal clause*” — makes a project-local override of an inherited clause structurally impossible. With the override gone, compliance was the only remaining path that does not amend shared governance.
2. **The operator decided: “*Comply — disable both, enforce locally.*”** Both `.github/workflows/ci.yml` and `milosvasic.ru/.github/workflows/pages.yml` are renamed to a ~~non-active .disabled~~ name per §11.4.156(B), and the gates move to a local **pre-push hook**. No constitution amendment was made.

3. **PARTIALLY REVERSED the same day — only ci.yml was disabled.** A material fact emerged after correction 2 was written: `gh api repos/milos85vasic/milosvasic.ru/pages` returns `build_type: "workflow"`, meaning GitHub Pages publishes the **live production site** `https://milosvasic.ru/` exclusively by running `pages.yml`. There is no `gh-pages` branch, no `docs/` folder, and the repo root is Jekyll SOURCE, so it cannot be served raw from a branch; `_tools/deploy-langs.sh` pushes source and then sleeps waiting for that very workflow, so it is not a substitute. Disabling `pages.yml` would end publishing outright. **Operator’s overriding directive, verbatim:** *“Make sure all pages websites work flawlessly! No website can be broken! All websites we have here are running deployed in production!”*

The state that stands (verified 2026-08-27).

Surface	State	Posture
<code>.github/workflows/ci.yml</code>	renamed <code>ci.yml.disabled</code> ; gates in a local pre-push hook	umbrella root file-level compliant
<code>milosvasic.ru/.github/workflows/pages.yml</code>	ACTIVE , byte- identical to the publishing version; will not be disabled	known, documented DEVIATION — not an override
<code>vasic.digital</code>	zero workflow files, yet <code>build_type:</code> "legacy" triggers pages build and deployment on every push	non-compliant at the PROVIDER level; no file- level remedy

The `milosvasic.ru` state is **not** an Override §11.4.156 and must never be recorded as one — correction 1 above still holds in full. An override would claim the clause no longer applies; this admits it applies, is knowingly unmet, and says why.

G4 moves OPEN → PARTIAL, not CLOSED — and will not reach CLOSED. Honest boundary (§11.4.6): file-level disabling stops FILE-triggered runs but does not reach provider-side settings (org-default required workflows, branch-protection required

checks, Pages source settings, provider-side scheduled exports); those remain operator-only to CHANGE. Their STATUS is no longer asserted from memory: `bash scripts/verify-provider-ci.sh` enumerates the owned repositories from this checkout's own remotes and queries the provider — exit **0** none found, **1** confirmed, **2** could not determine (**not** a pass). `scripts/setup-agents-wizard.sh` runs it as Step 9 and turns a confirmed finding into a manual step. Anything this document says about the provider is a dated observation; re-measure before quoting it. **Cost of the umbrella half:** no server-side enforcement on push or PR; `.git/hooks/` is untracked, so a fresh clone has no protection until `bash scripts/pre-push-gates.sh --install` is run, and `git push --no-verify` bypasses the hook. Full record: [DECISION-11-4-156-COMPLY.md](#) §0; CI surface inventory: [CI-INVENTORY-11-4-156.md](#).

G5 — HIGH — No mechanical enforcement layer (§11.4.75 five layers, zero present)

Rule: §11.4.75 (Constitution.md:6967-7010). **Evidence:** `ls .git/hooks/` shows no non-sample hooks. No `commit_all.sh`. No pre-commit, pre-push, or post-commit wiring anywhere. §11.4.75's own forensic anchor is the operator asking “Why do these violations still happen!?” — the answer here is that no layer exists.

G6 — HIGH — No helix-deps.yaml at the umbrella root

Rule: §11.4.31 (Constitution.md:1907-1913): “Every owned-by-us submodule MUST ship a machine-readable, version-controlled **dependency manifest** at the canonical path `helix-deps.yaml`”. **Evidence:** ABSENT at root. The constitution submodule ships its own at `submodules/constitution/helix-deps.yaml` (a good model), and its header even records that its own manifest “was MISSING until 2026-08-15” — the same class of gap, previously caught one level up.

G7 — HIGH — Zero propagation to owned submodules

SUPERSEDED — see §8.0. G7 is **CLOSED** as of 2026-09-01, measured at **28 of 28** carriers across seven owned submodules by `bash scripts/verify-governance-cascade.sh` (exit 0). The evidence paragraph below is the 2026-08-26 observation, preserved unchanged as the forensic record of what was true then. It is not a current status.

Rule: §11.4.157(A) five-carrier lockstep; §11.4.28(A) equal-codebase.

Evidence: Of six owned submodules, only `vasic.digital` has any carrier (`QWEN.md`), and it contains **zero** references to the constitution (`grep -in constitution vasic.digital/QWEN.md → 0 hits`).

`ai_interviewing`, `monetization`, `design-toolkit`, and `milosvasic.ru` root have none at all.

G7b (MEDIUM, upstream defect): the constitution submodule ships `templates/` for `CLAUDE` / `AGENTS` / `Constitution` but **not** for `QWEN` or `GEMINI`, even though §11.4.157 makes all five equal. Consumers must hand-derive two of five carriers. Worth reporting upstream per §11.4.26.

G8 — HIGH — §11.4.65 export mandate comprehensively unmet

Rule: §11.4.65 (`Constitution.md:5959-5966`): “Any markdown document inside the project and which is not part of the applications or services source code **MUST BE** exported (be available) in PDF and HTML!”

Evidence: 265 tracked `.md` files outside submodules and `_content*`; **0** of them have an `.html` sibling (counted mechanically). `README.md` has neither `README.html` nor `README.pdf`.

G9 — HIGH — §11.4.212 README-as-entrypoint unmet; every project doc is an orphan

Rule: §11.4.212 (`Constitution.md:10586`): “No project document may be an ORPHAN — a doc that no link-path from `README` reaches is a §11.4.212 violation.” **Evidence:** `grep -oE '\]\\[^\)]+\)' README.md` returns exactly two links, both to the CI badge/workflow URL.

`_analysis/`, `_tests/GATES.md`, `_tests/TEST-TYPES.md`, `docs/setup-agents-wizard/` are all unreachable from `README`.

G10 — MEDIUM — §4 tag mirroring incomplete

Rule: §4 (`Constitution.md:218-227`): “the same tag **MUST** be created on **every owned submodule**”. **Evidence:** umbrella tags are pre-restyle, `v1.7.1`, `v1.7.2`, `v1.8.0`. `git -C <sub> tag -l v1.8.0`: present on `milosvasic.ru` and `vasic.digital`; **absent** on `design-toolkit`, `ai_interviewing`, `monetization`, `submodules/constitution` — all owned-org.

G11 — MEDIUM — design-toolkit is checked out twice

Rule: §11.4.28(C) dependency-layout / no-nested-own-org-chains.

Evidence: design-toolkit @ 16e4e76 at the umbrella root **and** submodules/constitution/submodules/design-toolkit @ 16e4e76. The shas match today, so nothing is broken now; the constitution's own helix-deps.yaml justifies the inner copy under the "§11.4.28(C) hub carve-out". But two gitlinks to the same repo can drift independently, and no manifest at the umbrella declares which one is authoritative — because the umbrella has no manifest (G6).

G12 — CLOSED 2026-09-09 — §11.4.109 anti-forgetting layer is wired and proven firing

Rule: §11.4.109(A)/(B)/(C); the validation stage per §11.4.234(A)(3).

The finding, as it stood: .claude/settings.local.json contained only a permissions.allow array with two Lumen MCP entries — no PreToolUse hook — while submodules/constitution/scripts/hooks/guard-forbidden-commands.sh sat present and executable, blocking nothing. docs/AGENT_GUARDRAILS.md was ABSENT.

What changed, on the operator decision of 2026-09-09.

1. **(A) The hook is wired**, in .claude/settings.json, as a PreToolUse entry with matcher * whose command is bash "\$CLAUDE_PROJECT_DIR/submodules/constitution/scripts/hooks/guard-forbidden-commands.sh". It is **referenced, not copied** — §11.4.109(A) forbids a local copy because a copy diverges silently.
2. **The wiring location was a deliberate choice, and it is the tracked one.** .claude/settings.json is tracked in git, so a fresh clone inherits the guard. The host-wide ~/.claude*/settings.json was rejected for exactly the reason this repository already records about .git/hooks/: untracked enforcement protects one working copy and leaves every clone ungarded with nobody told.
3. **(B) and (C)** now exist at docs/AGENT_GUARDRAILS.md, carrying the mandated SUBAGENT CONSTITUTIONAL PREAMBLE and ORCHESTRATOR PRE-ACTION CHECKLIST headings and the 11.4.109 anchor literal.
4. **§11.4.234(A)(3) / §1.1:** scripts/verify-pretoluse-guard.sh is the dedicated hook-validation script, registered as pretoluse-guard in scripts/check-registry.tsv and documented in docs/check-registry.md.

Evidence, measured 2026-09-09 rather than asserted.

instrument	result
bash submodules/constitution/scripts/hooks/test_guard_forbidden_commands.sh	rc 0 — PASS=70 FAIL=0 (the upstream author’s own hermetic suite)
bash scripts/verify-pretooluse-guard.sh	rc 0 — 8 PASS / 0 FAIL / 0 UNDET
bash scripts/verify-pretooluse-guard.sh --prove-failure	rc 0 — 15 cases, 12 mutations caught, 2 rc-2 states, control green
bash scripts/verify-check-registry.sh	rc 0 — 65 PASS / 0 FAIL / 1 DEBT (pre-existing, unrelated)

The closure rests on the guard being observed to REFUSE, not on a config key being present. The validator executes the wired script against five forbidden probes — force-push, --force-with-lease, --no-verify, privilege escalation and host-power — and requires rc 2 from each; it separately requires rc 0 from a benign git status and from a non-Bash tool call, because a guard that blocks everything gets switched off; and it requires that the # guardrails:allow escape marker does **not** downgrade the host-power class. Its mutation battery demonstrates that a **neutered** guard (edited to exit 0, settings untouched) and an **untracked** settings file are both caught as rc 1. A validator that passes while the hook is missing or inert is the false-green control §11.4.201 forbids, and that is the failure this one is built to avoid.

Honest boundary (§11.4.6). Three limits, none of which the closure hides. (a) The guard’s own refusal messages cite the consuming-project clause numbers §6.T.3 / §6.U rather than the universal §11.4.113 / §11.4 anchors. That is upstream text inside a consumed submodule; it is reported, not patched, per the design-toolkit precedent. The class is blocked either way. (b) The validator executes the canonical script at its canonical path; it does not re-implement the harness’s \$CLAUDE_PROJECT_DIR expansion, so it proves the script refuses, not that the harness’s own expansion is correct on some future host. (c) The 70-case upstream harness is asserted PRESENT by V8 and EXECUTED as a separately named stage, printed on every green run — a recorded deferral per §11.4.234(C), not a dropped gate.

Ranking rationale

G1–G4 are CRITICAL because each independently defeats the entire adoption: without carriers no rule reaches an agent (G1/G2); without the sweep no rule is ever checked (G3); and G4 is an active, live contradiction of a named release-blocker clause rather than a mere omission. G5–G9 are HIGH because each violates a “release blocker” clause but is remediable without an operator policy decision. G10–G12 are MEDIUM: real, cited, and fixable, but none blocks the inheritance wiring itself.

9. Full mandatory-rule table

All 261 numbered anchors extracted mechanically from submodules/constitution/Constitution.md. Two known duplicate anchor numbers (§11.4.140 and §11.4.141, each minted twice) are the **operator-owned collision** the constitution documents in its own header Status summary (“the KNOWN operator-owned §11.4.54 anchor-number collision on 11.4.140/11.4.141 cited strictly in those senses”) — both rows are listed.

Column meanings:

- **Prop. gate** — ****FAIL**** where the anchor declares a CM-COVENANT-114-N-PROPAGATION gate. All 175 such gates fail because the umbrella has zero CLAUDE.md / AGENTS.md (see §6.4). — means the anchor declares no such gate. 177 rows carry ****FAIL**** because §11.4.140 and §11.4.141 are each minted twice (the documented collision).
- **Substance** — first-hand or cited verdict on the underlying requirement. **65 anchors were examined** in this pass: 50 received a definite Yes / Partial / No verdict, and 15 were examined but remain Unknown because they are conditional or need a runtime check. The other **196 were not examined** and are honestly marked Unknown rather than guessed. Unknown here means *not checked* — and given G1–G3, the realistic prior is that most are unmet.

Anchor	Title	Source	Prop. gate
§1	Test coverage is mandatory for every change	Constitution.md:133	—
§1.1		Constitution.md:147	—

Anchor	Title	Source	Prop. gate
	False-positive immunity is an invariant		
§2	Commit and push mechanics — single entryptpoint, locked	Constitution.md:168	—
§2.1	Multi-upstream push is the norm	Constitution.md:185	—
§3	Submodule changes propagate through submodule commits first	Constitution.md:201	—
§4	Every tag on the main repo MUST be mirrored on every owned submodule	Constitution.md:218	—
§5	Changelog discipline and multi-format export	Constitution.md:229	—
§6	Documentation up to the nano-details	Constitution.md:247	—
§7	Making false-success results literally impossible	Constitution.md:265	—
§7.1	NO BLUFF — positive-evidence-only validation	Constitution.md:282	—
§8	Bleeding-edge ultra-perfection quality bar	Constitution.md:319	—
§9	Absolute codebase and data safety — zero risk, zero loss	Constitution.md:351	—
§9.1	Mandatory safety protocol for destructive operations	Constitution.md:359	—
§9.2	Force-push requires explicit user authorization every time	Constitution.md:400	—
§9.3	Hardlinked backup is the standard — there is no excuse	Constitution.md:421	—
§9.4	Commit-message audit trail for history rewrites	Constitution.md:429	—

Anchor	Title	Source	Prop. gate
§10	Enforcement	Constitution.md:442	—
§11	End-user quality covenant	Constitution.md:452	—
§11.4	End-user quality guarantee — forensic anchor (User mandate, 2026-04-28)	Constitution.md:454	—
§11.4.1	FAIL-bluffs are equally forbidden	Constitution.md:485	—
§11.4.2	Recorded-evidence requirement	Constitution.md:515	—
§11.4.3	Per-environment-topology test dispatch	Constitution.md:540	—
§11.4.4	Test-interrupt-on-discovery + retest-from-clean-baseline	Constitution.md:557	—
§11.4.5	Captured-evidence quality analysis	Constitution.md:601	—
§11.4.6	No-guessing mandate	Constitution.md:630	—
§11.4.7	Demotion-evidence rule	Constitution.md:651	—
§11.4.8	Deep-web-research-before-implementation	Constitution.md:672	—
§11.4.9	Batch-source-fixes-before-rebuild	Constitution.md:696	—
§11.4.10	Credentials-handling mandate	Constitution.md:709	—
§11.4.10.A	Pre-store credential leak audit (User mandate, 2026-05-17)	Constitution.md:751	—
§11.4.11	File-layout discipline	Constitution.md:820	—
§11.4.12	Auto-generated docs sync mandate	Constitution.md:857	—
§11.4.13	Out-of-band sink-side captured-evidence	Constitution.md:870	—
§11.4.14	Test playback cleanup mandate	Constitution.md:888	—
§11.4.15		Constitution.md:913	—

Anchor	Title	Source	Prop. gate
	Item-status tracking mandate		
§11.4.16	Item-type tracking mandate	Constitution.md:935	FAIL
§11.4.17	Universal-vs-project classification of new rules (User mandate, 2026-05-14)	Constitution.md:970	—
§11.4.20	Subagent-driven-by-default mandate (User mandate, 2026-05-14)	Constitution.md:1017	—
§11.4.18	Script documentation mandate (User mandate, 2026-05-14)	Constitution.md:1089	—
§11.4.19	Fixed-document column-alignment mandate (User mandate, 2026-05-14)	Constitution.md:1150	FAIL
§11.4.21	Operator-blocked status + self-resolution exhaustion mandate (User mandate, 2026-05-14)	Constitution.md:1253	FAIL
§11.4.22	Document-sync commit discipline (User mandate, 2026-05-14)	Constitution.md:1398	—
§11.4.23	Visual-cue & grouping mandate for Issues docs (User mandate, 2026-05-14)	Constitution.md:1493	—
§11.4.24	Build-resource stats tracking mandate (User mandate, 2026-05-14)	Constitution.md:1593	—
§11.4.25	Full-Automation-Coverage Mandate (User mandate, 2026-05-15)	Constitution.md:1708	—
§11.4.26	Constitution-Submodule Update Workflow	Constitution.md:1788	—

Anchor	Title	Source	Prop. gate
	Mandate (User mandate, 2026-05-15)		
§11.4.31	Submodule-Dependency-Manifest Mandate (User mandate, 2026-05-15)	Constitution.md:1879	—
§11.4.32	Post-Constitution-Pull Validation Mandate (User mandate, 2026-05-15)	Constitution.md:2026	—
§11.4.30	.gitignore + No-Versioned-Build-Artifacts Mandate (User mandate, 2026-05-15)	Constitution.md:2095	—
§11.4.29	Lowercase-Snake_Case-Naming Mandate (User mandate, 2026-05-15)	Constitution.md:2225	—
§11.4.28	Submodules-As-Equal-Codebase + Decoupling + Dependency-Layout Mandate (User mandate, 2026-05-15)	Constitution.md:2359	—
§11.4.27	No-Fakes-Beyond-Unit-Tests + 100%-Test-Type-Coverage Mandate (User mandate, 2026-05-15)	Constitution.md:2548	—
§11.4.33	Type-aware closure-status vocabulary (User mandate, 2026-05-15)	Constitution.md:2691	—
§11.4.34	Reopened-source attribution mandate (User mandate, 2026-05-15)	Constitution.md:2747	—
§11.4.35	Canonical-root inheritance clarity (User mandate, 2026-05-15)	Constitution.md:2816	—
§11.4.36	Mandatory install_upstreams on clone/add Mandate (User mandate, 2026-05-15)	Constitution.md:2948	—

Anchor	Title	Source	Prop. gate
§11.4.37	Fetch-before-edit mandate (User mandate, 2026-05-15)	Constitution.md:3037	—
§11.4.38	Installable-Asset Evidence Mandate (User mandate, 2026-05-17)	Constitution.md:3131	—
§11.4.39	Per-Feature On-Device End-User Validation Mandate (iter-76, 2026-05-17)	Constitution.md:3192	—
§11.4.40	Full-suite retest before release tag mandate (User mandate, 2026-05-17)	Constitution.md:3236	FAIL
§11.4.41	Pre-Force-Push Merge- First Mandate (User mandate, 2026-05-17)	Constitution.md:3323	—
§11.4.42	Iteration-discipline mandate (User mandate, 2026-05-18)	Constitution.md:3455	FAIL
§11.4.43	TDD-Fix-Discipline Mandate (User mandate, 2026-05-18)	Constitution.md:3555	FAIL
§11.4.44	Document Revision Header Mandate (User mandate, 2026-05-18)	Constitution.md:3659	FAIL
§11.4.45	Integration-Status-Doc Maintenance Mandate (User mandate, 2026-05-18)	Constitution.md:3761	FAIL
§11.4.46	Validate-recent-work- before-post-flash-tests mandate (User mandate, 2026-05-18)	Constitution.md:3860	FAIL
§11.4.47	Firebase Data Review Mandate (User mandate, 2026-05-18)	Constitution.md:3963	FAIL
§11.4.48		Constitution.md:4069	FAIL

Anchor	Title	Source	Prop. gate
	UI-Driven Video Testing Mandate (User mandate, 2026-05-18)		
§11.4.49	Dual-Approach Testing Mandate (User mandate, 2026-05-18)	Constitution.md:4205	FAIL
§11.4.50	Deterministic Consistency Mandate (User mandate, 2026-05-18)	Constitution.md:4315	FAIL
§11.4.51	Live-ADB-First Maximization Mandate (User mandate, 2026-05-18)	Constitution.md:4437	FAIL
§11.4.52	Autonomous-Validation Mandate (User mandate, 2026-05-18)	Constitution.md:4561	FAIL
§11.4.53	Fixed_Summary parity mandate (User mandate, 2026-05-18)	Constitution.md:4744	FAIL
§11.4.54	ATM-NNN ticket identifier mandate (User mandate, 2026-05-19)	Constitution.md:4886	FAIL
§11.4.55	Reopens-history tracking + per-item Reopens.md doc (User mandate, 2026-05-19)	Constitution.md:5011	FAIL
§11.4.56	Status_Summary parity + two-audience format (User mandate, 2026-05-19)	Constitution.md:5124	FAIL
§11.4.57	README.md doc-link section + revision metadata (User mandate, 2026-05-19)	Constitution.md:5224	FAIL
§11.4.58	Parallel-development methodology (User mandate, 2026-05-19)	Constitution.md:5327	FAIL
§11.4.59		Constitution.md:5544	—

Anchor	Title	Source	Prop. gate
	README always-sync mandate (User mandate, 2026-05-19)		
§11.4.60	Documentation always-sync composite covenant (User mandate, 2026-05-19)	Constitution.md:5622	FAIL
§11.4.61	Mandatory Markdown metadata table + structured-doc ToC (User mandate, 2026-05-19)	Constitution.md:5725	—
§11.4.63	Workable-items procedure docs as single source of truth (User mandate, 2026-05-19)	Constitution.md:5860	FAIL
§11.4.65	Universal Markdown export mandate (User mandate, 2026-05-19)	Constitution.md:5954	FAIL
§11.4.66	Blocker-resolution interactive-clarification mandate (User mandate, 2026-05-19)	Constitution.md:6088	FAIL
§11.4.67	Shell-script target-shell-parseability mandate (User mandate, 2026-05-19)	Constitution.md:6184	FAIL
§11.4.68	Positive sink-side / downstream evidence mandate (User mandate, 2026-05-20)	Constitution.md:6347	FAIL
§11.4.69	Universal Sink-Side Positive-Evidence Taxonomy + Mechanical Enforcement (User mandate, 2026-05-20)	Constitution.md:6486	FAIL
§11.4.70	Subagent-Driven Execution Is The Default (User mandate, 2026-05-20)	Constitution.md:6773	—
§11.4.71		Constitution.md:6843	FAIL

Anchor	Title	Source	Prop. gate
	Pre-Push Fetch + Investigate + Integrate Mandate (User mandate, 2026-05-20)		
§11.4.72	Audio Top-Priority Mandate (User mandate, 2026-05-20)	Constitution.md:6878	—
§11.4.73	Main-specification document versioning + revision discipline (User mandate, 2026-05-20)	Constitution.md:6896	—
§11.4.74	Submodule-catalogue-first discovery + extend-don't-reimplement (User mandate, 2026-05-20)	Constitution.md:6930	—
§11.4.75	Mechanical Enforcement Without Exception (User mandate, 2026-05-20)	Constitution.md:6967	FAIL
§11.4.76	Containers-submodule mandate (User mandate, 2026-05-20)	Constitution.md:7109	—
§11.4.77	Regeneration-mechanism-required mandate (User mandate, 2026-05-20)	Constitution.md:7142	—
§11.4.78	CodeGraph code-intelligence mandate (User mandate, 2026-05-20)	Constitution.md:7194	—
§11.4.79	Own-org submodules MUST be included in the CodeGraph index (User mandate, 2026-05-21)	Constitution.md:7242	—
§11.4.80	CodeGraph regular-update + sync automation mandate (User mandate, 2026-05-21)	Constitution.md:7284	—
§11.4.81		Constitution.md:7327	—

Anchor	Title	Source	Prop. gate
	Cross-platform-parity mandate (User mandate, 2026-05-21)		
§11.4.82	Iteration-speedup discipline mandate (User mandate, 2026-05-22)	Constitution.md:7368	—
§11.4.83	docs/qa/ end-user evidence mandate (User mandate, 2026-05-22)	Constitution.md:7433	—
§11.4.84	Working-tree quiescence rule for subagent commits (User mandate, 2026-05-22)	Constitution.md:7459	—
§11.4.85	Stress + Chaos Test Mandate (User mandate, 2026-05-24)	Constitution.md:7492	—
§11.4.86	Roster/corpus-backed Status-doc auto-sync mandate (User mandate, 2026-05-25)	Constitution.md:7549	—
§11.4.87	Endless-loop autonomous work + zero-idle agent dispatch + anti-bluff testing mandate (User mandate, 2026-05-26)	Constitution.md:7572	FAIL
§11.4.88	Background-push mandate: commit-lock release immediately after commit, push runs detached (User mandate, 2026-05-26)	Constitution.md:7610	FAIL
§11.4.89	Background test execution mandate (User mandate, 2026-05-27)	Constitution.md:7640	FAIL
§11.4.90	Obsolete status + per- item obsolescence audit mandate (User mandate, 2026-05-27)	Constitution.md:7674	FAIL
§11.4.91		Constitution.md:7703	—

Anchor	Title	Source	Prop. gate
	Summary-doc clarity mandate (User mandate, 2026-05-27)		
§11.4.92	Multi-pass change-evaluation discipline (User mandate, 2026-05-27)	Constitution.md:7742	FAIL
§11.4.93	SQLite-backed single-source-of-truth for workable items (User mandate, 2026-05-27)	Constitution.md:7778	FAIL
§11.4.94	Zero-idle priority-first parallel-by-default operating mode (User mandate, 2026-05-27)	Constitution.md:7840	FAIL
§11.4.95	Workable-items SQLite DB is TRACKED in git, NEVER gitignored (User mandate, 2026-05-27)	Constitution.md:7883	FAIL
§11.4.96	Safe-parallel-work-with-long-build catalogue + mandate (User mandate, 2026-05-27)	Constitution.md:7911	FAIL
§11.4.97	Maximum-use-of-idle-time mandate + progress-update cadence (User mandate, 2026-05-27)	Constitution.md:7965	FAIL
§11.4.98	Full-Automation Anti-Bluff Mandate — Live tests MUST be re-runnable end-to-end without manual intervention (User mandate)	Constitution.md:8003	FAIL
§11.4.99	Latest-Source Documentation Cross-Reference Mandate — instructions, guides, and	Constitution.md:8036	FAIL

Anchor	Title	Source	Prop. gate
	manuals MUST be verified against the lat		
§11.4.100	RETIRED	Constitution.md:8086	—
§11.4.101	Autonomous-decision-over-blocking mandate (User mandate, 2026-05-28)	Constitution.md:8090	FAIL
§11.4.102	Mandatory systematic-debugging activation + always-loaded skill-discovery + plugin-dependency availability (User mandate	Constitution.md:8123	FAIL
§11.4.103	Continuous parallel-stream working routine (User mandate, 2026-05-29)	Constitution.md:8153	FAIL
§11.4.104	Participant identity, attribution & notification-tagging (User mandate, 2026-05-31)	Constitution.md:8189	FAIL
§11.4.105	Natural-language intent recognition & clarification (User mandate, 2026-05-31)	Constitution.md:8232	FAIL
§11.4.106	Docs Chain — mechanical documentation/DB sync engine (Operator mandate, 2026-05-31)	Constitution.md:8279	FAIL
§11.4.107	Anti-bluff AV/test-validation techniques mandate (User-driven research, 2026-06-02)	Constitution.md:8315	FAIL
§11.4.108	Four-layer fix-verification + runtime-signature-as-definition-of-done mandate	Constitution.md:8365	FAIL

Anchor	Title	Source	Prop. gate
	(systematic-debugging Phase 4.5, 2026-06-0		
§11.4.109	Mandatory Anti- Forgetting Enforcement: PreToolUse Guard Hook + Subagent Constitutional Preamble + Orchestrator Pre-Actio	Constitution.md:8399	FAIL
§11.4.110	Pre-build build- readiness verdict + change-impact clash detection mandate (operator mandate, 2026-06-03)	Constitution.md:8485	FAIL
§11.4.111	Resolve-by-stable-name- not-by-enumeration- index mandate (research-derived, 2026-06-03)	Constitution.md:8519	FAIL
§11.4.112	Structural-impossibility won't-fix classification mandate (research- derived, 2026-06-03)	Constitution.md:8539	FAIL
§11.4.113	Absolute no-force-push + merge-onto-latest-main mandate (User mandate, 2026-06-03)	Constitution.md:8565	FAIL
§11.4.114	Last-known-good-tag regression isolation mandate (1.1.8-dev remediation, 2026-06-03)	Constitution.md:8600	FAIL
§11.4.115	RED-baseline-on-the- broken-artifact + polarity-switch mandate (1.1.8-dev remediation, 2026-06-03)	Constitution.md:8624	FAIL
§11.4.116	Real-time conductor↔autonomous- test-framework sync channel mandate (1.1.8-	Constitution.md:8652	FAIL

Anchor	Title	Source	Prop. gate
	dev remediation, 2026-06-03)		
§11.4.117	Computer-vision / OCR pixel-oracle fallback for non-introspectable UIs mandate (1.1.8-dev remediation, 2026-06-03)	Constitution.md:8676	FAIL
§11.4.118	Discovery-pressure to confirm known-issue-set completeness mandate (1.1.8-dev remediation, 2026-06-03)	Constitution.md:8700	FAIL
§11.4.119	Single-resource-owner partitioning for parallel hardware testing mandate (1.1.8-dev remediation, 2026-06-03)	Constitution.md:8724	FAIL
§11.4.120	Fix-breaks-its-own-gate reconciliation mandate (1.1.8-dev remediation, 2026-06-03)	Constitution.md:8748	FAIL
§11.4.121	No-commit-while-build- writes-tracked-artifacts mandate (1.1.8-dev remediation, 2026-06-03)	Constitution.md:8776	FAIL
§11.4.122	No-silent-removal-of- existing-components- without-operator- confirmation mandate (User mandate, 2026-06-03)	Constitution.md:8800	FAIL
§11.4.123	Rock-solid-proof-or- deep-research mandate (User mandate, 2026-06-03)	Constitution.md:8822	FAIL
§11.4.124	Dead/unwired-code investigate-before- remove mandate (User mandate, 2026-06-04)	Constitution.md:8844	FAIL
§11.4.125		Constitution.md:8870	FAIL

Anchor	Title	Source	Prop. gate
	Code-review-agent gate before pre-build + main build (mandatory multi-layer review) (User mandate, 2026-06-04)		
§11.4.126	Default autonomous-loop working mode from first prompt (User mandate, 2026-06-04)	Constitution.md:8896	FAIL
§11.4.127	Session-handoff resumption-prompt mandate (User mandate, 2026-06-06)	Constitution.md:8918	FAIL
§11.4.128	Always-on device-recording mandate (User mandate, 2026-06-06)	Constitution.md:8932	FAIL
§11.4.129	Huge-blocker release protocol (User mandate, 2026-06-06)	Constitution.md:8944	FAIL
§11.4.130	Post-remediation validate-the-fix-FIRST-after-redeploy (User mandate, 2026-06-06)	Constitution.md:8956	FAIL
§11.4.131	Standing session-resumption file mandate (User mandate, 2026-06-07)	Constitution.md:8972	FAIL
§11.4.132	Risk-ordered validation priority mandate (User mandate, 2026-06-07)	Constitution.md:8994	FAIL
§11.4.133	Target-System + hardware safety mandate (User mandate, 2026-06-08)	Constitution.md:9018	FAIL
§11.4.134	Code-review iterate-until-GO + rock-solid-evidence mandate (User mandate, 2026-06-08)	Constitution.md:9046	FAIL
§11.4.135	Standing regression-guard suite + every-	Constitution.md:9060	FAIL

Anchor	Title	Source	Prop. gate
	fixed-defect-gets-a-permanent-regression-test (User mandate, 2026-06-08)		
§11.4.136	Real-content end-to-end playback-test mandate (User mandate, 2026-06-08)	Constitution.md:9073	FAIL
§11.4.137	Subtitle/caption content-correctness oracle + secure-display-proxy-honesty mandate (User mandate, 2026-06-08)	Constitution.md:9082	FAIL
§11.4.138	Operator-escape => mandatory bluff-audit + permanent guard (User mandate, 2026-06-08)	Constitution.md:9097	FAIL
§11.4.139	Fresh-process clean-artifact runtime-signature mandate (User mandate, 2026-06-08)	Constitution.md:9106	FAIL
§11.4.140	Universal action-prefix system (ACTION_NAME ::) (User mandate, 2026-06-09)	Constitution.md:9114	FAIL
§11.4.141	Token-efficiency mandate (research-derived + operator mandate, 2026-06-09)	Constitution.md:9233	FAIL
§11.4.142	Universal code-review mandate — every change reviewed, always, no exception (User mandate, 2026-06-09)	Constitution.md:9263	FAIL
§11.4.143	Real-user-journey mandate for video-streaming-app full-automation tests (User mandate, 2026-06-10)	Constitution.md:9283	FAIL

Anchor	Title	Source	Prop. gate
§11.4.144	Tracked/recorded-device availability-following mandate (User mandate, 2026-06-10)	Constitution.md:9297	FAIL
§11.4.145	Independent multi-angle impact-research per change (User mandate, 2026-06-10)	Constitution.md:9311	FAIL
§11.4.146	Reproduce-first test + same-test-confirms-fix + mandatory extend-to-all-cases workflow (User mandate, 2026-06-10)	Constitution.md:9329	FAIL
§11.4.147	Crashed-agent respawn-until-complete + no-work-loss registry mandate (User mandate, 2026-06-10)	Constitution.md:9351	FAIL
§11.4.148	Workable-item integrity (status+type+id) + comprehensive structured description + bidirectional external-tracker sync +	Constitution.md:9373	FAIL
§11.4.149	Per-workable-item testing-diary mandate (User mandate, 2026-06-10)	Constitution.md:9395	FAIL
§11.4.150	Mandatory deep multi-angle web research per change/issue, before declaring fixed or structural (User mandate, 2026-06-11)	Constitution.md:9415	FAIL
§11.4.151	Project-prefixed release-tag/version-naming mandate (User mandate, 2026-06-12)	Constitution.md:9439	FAIL
§11.4.152	Crashlytics-recorded-data continuous	Constitution.md:9460	FAIL

Anchor	Title	Source	Prop. gate
	monitoring + systematic-debug + regression-test-coverage mandate (User mandate, 202		
§11.4.153	Comprehensive per-feature Status + Status_Summary document set with mandatory video-recording confirmation (User mandate	Constitution.md:9490	FAIL
§11.4.154	Window-scoped capture + fresh-corpus rotation for feature/QA recordings (User mandate, 2026-06-15)	Constitution.md:9516	FAIL
§11.4.155	Project-name-prefixed feature/QA recording filenames (User mandate, 2026-06-15)	Constitution.md:9528	FAIL
			FAIL (as measured for this Phase-1 pass) — partially remediated 2026-08-27 , see the G4 update: .github/workflows/ci.yml → ci.yml.disabled , gates → local pre-push hook. milosvasic.ru/.github/workflows/pages.yml remains ACTIVE by operator decision (sole publish path for a production site) — a documented deviation, not an override. vasic.digital triggers provider-side Pages runs with no workflow file to disable. Do not read this as PASS anywhere:
§11.4.156	All CI/CD automation (GitHub Actions / GitLab pipelines / equivalents) MUST be disabled (User mandate, 2026-06-15)	Constitution.md:9542	

Anchor	Title	Source	Prop. gate
			§11.4.156(B)'s test is “a push triggers ZERO runs”, two of three surfaces knowingly fail it, and the umbrella’s remaining provider-side settings are unverified.
§11.4.157	GEMINI.md maintained in lockstep with CLAUDE.md / AGENTS.md / QWEN.md (User mandate, 2026-06-15)	Constitution.md:9558	FAIL
§11.4.158	Intensive all-feature/flow/edge-case video-recording + read-the-screen content-verification mandate (User mandate, 2026-	Constitution.md:9574	FAIL
§11.4.159	Mandatory window-specific video recording + vision validation mandate (User mandate, 2026-06-20)	Constitution.md:9600	FAIL
§11.4.160	Vision-verified recording + HelixQA bridge mandate (User mandate, 2026-06-21)	Constitution.md:9649	FAIL
§11.4.161	Rootless container runtime mandate (User mandate, 2026-06-21)	Constitution.md:9671	FAIL
§11.4.162	OpenDesign UI design system mandate (User mandate, 2026-06-21)	Constitution.md:9689	FAIL
§11.4.163	Universal Media Validation & Verification Mandate (User mandate, 2026-06-21)	Constitution.md:9717	FAIL
§11.4.164		Constitution.md:9741	FAIL

Anchor	Title	Source	Prop. gate
	Universal Constitution Auto-Propagation & Hook System (User mandate, 2026-06-21)		
§11.4.165	Universal Independent Verification Agent Mandate (User mandate, 2026-06-21)	Constitution.md:9769	FAIL
§11.4.166	REPEALED (operator decision, 2026-06-22)	Constitution.md:9793	FAIL
§11.4.167	Big-work-item feature work-stream lifecycle (own copy-on-write project copy + own branch/tags + per- feature builds, no-m	Constitution.md:9795	FAIL
§11.4.168	Exported-document independent content + textual + full-visual validation mandate (User mandate, 2026-06-23)	Constitution.md:9913	FAIL
§11.4.169	Mandatory comprehensive test-type coverage with anti-bluff captured evidence (User mandate, 2026-06-25)	Constitution.md:9935	FAIL
§11.4.140	Mandatory HelixTranslate canonical translation pipeline (User mandate, 2026-06-25)	Constitution.md:9969	FAIL
§11.4.141	Mandatory independent per-language translation review (User mandate, 2026-06-25)	Constitution.md:9999	FAIL
§11.4.170	Device-independent host-side rendered-UI visual-proof mandate	Constitution.md:10029	FAIL

Anchor	Title	Source	Prop. gate
	(User mandate, 2026-06-25)		
§12	Host-session safety — directly OR indirectly signing the user out is FORBIDDEN	Constitution.md:10033	—
§12.1	Forbidden operations — directly OR indirectly	Constitution.md:10039	—
§12.2	Required safeguards	Constitution.md:10060	—
§12.3	Container hygiene	Constitution.md:10074	—
§12.6	Memory-Budget Ceiling — 60% MAXIMUM	Constitution.md:10085	—
§12.10	Continuation document — sacred invariant	Constitution.md:10115	—
§12.11	Maximal dynamic resource utilization for containerized builds (User mandate, 2026-07-03)	Constitution.md:10157	—
§12.12	Process/thread-limit (RLIMIT_NPROC) awareness for parallel subagent/multi-process work (User mandate, 2026-07-07)	Constitution.md:10177	—
§11.4.171	Mandatory comprehensive human-readable workable-item descriptions (User mandate, 2026-06-29)	Constitution.md:10241	FAIL
§11.4.172	Mandatory production-readiness planning with realistic timeline projection (User mandate, 2026-06-29)	Constitution.md:10243	FAIL
§11.4.173	Containerized + distributed build mandate (User mandate, 2026-06-29)	Constitution.md:10245	FAIL

Anchor	Title	Source	Prop. gate
§11.4.174	Shared-host process-ownership verification mandate (User mandate, 2026-06-29)	Constitution.md:10247	FAIL
§11.4.176	Conflict-free multi-track work-division + exactly-once claim registry + capability-aware deadlock-proof device-lock (Use	Constitution.md:10249	FAIL
§11.4.177	Developer-tooling project-decoupling + invocation-directory operation (User mandate, 2026-07-04)	Constitution.md:10251	FAIL
§11.4.178	Track-qualified identity for parallel work streams (session-name collision ban) (User mandate, 2026-07-04)	Constitution.md:10253	FAIL
§11.4.179	Corruption-isolated parallel git streams (own-git independent clones, not shared-common-dir worktrees) (User mandate, 2	Constitution.md:10255	FAIL
§11.4.180	Commit/push (single-writer) wrappers MUST auto-reap provably-stale locks before acquiring (User mandate, 2026-07-04)	Constitution.md:10257	FAIL
§11.4.181	Consistent controlled feature-branch naming: one feature/logic-group ⇒ exactly ONE canonical branch name across the main	Constitution.md:10259	FAIL
§11.4.182	Track+branch work-stream identity label (T<N>/<branch>) on	Constitution.md:10261	FAIL

Anchor	Title	Source	Prop. gate
	every agent/subagent/ work-stream label and every operator-f		
§11.4.183	Maximal multi-agent utilization per work- stream + full- constitution-application + zero-bluff mandate (User mandate, 2026	Constitution.md:10263	FAIL
§11.4.184	Mandatory SonarQube static-analysis CLI + local tooling installed and PATH-discoverable (User mandate, 2026-07-06)	Constitution.md:10265	FAIL
§11.4.185	Manual QA-team testing as the mandatory FINAL confirmation of done (User mandate, 2026-07-07)	Constitution.md:10267	FAIL
§11.4.186	Anti-divergence enforcement: cross- document consistency is a mandatory-before- export/commit gate, never an after-the-fac	Constitution.md:10271	FAIL
§11.4.187	Automatic multi-track ruler orchestration (User mandate, 2026-07-04; landed 2026-07-09)	Constitution.md:10273	FAIL
§11.4.188	Regular main→feature merge cadence: every track / feature-branch MUST FREQUENTLY merge canonical main into itself DURI	Constitution.md:10275	FAIL
§11.4.189	Most-reopened cases get extra-depth live-testing scrutiny FIRST (User mandate, 2026-07-10)	Constitution.md:10277	FAIL
§11.4.190		Constitution.md:10279	FAIL

Anchor	Title	Source	Prop. gate
§11.4.191	Website engineering-quality mandate: every project website MUST be fully responsive + completely SEO-optimized + unique Work-to-track/branch binding enforcement: a logic-group's work can NEVER be committed OR dispatched onto the wrong track	Constitution.md:10281	FAIL
§11.4.192	Continuous multi-track auto-backfill: a FREE track MUST be IMMEDIATELY re-assigned its next-highest-priority domain work	Constitution.md:10283	FAIL
§11.4.193	Anti-blind-typing mandate: every UI interaction MUST be "seen" and "understood" via OCR/vision/screenshot proof, NEVER b	Constitution.md:10303	FAIL
§11.4.194	Exhaustive all-scenario, all-angle code-review + verify-against-captured-runtime-evidence mandate (User mandate, 2026-07)	Constitution.md:10325	FAIL
§11.4.195	Branch-structure governance: taxonomy + merge-after-live-QA + flavor/product non-merge (User mandate, 2026-07-14)	Constitution.md:10353	FAIL
§11.4.196	Native-alias-first priority + per-alias real-signal limit/subscription tracking + auto-rebind-	Constitution.md:10388	FAIL

Anchor	Title	Source	Prop. gate
	on-recovery + resource-det		
§11.4.197	Research / kicked-off-work completion mandate: every research effort MUST be driven to full, wired, verified completion	Constitution.md:10398	FAIL
§11.4.198	Default working mechanisms: multi-alias native-first orchestration AND heavy token-optimization are ALWAYS-ON defaults f	Constitution.md:10420	FAIL
§11.4.199	Exact-reproduction-sequence mandate: when a working reproduction exists, the investigation MUST use ITS exact sequence —	Constitution.md:10438	FAIL
§11.4.200	Non-targetable deploy/flash tooling MUST isolate exactly ONE eligible target and VERIFY-AFTER-WRITE on the INTENDED targ	Constitution.md:10458	FAIL
§11.4.201	Every guard/gate MUST assert the REAL condition: a false-positive refusal is a FAIL-bluff, a false-negative pass is a PA	Constitution.md:10478	FAIL
§11.4.202	Reporting directives: a report MUST auto-create a fully-populated, fully-synced workable item — never a prose acknowledg	Constitution.md:10518	FAIL
§11.4.207	Instant multi-stream resume engine: whole-fleet continuation state	Constitution.md:10524	FAIL

Anchor	Title	Source	Prop. gate
	is a durable, content-addressed, atomically-committed		
§11.4.208	Operator-request-history document: every project maintains a project-local, always-in-sync ledger of every operator request	Constitution.md:10532	FAIL
§11.4.209	Code-review MUST run on the Fable model at xhigh effort (Opus xhigh fallback) (User mandate, 2026-07-15)	Constitution.md:10544	FAIL
§11.4.210	Zero-loss request/prompt intake: every operator request MUST be mechanically captured, tracked, and processed — never sk	Constitution.md:10556	FAIL
§11.4.211	Merge-conflict resolution during main→feature/product/flavor merges MUST run on the Fable model at xhigh effort (Opus xh	Constitution.md:10572	FAIL
§11.4.212	Main README is the canonical starting-point / entry point for ALL project documentation — no doc may be an orphan unreacted	Constitution.md:10584	FAIL
§11.4.213	FEATURE research-scheduling directive: recognized via all §11.4.140 forms, SCHEDULES (never synchronously executes) a de	Constitution.md:10596	FAIL
§11.4.214	Recurrence-links-not-mints: a defect that	Constitution.md:10618	FAIL

Anchor	Title	Source	Prop. gate
	returns MUST reopen its existing item, never enter as a new id (research-deriv		
§11.4.215	A doc that BINDS work MUST live, tracked, in the repository where that work happens (research-derived, 2026-07-17)	Constitution.md:10638	FAIL
§11.4.216	Canonical machine-readable design-token source: one CSS custom-property file (:root + [data-theme="dark"]), generate	Constitution.md:10652	FAIL
§11.4.217	OpenDesign brand contract: every UI-shipping product carries a 9-section DESIGN.md + tokens.css twin with disjoint color	Constitution.md:10666	FAIL
§11.4.218	Living design-library catalogue: every component × state × theme rendered self-contained + a cross-platform reusability	Constitution.md:10680	FAIL
§11.4.219	Per-app screen catalogues: full-IA coverage per surface, per-platform chrome variants, honesty markers for unbuilt behav	Constitution.md:10694	FAIL
§11.4.220	Open-first design tooling: self-hosted open platforms are primary; proprietary tools are import/export targets only; des	Constitution.md:10708	FAIL

Anchor	Title	Source	Prop. gate
§11.4.221	Motion discipline: token-bound durations/easings + machine-readable manifest + reduced-motion static fallbacks everywhere	Constitution.md:10722	FAIL
§11.4.222	Design-completion export wave: a design is not done until token codegen, the honest-output raster matrix, both-theme ren	Constitution.md:10736	FAIL
§11.4.223	Provenance-marker discipline for design documentation + central open-item registry in the area index (User mandate, 2026	Constitution.md:10750	FAIL
§11.4.224	Test-first (TDD) for ALL work, not only fixes + a minimum code-coverage floor that is NECESSARY-never-sufficient (User m	Constitution.md:10764	FAIL
§11.4.225	Scheduler-quota burst-throttling telemetry + interactive-scope isolation from bursty fleets: progressive interactive deg	Constitution.md:10790	FAIL
§11.4.226	Evidence-class-at-closure + standing detection pressure: machinery presence does NOT predict whether a fix holds — the E	Constitution.md:10808	FAIL
§11.4.227	Governance-corpus self-custody: the rule corpus is bound by the same custody it imposes — every named gate is implemente	Constitution.md:10838	FAIL

Anchor	Title	Source	Prop. gate
§11.4.228	Cross-agent extension lifecycle mandate: per-platform compatibility declaration, source tracking, per-extension document	Constitution.md:10860	FAIL
§11.4.229	Live in-session task/todo tracker MUST always be up to date and fully in sync with the real work state — never stale, ne	Constitution.md:10907	FAIL
§11.4.230	Parallelized-pipeline methodology: build↔validate overlap + affected-stages-only re-run + parallel multi-device testing/	Constitution.md:10927	FAIL
§11.4.231	Nano-precision model-tier selection: lightest-capable-model-first with dynamic mid-task escalation (User mandate, 2026-0	Constitution.md:10944	FAIL
§11.4.232	Anti-mess long-op orchestration: every long-op is registered, single-owned-per-purpose, liveness-PROVEN, handed-off-on-s	Constitution.md:10967	FAIL
§11.4.233	Standing anti-mess control plane: a level-triggered, idempotent, invariant-catalogue reconciliation loop over the WHOLE	Constitution.md:10994	FAIL
§11.4.234	Dedicated hook-validation script: hook checks run as an explicit stage of a dedicated	Constitution.md:11017	FAIL

Anchor	Title	Source	Prop. gate
	commit/push script, and the commit		
§11.4.235	Build-and-deploy the moment source fixes are proven-correct (test-side hardening is a parallel stage, never a build gate	Constitution.md:11035	FAIL
§11.4.236	QA-deploy-readiness gate: no manual-QA hand-off until the mandated validation produced a candidate-fingerprinted PASS ve	Constitution.md:11049	FAIL
§11.4.237	Mandatory exhaustive context-and-spirit-aware translation review: every localized artifact independently reviewed for CO	Constitution.md:11055	FAIL
§11.4.238	Automated QA must be the DISCOVERER: manual QA finds nothing new, and anything it finds is a coverage escape (User manda	Constitution.md:11077	FAIL

9.1 Verdict rollup

Counted mechanically over the table above.

Substance verdict	Count
Yes	10
Partial	14
No	26
Unknown — needs verification	211
Total anchor rows	261

Propagation-gate verdict	Rows
--------------------------	------

Propagation-gate verdict	Rows
FAIL — gate declared, cannot pass (175 distinct gates over 177 rows)	
No gate declared	84
Total anchor rows	261

10. Unverified items

Each of these is honestly **unverified**; the action that would settle it is given.

Item	Why unverified	What would verify it
196 anchors marked Unknown in §9	Checking each requires running the project’s own gates, which do not exist (G3), or domain-specific runtime evidence	Build scripts/verify-all-constitution-rules.sh per §11.4.32 and run it; that script is the mechanism the constitution specifies for answering this question
Whether the umbrella is intended to be multi-provider (§2.1)	git remote -v shows one provider; upstreams/ holds only GitHub.sh. §2.1 binds “Every project hosted on multiple Git providers”	Operator statement, or running submodules/constitution/install_upstreams.sh semantics against the umbrella’s intended mirror set
Whether the constitution submodule pointer is current	Comparing to upstream requires git fetch, which this pass was forbidden to run	git -C submodules/constitution fetch --all && git -C submodules/constitution log --oneline HEAD..origin/main
Whether .codegraph/codegraph.db	The DB was not opened	sqlite3 .codegraph/codegraph.db and

Item	Why unverified	What would verify it
indexes own-org submodules (§11.4.79)		inspect indexed paths for submodule prefixes gh release list / glab release list — the prior audit at _analysis/ constitution-compliance.md flagged the same item as “UNVERIFIED (offline)”
Whether releases exist on remote providers	Requires network	
Whether submodules/ superspec is genuinely third-party	Inferred from its upstream git@github.com:WangX0111/superspec.git being outside every operator-listed org in §11.4.28	Operator confirmation, or gh org list per §11.4.28’s own discovery instruction
§3 commit-ordering compliance (submodule-first)	Requires reflog archaeology across seven repos	git -C <sub> reflog cross-referenced against parent commit timestamps
Whether ai_interviewing / monetization are in-scope for §11.4.28(A) equal-codebase work	Both are near-empty (monetization/ holds docs, README.md, repos.txt, upstreams)	Operator scoping decision

Appendix — commands used to produce this document

All read-only. Reproducible from a clean checkout.

```

# Inventory
ls -a; cat .gitmodules; git ls-files -s | awk '$1==160000'; git
    submodule status
ls -la submodules/constitution submodules/constitution/submodules

# Rule corpus
grep -n '^## \|^### ' submodules/constitution/Constitution.md
grep -o 'CM-COVENANT-114-[0-9]*-PROPAGATION' submodules/
    constitution/Constitution.md | sort -u | wc -l
grep -o '\bMUST\b' submodules/constitution/Constitution.md | wc -l
grep -o '\bSHOULD\b' submodules/constitution/Constitution.md | wc
    -l

# Governance-layer presence
for f in CLAUDE.md AGENTS.md QWEN.md GEMINI.md Constitution.md
    CONTINUATION.md helix-deps.yaml; do
    [ -e "$f" ] && echo "PRESENT $f" || echo "ABSENT $f"; done
git grep -n -e '@constitution/CLAUDE.md' -e 'INHERITED FROM
    constitution'
find . -maxdepth 3 -name .git -prune -o -type f \
    \( -iname 'AGENTS.md' -o -iname 'CLAUDE.md' -o -iname 'QWEN.md'
    \
    -o -iname 'GEMINI.md' -o -iname '.cursorrules' -o -iname
    'Constitution.md' \) -print

# Enforcement-layer presence
ls scripts/; ls .git/hooks/ | grep -v sample; cat .claude/
    settings.local.json

# Export + entrypoint gaps
git ls-files '*.md' | grep -vE '^(submodules/|milosvasic\.ru/|
    vasic\.digital/|design-toolkit/|ai_interviewing/|
    monetization/|_content)' | wc -l
grep -oE '\)\([^\)]+\)' README.md

# Tag mirroring
git tag; for s in milosvasic.ru vasic.digital design-toolkit
    ai_interviewing monetization submodules/constitution; do
    echo "$s $(git -C $s tag -l v1.8.0)"; done

```