QA-CANDIDATE-KNOWN-DEFECTS

QA candidate: known defects

Part 1 lists problems found while CONSTRUCTING this candidate (merge decisions, merge-induced breakage and the state of the quality gates run on the merged tree). Part 2 is the digest of the independent review reports for the merged streams. Nothing in Part 2 was re-run or re-reviewed for this build: statuses were checked by reading the code and commit log only.

Part 1: found while building the candidate

ID	Severity	Finding	Where
CC-01	MED	`verify-suppressed-residue.sh` exits 1. Diagnosed 2026-10-22: main itself is already red (new carrier `curriculum/textbook-sidecars/textbook-ai001-ai-engineering.sections.json`, 2 ids, and two G5 carriers). The candidate adds four more NEW carriers of suppressed passage ids not in the ratchet baseline: `docs/faq.docx` (33), `docs/on-screen-text.md` (1), `curriculum/catalog-gap-baseline.tsv` (10), `curriculum/citation-ratchet.tsv` (9). The first two are served from `/docs`.	candidate `docs/`, `curriculum/`
CC-02	LOW	`verify-redaction-propagation.sh` first showed 6 failures. Diagnosed: it probes the LIVE served corpus by default. Against the QA data copy (`--served-dir`) checks S1-S5 all pass; only R8 (red on this tree by the gate's own design: 135 citations of	gate output

ID	Severity	Finding	Where
		suppressed pids in 42 generated artifacts) and A6 (`--purge exited 2`, same on main) fail, and both fail identically on main. The 4 extra failures were about the LIVE service: 4 suppressed pids are unflagged in its served registry, 8 values stored in its DB, 4 still in its lexical index. Reported, not touched.	
CC-03	MED	The on-demand material path never sets the per-request acknowledgement (`WithRemoteAck`, only `/api/ask` does) and nothing in production code installs a spend hook (`SetSpendHook`), which the billable probe added by h1 now requires. A hosted provider row therefore cannot generate. The test `TestLazyHostedBuildsOnlyOnFirstGeneration` needed both added to pass (qa-fix). Hosted providers are OFF in this build, so this is not reachable.	`pkg/answer/hosted.go`, `cmd/workshop-server/wire_materialgen.go`
CC-04	LOW	h1 health probe runs BEFORE n3's per-request acknowledgement check inside `HostedProvider.Generate` (the probe carries no private text but is a billable call). Semantic merge choice, never reviewed.	`pkg/answer/hosted.go`
CC-05	MED	`pipeline/ocr/` holds two implementations: n6's spec-002 modules and n7's spec-008 modules share file names; the conflicted `__init__`, `corroboration`, `stability` take n7's. n6's `test_ocr.py` still passed 32/32 against the mixed package, but the package is not a reviewed design. Offline pipeline only, not served.	`pipeline/ocr/`
CC-06	LOW	The ask path with the `askStream` UX flag ON does not carry the hosted-send acknowledgement (`remoteAck`); the non-stream path does. Flags default OFF.	`features/inquiry/inquiry.component.ts`
CC-07	MED	`features/practice/adaptive-practice.component.ts` is n8's version; wire-completion's variant (announce / focus on a new question) was dropped. Its spec file is a	frontend

ID	Severity	Finding	Where
		union of both streams' expectations; Karma result for the merged tree is in the QA-CANDIDATE page, section 7 status line.	
CC-08	LOW	`docs/faq.md` is the union of several streams: several `## 19.` / `## 20.` headings coexist. The generated `docs/*.pdf` / `*.html` exports of faq, manual and user-guide were NOT regenerated (they show one side only).	`docs/`
CC-09	LOW	n6's and n7's differently shaped `verify-gofmt.sh` gates share a file name; n6's ratchet is kept, n7's registry row `gofmt-clean` removed. The ratchet baseline was emptied (n7 had formatted the 13 files) and 3 files from other streams were formatted. Gate green after.	`platform/gates/`
CC-10	MED	My own conflict union of `platform/compose.yml` (n8) re-introduced the name-only `ApiKey_OpenAI` / `ApiKey_Anthropic` environment entries that the apikeys design removes (they put key values on the container command line once opted in). Caught by review of the digest, removed in a qa-fix; `scripts/api-keys.test.sh` 103 passed / 0 failed after.	`platform/compose.yml`
CC-11	LOW	The three-way union left research docs listed in the Library under the `[stale]` live-registry statements of some docs (e.g. "Not searchable yet" describes the un-ingested live registry; on the QA copy they ARE searchable).	docs
CC-12	INFO	Gates that need untracked data (`docs/research`, `platform/prebuilt`, `curriculum` build products) return UNDETERMINED (rc 2) when run from the worktree: `verify-research-reingest`, `verify-prebuilt-artifacts`, `verify-media-exposure`, `verify-server-unity` (5 PASS, 2 UNDET). They were not run against the QA copy.	gate output

Part 1 gates that PASSED on the merged tree (rc 0, run in this session): placeholder-sweep (source half), no-runtime-model-calls, medium-no-model, seed-password-absent, spec007-auth-wiring, scoring (200 tests), registry-content-type, limits-completeness, ui-labels, ui-vocabulary, no-hierarchy-fields, gofmt, source-ref-exposure, transcript-anchors, material-alt, material-metadata-disclosure, compose-provider-passthrough, `scripts/api-keys.test.sh`.

Part 2: digest of the independent reviews

Generated 2026-10-22 from the independent review reports against the candidate tree ~/Projects/vasic-wt/qa-candidate (branch qa-candidate, tip 7dff042). Read-only: no repository file was edited and no server was started. Statuses were checked with `git grep`, `git show` and `git log` on the candidate; where a later commit is cited its message was read, but no fix was re-run or re-reviewed, so LIKELY-FIXED-LATER is not a PASS.

Summary

- 57 rows in the main table. By severity: HIGH 9, MED 39, LOW 9. By status: OPEN 19, LIKELY-FIXED-LATER 27, DORMANT 8, UNKNOWN 3.
- Severity is normalised to HIGH / MED / LOW (BLOCKING and HIGH count as HIGH; MEDIUM-HIGH counts as MED, LOW-MEDIUM as LOW). LOW findings that no tester could see in the UI or API (test strength, evidence hygiene, parser differentials) are not listed.
- Appendix A lists 7 further rows against repositories that are NOT in the candidate (constitution governor, umbrella guard); they are not in the counts above.
- NO-GO or dormant per the reports: s9-014-modal-polish NO-GO as reviewed (fixed by 45c1ba2, fb6b5b7); s12-019-promotion NO-GO round 3 (round 4 commit 24c2200 merged, not re-reviewed); constitution governor-279 NO-GO and umbrella spec 027 (outside the candidate); s17-022-material is GO only with the feature OFF and is DORMANT (never attached, no route, no compose flag); s15-025-ux features are all behind flags that default to false; answering (spec 024) is OFF by default and hosted providers are forced off; spec 021 engagement is OFF by default.
- Reviews exist for n1, n2, n3 (twice), n5, wire-completion, s9, s12 (round 3), s16, s17 (round 4), h1, inv-nonascii, s2. No review report exists for n4, n6, n7, n8, s11, s15, s18, cat-authors; their merged tips are unreviewed here.

- Five findings most likely to hit a manual tester: (1) KD-026 provider key names are back in compose `environment:` (found by this digest in merge e96ff43; visible in `ps`/`podman inspect` once keys are opted in); (2) the Anthropic hosted row cannot start because no production code installs a spend hook; (3) KD-001 practice/progress slowdown on a hot question, with KD-002 self-rated flashcards inflating ability and level-ups and KD-003 the 'Noted: questions repeated after a miss' line on Progress for honest learners; (4) 019 deploy pieces not visible or gated (status panel `<wk-live-facts>` not mounted, `restart.sh` has no verdict gate); (5) the 025 UX wave and 022 materials are invisible with default settings (flags off, not attached), and 012 OCR through the ingest script fails (KD-005).

Main table

A. Adaptive practice and scoring (spec 013)

ID	Spec / area	Branch (stream)	Severity	Finding	Source report
KD-001	013 US3 recalibration / 2PL fit	n1-013-adaptive (c7f9564)	HIGH	With one popular question answered by thousands of distinct sessions, the hourly difficulty recalibration and 2PL fit hold the single DB connection for seconds to minutes (n=4000: 9 s and 21 s; n=8000: 35 s and 84 s) and every practice or progress request waits. A tester sees practice/progress stall only at scale.	n1-2026-10-21.md F1
KD-002	013 US2 flashcard easing	n1-013-adaptive (c7f9564)	MED	Self-rated flashcards can raise ability without bound: a learner who	n1-2026-10-21.md F2

ID	Spec / area	Branch (stream)	Severity	Finding	Source report
				answers every multiple-choice question wrong but taps 'recalled' on flashcards gains about +2 points (level-ups) because answered cards are served again. Reviewer rated it MEDIUM-HIGH.	
KD-003	013 integrity reading / Progress page	n1-013-adaptive (c7f9564)	MED	An honest learner who finishes the question pool is flagged `repeat_after_wrong` (after 8/14/24/44 attempts for pools of 5/10/20/40), and the Progress page then prints 'Noted: questions repeated after a miss.' The flag counts the server's own stated repeats. Score is not changed.	n1-2026-10-21.md F3
KD-004	013 tests	n1-013-adaptive (c7f9564)	MED	Three scoring guards survive mutation (recalibration rapid-guess skip, `correct = true` for flashcards, FitIRT first-attempt filter), so a regression there would not turn tests red. Not visible to a tester.	n1-2026-10-21.md F4

B. Textbook ingestion (spec 012)

ID	Spec / area	Branch (stream)	Severity	Finding	Source report
KD-005	012 OCR	n2-012-ingest-complete (b3b0b1e)	HIGH	`--ocr` cannot run through `scripts/ingest-textbooks.sh`: the zero-token guard counts the 2 connect() calls made by `tesseract --version` and aborts (`ZERO-TOKEN GUARD TRIPPED`, extract rc 97, script rc 1). Scanned PDFs cannot be ingested by the documented command. OCR is off by default.	n2-2026-10-22.md F1
KD-006	012 HTML extractor	n2-012-ingest-complete (b3b0b1e)	MED	A valid HTML book with more than 200 unclosed `<p>`/`<li>`/`<td>` is rejected whole ('malformed HTML (nesting too deep)', 'no ingestable section', rc 1).	n2-2026-10-22.md F2
KD-007	012 HTML extractor	n2-012-ingest-complete (b3b0b1e)	MED	An HTML file with `<meta charset="hex">` (or base64/rot13/zlib) crashes the extractor with a LookupError traceback, rc 1 instead of the documented 'unreadable' rc 2.	n2-2026-10-22.md F3
KD-008	012/017 docs and compose wording	n2-012-ingest-complete (b3b0b1e)	MED	compose.yml, the rerank gate header and docs/cross-encoder-rerank.md say the cross-encoder defaults OFF 'on a measurement' (top-5 11/22 vs 15/22), but	n2-2026-10-22.md F4

ID	Spec / area	Branch (stream)	Severity	Finding	Source report
				that number measured the in-window bm25 rerank, not the cross-encoder. Misleading text in operator-facing config and docs.	
KD-009	012 OCR reporting	n2-012-ingest-complete (b3b0b1e)	MED	When every OCR page is below `--ocr-min-conf`, the message says 'every page below --min-chars' and no report is written, so the promised per-page confidence list never reaches the operator.	n2-2026-10-22.md F5
KD-010	012 DOCX/ EPUB/FB2 extractors	n2-012-ingest-complete (b3b0b1e)	MED	Silent content loss reported as `extraction_failures: []`: DOCX inline text boxes dropped; EPUB nested-table content duplicated and `<caption>` dropped; FB2 text placed directly in `<section>` dropped.	n2-2026-10-22.md F6

C. Answering gate, hosted spend control, figures (specs 020, 024)

ID	Spec / area	Branch (stream)	Severity	Finding	Source report	S c
KD-011	024 L4b evidence-demand layer	n3-020-024-complete (bf2232e)	MED	Legitimate quantity answers were declined ('16GB',	n3-2026-10-21.md #1; n3-rereview-2026-10-22.md F1	

ID	Spec / area	Branch (stream)	Severity	Finding	Source report	S
				'512MB', '3rd', 'There are 3:'); re-review: shorthand '30s', '24h', '30d', '512Mi', '5min' read as no number, 40% of the reviewer's 95 legitimate answers declined. Safe direction (a decline), but a tester sees 'cannot answer'.		
KD-012	024 L4b evidence-demand layer	n3-020-024-complete (bf2232e)	MED	Fabrications admitted: the claim's number was never compared with the cited span's number or unit (999 MB vs 512 MB; 512 kilobytes vs 512 megabytes; euros vs dollars; monthly	n3-2026-10-21.md #2; n3-rereview-2026-10-22.md F2, F3, F4	

ID	Spec / area	Branch (stream)	Severity	Finding	Source report	S c
				price presented as annual, because the period word only had to be within 8 tokens). Re-review: 34 of 50 fabrications admitted.		t w a n n
KD-013	024 spend ledger	n3-020-024-complete (bf2232e)	MED	'Corrupt ledger is never reset' had holes: a ledger of `{}`, `null` or without a schema key was accepted as empty and rewritten, restoring the cap after 9.5 USD spent; later in-place edit of `spent_usd` (and negative values) also undetected.	n3-2026-10-21.md #3; n3-rereview-2026-10-22.md F9	I (' c (n { s n c j c n I s I t I c n I I (v I
KD-014	020 figures route	n3-020-024-complete (bf2232e)	LOW	The figure image route did not verify sha256/	n3-2026-10-21.md #7; n3-rereview-2026-10-22.md F13	

ID	Spec / area	Branch (stream)	Severity	Finding	Source report	S
				bytes at serve time and the check stayed optional if the catalogue lacked the fields. A tester viewing / textbooks figures could be served an altered PNG.		

D. Toasts, badges, modal, profile (specs 014, 015)

ID	Spec / area	Branch (stream)	Severity	Finding	Source repo
KD-015	014 toasts and badges	wire-completion (ce9af74) + n5 (18d9eda)	HIGH	Toasts never fire against the real server: the HTTP event source omitted `events_after` on the first fetch, so the server returned no `achievement_events` and the feed never primed.	n5-2026-10-2 finding 1
KD-016	014 badges	n5-011-014-015-complete (18d9eda)	MED	The badge producer re-walked the whole event history on every forced refresh (4 GETs per lesson mark; 12 for three rapid marks) and areas with more	n5-2026-10-2 finding 2

ID	Spec / area	Branch (stream)	Severity	Finding	Source repo
				than 1000 events lost their earned-at stamp.	
KD-017	014 badges	n5-011-014-015-complete (18d9eda)	MED	Stale badge after un-marking the last touched lesson: /api/progress answers 404 and the producer treated 'empty' as an outage, so the badge stayed.	n5-2026-10-2 finding 3
KD-018	015 profile / document reader	n5-011-014-015-complete (18d9eda)	LOW	Document reader showed stale slug/location when reused between two / documents URLs and only breadcrumbs while the citation loaded; profile rendered the server's `last_downgrade_reason` verbatim.	n5-2026-10-2 findings 5 a
KD-019	014 modal (US2)	s9-014-modal-polish (2fef67b)	HIGH	Merging s9 into int turned Karma red (11 failures, storage-hygiene guard: modal ack and cursor keys left in storage). NO-GO as reviewed.	pending-branches-20 section 2 fin
KD-020	014 modal evidence	s9-014-modal-polish (2fef67b)	MED	Round-2 evidence (1051 SUCCESS, 50 e2e) was not backed by raw logs in the branch (round-1 logs still said 878).	pending-branches-20 section 2 fin
KD-021	014 modal queue	s9-014-modal-polish (2fef67b)	LOW	A pending modal beyond the 20-entry cap is silently dropped, and a	pending-branches-20 section 2 fin 4

ID	Spec / area	Branch (stream)	Severity	Finding	Source repo
				queued-but-unseen modal is lost on tab close; the drop count was surfaced nowhere. Events earned between sign-in and the first prime can lose a level-up modal.	

E. Wiring of practice, providers, answering (wire-completion)

ID	Spec / area	Branch (stream)	Severity	Finding	Source repor
KD-022	011/024 FAQ and benchmark	wire-completion (ce9af74)	MED	FAQ 23 gave a 3-variable recipe to enable a LAN provider without saying that, without a matching gate verdict, it stays forced OFF; the default benchmark file questions-v2.tsv was missing from the tree.	wire-completion-20 F2
KD-023	013 adaptive practice UI	wire-completion (ce9af74)	LOW	On a refused serving token the card showed 'could not load (serving_token_invalid)' and dropped the server's message ('nothing was scored, try again').	wire-completion-20 F3
KD-024	013 adaptive practice UI	wire-completion (ce9af74)	LOW	No focus move or announcement when a new question replaces the card (screen-reader users).	wire-completion-20 F4

ID	Spec / area	Branch (stream)	Severity	Finding	Source repor
KD-025	024 answering-off banner	wire-completion (ce9af74)	LOW	The banner said 'Searching and browsing are not affected' for any unavailable code, including a dead backend (http_0).	wire-completion-20 F5

F. Provider API keys

ID	Spec / area	Branch (stream)	Severity	Finding	Source
KD-026	011/024 compose	n8-013-ui-gate merge e96ff43 (candidate-introduced); fix-apikeys-argv (871dacc)	HIGH	Provider key names are passed through compose `environment:` again (`-ApiKey_OpenAI`, `-ApiKey_Anthropic`, compose.yml:192-193). podman-compose turns each into `-e NAME=value` on the `podman create` command line (visible in ps and /proc//cmdline) and in `podman inspect` Config.Env. The earlier reviews rated this MED/HIGH and fix-apikeys-argv removed it; the lines came back in the conflict-resolved n8 merge. The file's own comment at line 157 says they are deliberately not there. Only matters if an operator opts in with WORKSHOP_API_KEY_NAMES.	pending branch section comple F1 (both the pre-regress digest)
KD-027	011 hosted providers	h1-providers-hardening	MED	The hosted Anthropic row (billable health probe) can no longer be brought up: the	small-branch H1-2 (th

ID	Spec / area	Branch (stream)	Severity	Finding	Source
		(239a960) merged as 8c2fa19		probe now fails closed unless a spend hook is installed, and nothing in production code calls `answer.SetSpendHook` (callers are tests only). OpenAI and the other 28 rows probe with a GET and are unaffected. Hosted providers are off by default anyway.	open); c fix obse candida

G. On-demand material generation (spec 022)

ID	Spec / area	Branch (stream)	Severity	Finding	Source repor
KD-028	022 wiring	s17-022-material (44dbdb8)	HIGH	Feature is not wired: `attachMaterialPipeline(...)` is never called, so with `-materials-enabled` the server answers a permanent 503 ('answering pipeline was not attached'); no materials route exists in the UI. Fail-safe but a learner cannot reach it.	s17-round4-2026-C1
KD-029	022 e2e	s17-022-material (44dbdb8)	HIGH	The enabled-feature e2e fails after the merge with the spec-024 gate (stub provider is forced off, 'compose' control never appears, generate count 0). The builder had not re-run it.	s17-round4-2026-C2
KD-030	022 prompt safety	s17-022-material (44dbdb8)	MED	Prompt delimiter forgery survives `neutralise()`: `<<<<<` becomes `< < <<<`, which still contains `<<<`, so a passage or topic can forge a SOURCE/ request block.	s17-round4-2026-F3
KD-031			MED		

ID	Spec / area	Branch (stream)	Severity	Finding	Source repor
	022 delete	s17-022-material (44dbdb8)		Delete racing a same-topic cache-hit commit leaves a dangling material row; the learner's whole materials list then returns 404 and is unrecoverable. Reviewer rated LOW-MEDIUM.	s17-round4-2026-F4
KD-032	022 privacy	s17-022-material (44dbdb8)	LOW	Deleted topic text and session id remain physically in the SQLite WAL (secure_delete off); budget_reservation keeps the session id. 'Erasure' is logical only.	s17-round4-2026-F5
KD-033	022 auth	s17-022-material (44dbdb8)	MED	UNCONFIRMED: owner key falls back to a client-chosen X-Session header; if an unauthenticated request ever reached the handler this would be an IDOR and per-session budget bypass.	s17-round4-2026-F8

H. Learning-medium profile (spec 021)

ID	Spec / area	Branch (stream)	Severity	Finding
KD-034	021 backend source	s16-021-medium (905bf09)	MED	Every profile/recommendation endpoint answered 503 `scoring_store_absent` because the response source was the pre-013 stub.
KD-035	021 UI	s16-021-medium (905bf09)	MED	The UI was unreachable: nothing mounted MEDIUM_ROUTES and there was no nav link.

ID	Spec / area	Branch (stream)	Severity	Finding
KD-036	021 shutdown/ flags	s16-021-medium (905bf09)	MED	`medium` was missing from hookStreams, so deleting closeMedium() or addMediumFlags() survived the tests (store not closed on shutdown; -medium-* flags undefined).
KD-037	021 GET writes / streak	s16-021-medium (905bf09)	LOW	GET /api/profile/medium wrote on every call; concurrent requests could inflate the streak; verdict rows survived switching the profile off.
KD-038	021 hint and filter components	s16-021-medium (905bf09)	MED	Backlog: the in-lesson medium hint and kind filter components have no host, and MediumEngagementService is injected only by the consent component; engagement stays OFF unless WORKSHOP_MEDIUM_ENGAGEMENT=1. A tester will not see the in-context hint.

I. Deploy and registry promotion (spec 019)

ID	Spec / area	Branch (stream)	Severity	Finding	Source report	St ca
KD-039	019 promote-web	s12-019-promotion (24c2200)	HIGH	The web promoter could not stage a real Angular bundle: it rejected `<base href="/">` and `favicon.ico` as missing references, so no real promotion	s12-round3-2026-10-21.md, F1	LI LA 're mi ch we no sc pr re lo liv ha pe an

ID	Spec / area	Branch (stream)	Severity	Finding	Source report	St ca
				was possible.		
KD-040	019 promote-web	s12-019-promotion (24c2200)	MED	A concurrent `--stage` during `--promote` could install an index.html whose chunks (styles-/main-) were 404 (MED-HIGH in the report).	s12-round3-2026-10-21.md, F2	LI LA 'st re
KD-041	019 promote-web	s12-019-promotion (24c2200)	MED	Confinement fix relocated rather than prevented the 2026-10-21 incident class (no nounset in the build command, no size cap); TOCTOU between guard and copy; journal-append failure after the index rename exited rc 1 ('served directory	s12-round3-2026-10-21.md, F3, F4, F5	LI LA 'no siz TO rc fai

ID	Spec / area	Branch (stream)	Severity	Finding	Source report	St ca
				unchanged') while the new bundle was live.		
KD-042	019 provers	s12-019-promotion (24c2200)	MED	prove-web-promotion failed ('INVALID W8: pattern not found') and the committed prover logs were stale, so the idempotency guard had no live mutant.	s12-round3-2026-10-21.md, F8	LI LA ch ga pr mu no DI al ch
KD-043	019 status page	s12-019-promotion (24c2200)	MED	Backlog: the 'What is live' panel `<wk-live-facts>` is not used by the status page, so the live-vs-built facts are invisible; `/api/system/provenance` is served but never shown.	completion-backlog-B-specs-018-026.md, part A section 3 item 5	OP gi fa pl fr on fa its
KD-044	019 restart	s12-019-promotion (24c2200)	MED	Backlog: `scripts/restart.sh` has no `--require-verdict`; a restart	completion-backlog-B-specs-018-026.md, part A section 3 item 6	OP gr ve re ma

ID	Spec / area	Branch (stream)	Severity	Finding	Source report	St ca
				(what actually deploys a binary) is not gated by the deploy-gate verdict.		

J. Providers, streaming privacy, progress store (specs 011, 013, 016)

ID	Spec / area	Branch (stream)	Severity	Finding	Source report
KD-045	011 admin audit card	h1-providers-hardening (239a960)	MED	A successful health probe (`health_check_ok`) was counted as a FAILURE on the admin audit card: every hosted provider build added one failure and one attempt.	small-branches-2026-H1-1
KD-046	011 provider health	h1-providers-hardening (239a960)	MED	Health() was vacuous for hosted providers (nil for an unprobed provider whose vendor is down), so a vendor outage showed up as a failed job instead of an immediate 'unavailable'. Reviewer rated LOW/MEDIUM.	small-branches-2026-H1-4
KD-047			MED		

ID	Spec / area	Branch (stream)	Severity	Finding	Source report
	011/024 streaming privacy	inv-nonascii (99fa0b7) via h1 merge 960344e		A late SSE subscriber (or one that attaches after the first deltas) receives the suffix of a suppressed non-ASCII run: up to window-1 words such as 'jalapeño', 'smörgåsbord' reached the wire (10 of 10 under -race).	small-branches-2026-INV-1
KD-048	016 progress store	s2-016us1-013us1 (e2dde60)	LOW	A directory-fsync failure after the rename returned a generic 'progress store could not be read' although the new state was already published (caller saw failure, next read showed lesson complete).	small-branches-2026-S2-2

K. Completion-backlog items a tester can still hit

ID	Spec / area	Branch (stream)	Severity	Finding	S
KD-049	025 UX research wave	s15-025-ux (b344ae7)	HIGH	All eight UX flags default to false (core/ux-flags.ts:31-40) and can only be switched per browser via localStorage key `workshop-ux-flags`; with default settings none of the 025 features (staged streaming, palette,	c s W

ID	Spec / area	Branch (stream)	Severity	Finding	S
				peek, comfort, momentLinks) is visible.	
KD-050	025 US2 confidence prompt	s15-025-ux (b344ae7)	MED	Confidence-before-reveal (US2, T031-T041) is not built; the `practiceConfidence` flag is declared and consumed nowhere. Also the draft preview is unreachable (never passes `{tokens:true}`).	c s V
KD-051	025 reduced motion	s15-025-ux (b344ae7)	MED	The blanket `prefers-reduced-motion` block in styles.scss still sets animation/transition to .01ms for everything; the finer comfort rules (FR-010) need the flag that is off. Three LEGACY motion rows remain in the baseline.	c s V
KD-052	024 gate inputs in compose	n3 / wire-completion	MED	Compose passes WORKSHOP_ANSWER_VERDICT_DIR empty by default and mounts no verdict/threshold/benchmark inputs, so any provider other than `none` is forced off by the answering gate. Answering stays OFF (decision 2026-09-25).	c s 2
KD-053	011 US4 provider hot-switch	none (not built)	MED	A provider cannot be changed without restarting the server (FR-011/012/013 not implemented anywhere); the FAQ says 'Not yet'. Blocked on two operator decisions (mechanism and in-flight policy).	c s s r N
KD-054	018 research library	s11-018-library (5e826bb)	MED	Library has a backend for research-source links (FR-011/FR-016/US4) but no UI caller: `LibraryApi.sources()` is never called, search hits carry no library link, no search-within-library.	c s s
KD-055			MED		

ID	Spec / area	Branch (stream)	Severity	Finding	S
	001 chapter add	n6-001-002-complete (a5847e7)		A chapter added by the documented procedure (`scripts/add-chapter.sh`) is not served until an operator restarts the server; `publish` refuses until then. Cross-reference carry-forward needs identical root_hash (SC-023).	c s s
KD-056	012/020 textbook figures	n3-020-024-complete (bf2232e)	MED	Backlog: live catalogue has `diagrams: 0` (diagram extraction never run), so the new figures page shows nothing on live data. Code path (image route + /textbooks/:id/figures) exists in the candidate.	c s s t s
KD-057	027 research traceability	umbrella specs (not in candidate)	MED	Spec 027 research/RG text still says 'no 013 task mentions' repeat-attempt/2PL work, while 013 T050-T053 built it (commit 832b020): a second parallel implementation is specified (pkg/attemptintegrity, cmd/item-fit).	u g I

Appendix A. Findings against repositories outside the candidate

Source	Severity	Finding	Status
governor-279-2026-10-22.md F1	BLOCKING	constitution branch feat/fair-concurrency-governor does not fast-forward (github main moved to 5f8503b; conflicts in generated index/progressive files). NO-GO as-is.	not in candidate (constitution repo)
governor-279 F2	HIGH	Governor fails OPEN when the	

Source	Severity	Finding	Status
		hold record cannot be written (read-only/full state dir: maxoverlap=3 with capacity 1).	not in candidate
governor-279 F3	HIGH	Waiting is not cheap: 100 waiters collapse (27 ran, 73 rc 2); ~6.5 cores consumed; mutex age-reclaim can rob a live holder.	not in candidate
governor-279 F4-F9	MED	SIGINT/SIGQUIT ignored by governed command; post_update_hook install_governor not isolated and clobbers existing file/symlink target; CLI loops forever on missing option value; AGENTS/ QWEN/GEMINI header tables corrupted; stats needs gawk (mawk breaks); load-aware backoff degenerates to single slot under foreign load (p50 wait 376 s).	not in candidate
umbrella-guard-027 A1	MED	Guard refuses `go test ./cmd/workshop-redact/...` (false positive; hint never mentions	not in candidate (umbrella repo)

Source	Severity	Finding	Status
		the WORKSHOP_ROOT prefix).	
umbrella-guard-027 A4	MED	New guard rows raise the guard-gaps sweep from 21 to 23 HIGH findings (sweep probes only the upstream guard); stale text in guard-project-catalogue.sh:6.	not in candidate (umbrella repo)
umbrella-guard-027 B1	HIGH	Spec 027 RG-13/ RG-14 duplicate work already built by 013 T050-T053 (re-scope before Phase 3). Counted in main table as the last row.	not in candidate (umbrella repo)

Open operator decisions

#	Decision awaited	Report reference
1	Spec 021 SC-009 (95%/80% power) cannot hold as written at 30 graded answers per format. Options (a) power >=80% at 120/format (0.82 single look, 0.803 with persistence, margin 0.003), (b) null ever-shown <=5% by 120, (c) larger effect. The 2026-10-21 operator answer in memory is option (a); the reports list it as open and the s16 round says 'SC-009 test asserts ratified bound' (905bf09). Confirm the spec text was actually reworded.	pending-branches-2026-10-21.md section 1 (State of the open decision); s16 commit 905bf09

#	Decision awaited	Report reference
2	Spec 011 FR-011 (M1): how an operator changes the active answering provider without restart. Recommended: authenticated admin HTTP endpoint (option B) surfaced by the settings screen. Nothing implemented.	decision-memos-011-015.md M1
3	Spec 011 FR-012 (M2): in-flight /api/ask jobs when the provider switches. Recommended: locality-aware (finish on local/LAN, cancel when leaving a hosted provider).	decision-memos-011-015.md M2
4	Spec 011 T009 (M3): confirm the audit log fails CLOSED (remote egress that cannot be audited does not start), and keep the stricter `lan` address policy.	decision-memos-011-015.md M3
5	Spec 015 FR-022 (M4): never blend per-format progress into one score (shipped) vs a blended or opt-in overall figure.	decision-memos-011-015.md M4
6	Spec 014 (M5): ratify toast numbers (maxVisible 2, coalesce 4000 ms, debounce 30000 ms, queue 50) so the [NEEDS CLARIFICATION] markers can go.	decision-memos-011-015.md M5
7	Hosted provider enablement (D-06): per-request acknowledgement, audit visibility and spend cap are in n3; the answering gate still needs the benchmark v2 independent re-label (T016) and thresholds before any hosted row can be un-forced;	n3-2026-10-21.md finding 8 (INFO); small-branches H1-2; completion-backlog-B section 2 item 10; n3 docs/decision-memo-answering-primitive.md

#	Decision awaited	Report reference
	keys by 0600 file only; ApiKey_TypeSafe stays off-limits. Also: decide the production spend hook (see KD on hosted Anthropic).	
8	Spec 013 flashcard self-rating policy: damp or exclude self-rated outcomes, stop re-serving answered flashcards, persist a `self_rated` marker, and accept or fix the quadratic first-attempt query before an area can have thousands of first answerers.	n1-2026-10-21.md Conditions 1-2 (F1, F2)
9	Spec 024: whether the L4b heuristic layer should be replaced by an entailment primitive (decision memo shipped in bdc7a19); acceptance of residual 17/55 admitted fabrications while answering is OFF.	n3-rereview-2026-10-22.md section 7; docs/decision-memo-answering-primitive.md
10	Spec 021 US5 (server routing bias) is BLOCKED until 013 kind-easing is exercised; OD-2 routing, OD-3 engagement default, OD-4 retention vs erasure of the response log, OD-5 instructor visibility (needs spec 023 roles) have no operator record.	completion-backlog-B-specs-018-026.md part B (3) and (4)
11	Spec 022 materials: attach the pipeline in main.go, mount the route and decide the compose turn-on path before materials can be shown; harness repair for the enabled e2e.	s17-round4-2026-10-21.md C1, C2
12	OR-04 (no LLM/ASR/'vision pass' over videos) vs spec 008 OCR chain T449-T465 (frame sampling + tesseract):	completion-backlog-B-specs-018-026.md part E sub5 wiring 8

#	Decision awaited	Report reference
	operator ruling needed before the OCR stream starts.	
13	Spec 027: 22 NEEDS-OPERATOR ids (NO-1..NO-16, J1..J5) in spec.md, including the NO-5 attempt-integrity policy flag.	umbrella-guard-027-2026-10-21.md section B
14	Release cadence: 0.0.5 not cut; reports say cut when S11+S12+S16 are merged (already decided 2026-10-21). Waivers from 0.0.3/0.0.4 releases and the unresolved flaky ingest-textbooks test remain.	research-traceability-2026-10-21.md sections 4 and 5
15	Governor anchor 279: operator decisions on F9 (load-aware backoff degenerating to one slot) and F12 (20-agent baseline vs 6-agent cap). Local stray commit 947d402 'base' in the vasic repo from the governor review (reviewer's suggested `git reset --mixed 0748291` was denied; the next commit df25a61 removed live.jsonl).	governor-279-2026-10-22.md F9, F12, incident note
16	Rerun/accept before using any review GO as current: streams n4, n6, n7, n8, s11, s15, s18 and cat-authors are merged in the candidate but have no independent review report in the reviews directory (only the backlog audits mention them).	MANIFEST.tsv vs reviews directory listing

Method notes and limits

- Candidate checks used `git -C <candidate> grep/show/log`; the Go, Karma and shell tests were not run for this digest.

- 'OPEN' means the code or text the report criticised is still present in the candidate tree at HEAD. 'LIKELY-FIXED-LATER' means a later commit on the merged branch tip names the finding and the changed code looks like the remedy, without a fresh independent review. 'DORMANT' means present but unreachable or off by default. 'UNKNOWN' means not determined.
- The candidate-introduced compose regression (ApiKey_ lines) is not in any review; it appears because the candidate merges both the earlier apikeys-wiring design and its supersession.
- completion-backlog A and B are audits of 2026-10-21 against int-0.0.3 and main; many of their items (practice hand-over, event source, crossref floor, FB2/DOCX/HTML extractors, scoring adapters) were completed by the n-streams and are omitted here after checking. Only items still observable in the candidate were kept.