

www.phoronix-test-suite.com

redisbenchexperimental

AMD Ryzen 9 5950X 16-Core testing with a ASUS ROG STRIX B550-F GAMING WIFI II (3002 BIOS) and Ilvmpipe on Debian 12 via the Phoronix Test Suite.

Test Systems:

experimental

control

Processor: AMD Ryzen 9 5950X 16-Core @ 3.40GHz (16 Cores / 32 Threads), Motherboard: ASUS ROG STRIX B550-F GAMING WIFI II (3002 BIOS), Chipset: AMD Starship/Matisse, Memory: 2 x 32 GB DDR4-3200MT/s Corsair CMK64GX4M2E3200C16, Disk: 2048GB SOLIDIGM SSDPFKKW020X7 + 1000GB USB 3.2 Device, Graphics: Ilvmpipe, Audio: NVIDIA GA104 HD Audio, Monitor: LEN T24i-20, Network: Intel I225-V + MEDIATEK MT7921K

OS: Debian 12, Kernel: 6.9.8-wss-extension (x86_64), Desktop: GNOME Shell 43.9, Display Server: X Server, OpenGL: 4.5 Mesa 22.3.6 (LLVM 15.0.6 256 bits), Compiler: GCC 12.2.0, File-System: ext4, Screen Resolution: 1920x1080



redisbenchexperimental

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-cet --enable-checking=release --enable-clocale=gnu --enable-cloca

Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa20120a

Security Notes: gather_data_sampling: Not affected + itlb_multihit: Not affected + I1f: Not affected + mds: Not affected + meltdown: Not affected + mmio_stale_data: Not affected + reg_file_data_sampling: Not affected + retbleed: Not affected + spec_rstack_overflow: Vulnerable: Safe RET no microcode + spec_store_bypass: Mitigation of SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines; IBPB: conditional; IBRS_FW; STIBP: always-on; RSB filling; PBRSB-elBRS: Not affected; BHI: Not affected + srbds: Not affected + tsx_async_abort: Not affected

	experimental	control
Redis - LPOP (Reqs/sec)	2023130	2059849
Normalized	98.22%	100%
Standard Deviation	1.2%	2%
Redis - SADD (Reqs/sec)	2539662	2574811
Normalized	98.63%	100%
Standard Deviation	2.3%	1.4%
Redis - LPUSH (Reqs/sec)	2024880	2000884
Normalized	100%	98.81%
Standard Deviation	1.1%	0.8%
Redis - GET (Reqs/sec)	2835764	2763722
Normalized	100%	97.46%
Standard Deviation	2.7%	1.6%
Redis - SET (Reqs/sec)	2340723	2327372
Normalized	100%	99.43%
Standard Deviation	2.4%	1.8%


Phoronix Test Suite v10.8.4 www.phoronix-test-suite.com



redisbenchexperimental

Redis 6.0.9






1. (CXX) g++ options: -MM -MT -g3 -fvisibility=hidden -O3

Redis 6.0.9


Test: SADD



1. (CXX) g++ options: -MM -MT -g3 -fvisibility=hidden -O3

Redis 6.0.9


Test: LPUSH



1. (CXX) g++ options: -MM -MT -g3 -fvisibility=hidden -O3

Redis 6.0.9

Test: GET




1. (CXX) g++ options: -MM -MT -g3 -fvisibility=hidden -O3

Phoronix Test Suite v10.8.4 www.phoronix-test-suite.com



redisbenchexperimental



This file was automatically generated via the Phoronix Test Suite benchmarking software on Tuesday, 13 August 2024 11:10.

Phoronix Test Suite v10.8.4 www.phoronix-test-suite.com