Final Project

PetPal

Professor:

Norman H. White

Students:

Jay Koo Yashvee Kishor Desai Lusi Xiao Xiaojie Zheng Yue He

Content

Content	2
Executive Summary	3
Introduction	3
Description of the project	3
Market analysis	4
Market Size	4
Customer Analysis	5
Competitor Analysis	5
Business Model	6
Key Partners	6
Key Activities	7
Key Resources	7
Value Proposition	7
Customer Relationships	7
Channels	8
Customer Segments	8
Cost Structure	8
Revenue Streams	8
Rollout Plan	9
Financials	9
Problems encountered:	10
Lessons learned:	10
Next Steps - Future Scope:	11
Conclusion	12
Appendix	13
Exhibit 1: Screenshots and User instructions	13
Exhibit 2: Database Schema	17
Exhibit 3: Financial Projections	18
Exhibit 4: Code	19

Executive Summary

While there are many benefits to living in NYC, most people can agree that the high cost of professional services, such as pet-sitting, is not one of them. From a simple Google search on pet-sitting costs in NYC, we see that it not uncommon to charge \$20 per 30 minutes of pet-sitting in Manhattan. Additionally, living in such a fast-paced environment means that many professionals do not have the time or energy to own pets, even if they are huge animal lovers. Similarly, many professionals who do own pets may find that they are unable to provide sufficient amounts of time for their furry friends, which brings us back to the high cost of pet-sitting.

Our solution for the above problems is to make a pet-sharing app which connects pet owners with animal lovers who are willing to take care of pets for short periods. This app could also be a platform for pet owners to connect with other pet owners to set up playdates and provide mutual dog-walking/pet-sitting benefits.

Introduction

There are many pet owners in the city that do not have time to give adequate attention to their pets. These owners will undoubtedly feel a sense of guilt about the loneliness of their pets, and find ways for their pets to have playmates (humans or other pets). This results in a high market demand for pet-sitting/dog-walking services in the city, which allows professional pet-sitters and dog-walkers to charge exorbitant prices for their services.

On the opposite hand, there are many working professionals in NYC that would like to own a pet but feel that they do not have the time to take on the full responsibilities of pet ownership. Many of these people are vast animal lovers and would be willing to play and take care of pets for short periods of time when they have spare hours.

Thus, we saw a need for an app that provides a two-sided market, which would benefit both the pet owners and animal lovers.

Description of the project

We designed PetPal to be intuitive and easy to use, with visuals and a scroll-function similar to Instagram. When a user first downloads the app, he can choose between a Pet Owner registration, which is someone purely looking for help looking after his pet, or a Pet Lover registration, which means that he is open to looking after other people's pets regardless of whether or not he owns a pet himself.

Additionally in the Pet Owner registration, the user will be asked to provide details about his personal information, such as birthday, location, and phone number, as well as details about

his pet. The location of the Pet Owner is important, since ideally he will be matched with someone within reasonable proximity. Some of the details needed about the pet include its name, age, breed, gender, pictures, and whether or not it has been neutered or spayed.

In terms of the Pet Lover registration, the user will go through a similar process of registering some of their basic personal details, profile picture, preferred breed and location. Additionally, if the Pet Lover also has his own pet, then he can put in details about his pet and upload pictures of it as well.

Once registered, the homepage for both the Pet Owner and the Pet Lover will be scrollable UI similar to that of Instagram, showcasing a large image and details underneath the image. If logged in under a Pet Owner account, then the user would be presented with scrollable profile pictures of Pet Lovers, with basic information about their profiles such as name and rating (see Exhibit 1). We decided to have a rating system for the Pet Lovers as a way to create accountability and for owners to increase their level of trust when handing their pets off to the Pet Lover. Similarly, if logged in under a Pet Lover account, the user would be presented with scrollable profile pictures of the Pet Owner's pets (see Exhibit 1). Furthermore, the order that profiles are presented to the user will be based on location, with the closer locations showing higher up in the scroll feed.

Once a Pet Owner or Pet Lover has found the corresponding animal lover or pet that piques their interest, they can click into the profile to see further information about the animal lover or pet (see Exhibit 1). The Pet Owner or Pet Lover can then choose to match with the animal lover or pet, which will then lead to the app providing messaging opportunities between the two sides if there is a mutual match, which will add into the match page.

In the profile page, both Pet Owner and Pet Lover can view edit their or their pet's profile detail if they need in the profile page, and they can seek help from us or give feedback to us.

Database - We are using mySQL database to store the data for all the users in PET_OWNER/ PET_LOVER tables. The Pet information will be stored in PET table and the corresponding match request data can be stored in the MATCHES table(see Appendix)

Market analysis

Market Size

The US pet care market has fast grown upward due to an increase in pet ownership and awareness for the humanization of the pets. The market size was estimated at USD 40 billion in 2013 and is expected to grow with CAGR of 3.71% from 2013 to 2018. The market is expected to reach around USD 50 billion in 2018. Based on pet type, dogs holds the largest portion in market share because of increase in dog adoption and health benefits related to them. According to American Pet Products Association, among the total pet owners, the proportion of pet owners who raise dogs is 44%, while those who raise cats are 37%. US pet owner tend to grow their awareness of pet health and therefore increase animal healthcare expenditure. Also, they are

willing to pay more on their pets. An increasing number of US pet owners consider their pets to be member of their family. Young generation choose to raise pets before they are more settled. Therefore, they will be more interested in emotional care for their pets. This tendency will drive pet care service to more prosperous business.

<u>Customer Analysis</u>

Based on the customer purchasing behavior analysis, the customers use pet care service average 12 per month. They use average 8 times dog sitter and around 4.2 times pet walker. Full employed customers use dog walker average 8.5 times per month, which is more than average usage of single customers. For usages of dog walking and sitting service, the usage of dog sitting service is 1.8 times higher than the usage of dog walking service. Among all respondents, 45% of the respondents use dog sitting service, while only 23% of the respondents use dog walking service. This number implies that pet owners treat their pet as a family member and are worried that their pet experiences emotional separation from a human even in a short period.

When customers pick a pet care service, their primary consideration is trust to pet care service worker. Based on the research, the main consideration of customers when they pick a dog walker is trust, which is followed by service convenience. 63% of full-employed customers respond trust as a critical concern, while 42% of single customers choose the trust. The reason is that full-employed customers should take their dog to dog walker more often because of their business hour. Also in a dog sitter service, customers respond that trust is a pivotal factor in the service. 65% of full-employed customers and 60% of single customers select trust as the first consideration. For pet sitting service, since both of them should commit their pet to service worker during more time than pet walking, they regard trust much more important than other factors.

In sum, to meet the customers' needs, a pet care service provide should consider how it can guarantee the trust in the service. Especially, it should focus on avoiding any risks which might be caused by its manpower

Competitor Analysis

While the notion of providing pet services in terms of a mobile platform application is not a new one, there are many key differences that set PetPal apart from our competitors. One major item to note is that pet-sitting for pay without a license is illegal in NYC, so no money will be exchanged through our pet-sharing app. Thus, this will separate us apart from the transactional pet service apps on the market, such as Rover.

Furthermore, in line with the lack monetary transactions, the culture and user experience of PetPal is designed to be that of friendly social interactions. In other words, by taking away the

transactional tit-for-tat exchange of pet services for money, we want Pet Lover and Pet Owner users to find a symbiotic relationship through mutual benefits: animal lovers will be able to provide short-term care and affection to an animal while pet owners can find the companionship for their pets that the owners themselves cannot provide. Additionally, since PetPal was meant for short-term interactions, ideally less than 3 hours in length, the app is difference from overnight or long-term pet boarding services.

Below is a summary of some of our competitors, with key differentiators that PetPal provides:

- Rover This is an app in which dog owners find people to walk their pets and to find dog-sitting services. However, the key difference is that money is exchanged and there is not much social interaction between dog owners and the pet-sitter, which makes this app very transactional, with a much different user experience in comparison to PetPal.
- Twindog This app is known as a "Tinder for dogs" that matches dogs to other dogs for playdates. However, the key difference between that and PetPal is that Twindog does not allow non-pet owners, whereas PetPal is also looking to cater to animal lovers who do not necessarily own pets.
- Bark Buddy This is a pet adoption app that has a Tinder-like matching system. The obvious key difference is that it is for long-term adoptions as opposed to PetPal's short-term pet-sitting/playdate model.

Business Model

Key Partners

Pet shop, pet cafe and pet hospital are primary partners for pet sharing service. By building close relationship with those partners, our business can have opportunities to secure our direct suppliers which are dog sitter and dog walker. Pet influence is also important. Because our business's platform is based on mobile application, we should target to mobile users. A pet influencer who affects pet owners' behaviors and uses mobile platform could be our first collaborator. In conjunction with the influencer, we can carry out viral marketing through various mobile channel. In the next step, we will provide pet riding service for pet owners who are lazy at picking up their pets from pet sharing place. Uber has already been providing the pet riding service and we shall work with Uber.

Key Activities

For the current business, our key activities consist of pet sharing and digital marketing for balancing supply and demand. We allow pet owners and pet lovers for sharing pet owner's pet safely. To obtain the optimum level of supply and demand, we will implement efficient

marketing, campaign, and promotion which target both of them. If we can make a soft-landing in the service, we will diversify our service to obtain more customer traffic.

Key Resources

There are four key resources in our business: Network effect, Data and Analytics, Skilled pet sitter and pet shops. Since it is a vital success factor how many customers we can get, we should leverage network effect to allow customers to participate our platform. Also, data and analytics is another key resource. By analyzing customer transaction data, we can get customer insight, improving our service consistently. We will use big data capability to figure out the hidden and unmet customer needs, which can provide monetary value.

Value Proposition

Notably, our value is put on three aspects. For pet owners, we allow them to commit their pets to pet care service workers safely. Even if pet lovers don't have any room for raising their pets, they can enjoy emotional contentment by pet sharing. Lastly, a pet also will not feel lonely, and be happy with other human, being more socialized.

<u>Customer Relationships</u>

Our business propose a membership to loyal customers. They can enjoy more upgraded and valuable services at a reasonable price. Differentiated services such as providing more personal information of pet lovers or owners will stimulate the customer, driving their loyalty. Word of mouth is a good tactic to obtain new customers in our service. We will offer benefits to incumbent customers who refer our service to friends. Membership and reward program for recommendation give us more chance to interact with customers.

Channels

We use both offline and online channel to deliver our value to customers. Social media is used for advertising our services, notifying promotion program and building relationship with pet influencers. Our sales rep will implement the word of mouth advertising in an online channel.

Customer Segments

Our targeting pet owners are their 10's and 40's. Most of them are working professionals who should commit their pets to someone. Our targeting pet lovers are their 10's and 40's. They don't have pets but want to raise pets whenever they have a spare time. They have place and time for pet caring. Both of target customers should be familiar with mobile application.

Cost Structure


Our cost structure consists of three factors: research and development for the application, customer acquisition, mobile maintenance. The largest part of the cost is R&D expense. Because we will apply big data analytics solution into our platform and revise our technical features to respond customers' feedback.

Revenue Streams

Initially, we plan on rolling out 3 streams of revenue: ad revenue, subscription revenue, and affiliate revenue. The largest stream of revenue for PetPal will be through ads. Since our user interface is a scrollable feed, we plan on incorporating ads as sponsored profiles within the feed. Additionally, we can offer the sponsored profile function to all users, which will allow their profiles to appear at the top of the feed.

Our second stream of revenue is through our tiered pricing model. We plan on offering a premium membership plan that user can pay per month. In this premium plan, the user will be able to get access to exclusive data, such as pet license information and more detailed reviews.

Our final stream of revenue is through affiliate marketing. We plan on implementing this through matches, in which we can have small suggestions about certain pet shops or cafes the two matched parties could meet at or check out together.



Rollout Plan

Before a public launch, we first plan on releasing the app out in a beta test to a select group of users who either own pets or are animal lovers. These users can be found in databases and directories, such as vet directories and animal adoption centers. Additionally, the beta test will rely on individual networks and word of mouth.

Once the beta testing period has taken out most major bugs in the app, we plan on rolling out a public launch. The first channel will be guerrilla marketing based heavily on individual networks. Some of these networks may include schools in the NYC area, such as NYU, Columbia, Fordham, and SUNY. Additionally, striking up relationships with NYC area vets and pet hospitals so that they will display our flyers is another channel.

Outside of local guerilla marketing, we plan on rolling out targeted social media ads on platforms such as Facebook and Instagram. These ads can be targeted based on the certain feeds and content that a Facebook or Instagram user follows and likes. Similarly, Google ads based keyword searches, such as "dog-walking" or "puppy responsibilities" is further way to find our target market to roll out the product.

Financials

As can be seen from our financial projections on Exhibit 3, PetPal has a healthy valuation of \$2.19M over the course of a 5-year period using the discounted cash flow method and a weighted average cost of capital of 8.9%. In terms of costs, we first have a one-time R&D cost of

\$550,000. This includes 5 people at annual salaries of \$100,000 per person, and start-up legal and professional costs of \$50,000.

Additionally for our first year, we plan on spending \$50,000 on marketing, which leads to total operating costs of \$600,000 in year 1. Our revenue projections for year 1 are \$700,000 in terms of ad revenue, \$200,000 for subscription revenue, and \$50,000 for affiliate revenue. This leads to an annual P&L of \$350,000 for year 1, which means that it will take us a bit under 1.6 years to recoup our R&D costs.

Over the next 5 year period, our revenues are expected to increase year over year due to the growth in our user base. While individual year over year growth percentages will fluctuate based on the general state of the economy, our 5 year projection is a growth in P&L of a bit over 46% between year 5 and year 1.

Problems encountered:

During our journey through this project, we encountered several technical problems.

- 1. Image upload- We had provision for uploading profile images for Pet_owner, Pet_lover and Pets. We tried using Form input type file connected to php to upload the image but it did not work with Jquery Mobile. Hence we looked through several approaches like Image upload using Cordova.
- 2. ID fetching for the scrollable list- As mentioned before the Homepages of users are scrollable lists. We had difficulties identifying the item ID from the list based on click since we were using JSON array to display the list. At current stage, we can set the ID into the division when we appended them by Javascript. we confirmed that the ID we got for different divisions of the scrollable list was right by alerting the ID in the onclick function.
- 3. Sending the fetched ID from onclick function to PHP- After we got the ID for different division, we need to pass it to PHP. We tried many ways to added Jquery POST, Jquery GET, or AJAX into the onclick function, but the data cannot be passed to PHP.
- 4. Matching- The matching part, we need to append ID of both the login user and his/her interested person of pet into MATCH table in database. Now, we can record the user ID by setting session in PHP when they login or register, but we cannot record the ID of their interested person or pet because we cannot send the fetched ID from onclick function to PHP

Lessons learned:

• Through this class and project we got the opportunity to learn various different technologies:

- HTML, CSS, Jquery and Jquery mobile- We applied those language and structure to build page appearance of our mobile app in frontend.
- Javascript, AJAX, and PHP- We used them to build our backend and the data transfer between database and the frontend.
- SQL and MYSQL- We designed ER diagram and create database by SQL and MYSQL.
- Cordova and Phonegap- We installed the cordova and its running environment to build our app in both ios and android platforms, and get the <u>APK file</u> and screen shot when we ran it in Xcode and Simulalor (see Appendix Exhibit 1).
- Working in teams taught us about team communication, teamwork and project planning.
- We could understand and learn about end to end process and steps involved in the Web development.

Next Steps - Future Scope:

Petpal will be a very competitive product and is expected to have further developed in the future.

First of all, Petpal will add a review section for both sides. After each matching completed and pet sitting performed, the pet owner will have a chance to rate the pet lover based on several criteria like friendliness, professionalism and etc. An overall score will be given to the pet lover based on each small and it will be posted on the pet lover's profile so that other pet owner can look at the score as a reference when they click into the pet lover's profile page. Also, for the pet lovers, they can leave a comment for both the pet and pet owner to convenience future pet lovers who are interested in the pet. The review section will be performed as a user integrity credit system in Petpal.

Second, Petpal will need to develop its own interaction platform/ messaging function in the future in order to maintain more users. Currently, Petpal only provides the contact information to each party after a matching. The problem of the absence of the interaction platform is that after users exchanging their contact information, they may communicate directly via phone numbers or emails instead of keeping using the app. Thus, it will be a huge loss for Petpal. Being an information exchanging platform like Craigslist is not the final aim of Petpal.

Third, considering the profit model, Petpal will adopt the advertisement, and tiered pricing model by setting premium membership. Some pet-related advertisements will be added into decent place in Petpal. Paid by a monthly base, premium members can enjoy some privileges to get access to exclusive data like being able to filter pet lovers have pet sitting licenses only and to see the scores of each criterion. In order to increase the revenue, Petpal will also incorporate the sponsors' ads into the scrollable home page.

Finally, since now Petpal only include dog related service matching. As the number of

users base grows bigger, new types of pets will be involved in the future such as cats, birds and etc. at the same time, the review section will also be adjusted to coincide with different features of pets.

Conclusion

The change of people's lifestyle and the development of mobile technology have create a big demand of pet sitting service in the New York market which provides PetPal a great opportunity to born and grow. Compared to most pet sitting apps in the market now, there is no money exchange in PetPal considering the NYC law requests a license to be a legal pet sitter. PetPal will be a platform for pet owners to connect with other pet owners to set up playdates and provide mutual dog-walking/pet-sitting benefits. For the further development of PePal, Petpal will consider generate profit by adding advertisements, tiered membership and cooperation with other companies to bring affiliation profit. More functions such as filtering search and messaging function will be involved in the future to keep the current users and attract more potential customers. At the financial aspect, the company is expected to recover its R&D costs under 1.6 years and a year over year revenue increase is forecasted after the year 5 based on the prediction of the growth of users base.

Overall, PetPal as an industry disruptor will boost the upgradation of pet sitting service and also convenience both pet lovers and pet owners lives in New York City.


Appendix

Exhibit 1: Screenshots and User instructions

Android Platform (APK File):


Welcome Page & Sign Up & Log-in










Sign Up Page as a Pet Lover & Sign Up Page as a Pet Owner










Home Page as a Pet Lover & Home Page as a Pet Owner







Click-in Detail Page as Pet Lover & Click-in Detail Page as Pet Owner








Profile Page














Match Page



Feedback & Help





IOS Platform:




Exhibit 2: Database Schema




Exhibit 3: Financial Projections

	2019	2020	2021	2022	2023
Cost (R&D one-time)					
Headcount	5				
Fully loaded employee cost	\$500,000				
Legal and Professional	\$50,000				
Total R&D	\$550,000	\$0	\$0	\$0	\$0
Cost (Operation ongoing)					
Headcount	5	5	7	7	9
Fully loaded employee cost	\$500,000	\$500,000	\$700,000	\$700,000	\$900,000
Legal and Professional	\$50,000	\$50,000	\$50,000	\$50,000	\$50,000
Marketing	\$50,000	\$50,000	\$70,000	\$70,000	\$90,000
Total operational costs	\$600,000	\$600,000	\$820,000	\$820,000	\$1,040,000
Revenue					
Ad revenue	\$700,000	\$600,000	\$800,000	\$900,000	\$1,000,000
Subscription revenue	\$200,000	\$300,000	\$400,000	\$500,000	\$700,000
Affliliate revenue	\$50,000	\$60,000	\$70,000	\$80,000	\$90,000
Total revenue per year	\$950,000	\$960,000	\$1,270,000	\$1,480,000	\$1,790,000
Annual P&L	\$350,000	\$360,000	\$450,000	\$660,000	\$750,000
EBITA	\$350,000	\$360,000	\$450,000	\$660,000	\$750,000
Years to recoup	1.57	0.00	0.00	0.00	0.00
WACC	0.089				
Cash Flow	\$321,396	\$303,562	\$379,452	\$556,529	\$632,420
Total Cash Flow using DCF	\$2,193,359				

Exhibit 4: Code

PHP code

Link: http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/

HTML code

Link: http://websys3.stern.nyu.edu/websysF18/websysF182/Petpal/www/

Content: <!DOCTYPE html>

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

<html>

<head>

<!--

Customize this policy to fit your own app's needs. For more guidance, see:

https://github.com/apache/cordova-plugin-whitelist/blob/master/README.md#content-security-policy and the property of the pro

Some notes:

- * gap: is required only on iOS (when using UIWebView) and is needed for JS->native communication
- * https://ssl.gstatic.com is required only on Android and is needed for TalkBack to function properly
- * Disables use of inline scripts in order to mitigate risk of XSS vulnerabilities. To change this:
 - * Enable inline JS: add 'unsafe-inline' to default-src

```
<meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-soale=1">
        k rel="stylesheet" href="css/jquery.mobile-1.4.5.min.css">
        <title>PetPal</title>
        </head>
<body>
                 <style>
                          .ui-btn{
                                  border: none !important;
                 }
                 </style>
<!-- Login Page -->
<div data-role="page" id="login">
<!-- /header -->
        <div role="main" class="ui-content" style="margin:3%">
                 <img src="img/logo.png" alt="login image" width=100%>
                 <h2 style="text-align: center; font-weight: 200;">Welcome to Pet Pal</h2>
                 <form method="post" action="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/login.php"</pre>
id="homeloginform">
                 <input type="text" name="email" style="width:70%" id="" value="" placeholder="Your Email*">
                 <input type="password" name="pwd" style="width:70%" id="" value="" autocomplete="off" placeholder="Your
Password*">
                 <button type="submit" name="homelogin" id="homelogin" value="submit" style="background-color:#96BDE7;</p>
color:#FFFFF; font-size: 15px; text-align: center; vertical-align: middle">Log In</br>
                 Don't have an account? <a href="#signup" style="text-decoration: none !important;</p>
">Sign Up</a>
```

```
</form>
                    <div id="homeloginresult"></div>
          </div><!-- /content -->
</div><!-- /page -->
<!-- sign up direction page -->
<div data-role="page" id="signup">
<!-- /header -->
          <div role="main" class="ui-content">
                    <h1>Sign Up</h1>
                    <h3 style="font-weight: 200;" >Tell us more about yourself!</h3>
                     <br>
                    <div class="ui-grid-solo" style="text-align: center;">
                    <h3 style="font-weight: 200;" >Are you are pet owner or pet lover?</h3>
                     </div>
                     <br>
                    <div class="ui-grid-solo" style="text-align: center;">
                     <a href="#petownersignup" class="ui-input-btn ui-btn ui-corner-all ui-btn-inline" style="width: 50%;
background-color:#96BDE7; color:#FFFFFF; font-size: 25px; text-align: center; vertical-align: middle">Pet Owner</a>
                     </div>
                    <br>
                    <div class="ui-grid-solo" style="text-align: center;">
                     <a href="#petloversignup" class="ui-input-btn ui-btn ui-corner-all ui-btn-inline" style="width: 50%;
background-color:#96BDE7; color:#FFFFF; font-size: 25px; text-align: center; vertical-align: middle">Pet Lover</a>
                     </div>
          </div><!-- /content -->
          <!--<div data-role="footer" data-position="fixed">
                    <h4>Page Footer</h4>
          </div><!-- /footer -->
</div><!-- /page -->
```

```
<!-- petowner sign up page -->
<div data-role="page" id="petownersignup">
<!-- /header -->
         <div role="main" class="ui-content" style="margin: 3%">
                  <h1>Sign Up</h1>
                  <h3 style="font-weight: 200;" >for pet owner</h3>
                  <form method="post"
action="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/petownerregister.php" id="petownerform">
                           <input type="text" name="email" id="" value="" placeholder="Your Email*">
                           <input type="password" name="pwd1" id="" value="" autocomplete="off" placeholder="Your
Password*">
                           <input type="password" name="pwd2" id="" value="" autocomplete="off" placeholder="Confrom</pre>
Password*">
                  <div class="ui-grid-a">
                           <div class="ui-block-a" style="width:45%; margin-right: 5%"><input type="text" name="fname" id=""</pre>
value="" placeholder="First name*"></div>
                           <div class="ui-block-b" style="width:45%; margin-left: 5%"><input type="text" name="lname" id=""</pre>
value="" placeholder="Last name*"></div>
                           </div>
                  <select name="gender" id="" data-native-menu="false">
                           <option value="">Gender</option>
                           <option value="Male">Male</option>
                           <option value="Female">Female</option>
                  </select>
                  <label for="DOB">Date of Birth:</label>
                  <input type="date" name="DOB" id="" value="">
                  <input type="text" name="phone" id="" value="" placeholder="Your Phone Number*">
                  <label for="location" class="select">Location:</label>
                  <select name="location" id="" data-native-menu="false">
                           <option value="">Choose Your Location
                           <option value="Manhattan">Manhattan
```

```
<option value="Brooklyn">Brooklyn</option>
                             <option value="Queens">Queens
                             <option value="Bronx">The Bronx
                             <option value="StatenIsland">Staten Island
                   </select>
                   <!--
                   <label for="image">Your Photo:</label>
                   <input type="file" name="image" id="" value="">
                   <button type="submit" name="petownersubmit" id="petownersubmit" value="submit"
style="background-color:#96BDE7; color:#FFFFFF; font-size: 15px; text-align: center; vertical-align: middle">Sign Up</but>
                   </form>
                   <span id="petownerresult"></span>
         </div><!-- /content -->
         <!--<div data-role="footer" data-position="fixed">
                   <h4>Page Footer</h4>
         </div><!-- /footer -->
</div><!-- /page -->
<!-- pet info input page -->
<div data-role="page" id="petinfoinput">
<!-- /header -->
         <div role="main" class="ui-content" style="margin: 3%">
                   <h1>Add your pet's information</h1>
                   <form method="post" action="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/petinfo.php"</pre>
id="petinfoform">
                   <input type="text" name="pname" id="" value="" placeholder="Pet's Name*">
                   <label for="age" class="select">Age*:</label>
                   <select name="age" id="" data-native-menu="false">
                   <option value="">Choose Your Pet's Age Range/option>
```

```
<option value="Less than 1 year old">Less than 1 year old
<option value="2-4 years old">2-4 years old</option>
<option value="4-6 years old">4-6 years old
                  <option value="6-8 years old">6-8 years old
                  <option value="8-10 years old">8-10 years old
                  <option value="Over 10 years old">Over 10 years old
         </select>
         <label for="gender" class="select">Gender*:</label>
         <select name="gender" id="" data-native-menu="false">
         <option value="">Choose Your Pet's Gender
<option value="Male">Male</option>
<option value="Female">Female</option>
         </select>
         <label for="breed" class="select">Breed*:</label>
         <select name="breed" id="" data-native-menu="false">
         <option value="">Choose Breed of Your Pet</option>
<option value="Cocker Spaniel">Cocker Spaniel
         <option value="Beagel">Beagel</option>
<option value="Boston Terrier">Boston Terrier</option>
                  <option value="Golden Retriever">Golden Retriever
                  <option value="Poodie">Poodie</option>
                  <option value="Pomeranian">Pomeranian
         </select>
         <label for="neutured" class="select">Neutured*:</label>
         <select name="neutured" id="" data-native-menu="false">
<option value="Yes">Yes</option>
         <option value="No">No</option>
         </select>
         <label for="weight">Pet's Weight:</label>
         <input type="text" name="weight" id="" value="" placeholder="kg">
         <!--
         <label for="image">Pet's Photo:</label>
         <input type="file" name="image" id="" value="">
```

```
<button type="submit" name="petinfosubmit" id="petinfosubmit" value="submit"
style="background-color:#96BDE7; color:#FFFFFF; font-size: 15px; text-align: center; vertical-align: middle">Add Pet</button>
                 </form>
                 <span id="petinforesult"></span>
        </div><!-- /content -->
        <!--<div data-role="footer" data-position="fixed">
                 <h4>Page Footer</h4>
         </div><!-- /footer -->
</div><!-- /page -->
<!-- petlover sign up page -->
<div data-role="page" id="petloversignup">
<!-- /header -->
        <div role="main" class="ui-content" style="margin: 3%">
                 <h1>Sign Up</h1>
                 <h3 style="font-weight: 200;" >for pet lover</h3>
                 <form method="post" action="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/petloverregister.php"</p>
id="petloverform">
                          <input type="text" name="email" id="" value="" placeholder="Your Email*">
                          <input type="password" name="pwd1" id="" value="" autocomplete="off" placeholder="Your
Password*">
                          <input type="password" name="pwd2" id="" value="" autocomplete="off" placeholder="Confrom
Password*">
                 <div class="ui-grid-a">
```

```
<div class="ui-block-a" style="width:45%; margin-right: 5%"><input type="text" name="fname" id=""</pre>
value="" placeholder="First name*"></div>
                            <div class="ui-block-b" style="width:45%; margin-left: 5%"><input type="text" name="lname" id=""</pre>
value="" placeholder="Last name*"></div>
                            </div>
                   <select name="gender" id="" data-native-menu="false">
                            <option value="">Gender</option>
                            <option value="Male">Male</option>
                            <option value="Female">Female
                   </select>
                   <label for="DOB">Date of Birth:</label>
                   <input type="date" name="DOB" id="" value="">
                   <input type="text" name="phone" id="" value="" placeholder="Your Phone Number*">
                   <label for="breed" class="select">Preferred Breed:</label>
                   <select name="breed" id="" data-native-menu="false">
                            <option value="">Choose Your Preferred Breed
         <option value="Cocker Spaniel">Cocker Spaniel</option>
                   <option value="Beagel">Beagel</option>
         <option value="Boston Terrier">Boston Terrier</option>
                            <option value="Golden Retriever">Golden Retriever</option>
                            <option value="Poodie">Poodie</option>
                            <option value="Pomeranian">Pomeranian
                   </select>
                   <label for="location" class="select">Location:</label>
                   <select name="location" id="" data-native-menu="false">
                            <option value="">Choose Your Location
                            <option value="Manhattan">Manhattan
                            <option value="Brooklyn">Brooklyn</option>
                            <option value="Queens">Queens
                            <option value="Bronx">The Bronx
                            <option value="StatenIsland">Staten Island
                   </select>
                   <!--
                   <label for="image">Your Photo:</label>
                   <input type="file" name="image" id="" value="">
```

```
-->
                 <button type="submit" name="petloversubmit" id="petloversubmit" value="submit"
style="background-color:#96BDE7; color:#FFFFFF; font-size: 15px; text-align: center; vertical-align: middle">Sign Up</but>
                 </form>
                 <span id="petloverresult"></span>
        </div><!-- /content -->
        <!--<div data-role="footer" data-position="fixed">
                 <h4>Page Footer</h4>
        </div><!-- /footer -->
</div><!-- /page -->
<!-- Pet owner homepage page -->
<div data-role="page" id="petownerhome">
<!-- /header -->
        <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                 <h1>Home</h1>
        </div>
        <!-- /content -->
        <div class="main" id="petownerhomecontent">
        </div>
        <div data-role="footer" data-position="fixed">
        <div data-role="navbar">
                 <a href="#petownermatch" data-icon="heart">Match</a>
```

Home

```
<a href="#petowneruser" data-icon="user">Profile</a>
                </div>
        </div>
</div><!-- /page -->
<!-- Pet owner sub page -->
<div data-role="page" id="petownersubpage">
<!-- /header -->
        <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                <a href="#petownerhome" data-transition="slide" data-direction="reverse" style="text-decoration: none" can here...
!important; color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none !important;box-shadow: none
!important; outline: 0;">Back</a>
                <h1>Detail</h1>
        </div>
        <!-- /content -->
        <div class="main" id="petownersubpagecontent">
        </div>
        <div data-role="footer" data-position="fixed">
        <div data-role="navbar">
                <a href="#petownermatch" data-icon="heart">Match</a>
                <a href="#petownerhome" data-icon="home">Home</a>
                <a href="#petowneruser" data-icon="user">Profile</a>
                </div>
```

```
</div>
</div><!-- /page -->
<!-- Pet owner user page -->
<div data-role="page" id="petowneruser">
<!-- /header -->
         <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                  <h1>Profile</h1>
         </div>
         <!-- /content -->
         <div class="ui-grid-a" id="petownerhead">
         </div>
         <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">
         <div style="margin-left: 3%; margin-right: 5%"><a href="#petownerview" class="ui-btn ui-icon-user ui-btn-icon-right"</p>
data-transition="slide" style="background-color:rgba(00, 00, 00, 0);"><p style="text-align: left; font-size: 16px; font-weight:
100;">View and edit profile</a></div>
         <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">
         <div style="margin-left: 3%; margin-right: 5%"><a href="#petinfoview" class="ui-btn ui-icon-edit ui-btn-icon-right"
data-transition="slide" style="background-color:rgba(00, 00, 00, 0);"><p style="text-align: left; font-size: 16px; font-weight:
100;">View and edit your pet's profile</a></div>
         <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">
         <div style="margin-left: 3%; margin-right: 5%"><a href="#petownergethelp" class="ui-btn ui-icon-phone ui-btn-icon-right"</p>
data-transition="slide" style="background-color:rgba(00, 00, 00, 0);">Get
help</a></div>
```

<hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">

```
ui-btn-icon-right" data-transition="slide" style="background-color:rgba(00, 00, 00, 0);"><p style="text-align: left; font-size: 16px;
font-weight: 100;">Give us feedback</a></div>
         <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">
         <div style="margin-left: 3%; margin-right: 5%"><a href="#login" class="ui-btn ui-icon-delete ui-btn-icon-right"
data-transition="slide" style="background-color:rgba(00, 00, 00, 0);">Log
out</a></div>
         <div data-role="footer" data-position="fixed">
         <div data-role="navbar">
                   <111>
                  <a href="#petownermatch" data-icon="heart">Match</a>
                  <a href="#petownerhome" data-icon="home">Home</a>
                  <a href="#petowneruser" data-icon="user">Profile</a>
                   </div>
         </div>
</div><!-- /page -->
<!-- Pet owner user view page -->
<div data-role="page" id="petownerview">
<!-- /header -->
         <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                   <a href="#petowneruser" data-transition="slide" data-direction="reverse" style="text-decoration: none</p>
!important; color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none !important;box-shadow: none
!important; outline: 0;">Back</a>
                   <h1>Your Profile</h1>
         </div>
         <!-- /content -->
         <div class="main" id="getpetownerview">
```

<div style="margin-left: 3%; margin-right: 5%"><a href="#petownerfeedback" class="ui-btn ui-icon-comment"</p>

```
<div data-role="footer" data-position="fixed">
                            <div data-role="navbar">
                                                        <a href="#petownermatch" data-icon="heart">Match</a>
                                                        <a href="#petownerhome" data-icon="home">Home</a>
                                                        <a href="#petowneruser" data-icon="user">Profile</a>
                                                        </div>
                            </div>
</div><!-- /page -->
<!-- Pet owner user edit page -->
<div data-role="page" id="petowneredit">
<!-- /header -->
                            <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                                                        <a href="#petownerview" data-transition="slide" data-direction="reverse" style="text-decoration: none" content of the style of the styl
!important; color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none !important;box-shadow: none
!important; outline: 0;">Back</a>
                                                        <h1>Edit Your Profile</h1>
                            </div>
                            <div class="ui-grid-a" id="petowneredithead" style="line-height:80%">
                            </div>
<div role="main" class="ui-content" style="margin: 3%">
                                                        <form method="post"
action="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/editpetownerprofile.php" id="editpetownerform">
```

</div>

```
<div class="ui-grid-a">
                             <label for="fname">Update Your Profile:</label>
                             <div class="ui-block-a" style="width:45%; margin-right: 5%"><input type="text" name="fname" id=""</pre>
value="" placeholder="First name"></div>
                             <div class="ui-block-b" style="width:45%; margin-left: 5%"><input type="text" name="lname" id=""</pre>
value="" placeholder="Last name"></div>
                             </div>
                   <select name="gender" id="" data-native-menu="false">
                             <option value="">Gender</option>
                             <option value="Male">Male</option>
                             <option value="Female">Female</option>
                   </select>
                   <label for="DOB">Date of Birth:</label>
                   <input type="date" name="DOB" id="" value="">
                   <input type="text" name="phone" id="" value="" placeholder="Your Phone Number">
                   <label for="location" class="select">Location:</label>
                   <select name="location" id="" data-native-menu="false">
                             <option value="">Your Location
                             <option value="Manhattan">Manhattan
                             <option value="Brooklyn">Brooklyn</option>
                             <option value="Queens">Queens
                             <option value="Bronx">The Bronx</option>
                             <option value="StatenIsland">Staten Island
                   </select>
                   <!--
                   <label for="image">Your Photo:</label>
                   <input type="file" name="image" id="" value="">
                   <button type="submit" name="petownereditsubmit" id="petownereditsubmit" value="submit"
style="background-color:#96BDE7; color:#FFFFFF; font-size: 15px; text-align: center; vertical-align: middle">Update Your
information</button>
                   </form>
                   <span id="petownereditresult"></span>
         </div><!-- /content -->
         <div data-role="footer" data-position="fixed">
         <div data-role="navbar">
```

```
<a href="#petownermatch" data-icon="heart">Match</a>
                                                       <a href="#petownerhome" data-icon="home">Home</a>
                                                       <a href="#petowneruser" data-icon="user">Profile</a>
                                                        </div>
                           </div>
</div><!-- /page -->
<!-- Pet owner pet info view page -->
<div data-role="page" id="petinfoview">
<!-- /header -->
                           <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                                                       <a href="#petowneruser" data-transition="slide" data-direction="reverse" style="text-decoration: none" can heref="#petowneruser" data-transition="slide" data-direction="reverse" style="text-decoration: none" data-direction="text-decoration: none" data-direction="tex
!important; color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none !important;box-shadow: none
!important; outline: 0;">Back</a>
                                                       <h1>Your Profile</h1>
                           </div>
                           <!-- /content -->
                           <div class="main" id="getpetinfoview">
                            </div>
                           <div data-role="footer" data-position="fixed">
                           <div data-role="navbar">
                                                        <a href="#petownermatch" data-icon="heart">Match</a>
                                                       <a href="#petownerhome" data-icon="home">Home</a>
                                                       <a href="#petowneruser" data-icon="user">Profile</a>
```

```
</div>
         </div>
</div><!-- /page -->
<!-- Pet owner pet info edit page -->
<div data-role="page" id="petinfoedit">
<!-- /header -->
         <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                   <a href="#petinfoview" data-transition="slide" data-direction="reverse" style="text-decoration: none !important;
color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none!important;box-shadow: none!important;
outline: 0;">Back</a>
                   <h1>Edit Your Pet</h1>
         </div>
         <div role="main" class="ui-content" style="margin: 3%">
                   <h3>Update your pet's Profile</h3>
                   <form method="post" action="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/editpetinfo.php"</pre>
id="editpetinfoform">
                   <input type="text" name="pname" id="" value="" placeholder="Pet's Name">
                   <label for="age" class="select">Age:</label>
                   <select name="age" id="" data-native-menu="false">
                   <option value="">Choose Your Pet's Age Range/option>
                   <option value="Less than 1 year old">Less than 1 year old
         <option value="2-4 years old">2-4 years old
         <option value="4-6 years old">4-6 years old
                            <option value="6-8 years old">6-8 years old</option>
                            <option value="8-10 years old">8-10 years old
                            <option value="Over 10 years old">Over 10 years old
                   </select>
```

```
<label for="gender" class="select">Gender:</label>
                   <select name="gender" id="" data-native-menu="false">
                   <option value="">Choose Your Pet's Gender
         <option value="Male">Male</option>
         <option value="Female">Female</option>
                   </select>
                   <label for="breed" class="select">Breed:</label>
                   <select name="breed" id="" data-native-menu="false">
                   <option value="">Choose Breed of Your Pet
         <option value="Cocker Spaniel">Cocker Spaniel
                   <option value="Beagel">Beagel</option>
         <option value="Boston Terrier">Boston Terrier</option>
                            <option value="Golden Retriever">Golden Retriever</option>
                            <option value="Poodie">Poodie</option>
                            <option value="Pomeranian">Pomeranian
                   </select>
                   <label for="neutured" class="select">Neutured:</label>
                   <select name="neutured" id="" data-native-menu="false">
                            <option value="">Choose Neutured Status of Your Pet
         <option value="Yes">Yes</option>
                   <option value="No">No</option>
                   </select>
                   <label for="weight">Pet's Weight:</label>
                   <input type="text" name="weight" id="" value="" placeholder="kg">
                   <!--
                   <label for="image">Pet's Photo:</label>
                   <input type="file" name="image" id="" value="">
                   <button type="submit" name="editpetinfosubmit" id="editpetinfosubmit" value="submit"
style="background-color:#96BDE7; color:#FFFFFF; font-size: 15px; text-align: center; vertical-align: middle">Update Pet's
Profile</button>
                   </form>
                   <span id="editpetinforesult"></span>
         </div>
         <div data-role="footer" data-position="fixed">
```

```
<div data-role="navbar">
               <a href="#petownermatch" data-icon="heart">Match</a>
               <a href="#petownerhome" data-icon="home">Home</a>
               <a href="#petowneruser" data-icon="user">Profile</a>
               </div>
       </div>
</div><!-- /page -->
<!-- Pet owner match page -->
<div data-role="page" id="petownermatch">
<!-- /header -->
       <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
               <h1>Match</h1>
       </div><!-- /content -->
       <div data-role="footer" data-position="fixed">
       <div data-role="navbar">
               <a href="#petownermatch" data-icon="heart">Match</a>
               <a href="#petownerhome" data-icon="home">Home</a>
               <a href="#petowneruser" data-icon="user">Profile</a>
               </div>
```

```
</div><!-- /page -->
<!-- Pet lover match page -->
<div data-role="page" id="petownergethelp">
<!-- /header -->
       <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
               <a href="#petowneruser" data-transition="slide" data-direction="reverse" style="text-decoration: none</p>
!important; color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none !important;box-shadow: none
!important; outline: 0;">Back</a>
               <h1>Get Help</h1>
       </div>
 <div style="margin-left: 5%">Need Any Help?</div>
       <div style="margin-left: 5%">Contact Us</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <div style="margin-left: 5%">Email:
help@petpal.com</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <div style="margin-left: 5%">Phone: +1
333-333-3333</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <div data-role="footer" data-position="fixed">
       <div data-role="navbar">
               <a href="#petownermatch" data-icon="heart">Match</a>
               <a href="#petownerhome" data-icon="home">Home</a>
               <a href="#petowneruser" data-icon="user">Profile</a>
               </div>
```

</div>

</div>

```
</div><!-- /page -->
<!-- Pet lover match page -->
<div data-role="page" id="petownerfeedback">
<!-- /header -->
       <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
               <a href="#petowneruser" data-transition="slide" data-direction="reverse" style="text-decoration: none</p>
!important; color:#FFFFFF; font-weight: 400; background-color:transparent; border: none;border: none !important;box-shadow: none
!important; outline: 0;">Back</a>
               <h1>Feedback</h1>
       </div>
 <div style="margin-left: 5%">Give Feedback</div>
       <div style="margin-left: 5%; margin-right: 5%">We're always
working to improve the Petpal experience, so we'd love to hear what's working and how we can do better</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <br>
       <div style="margin-left: 5%">Send your feedback
to:</div>
       <div style="margin-left: 5%">feedback@petpal.com</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <div data-role="footer" data-position="fixed">
       <div data-role="navbar">
               <a href="#petownermatch" data-icon="heart">Match</a>
               <a href="#petownerhome" data-icon="home">Home</a>
               <a href="#petowneruser" data-icon="user">Profile</a>
               </div>
       </div>
```

```
</div><!-- /page -->
<!-- Pet lover homepage page -->
<div data-role="page" id="petloverhome">
<!-- /header -->
      <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
             <h1>Home</h1>
      </div><!-- /content -->
      <div class="main" id="petloverhomecontent">
      </div>
      <div data-role="footer" data-position="fixed">
      <div data-role="navbar">
             <a href="#petlovermatch" data-icon="heart">Match</a>
             <a href="#petloverhome" data-icon="home">Home</a>
             <a href="#petloveruser" data-icon="user">Profile</a>
             </div>
      </div>
</div><!-- /page -->
<!-- Pet owner sub page -->
<div data-role="page" id="petloversubpage">
```

<!-- Pet lover user page -->

<!-- /header -->

<div data-role="page" id="petloveruser">

```
<h1>Profile</h1>
                    </div>
                    <!-- /content -->
                    <div class="ui-grid-a" id="petloverhead">
                    </div>
                    <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">
                    <div style="margin-left: 3%; margin-right: 5%"><a href="#petloverview" class="ui-btn ui-icon-user ui-btn-icon-right"</p>
data-transition="slide" style="background-color:rgba(00, 00, 00, 0);"><p style="text-align: left; font-size: 16px; font-weight: 16px; font-weight:
100;">View and edit profile</a></div>
                    <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">
                    <div style="margin-left: 3%; margin-right: 5%"><a href="#petlovergethelp" class="ui-btn ui-icon-phone ui-btn-icon-right"</p>
data-transition="slide" style="background-color:rgba(00, 00, 00, 0);">Get
help</a></div>
                    <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">
                    <div style="margin-left: 3%; margin-right: 5%"><a href="#petloverfeedback" class="ui-btn ui-icon-comment"</p>
ui-btn-icon-right" data-transition="slide" style="background-color:rgba(00, 00, 00, 0);"><p style="text-align: left; font-size: 16px;
font-weight: 100;">Give us feedback</a></div>
                    <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 3%; margin-right: 3%">
                    <div style="margin-left: 3%; margin-right: 5%"><a href="#login" class="ui-btn ui-icon-delete ui-btn-icon-right"
data-transition="slide" style="background-color:rgba(00, 00, 00, 0);">Log
out</a></div>
                    <div data-role="footer" data-position="fixed">
                    <div data-role="navbar">
                                        <a href="#petlovermatch" data-icon="heart">Match</a>
                                         <a href="#petloverhome" data-icon="home">Home</a>
                                         <a href="#petloveruser" data-icon="user">Profile</a>
                                         </div>
                    </div>
</div><!-- /page -->
```

<div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">

```
<!-- Pet lover user view page -->
<div data-role="page" id="petloverview">
<!-- /header -->
         <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                   <a href="#petloveruser" data-transition="slide" data-direction="reverse" style="text-decoration: none !important;
color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none!important;box-shadow: none!important;
outline: 0;">Back</a>
                   <h1>Your Profile</h1>
         </div>
         <!-- /content -->
         <div class="main" id="getpetloverview">
          </div>
         <div data-role="footer" data-position="fixed">
         <div data-role="navbar">
                   <a href="#petlovermatch" data-icon="heart">Match</a>
                   <a href="#petloverhome" data-icon="home">Home</a>
                   <a href="#petloveruser" data-icon="user">Profile</a>
                   </div>
          </div>
</div><!-- /page -->
<!-- Pet lover user edit page -->
<div data-role="page" id="petloveredit">
```

```
<div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
                   <a href="#petloverview" data-transition="slide" data-direction="reverse" style="text-decoration: none !important;
color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none!important;box-shadow: none!important;
outline: 0;">Back</a>
                   <h1>Edit Your Profile</h1>
          </div>
          <div class="ui-grid-a" id="petloveredithead" style="line-height:80%">
          </div>
<div role="main" class="ui-content" style="margin: 3%">
                   <form method="post"
action="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/editpetloverprofile.php" id="editpetloverform">
                   <div class="ui-grid-a">
                             <label for="fname">Update Your Profile:</label>
                             <div class="ui-block-a" style="width:45%; margin-right: 5%"><input type="text" name="fname" id=""</pre>
value="" placeholder="First name"></div>
                             <div class="ui-block-b" style="width:45%; margin-left: 5%"><input type="text" name="lname" id=""</pre>
value="" placeholder="Last name"></div>
                             </div>
                   <select name="gender" id="" data-native-menu="false">
                             <option value="">Gender</option>
                             <option value="Male">Male</option>
                             <option value="Female">Female</option>
                   </select>
                   <label for="DOB">Date of Birth:</label>
                   <input type="date" name="DOB" id="" value="">
                   <input type="text" name="phone" id="" value="" placeholder="Your Phone Number">
                   <label for="breed" class="select">Preference Breed:</label>
                   <select name="breed" id="" data-native-menu="false">
                             <option value="">Choose Your Preference Breed
          <option value="Cocker Spaniel">Cocker Spaniel
                   <option value="Beagel">Beagel</option>
```

```
<option value="Boston Terrier">Boston Terrier</option>
                           <option value="Golden Retriever">Golden Retriever</option>
                           <option value="Poodie">Poodie</option>
                           <option value="Pomeranian">Pomeranian
                  </select>
                  <label for="location" class="select">Location:</label>
                  <select name="location" id="" data-native-menu="false">
                           <option value="">Your Location
                           <option value="Manhattan">Manhattan
                           <option value="Brooklyn">Brooklyn</option>
                           <option value="Queens">Queens
                           <option value="Bronx">The Bronx
                           <option value="StatenIsland">Staten Island
                  </select>
                  <!--
                  <label for="image">Your Photo:</label>
                  <input type="file" name="image" id="" value="">
                  <button type="submit" name="petlovereditsubmit" id="petlovereditsubmit" value="submit"
style="background-color:#96BDE7; color:#FFFFFF; font-size: 15px; text-align: center; vertical-align: middle">Update Your
information</button>
                  </form>
                  <span id="petlovereditresult"></span>
         </div><!-- /content -->
         <div data-role="footer" data-position="fixed">
         <div data-role="navbar">
                  <a href="#petlovermatch" data-icon="heart">Match</a>
                  <a href="#petloverhome" data-icon="home">Home</a>
                  <a href="#petloveruser" data-icon="user">Profile</a>
                  </div>
         </div>
</div><!-- /page -->
```

```
<!-- Pet lover match page -->
<div data-role="page" id="petlovermatch">
<!-- /header -->
      <div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
             <h1>Match</h1>
      </div><!-- /content -->
      <div data-role="footer" data-position="fixed">
      <div data-role="navbar">
             <a href="#petlovermatch" data-icon="heart">Match</a>
             <a href="#petloverhome" data-icon="home">Home</a>
             <a href="#petloveruser" data-icon="user">Profile</a>
             </div>
      </div>
</div><!-- /page -->
<!-- Pet lover match page -->
<div data-role="page" id="petlovergethelp">
<!-- /header -->
```

```
<div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
               <a href="#petloveruser" data-transition="slide" data-direction="reverse" style="text-decoration: none !important;
color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none!important;box-shadow: none!important;
outline: 0;">Back</a>
               <h1>Get Help</h1>
       </div>
 <div style="margin-left: 5%">Need Any Help?</div>
       <br>
       <div style="margin-left: 5%">Contact Us</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <div style="margin-left: 5%">Email:
help@petpal.com</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <div style="margin-left: 5%">Phone: +1
333-333-3333</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <div data-role="footer" data-position="fixed">
       <div data-role="navbar">
               <a href="#petlovermatch" data-icon="heart">Match</a>
              <a href="#petloverhome" data-icon="home">Home</a>
               <a href="#petloveruser" data-icon="user">Profile</a>
               </div>
       </div>
</div><!-- /page -->
<!-- Pet lover match page -->
<div data-role="page" id="petloverfeedback">
```

<!-- /header -->

```
<div data-role="header" style="background-color:#96BDE7; color:#FFFFFF;" data-position="fixed">
               <a href="#petloveruser" data-transition="slide" data-direction="reverse" style="text-decoration: none !important;
color:#FFFFF; font-weight: 400; background-color:transparent; border: none;border: none!important;box-shadow: none!important;
outline: 0;">Back</a>
               <h1>Feedback</h1>
       </div>
 <div style="margin-left: 5%">Give Feedback</div>
       <br>
       <div style="margin-left: 5%; margin-right: 5%">We're always
working to improve the Petpal experience, so we'd love to hear what's working and how we can do better</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <hr>
       <div style="margin-left: 5%">Send your feedback
to:</div>
       <div style="margin-left: 5%">feedback@petpal.com</div>
       <hr style="color:rgba(00, 00, 00, 0.05); margin-left: 5%; margin-right: 5%">
       <div data-role="footer" data-position="fixed">
       <div data-role="navbar">
               <a href="#petlovermatch" data-icon="heart">Match</a>
               <a href="#petloverhome" data-icon="home">Home</a>
               <a href="#petloveruser" data-icon="user">Profile</a>
               </div>
       </div>
</div><!-- /page -->
<script type="text/javascript" src="js/jquery.min.js"></script>
       <script type="text/javascript" src="js/jquery.mobile-1.4.5.min.js"></script>
       <script type="text/javascript">
```

```
//sign up and login system
           \('''')\ click(function(){
                                var data = $("#petownerform :input").serializeArray();
                                 \$.post( \$("\#petownerform").attr("action"), data, function(info) \{\$("\#petownerresult").html(info);\}); \\
                     });
           \("#petownerform").submit(function(){
                                 return false;
                     });
           $("#petloversubmit").click(function(){
                                 var data = $("#petloverform :input").serializeArray();
                                \$.post( \$("\#petloverform").attr("action"), data, function(info) \{\$("\#petloverresult").html(info); \}); \\
                     });
           \("#petloverform").submit(function(){
                                 return false;
                     });
           $("#homelogin").click(function(){
                                 var data = $("#homeloginform :input").serializeArray();
                                 \$.post( \$("\#homeloginform").attr("action"), data, function(info) \{\$("\#homeloginresult").html(info);\}); \\
                     });
           $("#homeloginform").submit(function(){
```

return false;

```
});
```

```
$("#petinfosubmit").click(function(){
                      var data = $("#petinfoform :input").serializeArray();
                      \$.post( \$("\#petinfoform").attr("action"), data, function(info) \{\$("\#petinforesult").html(info); \}); \\
          });
$("#petinfoform").submit(function(){
                      return false;
          });
$("#petownereditsubmit").click(function(){
                      var data = $("#editpetownerform :input").serializeArray();
                      $.post( $("#editpetownerform").attr("action"),data,function(info){$("#petownereditresult").html(info);});
          });
$("#editpetownerform").submit(function(){
                      return false;
          });
$("#editpetinfosubmit").click(function(){
                      var data = $("#editpetinfoform :input").serializeArray();
                      \$.post( \$("\#editpetinfoform").attr("action"), data, function(info) \{\$("\#editpetinforesult").html(info);\}); \\
          });
$("#editpetinfoform").submit(function(){
                      return false;
          });
$("#petlovereditsubmit").click(function(){
                      var data = $("#editpetloverform :input").serializeArray();
                      \$.post( \$("\#editpetloverform").attr("action"), data, function(info) \{\$("\#petlovereditresult").html(info); \}); \\
          });
$("#editpetloverform").submit(function(){
```

```
return false;
                    });
//homepage
//pet owner home page
          function getpetownerhomepage() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user_login) */
/* alert("in the gettheuser"); */
                    URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getpetloverinfo.php";
                    $.getJSON(URL, function(data){
     console.log(data);
    $.each(data['users'], function(index, value) {
         alert(value['user']['user_login']); */
        console.log(value);
        /* set first option to be selected */
                               $('#petownerhomecontent').append("<div id="+ value['user']['EMAIL ID'] +"
onclick=\"clicked(this)\"><a href=\"#petownersubpage\" data-transition=\"slide\"><img src=\"img/petlover.jpg\" value="+
value['user']['EMAIL_ID'] + " style=\"width:100%;\"></a></div><div class=\"main\" style=\"margin-left:5%; margin-bottom:5%
;text-align:left;\"><h3 class=\"petloverintro\">" + value['user']['FNAME'] + " " + value['user']['LNAME'] + "</h3> " +
value['user']['LOCATION'] + " Preferred Breed:" + " "+ value['user']['BREED'] + "</div>");
         //$('#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
                      );
                     }
                    );
              };
//pet owner subpage
  function getpetownersubpage() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user_login) */
/* alert("in the gettheuser"); */
```

```
$.getJSON(URL, function(data){
               console.log(data);
               $.each(data['users'], function(index, value) {
                          alert(value['user']['user_login']); */
                         console.log(value);
                        /* set first option to be selected */
                         $('#petownersubpagecontent').append("<div class= \"ui-grid-a\"><div class=\"ui-block-a\"
style=\"margin-top:10px;padding-left:5%;height:100px;line-height:80%\"><h3>" + value['user']['FNAME'] +" "+ value['user']['LNAME']
+ "</h3>"+ value['user']['LOCATION'] + "</div><div class=\"ui-block-b\"
style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\" data-transition=\"slide\"><img
src=\"img/user.jpg\" id=" + value['user']['EMAIL_ID'] + " value="+ value['user']['EMAIL_ID'] + "
style=\"height:70px;border-radius:50%;\"></a></div></div><div class= \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Email </h3> <p
 style = "font-size: 14px; ">" + value["user"]["EMAIL_ID"] + " < hr style = "color:rgba(00, 00, 00, 0.05); "></div> < div class = "main" | "m
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Mobile Phone </h3> <p
style = "font-size: 14px; \">" + value["user"]["PHONE"] + " < for style = "color: rgba(00, 00, 00, 0.05); \"></div> < div class = "main" | "m
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Date of Birth </h3> <p
style=\"font-size:14px;\">" + value['user']['DOB'] + "<hr style=\"color:rgba(00, 00, 00, 0.05);\"></div><div class= \"main\"
style=\"margin-top:10px;padding-left:5%; padding-right:5%; height:70px;line-height:80%\"> <h3> Preferred Breed </h3> <p
style=\"font-size:14px;\">" + value['user']['BREED'] + "<hr style=\"color:rgba(00, 00, 00, 0.05);\"></div>");
                          //$("#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
                                                                                             }
                                                               );
                                                            }
                );
                                        };
//pet lover home page
                             function getpetloverhomepage() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user login) */
/* alert("in the gettheuser"); */
```

URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/petownersubpage.php";

```
URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getpetinfo.php";
                    $.getJSON(URL, function(data){
     console.log(data);
     $.each(data['users'], function(index, value) {
         alert(value['user']['user_login']); */
        console.log(value);
        /* set first option to be selected */
                               $('#petloverhomecontent').append("<div id="+ value['user']['EMAIL_ID'] +"
onclick=\"clicked(this)\"><a href=\"#petownersubpage\" data-transition=\"slide\"><a href=\"#petloversubpage\"
data-transition=\"slide\"><img src=\"img/pet.jpg\" id=\"pet\" value="+ value['user']['PET_ID'] + " style=\"width:100%;\"></a></div><div
class=\"main\" style=\\margin-left:5%; margin-bottom:5%; text-align:left;\"><h3 class=\"petloverintro\">" + value['user']['PNAME'] + " "
+ " " + " Sender:" + " " + value['user']['BREED'] + "; " + " Gender:" + " " + value['user']['GENDER'] + " 
value['user']['AGE'] + "; " + " Weight:" + "" + value['user']['WEIGHT'] + "kg  < /div > "); \\
         //$('#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
                      );
                     }
                     );
              };
//pet owner subpage
  function getpetloversubpage() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user_login) */
/* alert("in the gettheuser"); */
     URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/petloversubpage.php";
      $.getJSON(URL, function(data){
     console.log(data);
     $.each(data['users'], function(index, value) {
         alert(value['user']['user_login']); */
        console.log(value);
        /* set first option to be selected */
        $('#petloversubpagecontent').append("<div class= \"ui-grid-a\"><div class=\"ui-block-a\"
style=\"margin-top:10px;padding-left:5%;height:100px;line-height:80%\"><h3>" + value['user']['PNAME'] + "</h3><p
style=\"font-size:14px;\">Gender:" +" "+ value['user']['GENDER'] + "</div><div class=\"ui-block-b\"
style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\" data-transition=\"slide\"><img
src=\"img/pet.jpg\" id=" + value['user']['PET_ID'] + " value="+ value['user']['PET_ID'] + "
```

```
style=\"height:70px;border-radius:50%;\"></a></div></div><div class= \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Breed </h3> <p
style=\"font-size:14px;\"" + value['user']['BREED'] + " + rstyle=\"color:rgba(00, 00, 00, 0.05); \"></div><div class= \"main\" + value['user']['BREED'] + "</p>
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Age </h3> <p
 style = "font-size:14px; \">" + value["user"]["AGE"] + " (0, 00, 00, 0.05); \"></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
style = \"font-size: 14px; \"">" + value['user']['WEIGHT'] + "kg < for style = \"color: rgba(00, 00, 0.05); \""></div> < div class = \"main\"">" + "kg < for style = \""color: rgba(00, 00, 0.05); \""></div> < div class = \""main\"">" + "kg
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Neutured </h3> <p
style=\"font-size:14px;\">" + value['user']['NEUTURED'] + "<hr style=\"color:rgba(00, 00, 00, 00, 0.05);\"></div>");
         );
                     }
     );
              };
//Profile page
//Pet owner profile header
          function getpetownerheader() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user_login) */
/* alert("in the gettheuser"); */
                    URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getpetowneruserinfo.php";
                    $.getJSON(URL, function(data){
     console.log(data);
     $.each(data['users'], function(index, value) {
         alert(value['user']['user_login']); */
         console.log(value);
        /* set first option to be selected */
                                $('#petownerhead').append("<div class=\"ui-block-a\"
style = "margin-top:10px; padding-left:5\%; height:100px; \"><h2> Hi, " + " " + value['user']['FNAME'] + "</h2></div></div>
class=\"ui-block-b\" style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\"
data-transition=\"slide\"><img src=\"img/user.jpg\" id=" + value['user']['EMAIL_ID'] + " value="+ value['user']['EMAIL_ID'] + "
style=\"height:70px;border-radius:50%;\"></a></div>");
         //$('#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
```

```
};
//Pet owner profile view
    function getpetownerview() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user_login) */
/* alert("in the gettheuser"); */
         URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getpetowneruserinfo.php";
           $.getJSON(URL, function(data){
         console.log(data);
         $.each(data['users'], function(index, value) {
                 alert(value['user']['user_login']); */
                console.log(value);
                /* set first option to be selected */
                $('#getpetownerview').append("<div class= \"ui-grid-a\"><div class=\"ui-block-a\"
style=\"margin-top:10px;padding-left:5%;height:100px;line-height:80%\"><h3>" + value['user']['FNAME'] + " "+ value['user']['LNAME']
+ "</h3>"+ value['user']['LOCATION'] + "<a href=\"#petowneredit\" style=\"text-decoration: none
!important; font-size:14px; color: #000000; font-weight: 400;\">Edit Profile</a></div><div class=\"ui-block-b\"
style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\" data-transition=\"slide\"><img
src=\"img/user.jpg\" id=" + value['user']['EMAIL_ID'] + " value="+ value['user']['EMAIL_ID'] + "
style=\"height:70px;border-radius:50%;\"></a></div><div class= \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Email </h3> <p
 style = "font-size:14px; ">" + value['user']['EMAIL_ID'] + " + rstyle = "color:rgba(00, 00, 00, 0.05); "></div> + color:rgba(00, 00, 00, 0.05); "></div> + rstyle + "color:rgba(00, 00, 00, 0.05); "></div> + rstyle + 
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Mobile Phone </h3> <p
style = "font-size: 14px; \">" + value["user"]["PHONE"] + " < for style = "color: rgba(00, 00, 00, 0.05); \"></div> < div class = "main\" | value["user"]["PHONE"] + "</p>
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%"> <h3> Date of Birth </h3> <p
style=\"font-size:14px;\">" + value['user']['DOB'] + "<hr style=\"color:rgba(00, 00, 00, 0.05);\"></div>");
                 );
                                       }
          );
                          };
```

); });

```
//Pet owner edit header
                       function getpetownereditheader() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user_login) */
/* alert("in the gettheuser"); */
                                              URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getpetowneruserinfo.php";
                                              $.getJSON(URL, function(data){
           console.log(data);
           $.each(data['users'], function(index, value) {
                    alert(value['user']['user_login']); */
                    console.log(value);
                   /* set first option to be selected */
                                                                       $('#petowneredithead').append("<div class=\"ui-block-a\"
style = "margin-top:10px; padding-left:5\%; height:80px; "><h2>" + value['user']['FNAME'] + "" + value['user']['LNAME'] + "<h2>" + value['user']['LNAME'] + "" + value['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['user']['
+value['user']['EMAIL ID'] + "</div><div class=\"ui-block-b\"
style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\" data-transition=\"slide\"><img
src=\"img/user.jpg\" id=" + value['user']['EMAIL_ID'] + " value="+ value['user']['EMAIL_ID'] + "
style=\mbox{"height:70px;border-radius:50%;}"></a></div>");
                     //$("#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
                                                  );
                                               }
                                               );
                                };
//Pet owner profile view
     function getpetinfoview() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user_login) */
/* alert("in the gettheuser"); */
           URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getspecificpetinfo.php";
              $.getJSON(URL, function(data){
           console.log(data);
           $.each(data['users'], function(index, value) {
                    alert(value['user']['user_login']); */
```

```
console.log(value);
               /* set first option to be selected */
               $('#getpetinfoview').append("<div class=\"ui-grid-a\"><div class=\"ui-block-a\"
style = "margin-top:10px; padding-left:5\%; height:100px; line-height:80\%" > <h3>" + value['user']['PNAME'] + "</h3>  + "</h3>  + "</h3>  + "</h3>  + "</h3>  + "
style=\"font-size:14px;\">Gender:" +" "+ value['user']['GENDER'] + "<a href=\"#petinfoedit\" style=\"text-decoration: none
!important; font-size:14px; color: #000000; font-weight: 400;\">Edit Profile</a></div><div class=\"ui-block-b\"
style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\" data-transition=\"slide\"><img
src=\"img/pet.jpg\" id=" + value['user']['PET_ID'] + " value="+ value['user']['PET_ID'] + "
style=\"height:70px;border-radius:50%;\"></a></div></div><div class= \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Breed </h3> <p
style = "font-size: 14px; \" + value["user"]["BREED"] + " (00, 00, 00, 00, 0.05); \" > </div > (div > div class = "main") | value["user"]["BREED"] + "
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Age </h3> <p
 style = "font-size:14px; \">" + value["user"]["AGE"] + " (0, 00, 00, 0.05); \"></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Weight </h3> <p
style = \"font-size: 14px; \">" + value['user']['WEIGHT'] + "kg < for style = \"color:rgba(00, 00, 0.05); \"> < / div> < div class = \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Neutured </h3> <p
style=\"font-size:14px;\">" + value['user']['NEUTURED'] + "<hr style=\"color:rgba(00, 00, 00, 0.05);\"></div>");
                 //$("#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
                                        );
                                      }
          );
                         };
//Pet owner profile header
                  function getpetloverheader() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user login) */
/* alert("in the gettheuser"); */
                                     URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getspecificpetlover.php";
                                     $.getJSON(URL, function(data){
         console.log(data);
         $.each(data['users'], function(index, value) {
                 alert(value['user']['user_login']); */
                console.log(value);
               /* set first option to be selected */
                                                          $('#petloverhead').append("<div class=\"ui-block-a\"
style = "margin-top:10px; padding-left:5\%; height:100px; \\ "><h2> Hi, " + " " + value['user']['FNAME'] + "</h2> \\ /div> <div + (h2) +
class=\"ui-block-b\" style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\"
```

```
style=\"height:70px;border-radius:50%;\"></a></div>");
         //$("#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
                      );
                    );
              };
//Pet lover profile view
  function getpetloverview() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user login) */
/* alert("in the gettheuser"); */
     URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getspecificpetlover.php";
      $.getJSON(URL, function(data){
     console.log(data);
     $.each(data['users'], function(index, value) {
         alert(value['user']['user_login']); */
        console.log(value);
        /* set first option to be selected */
        $('#getpetloverview').append("<div class= \"ui-grid-a\"><div class=\"ui-block-a\"
style=\"margin-top:10px;padding-left:5%;height:100px;line-height:80%\"><h3>" + value['user']['FNAME'] + " "+ value['user']['LNAME']
+ "</h3>"+ value['user']['LOCATION'] + "<a href=\"#petloveredit\" style=\"text-decoration: none
!important; font-size:14px; color: #000000; font-weight: 400;\">Edit Profile</a></div><div class=\"ui-block-b\"
style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\" data-transition=\"slide\"><img
src=\"img/user.jpg\" id=" + value['user']['EMAIL_ID'] + " value="+ value['user']['EMAIL_ID'] + "
style=\"height:70px;border-radius:50%;\"></a></div><div><div class= \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Email </h3> <p
style=\"font-size:14px;\">" + value['user']['EMAIL ID'] + "<hr style=\"color:rgba(00, 00, 00, 0.05); \"></div><div class= \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Mobile Phone </h3> <p
 style = "font-size: 14px; \">" + value["user"]["PHONE"] + " < for style = \"color:rgba(00, 00, 00, 0.05); \"></div> < div class = \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Date of Birth </h3> <p
style=\"font-size:14px;\">" + value['user']['DOB'] + "<hr style=\"color:rgba(00, 00, 00, 0.05);\"></div><div class= \"main\"
style=\"margin-top:10px;padding-left:5%;padding-right:5%;height:70px;line-height:80%\"> <h3> Preferred Breed </h3> <p
style=\"font-size:14px;\">" + value['user']['BREED'] + "<hr style=\"color:rgba(00, 00, 00, 0.05);\"></div>");
         //$("#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
                                }
```

data-transition=\"slide\"><img src=\"img/user.jpg\" id=" + value['user']['EMAIL_ID'] + " value="+ value['user']['EMAIL_ID'] + "

```
);
                                                       }
              );
                                     };
//Pet owner lover header
                           function getpetlovereditheader() {
/* testwebservice user returns a JSON object with an array of users IDs and login names (user_login) */
/* alert("in the gettheuser"); */
                                                     URL="http://websys3.stern.nyu.edu/websysF18/websysF182/PHP/getspecificpetlover.php";
                                                     \\ \$.getJSON(URL, function(data)\{
             console.log(data);
             $.each(data['users'], function(index, value) {
                        alert(value['user']['user_login']); */
                       console.log(value);
                       /* set first option to be selected */
                                                                                   $('#petloveredithead').append("<div class=\"ui-block-a\"
style = "margin-top:10px; padding-left:5\%; height:80px; "><h2>" + value["user"]["FNAME"] + " " + value["user"]["LNAME"] + " " + value["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["user"]["u
+value['user']['EMAIL_ID'] + "</div><div class=\"ui-block-b\"
style=\"text-align:right;margin-top:10px;height:100px;padding-right:5%\"><a href=\"#\" data-transition=\"slide\"><img
src=\"img/user.jpg\" id=" + value['user']['EMAIL_ID'] + " value="+ value['user']['EMAIL_ID'] + "
style = \verb|\| height: 70px; border-radius: 50\%; \verb|\| > </a > </div>" );
                        //$('#userform').append("<option value=" + value['user']['first_name'] + ">" + value['user']['first_name'] + "</option>");
                                                          );
                                                       );
                                     };
//present homepage
$(document).ready(function() {
    $("#viewport").attr("content","width=320");
```

```
/* alert("in document.ready"); */
  /* Call webservice to return list of users who have posted */
  ^{\prime \star} and then creates select option for each user in the select dropdown list ^{\star\prime}
          getpetownerhomepage();
          getpetloverhomepage();
          getpetownerheader();
          getpetownerview();
          getpetownereditheader();
          getpetinfoview();
          getpetloverheader();
          getpetloverview();
          getpetlovereditheader();
/* In Jquery mobile, the default element is not set, so we need to pick one */
  ^{\prime \star} Pick the first to be selected, and then let the user change it ^{\star \prime}
       );
          */
$("#petownerhome").bind("pageshow",function(event,ui){
 $("#petownerhomecontent").empty();
 getpetownerhomepage();
});
$("#petloverhome").bind("pageshow",function(event,ui){
 $("#petloverhomecontent").empty();
 getpetloverhomepage();
});
$("#petowneruser").bind("pageshow",function(event,ui){
 $("#petownerhead").empty();
```

```
getpetownerheader();
});
$("#petownerview").bind("pageshow",function(event,ui){
 $("#getpetownerview").empty();
 getpetownerview();
});
$("#petowneredit").bind("pageshow",function(event,ui){
 $("#petowneredithead").empty();
 getpetownereditheader();
});
$("#petinfoview").bind("pageshow",function(event,ui){
 $("#getpetinfoview").empty();
 getpetinfoview();
});
$("#petloveruser").bind("pageshow",function(event,ui){
 $("#petloverhead").empty();
 getpetloverheader();
});
$("#petloverview").bind("pageshow",function(event,ui){
 $("#getpetloverview").empty();
 getpetloverview();
});
```

```
("#petloveredit").bind("pageshow",function(event,ui){}
 $("#petloveredithead").empty();
 getpetlovereditheader();
});
$("#petownersubpage").bind("pageshow",function(event,ui){
 $("#petownersubpagecontent").empty();
 getpetownersubpage();
});
$("#petloversubpage").bind("pageshow",function(event,ui){
 $("#petloversubpagecontent").empty();
 getpetloversubpage();
});
          </script>
</body>
</html>
```