

COMP1021
Introduction to Computer Science

Lists and Tuples


David Rossiter and Gibson Lam

Outcomes

- After completing this presentation, you are expected to be able to:
 1. Manage a collection of things using a list or a tuple in Python
 2. Explain the major difference between lists and tuples
 3. Create a two dimensional structure using lists or tuples


Storing a Collection of Data

- You have seen the use of variables to store simple data such as a number or a string (a piece of text)
- Instead of a single piece of data it will be useful if you can store a collection of data in a variable inside a program
- For example, in a shooting game, if you can store a collection of monsters in one place, you will be able to manage them a lot easier than having them stored separately

`monsters =` 

Lists and Tuples

- Lists and tuples are two different ways to store a collection of items in Python



- Both of them can be used to store many items, which can be of any types, at the same time
- For example, you can store a collection of numbers and text in a list or a tuple



Using a List


- To create a list in Python you use a pair of square brackets to enclose the items you need, for example:

```
girlfriends = ["Stephy", "Sa", "Angela"]
```

- To get back a particular item from the list, you need to say which item you want by giving an *index*
- For example, to print the first item from the above list, you can use this code:

```
print(girlfriends[0])
```

Important! The first item has an index of 0, not 1!



```
>>> girlfriends = ["Stephy", "Sa", "Angela"]
>>> print(girlfriends[0])
Stephy
>>>
```

The Length of a List/ Tuple

- You can use `len(name)` to tell you how many things are in a list/ tuple
- For example:

```
>>> girlfriends = ["Stephy", "Sa", "Angela"]  
>>> print(len(girlfriends))  
3
```

Using a Tuple


- To create a tuple you use a pair of parentheses (not square brackets!) for the items, like this:

```
myfriend = ("John", 18, "CSE", 180, 70)
```

- Again, to get a particular item from a tuple, you use an appropriate index, for example:

```
print("Name of my friend:", myfriend[0])
```

```
>>> myfriend = ("John", 18, "CSE", 180, 70)
>>> print("Name of my friend:", myfriend[0])
Name of my friend: John
>>>
```



*You still use []
when getting an
item from a tuple*

Lists vs Tuples

- You may wonder what the difference between lists and tuples is (apart from the brackets/parentheses)
- One major difference is that:
 - After making a list you can modify the list later (adding, changing or deleting an item)
 - After making a tuple you **cannot** modify the tuple in any way, i.e. a tuple is read-only
- Using the language of computing, we say lists are *mutable* (can be changed) and tuples are *immutable* (cannot be changed)

Changing an Item in a List


- You can change any item in a list, for example:

```
>>> girlfriends = ["Stephy", "Sa", "Angela"]
>>> girlfriends[2] = "GEM"
>>> print(girlfriends)
['Stephy', 'Sa', 'GEM']
>>>
```

- However, you cannot do that for a tuple, like this:

```
>>> myfriend = ("John", 18, "CSE", 180, 70)
>>> myfriend[2] = "ECE"
Traceback (most recent call last):
  File "<pyshell#16>", line 1, in <module>
    myfriend[2] = "ECE"
TypeError: 'tuple' object does not support item assignment
>>> print(myfriend)
('John', 18, 'CSE', 180, 70)
>>>
```

Insert, Remove and Append a List

- You can insert/remove/append items at any time, for example:  *'append' means 'put it at the end'*

```
>>> comment = ["Dave", "is", "human"]
>>> print(comment)
['Dave', 'is', 'human']
>>> comment.insert(2, "not")
>>> print(comment)
['Dave', 'is', 'not', 'human']
>>> comment.remove("human")
>>> print(comment)
['Dave', 'is', 'not']
>>> comment.append("evil!")
>>> print(comment)
['Dave', 'is', 'not', 'evil!']
```

*Insert before
item 2 (the
third item)*

*If there was
more than
one 'human'
in the list,
this would
only remove
the first one*

Other Things You Can Do with Lists

- sort – sorts the list in increasing number/letter order

```
>>> words = ["cat", "dog", "apple", "bat"]
>>> words.sort()
>>> print(words)
['apple', 'bat', 'cat', 'dog']
```

- reverse – reverses the content of the list

```
>>> words = ["cat", "dog", "apple", "bat"]
>>> words.reverse()
>>> print(words)
['bat', 'apple', 'dog', 'cat']
```

- count – counts how many times something appears

```
>>> ages = [20, 21, 19, 20, 19, 22, 20, 20, 20, 18]
>>> ages.count(20)
5
```

Other Things You Can Do with Lists

- index – finds the first occurrence of something

```
>>> ages = [20,21,19,20,19,22,20,20,20,18]
>>> ages.index(19)
2
```

- extend – appends another list to this list

```
>>> happywords = ["I", "love", "you"]
>>> print(happywords)
['I', 'love', 'you']
>>> happywords.extend(["if", "you", "lend", "me", "money"])
>>> print(happywords)
['I', 'love', 'you', 'if', 'you', 'lend', 'me', 'money']
```

- There is also ‘pop’, which we will look at in another presentation

When to Use Lists or Tuples

- Up to this point, you may simply stick to using lists because they are ‘more powerful’ than tuples
- However, there are situations when you really only need to use tuples because you don’t need to change the data in any way
- In addition, sometimes Python does not allow the use of lists, e.g. sometimes in a dictionary (discussed in another presentation)

Converting Between Lists and Tuples

- Sometimes you may want to change a tuple to a list or vice versa
- To do that you can use the list command or tuple command
- Here is an example:


```
>>> girlfriends = ["Stephy", "Sa", "Angela"]
>>> girlfriends = tuple(girlfriends)
>>> print(girlfriends)
('Stephy', 'Sa', 'Angela')
>>> girlfriends = list(girlfriends)
>>> print(girlfriends)
['Stephy', 'Sa', 'Angela']
```

It becomes a tuple

It becomes a list again

Two Dimensional Structures

- In some cases a one dimensional (1D) structure (things that are arranged in one direction) is not enough
- For example, a digital camera image is a 2D structure:



Two Dimensional Structures

- A Python list or tuple is a 1D data structure
- What if you want to use a 2D structure?
 - Then you need to use lots of lists/tuples inside another list/tuple
- For example, you can create a list of lists
 - The outer list is one of the dimensions, and the inner lists are the other dimension

Examples of a 1D List and a 2D List

- 1D example:

```
text = ["j", "o", "k", "e", "s"]
```

```
letter_o = text[1] # the "o" in second col
```

text

j	o	k	e	s
---	---	---	---	---

- 2D example:

```
text =
```

```
    ["h", "a", "r", "r", "y"],
```

```
    ["l", "i", "k", "e", "s"],
```

```
    ["j", "o", "k", "e", "s"]]
```

```
letter_o = text[2][1]
```

```
# the "o" in the third row second column
```

text[0]

h	a	r	r	y
---	---	---	---	---

text[1]

l	i	k	e	s
---	---	---	---	---

text[2]

j	o	k	e	s
---	---	---	---	---

Be careful! The general idea is [row][col], not [col][row]!