




one_prior_common_optimal_set: k=3, sample=1
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=2
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=3
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=4
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=5
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=6
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=7
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=8
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=9
D-opt $f = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=10
D-opt $\hat{f} = -\log \det = -1.704571$, Delta=1.690




one_prior_common_optimal_set: k=3, sample=11
D-opt $\hat{f} = -\log \det = -1.704571$, $\Delta = 1.690$




one_prior_common_optimal_set: k=3, sample=12
D-opt $\hat{f} = -\log \det = -1.704571$, Delta=1.690




one_prior_common_optimal_set: k=4, sample=1
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=2
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=3
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=4
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=5
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=6
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=7
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=8
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=9
D-opt $f = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=10
D-opt $\hat{f} = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=11
D-opt $\hat{f} = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=4, sample=12
D-opt $\hat{f} = -\log \det = -2.091126$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=1
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=2
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=3
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=4
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=5
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=6
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=7
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=8
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=9
D-opt $f = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=10
D-opt $\bar{f} = -\log \det = -2.414933$, Delta=1.690




one_prior_common_optimal_set: k=5, sample=11
D-opt $\hat{f} = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=5, sample=12
D-opt $\bar{f} = -\log \det = -2.414933$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=1
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=2
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=3
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=4
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=5
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=6
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=7
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=8
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=9
D-opt $f = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=10
D-opt $\hat{f} = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=11
D-opt $\hat{f} = -\log \det = -2.693547$, $\Delta = 1.690$




one_prior_common_optimal_set: k=6, sample=12
D-opt $\bar{f} = -\log \det = -2.693547$, Delta=1.690




one_prior_common_optimal_set: k=7, sample=1
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=2
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=3
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=4
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=5
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=6
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=7
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=8
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=9
D-opt $f = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=7, sample=10
D-opt $\hat{f} = -\log \det = -2.938052$, Delta=1.690




one_prior_common_optimal_set: k=7, sample=11
D-opt $\bar{f} = -\log \det = -2.938052$, Delta=1.690




one_prior_common_optimal_set: k=7, sample=12
D-opt $\hat{f} = -\log \det = -2.938052$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=1
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=2
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=3
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=4
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=5
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=6
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=7
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=8
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=9
D-opt $f = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=8, sample=10
D-opt $\hat{f} = -\log \det = -3.155894$, Delta=1.690




one_prior_common_optimal_set: k=8, sample=11
D-opt $\bar{f} = -\log \det = -3.155894$, Delta=1.690




one_prior_common_optimal_set: k=8, sample=12
D-opt $\hat{f} = -\log \det = -3.155894$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=1
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=2
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=3
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=4
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=5
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=6
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=7
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=8
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=9
D-opt $f = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=10
D-opt $\hat{f} = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=9, sample=11
D-opt $\hat{f} = -\log \det = -3.352323$, Delta=1.690




one_prior_common_optimal_set: k=9, sample=12
D-opt $\bar{f} = -\log \det = -3.352323$, $\Delta = 1.690$




one_prior_common_optimal_set: k=10, sample=1
D-opt $\hat{f} = -\log \det = -3.531173$, Delta=1.690




one_prior_common_optimal_set: k=10, sample=2
D-opt $\hat{f} = -\log \det = -3.531173$, $\Delta = 1.690$




one_prior_common_optimal_set: k=10, sample=3
D-opt $\hat{f} = -\log \det = -3.531173$, Delta=1.690




one_prior_common_optimal_set: k=10, sample=4
D-opt $\hat{f} = -\log \det = -3.531173$, $\Delta = 1.690$




one_prior_common_optimal_set: k=10, sample=5
D-opt $\hat{f} = -\log \det = -3.531173$, Delta=1.690




one_prior_common_optimal_set: k=10, sample=6
D-opt $\hat{f} = -\log \det = -3.531173$, Delta=1.690




one_prior_common_optimal_set: k=10, sample=7
D-opt $\hat{f} = -\log \det = -3.531173$, Delta=1.690




one_prior_common_optimal_set: k=10, sample=8
D-opt $\hat{f} = -\log \det = -3.531173$, Delta=1.690




one_prior_common_optimal_set: k=10, sample=9
D-opt $\bar{f} = -\log \det = -3.531173$, Delta=1.690




one_prior_common_optimal_set: k=10, sample=10
D-opt $f = -\log \det = -3.531173$, $\Delta = 1.690$




one_prior_common_optimal_set: k=10, sample=11
D-opt $f = -\log \det = -3.531173$, $\Delta = 1.690$




one_prior_common_optimal_set: k=10, sample=12
D-opt $f = -\log \det = -3.531173$, $\Delta = 1.690$




one_prior_common_optimal_set: k=11, sample=1
D-opt $\bar{f} = -\log \det = -3.695334$, Delta=1.690




one_prior_common_optimal_set: k=11, sample=2
D-opt $\bar{f} = -\log \det = -3.695334$, Delta=1.690




one_prior_common_optimal_set: k=11, sample=3
D-opt $\bar{f} = -\log \det = -3.695334$, $\Delta = 1.690$




one_prior_common_optimal_set: k=11, sample=4
D-opt $\hat{f} = -\log \det = -3.695334$, $\Delta = 1.690$




one_prior_common_optimal_set: k=11, sample=5
D-opt $\hat{f} = -\log \det = -3.695334$, Delta=1.690




one_prior_common_optimal_set: k=11, sample=6
D-opt $\hat{f} = -\log \det = -3.695334$, Delta=1.690




one_prior_common_optimal_set: k=11, sample=7
D-opt $\bar{f} = -\log \det = -3.695334$, $\Delta = 1.690$




one_prior_common_optimal_set: k=11, sample=8
D-opt $\hat{f} = -\log \det = -3.695334$, $\Delta = 1.690$




one_prior_common_optimal_set: k=11, sample=9
D-opt $\hat{f} = -\log \det = -3.695334$, Delta=1.690



one_prior_common_optimal_set: k=11, sample=10
D-opt $f = -\log \det = -3.695334$, $\Delta = 1.690$



one_prior_common_optimal_set: k=11, sample=11
D-opt $f = -\log \det = -3.695334$, $\Delta = 1.690$



one_prior_common_optimal_set: k=11, sample=12
D-opt $f = -\log \det = -3.695334$, $\Delta = 1.690$

