




two_prior_common_optimal_set: k=3, sample=1
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=2
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=3
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=4
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=5
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=6
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=7
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=8
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=9
D-opt $f = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=10
D-opt $\bar{f} = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=11
D-opt $\bar{f} = -\log \det = -2.244983$, $\Delta = 2.214$




two_prior_common_optimal_set: k=3, sample=12
D-opt $\bar{f} = -\log \det = -2.244983$, Delta=2.214




two_prior_common_optimal_set: k=4, sample=1
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=2
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=3
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=4
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=5
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=6
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=7
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=8
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=9
D-opt $f = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=10
D-opt $\bar{f} = -\log \det = -2.546531$, $\Delta = 2.214$




two_prior_common_optimal_set: k=4, sample=11
D-opt $\bar{f} = -\log \det = -2.546531$, Delta=2.214




two_prior_common_optimal_set: k=4, sample=12
D-opt $\bar{f} = -\log \det = -2.546531$, Delta=2.214




two_prior_common_optimal_set: k=5, sample=1
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=2
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=3
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=4
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=5
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=6
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=7
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=8
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=9
D-opt $f = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=10
D-opt $\bar{f} = -\log \det = -2.808514$, $\Delta = 2.214$




two_prior_common_optimal_set: k=5, sample=11
D-opt $\bar{f} = -\log \det = -2.808514$, Delta=2.214




two_prior_common_optimal_set: k=5, sample=12
D-opt $\bar{f} = -\log \det = -2.808514$, Delta=2.214




two_prior_common_optimal_set: k=6, sample=1
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=2
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=3
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=4
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=5
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=6
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=7
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=8
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=9
D-opt $f = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=10
D-opt $\bar{f} = -\log \det = -3.040120$, Delta=2.214




two_prior_common_optimal_set: k=6, sample=11
D-opt $\bar{f} = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=6, sample=12
D-opt $\bar{f} = -\log \det = -3.040120$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=1
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=2
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=3
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=4
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=5
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=6
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=7
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=8
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=9
D-opt $f = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=7, sample=10
D-opt $\bar{f} = -\log \det = -3.247668$, Delta=2.214




two_prior_common_optimal_set: k=7, sample=11
D-opt $\bar{f} = -\log \det = -3.247668$, Delta=2.214




two_prior_common_optimal_set: k=7, sample=12
D-opt $\bar{f} = -\log \det = -3.247668$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=1
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=2
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=3
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=4
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=5
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=6
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=7
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=8
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=9
D-opt $f = -\log \det = -3.435688$, $\Delta = 2.214$




two_prior_common_optimal_set: k=8, sample=10
D-opt $\bar{f} = -\log \det = -3.435688$, Delta=2.214




two_prior_common_optimal_set: k=8, sample=11
D-opt $\bar{f} = -\log \det = -3.435688$, Delta=2.214




two_prior_common_optimal_set: k=8, sample=12
D-opt $\bar{f} = -\log \det = -3.435688$, Delta=2.214




two_prior_common_optimal_set: k=9, sample=1
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=2
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=3
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=4
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=5
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=6
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=7
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=8
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=9
D-opt $f = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=10
D-opt $\bar{f} = -\log \det = -3.607541$, $\Delta = 2.214$




two_prior_common_optimal_set: k=9, sample=11
D-opt $\bar{f} = -\log \det = -3.607541$, Delta=2.214




two_prior_common_optimal_set: k=9, sample=12
D-opt $\bar{f} = -\log \det = -3.607541$, Delta=2.214




two_prior_common_optimal_set: k=10, sample=1
D-opt $\bar{f} = -\log \det = -3.765789$, $\Delta = 2.214$




two_prior_common_optimal_set: k=10, sample=2
D-opt $\bar{f} = -\log \det = -3.765789$, Delta=2.214




two_prior_common_optimal_set: k=10, sample=3
D-opt $\bar{f} = -\log \det = -3.765789$, $\Delta = 2.214$




two_prior_common_optimal_set: k=10, sample=4
D-opt $\bar{f} = -\log \det = -3.765789$, $\Delta = 2.214$




two_prior_common_optimal_set: k=10, sample=5
D-opt $\bar{f} = -\log \det = -3.765789$, Delta=2.214




two_prior_common_optimal_set: k=10, sample=6
D-opt $\hat{f} = -\log \det = -3.765789$, Delta=2.214




two_prior_common_optimal_set: k=10, sample=7
D-opt $\bar{f} = -\log \det = -3.765789$, $\Delta = 2.214$




two_prior_common_optimal_set: k=10, sample=8
D-opt $\bar{f} = -\log \det = -3.765789$, $\Delta = 2.214$




two_prior_common_optimal_set: k=10, sample=9
D-opt $\bar{f} = -\log \det = -3.765789$, Delta=2.214




two_prior_common_optimal_set: k=10, sample=10
D-opt $f = -\log \det = -3.765789$, $\Delta = 2.214$




two_prior_common_optimal_set: k=10, sample=11
D-opt $f = -\log \det = -3.765789$, $\Delta = 2.214$




two_prior_common_optimal_set: k=10, sample=12
D-opt $f = -\log \det = -3.765789$, $\Delta = 2.214$




two_prior_common_optimal_set: k=11, sample=1
D-opt $\bar{f} = -\log \det = -3.912428$, Delta=2.214




two_prior_common_optimal_set: k=11, sample=2
D-opt $\bar{f} = -\log \det = -3.912428$, Delta=2.214




two_prior_common_optimal_set: k=11, sample=3
D-opt $\bar{f} = -\log \det = -3.912428$, $\Delta = 2.214$




two_prior_common_optimal_set: k=11, sample=4
D-opt $\bar{f} = -\log \det = -3.912428$, Delta=2.214




two_prior_common_optimal_set: k=11, sample=5
D-opt $\bar{f} = -\log \det = -3.912428$, Delta=2.214




two_prior_common_optimal_set: k=11, sample=6
D-opt $\bar{f} = -\log \det = -3.912428$, Delta=2.214




two_prior_common_optimal_set: k=11, sample=7
D-opt $\bar{f} = -\log \det = -3.912428$, Delta=2.214




two_prior_common_optimal_set: k=11, sample=8
D-opt $\bar{f} = -\log \det = -3.912428$, Delta=2.214




two_prior_common_optimal_set: k=11, sample=9
D-opt $\bar{f} = -\log \det = -3.912428$, Delta=2.214



two_prior_common_optimal_set: k=11, sample=10
D-opt $f = -\log \det = -3.912428$, $\Delta = 2.214$



two_prior_common_optimal_set: k=11, sample=11
D-opt $f = -\log \det = -3.912428$, $\Delta = 2.214$



two_prior_common_optimal_set: k=11, sample=12
D-opt $f = -\log \det = -3.912428$, $\Delta = 2.214$

