



## ***Less Than 30 Days of Installation with Troubles***

**April 25, 2013**

Affected Site **GT-VALERO HOST**

Service/Circuit ID **IC-AIZ-7533**

Activation Date **04/12/2013**

Circuit Maturity **10 Days old from first outage**

Project Engr **KPV**

Status **NEW ACTIVATION**

<b>Ticket Id</b>	<b>Rcvd Date/Time</b>	<b>Trouble Reported</b>	<b>Close Date/Time</b>	<b>Duration(in minutes)</b>	<b>Pending Time(in minutes)</b>	<b>Reason For Outage</b>	<b>Last Action Taken</b>	<b>Aging(in days)</b>
1071985	04/22/2013 20:00:40	CHURCH OF CHRIST DBA IGLESIA NI CRISTO internal reference CTS13- 042264 circuit# IC-AIZ-7533	04/24/2013 06:18:26	2058	0	No alarms/trouble found.	Confirmed up with ATT's client as per Warren/ATT. No alarms/trouble found.	10

Affected Site **DPWH-SINDALAN PAMPANGA**

Service/Circuit ID **IC-AIZ-4683**

Activation Date **03/18/2013**

Circuit Maturity **23 Days old from first outage**

Project Engr **HOL**

Status

**NEW ACTIVATION**

Ticket Id	Rcvd Date/Time	Trouble Reported	Close Date/Time	Duration(in minutes)	Pending Time(in minutes)	Reason For Outage	Last Action Taken	Aging(in days)
1069638	04/15/2013 13:34:52	Link Down	04/24/2013 13:19:51	12945	3924	No historical alarms found	For verification during office hours. with Mr. Ryan Apolonio / 0459615005/09209457302	28

Affected Site

Service/Circuit ID **IC-AIZ-7475**

Activation Date **03/27/2013**

Circuit Maturity **20 Days old from first outage**

Project Engr **HOL**

Status **NEW ACTIVATION**

Ticket Id	Rcvd Date/Time	Trouble Reported	Close Date/Time	Duration(in minutes)	Pending Time(in minutes)	Reason For Outage	Last Action Taken	Aging(in days)
1070203	04/16/2013 16:23:55	Link Down II IC-AIZ-7475	04/24/2013 15:42:46	11479	5217	No historical alarms found	RFO: No historical alarms found	20