
stanley_altarA
Female (n=15.5)
MetaMale (n=32.5)
10.0
7.5
5.0
Expression (log2)
Samples
probeset
KDM5D
RPS4Y1
XIST


stanley_altarC
etaFemale (n=8)
MetaMale (n=14)
10
8
6
4
Expression (log2)
F F F F F F F F F F F F F M F F M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


stanley_bahn
:aFemale (n=17)MetaMale (n=32.5)
10.0
7.5
5.0
Expression (log2)
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE10072
aFemale (n=18.5)
MetaMale (n=34.5)
Expression (log2)
14
12
10
8
6
4
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE10172
Female (n=4.5) MetaMale (n=11.5)
Expression (log2)
14
12
10
8
6
4
F F F F F F F F F M M M M M M M M M M M M M M M M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE10867
MetaFemale (n=5)
MetaMale (n=5)
10.0
7.5
5.0
2.5
Expression (log2)
F F F F F F F F F F M M M M M F M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE1147
taFemale (n=4.5)
MetaMale (n=7)
Expression (log2)
12
10
8
6
F F F F F F F F F M M M M M M M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE14795
aFemale (n=4.5)
MetaMale (n=8.5)
15
10
5
Expression (log2)
F F F F F F F F F F M M M M M M M M M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE14814
emale (n=7.5)
MetaMale (n=33.5)
12.5
10.0
7.5
5.0
2.5
Expression (log2)
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE20164
MetaFemale (n=3)
MetaMale (n=2.5)
Expression (log2)
10
8
6
F
F
F
F
F
F
M
M
M
M
M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE20168
aFemale (n=5.5)
MetaMale (n=11)
Expression (log2)
12.5
10.0
7.5
5.0
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE20295
Female (n=10.5)
MetaMale (n=21.5)
12
10
8
6
Expression (log2)
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE20314
Female (n=1)
MetaMale (n=3)
Expression (log2)
10
8
6
4
F
F
M
M
M
M
M
M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE22688
MetaFemale (n=9)
MetaMale (n=10)
12.5
10.0
7.5
5.0
Expression (log2)
F F F F F F F F F F F F F F F F F M M M M M M M F M M M M M M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE2888
MetaFemale (n=7)
MetaMale (n=7)
10.0
7.5
5.0
2.5
Expression (log2)
F F F F F F F
F F F F F F F
M M M M M M M
M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE35710
Female (n=6)
MetaMale (n=18)
10.0
7.5
5.0
Expression (log2)
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE430
aFemale (n=2)
MetaMale (n=5)
Expression (log2)
10.0
7.5
5.0
2.5
F
F
F
F
M
M
M
M
M
M
M
M
M
M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE5389
etaFemale (n=4.5)
MetaMale (n=6)
Expression (log2)
9
7
5
3
M F F F M F F F M M M M M M M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE5390
aFemale (n=2.5)
MetaMale (n=5)
Expression (log2)
10
8
6
4
F
F
F
F
F
M
M
M
M
M
M
M
F
M
M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE6011
nale (n=1.5)
MetaMale (n=17)
12
10
8
6
Expression (log2)
F F F M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE7142
emale (n=0.5)
MetaMale (n=1.5)
10.0
7.5
5.0
Expression (log2)
F
M
M
M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE7638
Female (n=21) MetaMale (n=59)
12.5
10.0
7.5
5.0
2.5
Expression (log2)
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE8441
MetaFemale (n=6)
MetaMale (n=5)
10
8
6
4
Expression (log2)
F F F F F F F F F F F F M M M M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


GSE8970
taFemale (n=5)
MetaMale (n=11)
Expression (log2)
12
10
8
6
4
F F F F F F F F M F M M M M M M M M M M M M F M M M M M M M
Samples
probeset
KDM5D
RPS4Y1
XIST


stanley_kato
aFemale (n=17.5)
MetaMale (n=33.5)
10.0
7.5
5.0
2.5
Expression (log2)
Samples
probeset
KDM5D
RPS4Y1
XIST


McLean_PFC
Female (n=10.5)
MetaMale (n=22)
10.0
7.5
5.0
Expression (log2)
Samples
probeset
KDM5D
RPS4Y1
XIST