

**PMC full text:** [PLoS ONE. 2008; 3\(8\): e3088.](#)  
Published online 2008 Aug 28. doi: [10.1371/journal.pone.0003088](#)  
[Copyright/License](#) ▶ [Request permission to reuse](#)

**Table 1**  
**Patient/tumor characteristics of medulloblastoma series used for expression profiling in this study.**

<b>Tumor samples</b>	
Primary tumors	60
Local relapses	2
<b>Sex</b>	
Male	41
Female	21
<b>Histology</b>	
Classic	46
Desmoplastic	13
LCA	1
ND	2
<b>Age</b>	
Median (range)	6.0 (1.5–35.3)
≤3 yr	14
>3 and ≤18 yr	41
>18 yr	6
ND	1
<b>Metastatic stage</b>	
M0	42
M1	7
>M2	9
ND	4
doi:10.1371/journal.pone.0003088.t001	

<b>Tumor samples</b>	
Primary tumors	60

Local relapses	2
<b>Sex</b>	
Male	41
Female	21
<b>Histology</b>	
Classic	46
Desmoplastic	13
LCA	1
ND	2
<b>Age</b>	
Median (range)	6.0 (1.5–35.3)
≤3 yr	14
>3 and ≤18 yr	41
>18 yr	6
ND	1
<b>Metastatic stage</b>	
M0	42
M1	7
>M2	9
ND	4